

# MICROCOMPUTING<sup>®</sup>

A WAYNE GREEN PUBLICATION

October 1982  
USA \$2.95 (UK£2.00)  
Number 70

## Discover Spinwriter's Secret— Matchless Business Graphics



**Business Forecasting—Avoid Impending Disaster**  
**alc—Microcomputing's Super Problem-Solver**

- IBM Update
- All Aboard the CP/M Train
- Squeeze More Out of Your VIC-20
- Plus Apple, Atari, Commodore, Heath...






# PERCOM

## YOU GET MORE OUT OF PERCOM DISK SYSTEMS.

Field-proven designs, 100% testing and solid dealer support — these are the reasons you can expect to get more out of Percom disk storage systems.

# EXPECT IT!

### FLOPPY MINI-DISK STORAGE SYSTEMS



Percom floppy disk drives are compatible with selected models of Atari, Commodore, IBM, Radio Shack and TI personal computers.

Percom drives are double-density rated. Formatted on-line storage capacity is typically 160,000 to over 180,000 bytes for single-headed drives, twice that amount for dual-headed drives.

Primary disk storage systems (available for Atari, IBM and TRS-80\* Model III personal computers) include Percom double-density disk controllers, software, power supplies and cabling.

Add-on units include a drive (or drives) and power supply, and are available in 1-, 2- or 3-drive enclosures.

Prices start at \$299 for economy add-on drives, \$599 for primary drive systems.

To see why you can expect more out of quality Percom disk storage systems, mail the coupon today. Or, call Percom toll-free for the name of your nearest Percom Retailer.

# PERCOM


## THE DRIVE PEOPLE

11220 Pagemill Road • Dallas TX • 75243 • (214) 340-7081

### WINCHESTER DISK STORAGE SYSTEMS

Featuring enormous storage capacities and fast access times Percom 5 1/4" Winchester disk storage systems are available in 5-, 10-, 15- and 30-megabyte units.

Since the Percom smart, hard-disk controller handles from one to four drives, you can have from 5 million to 120 million bytes of formatted, on-line storage capacity.



And of course add-on units cost less because they neither need nor include a controller.

Percom Winchester disk storage systems are now available for Apple, IBM PC and Radio Shack computers. Watch for announcements of versions for other computers, including selected minicomputers.

Prices start at under \$2500

*YES...I'd like to know more about Percom disk systems. Please rush me information.*

Send to: PERCOM DATA COMPANY, INC. Dept KD2  
11220 Pagemill Road, Dallas TX 75243

name \_\_\_\_\_

street \_\_\_\_\_

city \_\_\_\_\_ state \_\_\_\_\_ zip \_\_\_\_\_

phone number \_\_\_\_\_

I'm interested in Winchester disk storage for my...

Apple (mdl) \_\_\_\_\_ ☐ IBM PC Radio Shack (mdl) \_\_\_\_\_

I'm interested in floppy disk storage for my...

Atari (mdl) \_\_\_\_\_ Commodore (mdl) \_\_\_\_\_ ☐ IBM PC  
Radio Shack (mdl) \_\_\_\_\_ ☐ Texas Instruments 99/4

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

\*TRS-80 is a trademark of Tandy Radio Shack Corporation which has no relationship to Percom Data Company, Inc.  
© 1981 Percom Data Company, Inc.



# Sell! Stop Training!

## DEALERS:

Add a **CUSTOMER SUPPORT** department to your store. Use your time for **SELLING** not **TEACHING**! Your customers will have their new computer up and operating the day of purchase! **END the USER MANUAL MYSTERY, stock MICRO Instructional tapes!**

One hour of easy listening replaces all the confusing written manuals usually required to begin. You can **KNOW** for certain that your customers will quickly apply the programs you sell to their business! **WORDSTAR, DATASTAR, SUPERSORT, SUPERCALC** are all within the realm of understanding and fast application. Customers won't be taking up your time with minute questions. They will be back to purchase other hardware, software and accessories... **NOT TO ASK IF ANYONE KNOWS HOW TO USE THE PROGRAM!** Your time can best be applied **SELLING, NOT TRAINING!** Yet, your customers expect support and assistance with difficult to understand programs. Few business people appreciate the time they may have to spend in their offices training a secretary or bookkeeper... yet someone has to do the job.

Your profits can be increased by not having to spend time teaching your customers how to use hardware or software. Since you put your reputation on the line if the products don't perform to expectation, some dealers are using our taped series as a way of saying "THANK YOU" to customers for their purchase of a system or software. Don't overlook the power of our instructional tapes for training your own personnel. New employees may have to study many manuals and their level of bewilderment will be no less than that of your customers.

Available nationwide at "The Xerox Stores" and other selected dealers.

## MOST PRICED UNDER \$40

These "plain language" condensed user's manuals are available now in standard audio cassette. Many others are being developed and will soon be available...

Systems	Software	Software	Software
Apple II+ <sup>1</sup>	Calcstar <sup>12</sup>	Mailmerge <sup>12</sup>	Visicalc <sup>11</sup>
H/Z-89 <sup>2</sup>	dBase II <sup>6</sup>	Power Text <sup>8</sup>	Visifile <sup>11</sup>
IBM-PC <sup>3</sup>	Datastar <sup>12</sup>	Spellguard <sup>9</sup>	Visidex <sup>11</sup>
Osborne I <sup>4</sup>	Exec Sec'y <sup>13</sup>	Supercalc <sup>10</sup>	Wordstar <sup>12</sup>
Xerox 820 <sup>5</sup>	Magic Wand <sup>7</sup>	Supersort <sup>12</sup>	

© Copyright 1982 MICRO Instructional Inc.

TRADEMARKS OF: 1. Apple Corp.; 2. Heath Company/Zenith Radio Corp.; 3. IBM Corp.; 4. Osborne Computer Corp.; 5. Xerox Corp.; 6. AshtonTate; 7. Peach Tree; 8. Beaman-Porter; 9. Innovative Software Applications; 10. Sorcim; 11. Visicorp; 12. MicroPro Int. Corp.; 13. Sof/Sys.

## CALC-PLUS™

Expand your **BUSINESS** application of  
**Calcstar,™ Supercalc,™ Visicalc™**

Priced at only **\$169.<sup>95</sup>**

Calc-Plus™ has been designed to compliment your electronic spreadsheet programs, **CALCSTAR,™ SUPERCALC™** or **VISICALC™**. These accessory programs are ideal for business use where the user either lacks the technical training to develop such an application or simply does not have the time to do so.

The small office user will find that his secretary or bookkeeper can quickly apply these programs for entry of checking account data and easily handle bank reconciliation and account distribution. Two formats permit calculation of wages for salaried and/or hourly workers. Calc-Plus™ **Payroll** requires very few manual entries. Individual hourly rate is entered only at the beginning of the pay period. Daily hours and Federal Income Tax are entered. Gross, F.I.C.A. and Net are calculated automatically. An individual earnings record may be printed to accompany the check.

Other Calc-Plus™ enhancements include **Depreciation, Accounts Receivable, Accounts Payable, Cash Receipts and Cash Disbursements.**

Mount on a second drive and load to Supercalc, Calcstar or Visicalc. Available in 5" and 8" formats for most popular computer systems.

Trademarks of MicroPro International Corp. Sorcim Corp. Visicorp

Financial Overlay with Audio Instructions copyright 1982  
MICRO Instructional Inc.

**INSTRUCTIONAL INC**

6299 W. SUNRISE, FT. LAUDERDALE, FL 33313. (305) 584-3133





# Inside Apple

Vol. 1 No. 1

## Apple adds a whole new cast of characters.

As you may already know, both the Apple® II and III can drive virtually every printer on the market.

Regretfully, not every printer on the market can offer you the same level of service and support you'd expect from Apple. So the same kindly, competent dealer who healed your Apple overnight may have no idea how to fix your Samurai Ichiban daisywheel.



Silentype. Dot Matrix. Letter Quality.

That's why we thought it would be nice, maybe even profitable, to offer a full line of printers that would look like Apples, last like Apples, with Apple warranties and Apple dealer service and Apple documentation.

We even gave them Apple names:

The new Apple Dot Matrix Printer.

The new Apple Letter Quality Printer.

And the new Apple Thermal Printer.

(Which is really the old, reliable Silentype™)

Taking it from the top, our 7 x 9 Apple Dot Matrix Printer is a superb machine for correspondence-quality printing. With exceptionally legible, fully-formed characters, it gives you a choice of eight different type sizes and five different fonts. It can also give you proportional spacing. Plus boldface printing, underlining, varied pitches, varied line spacing and more.

With 144 x 160 dots per square inch, our Dot Matrix can put all kinds of high resolution graphics on paper—from bar charts and line graphs to digitized portraits.

The Apple Letter Quality Printer, on the other hand, is the preferred machine for just that. In fact, for any word processing or data processing applications where graphics aren't a primary concern.


For one thing, it lets you get the words out faster. At a blazing 40 cps

(instead of the usual 30-35), it's the speediest letter quality printer in its price range.

It also offers a full 130-character print wheel. (The current standard is a not-so-full 96 characters.)

Plus varied pitches and spacing, form or line feed, operation pause—seemingly unimportant talents until you discover your machine doesn't have them.

Both the Apple Letter Quality and Dot Matrix printers come with self-teaching diskettes. So your Apple computer can tell you how to use your Apple printer.




Naturally, all our printers—including the sturdy, inexpensive Silentype™—are deliberately designed to take full advantage of all the advantages built into every Apple computer.

The interfaces are clean, the electronics compatible. So you don't have to go peeking and poking to adapt print commands or parameters, or spend your summer vacation kluging an interface. Which is a lot more than we can say for the Samurai Ichiban.

All of which should stimulate you, we hope, to see the newest Apples up close.

They look good, even on paper.



(800) 538-9696 (California: (800) 662-9238), Apple Computer Inc., Advertising and Promotion Dept., 20525 Mariani Ave., Cupertino, CA 95014



# MICROCOMPUTING

**Contents: October 1982**  
**Volume VI No. 10**

**PUBLISHER/EDITOR**  
Wayne Green

**EDITORIAL MANAGER**  
Jeff DeTray

**MANAGING EDITOR**  
Dennis Brisson

**COPY EDITOR**  
Linda Stephenson

**EDITORIAL ASSISTANTS**  
Larry Canale, Dan Muse

**TECHNICAL EDITORS**  
Jake Commander, G. Michael Vose

**PRODUCTION EDITOR**  
Susan Gross

**ADMINISTRATIVE ASSISTANT**  
Michele Christian

**ASSOCIATE EDITORS**  
Robert Baker, Frank Derfler, Jr.,

**PRODUCTION MANAGER**  
Nancy Salmon

**ASSISTANT PRODUCTION MANAGER**  
Michael Murphy

**ADVERTISING PRODUCTION**  
Bruce Hedin, Steve Baldwin, Fiona Davies, Jane Preston

**PRODUCTION DEPARTMENT**  
Joan Ahern, Frances Benton, Linda Drew,

Bob Dukette, Phil Geraci, Susan Hays, Louis Marini,  
Scott Philbrick, Dianne Ritson, Anne Rocchio,  
Mary Seaver, Deborah Stone, Anne Vadeboncoeur, Irene  
Vail, Theresa Verville, David Wozmak

**PHOTOGRAPHY**  
Thomas Villeneuve, Sandra Dukette,  
Bryan Hastings, Elizabeth Libby, John Schweigert,  
Robert Villeneuve

**TYPESETTING**  
Sara Bedell, Marie Barker, Melody Bedell,  
Michele DesRochers, Jennifer Fay, Lynn Haines,  
Debra Nutting, Karen Stewart

**DESIGN**  
Denzel Dyer, Howard Happ, Laurie MacMillan,  
Joyce Pillarella, Susan Stevens, Donna Wohlfarth

**EXECUTIVE VICE PRESIDENT**  
Sherry Smythe

**GENERAL MANAGER**  
Debra Wetherbee

**CONTROLLER**  
Roger Murphy

**ASSISTANT TO THE PUBLISHER**  
Matthew Smith

**ACCOUNTING MANAGER**  
Knud Keller

**CIRCULATION**  
603-924-9471

Pat Ferrante  
**BULK SALES MANAGER**

Ginnie Boudrieau

**DIRECTOR OF ADVERTISING**  
David Schissler

**ADVERTISING**  
603-924-7138


Beverly Poirier, Giorgio Saluti, Judi Wimberly

**NEW ENGLAND**  
**ADVERTISING REPRESENTATIVE**

John A. Garland  
Jack Gardner

Garland Associates, Inc.  
Box 314 SHS  
Duxbury, MA 02332  
617-934-6464 or 6546

On the cover: NEC's best-kept secret is now out in the open. The Spinwriter, long noted for its excellent print quality, also has special graphics features that generate equally outstanding business graphics. The cover photo (courtesy of NEC) shows a sample graphic generated by Timothy Stryker using the Commodore Business computer, the Spinwriter and a structured language he recently developed called RPL. For an explanation of how it's done, turn to page 32.



**Micro Software Digest** ..... 28  
What reviewers are saying about the latest software.

## What You Didn't Know About NEC Spinwriter

Timothy Stryker ..... 32

It's no secret any longer. NEC's business graphics are tops.

**Super Problem-Solver** G. Michael Vose ..... 38

You aren't in business until you use VisiCalc.

**Protect Your Small Business** C. Schou, R. Rubin ..... 45

A program to help you chart the course for your small business.

Apple

**The Enhanced 80** William Eisinger ..... 58  
With the LNW-80, a vast library of software is yours. LNW-80

**Lighten Your Search** Paul Hyman ..... 60  
Information storage and retrieval system for the Apple II. Apple

**Submit to CP/M** Wesley Barbour ..... 64  
Use several CP/M programs together.

**Bubble Sort with Sinkers** David Vergin ..... 68  
The most efficient way yet to sort record lists.

**CP/M Table-Setter** Frank Derfler ..... 70  
A spreadsheet program with word processing capability.

**In Step with the Heath H8** J. Glenn Brookshear ..... 74  
Troubleshooting and single-stepping the HZ8 adapter. Heath

## ★★★The Game Room★★★

**★Game Digest** ..... 78  
Reviews of adventure-, children's-, maze- and arcade-type games.

**★Game Reviews** ..... 84  
Three entertaining games for both young and old.

**★Squeeze the Most Out of Your VIC-20** Jeff Knapp ..... 88  
VIC's hi-res and multicolor features can create super game graphics. VIC-20

**★Conquering the Cube** Curtis Cooper ..... 94  
SWTP and Apple micros gain the upper hand on the magic square. Apple, SWTP

**IBM Update** Frank Pozar ..... 98  
Activity heats up to support this powerful machine. IBM PC

**Trouble-free Atari Cassette Use** Marty Carmichael ..... 108  
How to use Atari cassette files. Atari

**Invest in Your Apple** Gregory Glau ..... 116  
This Apple program keeps track of your invested dollars. Apple

**Conversions (I)** Fred Gunther ..... 149  
Lissajous Curve Plotting program for the Apple. Apple

**Conversions (II)** Walter Novinger ..... 152  
Now PET owners can play Color Code Combo. PET

**Publisher's Remarks**—6

**What's New, Big Blue?**—10

**Micro Quiz**—15

**Dial-up Directory**—16

**PET-pourri**—20

**Letters to the Editor**—24

**Club Notes**—148

**Classifieds**—148

**Dealer Directory**—149

**Calendar**—150

**Book Reviews**—158

**New Products**—162

**New Software**—168

**Software Reviews**—178

Microcomputing (ISSN 0744-4567) is published monthly by Wayne Green, Inc., 80 Pine St., Peterborough NH 03458. U.S. subscription rates \$25, one year; \$53, three years. Canada and Mexico \$27.97, one year, U.S. funds. Foreign \$44.97, one year; U.S. funds drawn on U.S. bank. Foreign air mail subscriptions—please inquire. Canadian Distributor: Micron Distributing, 409 Queen St. West, Toronto, Ontario, Canada M5V 2A5. South African Distributor: Microcom-

puting, PO Box 782815, Sandton, South Africa 2146. Second-class postage paid at Peterborough, NH 03458 and at additional mailing offices. Phone: 603-924-9471. Entire contents copyright 1982 by Wayne Green, Inc. No part of this publication may be reprinted or otherwise reproduced without written permission from the publisher. Postmaster: Send form #3579 to Microcomputing, Subscription Services, PO Box 997, Farmingdale, NY 11737.



# Time Is Ripe For Apple Magazine

Wayne  
Promises  
Best Ever

## inCider

With word spreading around the industry that three of the major magazines are on the block for sale, this would seem like a foolish time to think about starting a new magazine. People who go through the agony of starting a new magazine don't go out and sell it unless there are some powerful good reasons—that is, unless there is no other alternative.

So, with firms falling all around us, here we are getting ready to start a new publication. Obviously it must be one that is badly needed, right? Well, of course. That's why we're starting *inCider*, a new magazine for Apple users. Considering the success of *80 Micro*, can Apple compete in the long run with Tandy without a good, big, solid magazine? Sure, there are a number of smaller magazines supporting the Apple: some are very well done. We had the same situation in the TRS-80 field when *80 Micro* was started. Now the TRS-80 magazines are all doing better than before—there are even more in the field—and *80 Micro* has substantially helped the whole TRS-80 market to grow. Should we do less for the Apple?

Remember that IBM has unleashed a dozen or so Japanese firms into the micro market. Indeed, my latest count shows 145 different firms now making desktop computer systems with over 200 different models from which to choose. With that kind of competition, Apple needs all the help it can get.

If we are going to start *inCider* we are going to need a lot of help from Apple owners. Firstly, we are going to need more articles to publish than we have on hand. We're looking for articles written for the relative newcomer that will help to make the system easier to understand and easier to use. We need articles on simple-to-make accessories, hardware modifications and software conversions. We need ideas for applications of the Apple.

Both users and prospective users are interested in programs for the system, or conversions of programs written for other computers. If you can come up with Apple versions (or conversion information) of TRS-80 programs published in *80*

*Micro*, these will be of value to the readers of *inCider*. Conversions of any programs published in this magazine will be helpful.

The value of any computer system lies in the support it gets. This support takes the form of information published in magazines and books; it takes the form of accessories and peripherals; and it takes the form of programs. With solid support in these areas—support by hundreds of smaller firms—a system will have the best chance of succeeding.

In the battle between Apple and Tandy, remember that Apple has some tremendous advantages, as well as some serious drawbacks. The thousands of Radio Shack stores are a plus for Tandy, but this advantage is seriously undermined because these stores, for the most part,

---

With a major magazine  
supporting the Apple,  
the Apple support industry  
will grow faster.

---

do not have adequate technical help. Further, they are not permitted to sell supporting products by outside suppliers, nor are they permitted to sell about 95 percent of the documentation for their system.

Apple dealers are permitted (encouraged) to carry magazines and books backing up the system. These provide a wealth of documentary support which is denied Radio Shack customers. Remember that the more you know about how to use a computer, the more value it has to you.

While there is a wealth of superb software support for the Radio Shack system, that sold by Radio Shack is, at best, considered mediocre. Thus a large percentage of TRS-80 owners are forced to make do with second- and third-rate programs just because they don't know where to get the good ones, and they are not permitted to be sold—or even recom-

ended—by Radio Shack stores.

Apple stores, on the other hand, are encouraged to stock the better Apple programs, thus making up for a good deal of the overkill on stores by Radio Shack. It would appear that Apple has, in essence, merchandised circles around Tandy. Apple dealers tend to set up their stores so they look like places to buy computers. Radio Shack stores are set up like what they are: toy stores. And, worse, toys for the lower income people, for the most part. They are uncomfortable places to shop for a computer—another big plus for the Apple system.

With *inCider*, a major magazine supporting the Apple, I feel that the Apple support industry will grow faster, and that Apple will sell a lot more computers. There is a need for the added documentation and for the coverage of new products, both hard and soft. I think this will bring even more business to the several fairly specialized Apple support magazines—just as we have done in the TRS-80 field.

So, despite the state of the economy, and despite the troubles that several other magazines in the field seem to be in, we're going to move ahead with *inCider* and see if we can put out the best Apple magazine you've ever seen. I hope that you will think of it more as a means for intercommunications within the Apple world than as a pontifical technical magazine. We're going to do all we can to keep the material easy to understand so that relative newcomers to the Apple will understand it. This won't, of course, prevent us from covering some of the more obscure aspects of the system, and supporting products.


## The White Collar Hobbyist

The microcomputing field started out, some seven years ago, as a hobbyists preserve. It had to be, because the first micros came in kit form and in most cases didn't even work. Hobbyists put the kits together, figured out why they didn't work and passed the word along to the manufacturers, thereby finishing the last 10 percent of the design process.

The hobbyist—as both exhibitor and attendee—dominated the first micro-



# MEET THE WIZARD OF WALL STREET



## Standard & Poor's STOCKPAK system can turn any investor into a whiz


Whether you're an active investor, or just considering the best ways to invest, STOCKPAK can turn you into a Wall Street Wizard.

## Sophisticated software that's easy to use

STOCKPAK is a sophisticated software system that offers you an easy and economical way to obtain and evaluate important investment information to help you make better investment decisions. In fact, in virtually no time at all, you can put STOCKPAK to work for you performing a wide range of investment functions.

## Screening power is at your command

Our Screen and Select system lets you apply your own investment criteria to a 900-company database. For example, you can tell STOCKPAK to find only large companies, or only small ones...only those with high earnings growth, or low P/E's, or high dividends...only those in certain industries, or on specific exchanges...only those above or below a certain price...or only those with high sales, or low debt, and so on.



In fact, you can draw from over 200 specific information items to compose a single screen. And, you can establish your own targets and cut-off points in each of these 200 areas. STOCKPAK will oblige by searching through the entire database to find only those companies that satisfy your criteria.

## More feats of wizardry with STOCKPAK

Standard & Poor's time-tested software also lets you evaluate and manage actual or hypothetical portfolios of up to 100 stocks each. And, you can create your own customized reports—displayed the way you want them.

Whether you use STOCKPAK to help improve your investment decisions, or just for the fun of it, it's good to know the source of this wizardry: Standard & Poor's, one of the world's leading financial publishers with a 120-year reputation of service to the investment community.

## Visit your local Radio Shack Computer Store today

STOCKPAK is designed exclusively for use on the TRS-80 Models III and I computers with 32K business systems and two disk drives. The basic software and sample database plus complete documentation is available from your Radio Shack computer store for only \$49.95. The STOCKPAK monthly updating service can be ordered directly from Standard & Poor's for only \$200 annually. Visit your local Radio Shack today for additional information and a demonstration.

**STANDARD & POOR'S CORPORATION**  
**25 BROADWAY, NEW YORK, N.Y. 10004**

© STANDARD & POOR'S 1982



computer show in Atlantic City in 1976. Many of them came with their T-shirts and jeans and few were perfect ablutoners.

Then, with the entry of the PET and the TRS-80 systems in 1977, kits fell out of vogue and there was an emotional swing against the hobbyist roots of the micro-computer business. This was aggravated by frustrations over hobbyist-run businesses, which were failing on all sides as a result of too little business knowledge.

With the availability of computers geared for the less sophisticated, it became fashionable to sneer at hobbyists and dismiss them as a market. Indeed, magazines catering to "hobbyists" found the term a kiss of death when it came to dealing with the advertising departments of the new manufacturers.

This preoccupation with deceptive labels is costing the micro industry heavily, for all is not as it first appears on the surface. Yes, the 1976 type of hobbyist peaked out in 1977, as we managed to run out of people with the technical background and the money to pioneer the industry. Before consigning them to the garbage heap of history, I do think that those of us in the industry today should at least be kind to our forbears, and perhaps, too, to the few survivors. We should remember that these hobbyists anted up the money which allowed our industry to grow and reach the still low level of maturity it has reached.

I have some news for you about hobbyists. We have managed to generate a whole new class of computer hobbyists. Indeed, we have far more of them today than ever before, and they are a huge, growing market. I call these people white collar hobbyists.

Think about it. It took me a while to adjust to what I was reading in the monthly surveys of the readers of *Microcomputing* but there was no denying what has

happened. A surprisingly high percentage of the people who buy a personal computer get personally involved with it. They want to learn more about it. They want to be able to do as many things as they can with it. They want to buy accessories for it. They want programs. Their investment in the computer is just beginning when they purchase the system.

The reaction against hobbyists, with the concomitant swing to the businessman as the customer, has kept many firms from stopping to think about this whole phenomenon. The buyer may be a businessman and he may have business in mind when he buys a computer, but the end result is the same: involvement on a personal level.

**We have managed to  
generate a whole new  
class of computer  
hobbyists. I call these  
people white collar  
hobbyists.**

Oh, I agree that today's hobbyist is not much interested in building circuit boards or kits. But the white collar hobbyist is an avid enthusiast. He is buying printers, interfaces, memory, disk units and modems, and he is learning how to write programs. He is getting all of the software he can and learning how to use it. He is also buying and reading the magazines which cater to his particular interest.

This explains the continued interest in *Microcomputing*. It explains the phenomenal success of *80 Micro*. If you've looked closely at *80 Micro*, you'll note

that it is aimed at the TRS-80 owner who has a strong personal interest in his system. The fact that the readers are spending about \$25M a month is testimony to the serious interest of this group. While sales of the TRS-80 computers may not have been growing as fast as other aspects of the industry, the support firms for the TRS-80 have been having a heyday.

I think this can help to explain the success of Apple, and the lack of similar success for many other computers which have turned their backs on hobbyists. I might even be bold enough to predict that the eventual success of microcomputer systems will depend on their support—from magazines, and by third-party firms in the form of accessories and programs.

There has been a sanctimoniousness, a rectitude, on the part of some firms which have turned their backs in scorn on hobbyists. There has also been a universal lack of outstanding success. Could there be a lesson in there somewhere?

Measuring the white collar hobbyist is difficult. I can see that *Microcomputing* magazine has certainly attracted this group, as has *80 Micro*. On the other hand, *Desktop Computing* has not. Of course, it is aimed at the businessman who has not yet really been bitten by the bug, so it may be that we are reaching people before they have their first computer experience. But, as we have seen, once the introduction is made, computers sure are habit forming.

It's this enthusiasm for the computer which has not only fueled the success of my magazines, but has fanned the spread of user groups. I had expected that with the promised demise of the computer hobbyist, prematurely buried five years ago by certain elements of our industry, we would see computer clubs fading away. We haven't. On the con-

Circle 285 on Reader Service card.

## PRICES YOU CAN'T BEAT!..

### SPECIALS THIS MONTH:

PMC-81	\$499
LNW EXP. INT. Complete	\$324

### COMPUTERS

Super Brain II	\$1,935
PMC-81	\$565
LNW-80 \$1,295	LNW-80 II \$2195
NEC 8001 \$729	8012 I/O \$489
TIMEX/SINCLAIR ZX-81	CALL

### PRINTERS

EPSON (All W. Grafrax):	
MX-80 \$435	MX-80/FT \$559
MX-100 GRAFTRAX	\$729
SMITH CORONA:	
TP-1	\$695
C:ITOH:	
PROWRITER	\$459
F-10 40 CPS SER OR PAR	\$1365
F-10 55 CPS SER OR PAR	\$1615
F-10 TRACTOR FEED	\$195

### DISK DRIVES

BASF 40 TRK.	\$215 - BARE \$190
TANDON:	
100-1 40 TRK. S/S	\$235
100-2 40 TRK. D/S	\$319
100-3 80 TRK. S/S	\$319
100-4 80 TRK. D/S	\$375
848 8" S/S and D/S	CALL
AM ELECTRONICS:	
5 MEG HARD DISK W. DOS	
FOR TRS-80 MOD. III	\$1689
FOR APPLE	\$1595

### EXPANSION INTERFACES

LNW BARE BOARD	\$69
GOLD CONNECTORS	\$25
METAL CASE	\$55
ASSM/TST/GOLD/CASE	\$349
MICRO DESIGN:	
MDX-2 BARE BOARD	\$69
MDX-3 BARE BOARD	\$69
MDX-2 ASSM/TST	\$349
MDX-3 ASSM/TST	\$299
ALUM. CASE FOR MDX-2	\$45


### CRT MONITORS

AMDEK:	
100 BLACK & WHITE	\$99
300 G GREEN	\$159
COLOR	\$359
COLOR RGB	\$439
TECO:	
BLACK & WHITE	\$99
GREEN	\$129
COLOR RGB	\$429
MOD. CARD FOR RGB	\$35

### MODEMS

MICROPERIPHERAL:	
ATARI	\$189
APPLE	\$285
TRS-80	\$195
TRS-80 COLOR	\$189
ANCHOR AUTOMATION:	
SIGNALMAN	\$85

MICHIGAN RESIDENTS ADD 4% SALES TAX - POSTAGE: CALL FOR CHARGES - PRICES ARE DISCOUNTED FOR CASH AND MONEY ORDER (NON CERTIFIED CHECKS ALLOW 2 WEEKS TO CLEAR). MASTERCARD AND VISA ADD 3%. NO C.O.D.



## VESPA COMPUTER OUTLET

16727 Patton, Detroit, MI 48219, (313) 538-1112



trary, there are more user groups than ever, with no end to their growth in sight.

Will the top-selling desktop computers of 1985 be those bought by strictly practical businessmen to do specific tasks? Or will the winners in the marketplace be those that have the greater number of enthusiasts personally involved with them? I think the latter is the choice. Remember that even today, when business applications of our microcomputers are considered paramount, the mystique of the computer has won out. This is no ordinary business machine, this is a special breed of technological wonder, far and away beyond anything we've had before.

Indeed, it is this unexpected mutation of the hobbyist which has brought the software industry to its knees. User groups have, in many cases, become vast program-swapping organizations, costing the industry hundreds of millions of dollars... perhaps billions. While books and records enjoy a sales life of a year or two, computer programs last but a few weeks at best. By that time the proliferation of illegal copies virtually kills further sales.

Remember too that computers are now starting to enter the home in larger numbers. Oh, we've had the media hype about "home computers" for several years, but until the advent of the popular and low-cost game computers, we couldn't honestly claim that computers had much practicality in the home. I think we confused the personal interest phenomenon with the home and got carried away. Now, seven years after the start of the microcomputer revolution, we are seeing home computers.

Will the dedicated game computers fade away in the home, to be replaced by low-cost universal computers which can play the games, but which can also be used for simulations to help teach children? Will these newly emerging home computers be involved with home education? I think so.

Considering the way events have been developing, the strongest contenders in three and five years could well be those with strong magazines supporting them. This could be the key to survival, for without a magazine, there is little support for the growth of small firms bringing out support products for the host system, and, as I said, it is in this combined support that I expect we will find the leaders emerging, just as they have so far.

Owners of computers may be white collar hobbyists and be enthusiastic about their system, but they are practical about it and recognize the screw-ups of the manufacturer—often with exasperation—and turn to the magazines for help with their problems. They don't really go for the depth of the whitewash which in-house editors have to use to keep from having to look for other work.

I look to the white collar hobbyist to be the key to which firms come out on top in three and five years.

## Those "Toy" Computers

Radio Shack has started to distribute their color computer under the Tandy label as the TDP-100. One of the problems of the 100 is the lack of information about it and the paucity of programs so far available for it. Maybe you can help with that.

Many of the low-cost computer systems can be expanded and developed into useful computers. I'd like to see more material on these low-end computers, discussing their possibilities for growth as well as their limitations. If you've done some work with the Atari 400, the VIC-20, the Max, the TDP-100, etc., pass the word along so the rest of us will have more to work with.

We want to know how to improve the


system, how to add accessories, how to test them, and so on. We need utilities for them to make program writing easier. We need to know how to convert programs from one system to run on another. This is going to be a very big market for the firms that get into it to support the best-selling systems, and without a communications medium, growth can be hindered.

I'd like to see some information on cassette use with these systems and what formats are being used. I know I've had a lot of trouble with the VIC cassette system, so presumably some readers have suffered this problem too and may, by now, have come up with a fix for it.


Let's see some articles. Just remember to be as complete as possible, double-space your typing, leave generous margins (or send it in on a TRS-80 disk, but include a printout), and use good photographs if at all possible.

Circle 375 on Reader Service card.


# A FULL LINE OF SEMIDISKS



**S-100**



**TRS 80 Model 2**



**IBM Personal Computer**

Do you use your computer? Or does your computer "use" you? Face it, if you're using floppies, your time is being wasted. Because a floppy is an inefficient random access storage device. Each time the processor wants to transfer data, it has to wait an eternity for the disk to rotate and the head to move.

So what do you do? Get a SemiDisk, quick. It's a large capacity semiconductor memory board that is driven by software to operate like a disk drive. Without all the waiting. Do everything you'd do on a floppy or hard disk, with no modifications to your software or hardware. Two board sizes are available: 512K and 1 Megabyte. (the highest density microcomputer memory board in the world) And you can put up to 8 megabytes in a system by adding more storage boards.

What do you need to use it? Just an S-100 system with CP/M 2.2. Or a TRS-80 Model 2 system with CP/M 2.2. Or an IBM Personal Computer. That's it. No special processors, DMA, I/O, or disk controllers are required. Plug it in and run the installation program, and you're on your way. Fast! Even better, we supply full source code to the driver software, in case you'd like to do your own interfacing.

Best of all, the SemiDisk's price won't warp your wallet. Compare specs, cost/megabyte, storage capacity, and compatibility with the competition. You'll see that the SemiDisk is a disk emulator truly worthy of the name. SemiDisk has battery-backup capability, too.

Consider our limited warranty: A full year, covering all parts and labor. Consider our liberal 15 day return policy. Price? \$1995 for 512K byte SemiDisk, \$2995 for 1 Megabyte SemiDisk. Both from stock. \$10.00 for manual. VISA, Mastercard, COD orders accepted. Dealer and OEM inquiries welcomed. (Specify system type and disk format when ordering.)

**Someday, you'll get a SemiDisk.**

**Until then, you'll just have to . . . . . wait.**

**SemiDisk  
SYSTEMS**

P.O. Box GG  
Beaverton, OR 97075

**(503)-642-3100**

Call (503)-646-5510 for CBBS®/NW, a Semi-Disk-equipped computer bulletin board.  
SemiDisk trademark of SemiDisk Systems; TRS-80 trademark of Radio Shack



**NO WAITING**



## PC Compatibility Is a Big Plus

## Converting Programs Is a Snap!

Well, here it is October already (how can it be October, when I'm writing this in the first part of July and it's 95 degrees out there?), and I've got a backlog of things to do for the column. This month I'm going to give you a demonstration of how easy it is to convert programs from other Basics to the PC and, in the process, enhance them with color. I call this month's program PCSCRAZL. Next month you'll get a useful set of utilities for a PC equipped with an Epson (whoops, IBM) printer, which I call "IBM One-Pagers," since none exceeds a page of listing. I hope this will spur you to submit routines to the column for all of us to share. But first, let's get down to some business.

### Compilers and Interpreters

Even the casual user is now facing a bewildering array of compilers, interpreters and languages in which he/she may program on the PC. To name just some, there is UCSD Pascal, Fortran, PC-Forth, PC-Cobol, and Basic. How is the user to know which to buy and which to pass up? I hope we'll be able to dedicate a future column to just this question, and in a unique way.

Arlene Berlin (a Source friend, who runs a company called "Software 'n' Stuff" for the PC) suggested this idea to me, so I can't take much credit. See what you think, and if the response is favorable, "we'll do 'er." Arlene thought we might take one column and show some samples of code, say, on something simple and useful, in different languages. In this way, the column would have something for everybody, and users could compare the same little routine across languages to get a feel for what a language can do, and how it does it.

I liked the idea, and suggested to Arlene that she do a sorting program in Cobol. I have it, and will try to find room to print it next month (but, in reality, it will probably take two). When we print it, you Pascal, Basic, Forth, and dyed-in-the-wool-no-high-brow-languages-for-me as-

sembly programmers look at it too, and replicate it in *your* favorite language. When we get a complete set of comparable code segments, I'll try to write the text around it and we'll have a nice "compare and contrast" column which should make your purchase choices easier.

There's been some reaction to the column on The Source, most of it good and all of it welcome. Keep on Smailing (TCD292) and writing. If this column is going to work, you have to contribute, and we need to call the good stuff good and the bad stuff... well, not so good.

### New Releases—and News

New software is mounting up, and pretty soon you'll have an array of packages to choose from that offer real value for the money. Most encouraging to me are some serious business applications that have recently hit the dealers.

For example, I-Plot (Management Solutions, 17660 Millbrook Drive, Chagrin Falls, OH 44022) is a plotting program that will accept data from either the keyboard or a data file, and plot up to six data sets in either line, scatter, bar or pie chart format. The program is said to require a 128K PC with a color adapter and monitor. It lists at \$250, and I'll try to review it for you in the near future.

EasyPlanner, a programmable spreadsheet program for the PC, has been announced by Information Unlimited Software (2401 Marinship Way, Sausalito, CA 94965). The spreadsheet is said to merge well with the EasyWriter II package, so that you can underline, boldface and otherwise adjust the format of your reports. No list price is given in the press release, but I'll try to test this one too.

Sorcim (405 Aldo Ave., Santa Clara, CA 95050) has made its SuperCalc available for the PC, and has announced a new text processing system called SuperWriter. Rumor has it that the SuperCalc uses the color monitor to print negative values in red. Again, I've not yet tested them, but if you hold off a month I should be able to put both these programs to the

test for you and advise you on how well they actually work.

IBM has just announced that it has added 17 more retail stores as authorized IBM PC dealers, which brings the total to 90. Outlets such as the Micro Center in Columbus, OH, and a chain called the Computer Shoppe in Tennessee are among the new retailers.

Finally, you should know about Wes Merchant's IBM PC Bulletin Board System (BBS). The system, which is being upgraded/expanded every time I call, is set up because "IBM can't support the PC user in the manner they support the large CPU users so it's up to us to unite..." I don't know if they can or can't support us, but it sure is nice to have the BBS on stream. The telephone number (in Virginia) is 703-560-0979.

Questions of the Month Department: When is MicroPro going to update WordStar for DOS 1.1? Why haven't they done it already? Crosstalk has—with a nice letter recalling their program so they can fix it for the owner.

### Reviews of 25:01 and 25:02

Two software packages I received this month from Softrend, Inc. (P.O. Box 1462, Charlottesville, VA 22902, 804-293-5344) were their first entries in the 25th Hour series. The program 25:01—Time Scheduler and Organizer (\$99), and 25:02—Magazine/Book Reference, are similar, so I'll talk about them together whenever possible. The programs are written in unprotected but very dense Basic code, they require one disk drive, and are intended to simplify organizing either appointments or books and magazines. The documentation is well done, containing illustrations, sample screens and even a "what to do if something goes wrong" section.

The time management program, 25:01, is on the order of and intended to compete with IBM's Time Manager. But Softrend may have the more flexible program at the same price. This package tracks the calendars of several people



# Mountain Computer Presents The Hard Disk System with Dynamic File Allocation

Long before you are out of space  
on our system, other disk systems  
will have given up!

The DYNAMIC 5M Disk System™ with—  
The Mountain Virtual File System (MVFS)™  
software:

- Uses dynamic file allocation which automatically consumes file space only when needed, not when initialized.
- Makes available up to 50% more disk space than competitive units and uses no extra memory space.
- Allows large files, up to 5 MBytes for database applications in CP/M and Pascal.
- Supports DOS, CP/M, & PASCAL for Apple II and MS DOS & CP/M 86 for the IBM Personal Computer.

**QUALITY** — The Mountain Computer reputation for quality peripherals combined with a one year warranty.

**RELIABILITY** — The dependable disk system from a leading supplier of personal computer peripherals, with a service organization to support it.

**DYNAMIC 5M Disk System™...  
for the Apple II and the IBM PC.**  
(available soon for other systems)

(Includes everything you need: disk controller, power supply, interface card, cabinet, cabling, and the Mountain Virtual File System software.)

See your local computer store for  
this and other innovative  
Mountain Computer Products.



**Mountain Computer**  
INCORPORATED

300 El Pueblo Rd. Scotts Valley, CA 95066  
TWX: 910 598-4504 (408) 438-6650

DYNAMIC 10M (bytes)  
\$3,395



DYNAMIC 5M Disk System

Quality and Performance,  
at an affordable price — \$2,695.

Apple II is a trademark of Apple Computer, Inc. CP/M and CP/M 86 are trademarks of Digital Research, Inc. MS  
DOS is a trademark of Microsoft. IBM PC is a trademark of IBM.

Circle 37 on Reader Service card.



# IBM PERSONAL COMPUTER USERS


## COMPLETE YOUR REFERENCE LIBRARY

Que On Systems

### IBM's PERSONAL COMPUTER

Que Corporation's new 300 page book, IBM's PERSONAL COMPUTER describes the hardware, peripherals and IBM's program library. Whether you are an IBM Personal Computer user or prospective buyer, you will discover the significance of IBM's new product to your personal or business applications.

...at computer stores and fine book stores \$14.95




and...

### PERSONAL COMPUTER AGE

*The Definitive Journal For The IBM Personal Computer User*

Keeps you updated monthly with the latest news and applications for your IBM Personal Computer. Featuring: Hardware and Software Reviews — New Product Announcements — Technical Articles — Problem Reporting — Vendor Directory — Classified Ads — Special Interest Columns.

\$18.00/YR.  
(12 issues)



**BOTH FOR ONLY \$22.95**

#### PERSONAL COMPUTER AGE

For Credit Card Orders, Dial Toll Free  
(800) 227-2634 ext. 936  
In California  
(800) 772-2666 ext. 936

☐ I Want Everything —  
PERSONAL COMPUTER AGE  
and IBM's PERSONAL COMPUTER  
for \$22.95

☐ NEW ☐ RENEWAL

☐ Send the Book only  
for \$14.95

☐ Just enter my subscription  
to PERSONAL COMPUTER AGE  
for \$18.00

☐ Payment Enclosed

Charge my: ☐ VISA ☐ MASTER CHARGE

Card # \_\_\_\_\_

Expiration Date: \_\_\_\_\_

Authorized Signature \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

PERSONAL COMPUTER AGE P.O. BOX 70725 Pasadena, California 91107 Dept. K1



(they use their own initials), allows entry of timed (say, a meeting with a client) as well as untimed (pick up the dry cleaning) activities, will repeat entries across different dates chosen by the user, and even accepts additional dates when the user is to be "tickled" to complete the task if it still hasn't been done.

Provision is made for printing out the schedule by day, week and month, and in other formats. The software lets you scan for an available time block (say, for a meeting) on your calendar—you can exclude or include weekends, specify desired starting or ending times, etc.

The 25:02 package, Magazine/Book Reference, is a simpler program than 25:01, but may be more valuable as a lesson in nice Basic coding than as an applications package. This program lets you input reference numbers, publication names, publication dates, an issue reference (for magazines/journals), a page number, the author, a primary and subtopic and two lines of comments or key words. The program stores this material on disk, and allows you to get at it in a number of ways.

I found a small bug in both programs. The setup screen wouldn't accept disk B as the data disk, and only wanted disk A. I called Softrend without identifying myself (until the end), and reached a sympathetic president who went to look at the code and said he'd call back with the fix. A nice way to treat the customer, even if the software shouldn't have bugs.

Should you buy it? I don't know. I've never liked electronic calendars, because I'm always where the calendar isn't, and the computer just won't go in my pocket. For those who can use them, this is a good implementation, but I'd be more inclined to buy it at \$75 than at \$99.

As for the Magazine/Book Referencer, it too works as advertised, makes good use of the PC function keys, and is a nice Basic program. Remember that the only thing you can do with it, though, is to catalog books/magazines. If that's your only application, fine. If not, maybe you should put your money toward a more general database management system. But, you didn't need me to tell you *that*, did you?

### Adapting Existing Programs for the PC: Scrazzle

When it's equipped with the Color Graphics Adapter, Advanced Basic and a suitable color monitor, the array of programming options available to the user is hard to describe.

For example, circles and ellipses require only a single statement, as do rectangles, squares and other less regular geometric figures that can be expressed in the IBM Personal Computer's special drawing sublanguage. Screen painting and box-filling are also single-command options in IBM's Advanced Basic language interpretation.

All this flexibility, though, comes at a

```

10 'Scrazzle
20 ' adapted for the I.B.M. PC from
30 ' Microcomputing, May, 1982, Page 32
40 ' by Thomas V. Bonoma
50 ' See also "Scramble", Microcomputing,
60 ' and
70 ' "Popping and Pushing Permutations in Basic"
80 ' by Kenneth Wasserman, Microcomputing, December, 1981, pp. 50-51
90 '
100 '
105 KEY(1) ON
107 ON KEY(1) GOSUB 3000
110 COLOR 14,0,3:PRINT "
:PRINT:PRINT:PRINT:COLOR 7,0,0
SCRAZZLE "
120 PRINT"This program will accept test words of three to seven characters in "
130 PRINT"length. Lower case is first converted to upper case."
140 PRINT:PRINT "The characters are then arranged by ASCII value. Then all poss
ible"
150 PRINT" combinations are printed in order of ascending alphabetical value."
160 PRINT:PRINT "You may select the number of right columns which you wish proce
ssed."
165 PRINT:PRINT "YOU MAY PUSH THE >>F1<< KEY AT ANY TIME TO END..."
170 COLOR 8,0,0:PRINT:PRINT "DATE: ";DATE$;"
0,0:PRINT "TIME: ";TIME$;:COLOR 7,0,0
190 '
200 '
210 '
220 DEFSTR A
225 DEFINT X:X=1
230 DEFINT V,L,C
240 GOSUB 2000:COLOR 7,0,0:PRINT:PRINT:PRINT:PRINT:INPUT "Test word ";A
245 COUNT = 0
250 PRINT"Number of right hand letters "
260 INPUT "to be manipulated ";B
263 L=LEN(A)
265 IF B>L OR B<=2 THEN PRINT:PRINT "B is out of useful range...enter again":
GOTO 250
270 PRINT
290 T1$=TIME$
300 FOR V=1 TO L:V1=ASC(MID$(A,V,1))
310 IF V1>96 THEN MID$(A,V,1)=CHR$(V1-32)
320 NEXT V
330 IF B<>0 THEN 400 ELSE B=L
340 ' SEQUENCE CHARACTERS IN ASCENDING ORDER
350 A=A+"z":FOR V=1 TO L
360 A1=MID$(A,V,1):A2=MID$(A,V+1,1)
370 IF A1>A2 THEN MID$(A,V,1)=A2:MID$(A,V+1,1)=A1:GOTO 350
380 NEXT V:A=LEFT$(A,L)
390 ' START AT PROPER ORDER OF SIGNIFICANCE
400 ON B GOSUB 420,420,620,580,540,500,460
410 IF B<>L THEN 440
420 IF L<3 THEN COLOR 16,4,0:PRINT "WORD TOO SHORT";:COLOR 7,0,0
430 IF L>7 THEN COLOR 27,5,0:PRINT "WORD TOO LONG" ;:COLOR 7,0,0
440 GOTO 240
450 ' SEVENTH COLUMN SIGNIFICANCE
460 A7=RIGHT$(A,7):FOR V7=1 TO 7
470 A=LEFT$(A,L-7)+MID$(A7,V7,1)+LEFT$(A7,V7-1)+RIGHT$(A7,7-V7)
480 GOSUB 500:NEXT V7:RETURN
490 ' SIXTH COLUMN SIGNIFICANCE
500 A6=RIGHT$(A,6):FOR V6=1 TO 6
510 A=LEFT$(A,L-6)+MID$(A6,V6,1)+LEFT$(A6,V6-1)+RIGHT$(A6,6-V6)
520 GOSUB 540:NEXT V6:RETURN
530 'FIFTH COLUMN SIGNIFICANCE
540 A5=RIGHT$(A,5):FOR V5=1 TO 5
550 A=LEFT$(A,L-5)+MID$(A5,V5,1)+LEFT$(A5,V5-1)+RIGHT$(A5,5-V5)
560 GOSUB 580:NEXT V5:RETURN
570 'FOURTH COLUMN SIGNIFICANCE
580 A4=RIGHT$(A,4):FOR V4=1 TO 4
590 A=LEFT$(A,L-4)+MID$(A4,V4,1)+LEFT$(A4,V4-1)+RIGHT$(A4,4-V4)
600 GOSUB 620:NEXT V4:RETURN
610 ' THIRD COLUMN SIGNIFICANCE
620 A3=RIGHT$(A,3):FOR V3=1 TO 3
630 A=LEFT$(A,L-3)+MID$(A3,V3,1)+LEFT$(A3,V3-1)+RIGHT$(A3,3-V3)
640 'SECOND COLUMN SIGNIFICANCE
650 GOSUB 670:NEXT V3:T2$=TIME$:RETURN
660 'PRINT IT
665 COUNT =1
670 IF POS(0)>79-L THEN PRINT:PRINT
675 PRINT A;" ";
678 X=X+1:IF X>15 THEN X=1
679 COLOR X,0,0
680 PRINT LEFT$(A,L-2)+RIGHT$(A,1)+MID$(A,L-1,1);
685 COUNT = COUNT +1
690 PRINT" ";:RETURN
2000 'ELAPSED TIME ROUTINE
2001 ET=0
2005 PRINT:PRINT:PRINT
2010 S1=VAL(RIGHT$(T1$,2)):M1=VAL(MID$(T1$,4,2)):TT1=(M1*60)+S1
2020 S2=VAL(RIGHT$(T2$,2)):M2=VAL(MID$(T2$,4,2)):TT2=(M2*60)+S2
2030 ET=TT2-TT1
2035 IF ET<0 OR ET=0 THEN ET=0
2040 COLOR 5,0,0:PRINT"Elapsed Time: ";ET;" Seconds":COLOR 7,0,0
2045 COLOR 12,0,0:PRINT "Count: ";COUNT*2;" Different Ways":COLOR 7,0,0
2050 RETURN
3000 ' BRING EVERYTHING TO A PEACEFUL, CONTROLLED ENDING
3010 COLOR 28,0,4:PRINT "ENDING...":COLOR 7,0,0
3020 FOR J=1 TO 1000:NEXT J' A DELAY LOOP
3030 CLS:SCREEN 0,0,0:WIDTH 80:END
3040 'A RETURN WOULD ORDINARILY GO HERE, BUT YOU DON'T NEED ONE...

```

Program listing. Conversion for IBM PC of E. Stanton Maxey's Scrazzle program.



price. The *IBM Basic Reference Manual* is a hefty 411 pages long. Single graphics commands are complicated and take many parameters. For instance, the circle command must have a center and radius parameter; it can accept additional parameters for aspect ratio (whether you want a squashed or a flattened ellipse), the starting and ending angles (in radians, of course) for partial figures, and a color specification.

As a consequence of this useful complexity, it seems to me that users and potential users of the PC will fall into four camps: owners who are, as I am, struggling to expand their knowledge of PC text/graphics processing in useful programming ways; owners who already know almost everything; nonowners of the PC who own another machine but are tempted by the PC's flexibility and put off by the thought of reworking their good programs on the PC; and first-time hobbyists or business people wondering whether to pick the PC or another machine.

This month's program is addressed to the first, third and fourth groups. I'm not going to show you all the whizzbangs in the PC's bag of tricks, but rather argue that the folks at IBM managed to implement a useful standardized Basic interpreter that makes program adaptation easy, in addition to giving us all of those special features. In this adaptation (see program listing) of a program previously presented in *Microcomputing*, I use only the most rudimentary of the PC's text-manipulation abilities. You can see just how straightforward a plain-jane transformation of a published Basic program is for the PC, and evaluate its compatibility with all the software you already have, or wish to get.

The program I've adapted is called *Scrazzle*, by E. Stanton Maxey, and was published in the May 1982 issue of *Microcomputing* (see pp. 32-34). It prints out all the possible combinations of letters which compose a given input word. *Scrazzle* does this for words equal to or greater than three letters and less than nine letters long; for a bonus, it alphabetizes its output.

Thus, you enter a word, like "Tom," into the machine. You are asked how many of the letters, counting from the right, should be scrambled. Let's scramble all three. *Scrazzle*'s output would be: OMT OTM MOT MTO TMO TOM. The program has little practical use (with the exception of one time when I was trying to unscramble a scrambled message, and couldn't do it by hand), but is a short and useful routine which teaches a great deal about string manipulation.

So, here is the list of modifications between IBM PC Basic and the MITS CP/M-based Basic used by Dr. Maxey. To keep things more readable, I'll list each change from Listing 2, which starts on p. 32 of the May *Microcomputing*. You

might want to check each off as you make it:

#### 1. No changes

Yup, that's it! The Microsoft Basic in the PC and the MITS Microsoft Basic Maxey was running are totally compatible, byte for byte, bit for bit, line for line, symbol for symbol. You can key in Maxey's *Scrazzle* as is, and run it the first time, perfectly. Try that on an Apple II, a Tandy machine or a PET!

Well, that's good to know if you've been keypounding on a Heath H-89 with Microsoft version 5.2 up until now and have finally gotten the color bug, but it sure doesn't make for a very interesting article. What kinds of modifications (non-graphics, but using the PC's special text-processing color commands) could the PC user ask for that Dr. Maxey didn't give us, assuming he/she just wanted to touch up the displays, pump up the information given by the program, and generally make Dr. Maxey even prouder of his creation? Further, what if no more than one hour was to be allocated for this task? After all, we do have to get back to learning about circle and draw commands.

---

### PC's Microsoft Basic and Mits Microsoft Basic are totally compatible, byte for byte, bit for bit, line for line, symbol for symbol.

---

Listing 1 gives an adaptation of *Scrazzle* that meets all these constraints, and requires no more than a single hour to punch up the original *Scrazzle*. I call it PCSCRAZL on my machine. Here's what I did:

1. I liberally used the PC's text-mode color statement in the displays. The color statement allows three parameters in the PC text mode. The first, the foreground color, is the color you wish the text to be. A 7 represents white, an 8 gunmetal gray, and so on. The PC can display 16 colors (0-15).

But wait! What's that 16 for foreground in line 470? What's the 27 in line 480?

Well, I didn't tell you the whole truth on two counts. Those 16 colors can be flashing or non-flashing as well; add 16 to the color you choose (range = 16-31) and you get flashing letters. That's what those big numbers are about.

Oh, one more thing. If you don't have a monitor that accepts the PC's intensity output signal on the color video display, you won't get all 16 colors, but only eight of them. My Electrohome RGB (red-green-blue) monitor does accept these signals; your color TV set, or many other monitors, won't without modification. So, you'll be stuck with 16 possibilities (eight colors and eight flashing colors) for foreground.

The middle color parameter sets the color of the background against which the foreground character will be printed. You can see it used in statements 470 and 480, in which I wanted a flashing error message to be printed against red (4) and magenta (5) backgrounds, respectively. The background parameter in the PC's text mode is not retroactive. By that I mean that using this parameter in statement 470 doesn't change the whole screen to red, just the background around the message WORD TOO SHORT. That's nice, because it would be hard to read a whole screen painted the color of Dracula's dinner, especially if some of the existing text were also red.

The final color parameter is for the screen border. Let me explain. The PC doesn't print on the whole screen in text-mode, but rather saves about 1/2 inch on each side and 3/8 inch on the top and bottom as a border. That's where its softkey (function keys) descriptions are printed, for example. In text mode, you can program this area as well with a color that is independent of foreground or background. So, in line 130, I decided it would be nice if the title of the program, *Scrazzle*, was printed in yellow (foreground=14) on a black background (background=0) with a cyan (border=3) border. Now, that gets a user's attention even if the application is payroll posting.

2. I used the PC's key and on key commands to allow an idiot-proof and orderly ending to the program. Look at lines 110, 120 and subroutine 900 now. The ten function keys (F1-F10) on the PC's keyboard can be programmed as software interrupts (i.e., as keys which, whenever pressed, cause the program to jump somewhere and do whatever it finds there). In line 110, function key 1 is set up as an interrupt trap for the user. In line 120, the program is told where to jump if anyone pressed that key at any time (even during inputs, though you have to hit the enter key before the interrupt—otherwise, enter isn't needed).

The subroutine at line 900 brings everything to a peaceful end by clearing the screen (CLS), doing a screen command (the PC has eight text page screens and two graphics ones) to get everything back as it once was, setting the width of the display to 80 columns (a 40- or 80-column text display is software selectable with the width command), and ending.

3. I used the built-in DATES and



TIMES features of PC Advanced Basic to display the date and time when the program is run, and to give the time the program took to generate all those combinations of letters. This last function required programming a subroutine that should be of general use to you, regardless of your programming application. Look at line 340, in which T1S is assigned the value of TIMES (that is, T1S contains the time) when the program starts on our input word. Line 200, which comes up every time a job is done, calls the elapsed time subroutine at line 800 and following. Let's look at it a little.

First, the elapsed time (ET) is set to 0. Next, the start time (TT1) is computed by converting TIMES's seconds to an integer (S1), and adding to these the total number of minutes times 60 seconds (M1) in the minutes column. The same is done for the ending time (TT2), and a simple subtraction of end time TT2 from the beginning time TT1 gives the ET we need. This routine, just so it won't be too simpleminded, also counts (see line 780) the number of combination pairs produced by the program, and reports the total number of ways your word could be spelled.

4. I also added some error checking, which was not in the original program on input (e.g., line 320), so I had to move a couple of the original Scrazzle lines

around a little. Generally, however, no manipulation was done to the program logic so that you could see how easy an adaptation to PC from general Basic is.

Two more things are worthy of note. Dr. Maxey's code is not very elegant—the many "column of significance" subroutines he gives us, for example, could be done with one general-purpose algorithm, which would also remove the constraint of seven letters maximum.

Second, for a little program that really does little to nothing, my color display enhancements, elapsed time and other added quickie features make it very alluring. The thing to learn about this comes, not from PCSCRAZL, but from extending the principle to other adaptations.

Imagine a financial program in which loss amounts were printed in red, perhaps with a red-bordered screen. Or, think of an education program in which the output's color is systematically varied in association with its quality, correctness or other learning variable. (I did something similar by varying output colors with the color loop in lines 750 and 760. Each pair of scrambled words is a different color.)

Or think through your next time-management program, in which elapsed time, the date and other chronological variables are updated automatically, and the priorities on the things-to-do list are

color-coded by importance. The power of a colorful text display produced with no special constraints, by a single three-parameter command, is very high.

So if you do buy a PC to replace that Z-89, if you get a PC as your first machine, or if you already have one and can't quite figure out how to draw that Concorde, key in PCSCRAZL and learn how easy it is to convert and improve existing Microsoft Basic programs in only an hour. □

## MICRO QUIZ

### What Does This Program Do?

What number will be printed when the following program is executed?

```
X = 0
for J = 1 to 3
  for K = 1 to 2
    X = X + (2^K + J)
  next K
next J
print X
```

(answer on page 149)

Circle 284 on Reader Service card.

NOW—A COMPLETE CP/M PASCAL—FOR ONLY

# \$29.95!

Goodbye BASIC, PL/1, COBOL—hello PASCAL! Now, to make this most advanced language available to more micro users, we've cut our price—to an amazing **\$29.95!** This astonishing price includes the complete JRT Pascal system on diskette and the comprehensive new user manual. Not a subset, it's a *complete Pascal for CP/M.\** Check the features:

- Separate compilation of external procedures
- Auto-loading
- 14 digit FLOATING POINT arithmetic
- True dynamic storage
- Verbal error messages
- Fast one-step compiler: no link needed
- Graphing procedures
- Statistic procedures
- Activity analyzer
- prints program use histogram
- Advanced assembler interface

### THIS IS THE SAME SYSTEM WE SOLD FOR \$295!

So how can we make this offer?—why the unbelievable deal? Very simply, we think all software is overpriced. We want to build volume with the booming CP/M market, and our overhead is low, so we're passing the savings on to you.

### AND AT NO RISK!

When you receive JRT Pascal, look it over, check it out. We invite you to compare it with other systems costing ten times as much. If you're not completely satisfied, return the system—with the sealed diskette unopened—within 30 days and your money will be refunded in full! **THAT'S RIGHT—COMPLETE SATISFACTION GUARANTEED OR YOUR MONEY BACK!**

In addition, if you want to copy the diskette or manual—so long as it's not for resale—it's o.k. with us. Pass it on to your friends! **BUT ACT TODAY—DON'T DELAY ENJOYING PASCAL'S ADVANTAGES—AT \$29.95, THERE'S NO REASON TO WAIT!**



To: **JRT SYSTEMS**  
1891—23rd Avenue  
San Francisco, CA 94122  
phone 415/566-4240



O.K. You've sold me. Send me JRT Pascal by return mail. I understand that if I'm not completely satisfied, I can return it within 30 days—with the sealed diskette unopened—for a full refund.

I need ☐ 8" SSD diskette. ☐ 5 1/4" diskette for ☐ Northstar, ☐ Osborne, ☐ Apple-CP/M, ☐ Heath, ☐ Superbrain.

Name \_\_\_\_\_ Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

☐ Check ☐ C.O.D. ☐ Mastercharge ☐ VISA  
(CA residents add sales tax. Add \$6 for shipping outside North America.)

Card # \_\_\_\_\_ Exp. \_\_\_\_\_

Signature \_\_\_\_\_

\*CP/M is a Digital Research TM. A 56K CP/M system is required.



# Modem Life In the Fast Lane

## Hayes, UDS Introduce High-Speed Units

This month in Dial-up Directory I'm going to introduce two special 1200-baud modems—one from Universal Data Systems and the other from Hayes Microcomputer Products. But first, let's look at two unique low-cost data communications packages.

### Phonedex I

In the July 1982 issue of *Microcomputing*, we published a list of more than 400 electronic message systems. This list was arranged according to the software the systems used. It could just as well have been sorted according to geography, area code, system hardware or subject matter. But re-sorting the list by hand would be a tedious job. Computers do tedious jobs well.

The folks at Starside Engineering have put together a telephone-list and terminal-communications package, called Phonedex, that takes only seconds to re-sort a list of names, numbers and other data. They call Phonedex "an electronic little black book." Phonedex has some interesting capabilities and some specific limitations.

#### Phonedex is:

Phonedex really falls into the category of database management systems. It withdraws and sorts data from master files based on specific user needs. It will hold up to 1200 entries on a single eight-inch disk. It will sort on any of 11 ASCII fields and sort up to four fields simultaneously.

I could, therefore, ask Phonedex to find all of the Remote North Star message systems in area code 813 that operate 24 hours a day and deal with a specific subject matter. In this example, Phonedex would return only one listing, but you don't have to be so specific with your sorting criteria.

Phonedex can be used like the more common mailing list programs to prepare and print mailing labels, sort ad-

resses by zip code and do other sorts based on key data. It differs from other mailing list programs, however, in three ways. First, it makes special provisions for large auxiliary fields and wildcard requests. Second, it includes software that will autodial a Hayes Smartmodem and a dumb terminal communications program. Third, it only costs \$49.95.

Phonedex is written in machine language, so it operates very fast and needs no special languages to run. The queries into the database use a simple format, and entries into the database are guided by a friendly menu that gives help without being tedious.

The 75-page Phonedex documentation is excellent. The program refers to paragraphs in the manual whenever a new function is called. Even though there is no index, you'll find it simple to turn to the page containing the information on the function you want to perform.

By the way, I know that a lot of Dial-up Directory readers also enjoy reading science fiction. If you know your science fiction, you'll get an added kick out of some of the inside jokes used in the examples.

Installation of Phonedex could be a problem if you are running a CP/M system with a unique assortment of I/O boards. An installation program is included that will help to configure the software to your system, but you will have to know a few port addresses and system characteristics if you want to use the autodial and communications features of the software. A fully configured and ready-to-run version is available for the TRS-80 Model II.

#### Phonedex is not:

Phonedex is not, unfortunately, for everybody. In its present form it can only be run on CP/M systems with at least one eight-inch double-density disk or two eight-inch single-density disks. Starside promises that versions for the IBM PC and Apple III will soon be available, so get on their mailing list.

Phonedex is a good value at \$49.95. Contact Starside Engineering, PO Box 8306, Rochester, NY 14618. Phone 716-461-1027.

### PC-Talk

If you're looking for inexpensive and useful communications software for the IBM PC, you can't do much better than PC-Talk. This package was developed by Andrew Fluegelman at Headlands Press, PO Box 862, in Tiburon, CA. It's a competent and complete communications program for the IBM PC, but the unique thing about it is the way Andrew is marketing it.

Andrew calls his marketing scheme user-supported software. Andrew feels that copying and sharing programs should be encouraged, not restricted. Copying and transferring programs is impossible to prohibit and control, so you might as well make it work for you.

Under the Freeware plan, anyone may request a copy of a user-supported program by sending a blank, formatted disk to the author. The disk must be accompanied by a postage-paid return mailer.


A copy of the program and the documentation will be returned on the disk. The program will carry a notice suggesting a contribution to the program's author. The suggested contribution for PC-Talk is \$25. The user is encouraged to copy the program and share it with others. Each subsequent user reads the contribution suggestion every time the program signs on and follows his or her own conscience.

Andrew says that Freeware is an experiment in economics. He saves great sums of money in advertising and distribution

---

Address correspondence to Frank J. Derfler, Jr., PO Box 691, Herndon, VA 22070.





**After you experience Data Communications with A.E. PRO, you'll never settle for being earthbound again!**

### **SOUTHWESTERN DATA SYSTEMS...**

- **First** to create terminal software for the Apple II
- **First** to use Macros in a data communications package
- **First** to provide terminal emulation in Apple communications software

Once again, SOUTHWESTERN DATA SYSTEMS creates a software package so far advanced, so innovative, that there are no comparisons.

A.E. PRO (ASCII Express "The Professional"™) truly sets new standards!

Literally thousands of man-hours of work and study have produced the first data communications package that fully utilizes the potential of your Apple Computer System. What does this mean to you?

#### **COMPLETE HARDWARE COMPATIBILITY**

Only A.E. PRO takes full advantage of ALL current modem devices available for the Apple II.

Only A.E. PRO supports ALL 80 column boards for the Apple II.

Only A.E. PRO supports ALL printer cards for the Apple II.

This means ALL communications interfaces, ALL printer interfaces, and ALL display interfaces including 80 column cards and external terminals. It couldn't be simpler.

Speeds of up to 9600 Baud are supported, including 110, 300, 1200 and Baudot.

#### **EASY DATA TRANSFER**

Data transfer is what communications software is all about. A.E. PRO lets you send and receive with equal ease.

A simple dual key stroke will direct incoming data to its large, up to 28K "capture-buffer", your printer, (with no character loss), or both simultaneously. The buffer can then be written to disk, printed or edited with A.E. PRO's versatile built-in editor.

Data larger than the capacity of the buffer can be saved in buffer-sized "chunks" by use of the auto-save feature, an extension of the popular XON/XOFF protocol used by most main frame computers. As your Apple's memory fills up, A.E. PRO signals the host to pause (XOFF), writes the buffer to disk, and then directs the host to resume sending (XON).

Prices and specifications subject to change without notice.

#### **ERROR FREE TRANSFERS**

A wide range of send modes is provided. Everything from the simplest blind block dump, to a packet-oriented error checking mode ensures quick and easy error-free transfer of all sorts of data to practically any host computer. Even the slowest or most awkward systems are easily accommodated.

When two A.E. PRO's are used, you can SEND OR RECEIVE FILES OF ANY TYPE OR SIZE with complete error checking.

#### **POWERFUL MACRO SYSTEM**

A.E. PRO supports up to 26 complete macro libraries (remember, S.D.S. pioneered communications macros). Each library contains all macro strings and configuration parameters (baud rate, duplex, parity, etc.) unique to a specific host.

With A.E. PRO's macro facilities you can, with simple keystrokes, direct it to automatically call another computer, connect, and perform complete log-on sequences, virtually instantaneously.

#### **SOPHISTICATED TERMINAL EMULATION**

With A.E. PRO, your Apple can "mimic" the display characteristics of many popular terminals, including ADDS, Data General, DEC, Hazeltine, HP, IBM, Lear Siegler, Soroc, Televideo, and many others.

#### **BUILT-IN TEXT EDITOR**

A.E. PRO contains a versatile built-in text editor that can easily create or manipulate text. In fact, this editor is more flexible in many respects than some being touted as "word processors". It provides the ease of use of a line oriented editor, with the line editing power of many screen oriented editors, and will process files of up to 35K in size!

#### **RELIABLE UNATTENDED OPERATION**

A.E. PRO allows completely unattended answer mode with password protected log-on. In this mode, the caller can remotely send or receive files of ANY type or size.

A.E. PRO can also function as an answerback DDD or TWX node to forwarding mail systems such as Telenet's Telemail, and many others.

A.E. PRO is a member of a family of programs, which include P-TERM "The Professional"™ for Apple Pascal and Z-TERM "The Professional"™ for Apple CP/M™. All three packages share many of these powerful features and operate nearly identically.

For more information write or call us for your free copy of our product catalog and software comparison guide, which include detailed information on all "The Professional"™ series software.

A.E. PRO and other "The Professional"™ series packages are now in stock at local dealers everywhere.

Suggested Retail Price:

ASCII Express .....	\$129.95
P-Term .....	\$129.95
Z-Term .....	\$149.95



**southwestern data systems™**

10761 Woodside Avenue, Santee, California 92071 (714) 562-3670





The UDS 212LP modem provides only 1200 baud service, using the Bell 212 signaling scheme. It has no frills or additional operating features, is simple to connect and operate and costs less than \$500.

and receives a return from people with a sense of value and fair play. No word yet on how big that return is.

### What You Get

PC-Talk is a well-polished and professional program that could sell for several times the amount of the contribution being asked. It is now in version 2.0. It is written in Basic, but it performs well and contains a complete menu of desirable features.

PC-Talk includes a table of phone numbers and system characteristics that lets you select a message system or information utility from a menu. If the computer is attached to a Hayes Smartmodem, the program will dial the selected system and use a table of user-supplied parameters to configure itself with the proper speed, word length and other characteristics.

PC-Talk can transmit and receive disk files, transmit prestored strings of characters for system log-on or other commonly repeated commands, and change its formats and responses to meet the needs of various host systems.

The program includes an elapsed-time call display and a viewing routine that lets you view any file on the disks while the terminal program is still running. It makes good use of the special-purpose keys on the PC and the PC's ability to display a status line on the bottom of the screen.

### A Pair for 1200

The difference between 300 and 1200 baud is like the difference between skis and snowshoes: They both get you to the same place, but although skis may be more expensive, they are much quicker and smoother to use.

Twelve hundred baud service is offered at extra cost by the major information utilities and as an optional service on

some electronic message systems. Typical pages of information transmitted at this speed fill the screen in less than a second. If you know exactly what information you want, you can be in and out of an information utility very quickly and at little additional cost over a 300 baud session. If you frequently exchange data with another microcomputer or host computer, using 1200 baud service can save you time and long-distance charges.

Twelve hundred baud service is about the fastest speed that most people can economically use over dial-up telephone lines. Faster modems are made, but their cost is exponentially higher. The cost of a 1200 baud modem can be several times that of a 300 baud device, but added features and lower prices are making 1200 baud modems more reasonable investments.

Before we look at the two new modems, let's do a very quick review of modem signaling standards. The 300 baud signaling standard used by modems in the United States is called Bell 103. There are two 1200 baud signaling schemes described by the Bell standards.

The first is called Bell 202, and it is important to note that Bell 202 signaling is *not* used by the information utilities or by most message systems. It is used by some large computer systems in multiple terminal installations and by amateur radio operators in one-way radio transmissions. Bell 202 modems allow only one station to transmit at a time. These modems use fairly simple technology and cost only a little more than a 300 baud type 103 device.

The other signaling scheme is Bell 212A. This scheme is the one commonly used by information utilities and message systems. It allows simultaneous transmission and reception of data. The technology is much more complex and the cost for this kind of modem is much

higher. Modems that follow the entire Bell 212A pattern include a 103 standard 300 baud modem inside the same device.

### Hayes Goes High Speed


At the recent Comdex computer show in Atlantic City, Hayes Microcomputer Products released a Bell 212 standard 1200 baud version of their popular Smartmodem. This device is the same size as the Smartmodem and includes all of the same features.

For those of you who may not be familiar with the Hayes Smartmodem, it is called "smart" because it can monitor the data coming into it over the serial port and react to certain commands it recognizes. Its functions include dialing a number with either tones or dial pulses, putting the line off or on hook, answering a ringing phone, putting the sound of the phone line over a speaker, and controlling the echo. It can respond to the user with either decimal digit or English word result codes.

The 300 baud Smartmodem has been on the market for over a year and has gained wide popularity and support. Hayes provides a two-year warranty on their products and, as a matter of practice, they do repairs at very low or no cost even after that time.

The Smartmodem 1200 combines all of the features of the original 300 baud Smartmodem with a full Bell 212A standard modem. This modem includes special self-test and remote test features. It can also function as a 300 baud modem using the 103 signaling standard. The modem will automatically recognize and respond to either 1200 or 300 baud service when it answers the line, and it can be programmed for either mode if it originates the call.

Physically, the Smartmodem 1200 is identical to the original 300 baud Smart-



The Hayes Smartmodem 1200 provides Bell 212A 1200 baud communications while retaining all of the features of the original Smartmodem. It will operate at 300 or 1200 baud and has a suggested retail price of \$699.



modem except for one additional indicator light and the Smartmodem 1200 name plate.

Smartmodem 1200 sells for a suggested retail price of \$699. This is at the low end of the retail price range for standard 212A modems without the Smartmodem's special features.

Hayes Microcomputer Products is located at 5835 Peachtree Corners East, Norcross, GA 30092. Their phone number is 404-449-8791.

#### The UDS Bargain

Now let's suppose that you already have a good 300 baud modem that you will use most of the time, though at certain times you would like to have 1200 baud service. You probably don't relish the idea of buying a \$700 combined 300/1200 baud modem using the full 212A standard and then trying to sell your old 300 baud modem. Let's suppose also that you don't need a lot of self-test and diagnostic features and that you probably don't need autodial or auto-answer on the 1200 baud device. If all of this supposing fits you, then you will be interested in a new "plain vanilla" 1200 baud modem recently introduced by Universal Data Systems.

The UDS 212LP uses the Bell 212 signaling scheme. Let me warn that UDS

also markets a 202LP 1200 baud modem using the Bell 202 signaling scheme—some ads I have seen are pushing this 202LP modem for under \$300. Don't confuse the two modems, because for information utilities and most message systems, the 202LP will not help you.

The UDS 212LP has a list price of \$499, but it is available at discounts through *Microcomputing* advertisers. UDS gets the modem down to this low price by cutting all of the frills. The 212LP has no lights or local test features. It does have a remote loop test feature that allows it to respond to more complex 212A devices. The 212LP does not provide for 300 baud service. It has a simple data/talk switch on the front panel and an originate/answer switch on the back.

The UDS 212LP shares a feature of other UDS modems in that it needs no outside power source. It connects directly to, and takes its operating power from, the phone line. Installation is simply a matter of putting the modem in series with the telephone using modular phone plugs.

Despite its simplicity, the 212LP gives good reliable performance. It does everything a type 212 modem really needs to do. UDS has been in the modem business for many years and its products are well known for performance and reliability. The 212LP is a good value because it trades off frills, not performance.

The UDS 212LP is the first 212 type modem to break the \$500 price barrier. Universal Data Systems deserves credit for aggressive marketing and imagination. Universal Data Systems is at 5000 Bradford Drive, Huntsville, AL 35805. Phone 205-837-8100.


#### 212 or ?

The Bell 212A standard is widely accepted and is the de facto standard for information system operations, but I really wonder if it is the best standard. Some developers, like Don Stoner at the Microperipheral Corporation, feel that users seldom need to transmit at 1200 baud, but they often need to receive at that speed. He and others in the teletext industry have developed modems that use inexpensive signaling schemes to move information to the user at 1200 baud, but which provide a reply channel that more closely matches the typing speed of a user (up to 150 baud).


These modems are gaining acceptance in special applications such as video information and home banking, but we need some brave souls to accept them for use with an information utility in order to break the ice.

The price of speed in communications is going down. Improved and more creative services could be the result. □


## PICK A SYSTEM!



**\$2495.**  
5 MB STORAGE



**◀ COMPLETE ▶**



**\$2995.**  
1.2 MB STORAGE

We're offering you our SB-80 system in either 5 1/4" or 8" disk drives, your choice. Either way your system comes with a full size (12" diagonal) non-glare tiltable green screen with 24 lines by 80 character format. Its multi-character set offers blinking cursor, underlining, reverse video, and half and zero intensity. The movable, detachable keyboard has a numeric pad with cursor control and function keys.

Nationwide on-site and depot repair service  
through the professionals at INDESERV.

©CP/M is a registered trademark of Digital Research, Inc.

- Single Board Technology ■ CP/M® Operating System
  - 4 MHz Z80A CPU ■ 64K 200ns Main Memory
  - 8-Inch Dual Density Floppy Drives
  - 5 1/4-Inch Dual Density Floppy Drives
  - 2-Serial Ports ■ 2-Parallel Ports
  - 4-Counter/Timers ■ Expandable

For further information about this limited offer call or write:



**Colonial Data**

Colonial Data Services Corp., 105 Sanford Street, Hamden, Conn. 06514 • (203) 288-2524 • Telex: 956014



# Commodore 64 Leads the Way

## First-Hand Report on New Units

### Commodore News

I was fortunate enough to get a first-hand look at the new Commodore machines at the Comdex show here in Atlantic City back in June. The new B and P series were functional prototypes but still quite impressive. There was quite a bit of interest in the new Commodore 64, while a single Max Machine sat idle most of the time I was there.

The top-of-the-line BX256 contains 256K of internal RAM with potential for an additional 640K of external RAM. It can also accommodate an optional Z-80 processor board in addition to its eight-bit 6509 and 16-bit 8088 processors. The planned retail price of the BX256 is only \$2995.

The B128 and P128 both contain 128K of internal RAM that can be expanded to 256K internally, and 640K can be added externally. They use a 6509 processor and can accommodate an optional Z-80 processor board but cannot use the 8088 processor used in the BX256. The planned retail price of the B128 is \$1695, while the P128 is only \$995.

The BX256 and B128 both have 80-column by 25-line green phosphor display screens that can be adjusted with tilt and swivel controls. The P128 connects directly to a television set or monitor via a built-in rf modulator. Its display is only 40 columns by 25 lines but it supports 16 colors for either text or graphics. A high-resolution graphics display mode allows 320 by 200 pixels.

The B series machines feature a detachable full-sized keyboard with a standard typewriter layout, as well as a separate numeric keypad, editing and individual cursor controls and ten programmable function keys. The numeric keypad includes a double zero, clear entry, question mark and double-sized enter keys in addition to the normal 0-9, plus, minus and slash keys. The P128 has the same keyboard but it's not detachable.

All B and P series systems include 40K

of ROM and built-in interfaces for IEEE-488, RS-232, CBM cassette, eight-bit user port, direct audio output and a cartridge slot. The P128 also contains a direct video output and ports for joysticks, light pens, paddles, etc.

Sound generation on all of the new machines (from the BX256 to the Max) is provided by a new 6581 Sound Interface Device (SID). This chip provides three independent voices with nine octaves each; programmable attack, decay, sustain and release (ADSR); a programmable filter; and variable resonance and master volume controls.

The Commodore 64 physically resembles the VIC-20 (see photo) and can use all VIC-20 peripherals. Its suggested retail price is \$595 but mail order discounters are already advertising it below \$500.

---

**The Commodore 64  
is probably the most  
interesting of the newer  
machines for the average  
home user.**

---

With a PET emulator, the Commodore 64 will operate just like a 40-column PET in most areas. A Z-80 add-on processor board will allow you to run CP/M as well. Graphics capabilities include: 320 by 200 pixels, 16 text colors, 255 foreground/background color combinations, 256 movable "Sprites," independent magnification, and extended hi-res modes.

This machine is probably the most interesting of the newer machines for the average home user. The Comdex crowd seemed to spend most of its time looking this one over closely.

The Commodore Max Machine (formerly called the Ultimax) has the same color and sound capabilities as the Commodore 64 but without much internal memory. As such it cannot do anything without an external cartridge. With the optional Basic

language cartridge you can develop standard Basic programs that can be translated for use with all other Commodore systems. The Max Machine's Basic supports nine-digit numeric accuracy, built-in math functions and string capabilities.

This machine was not very impressive—most people would prefer paying a little more for the VIC-20. The Max lists for \$179.95 and VIC-20s can be found for under \$230.

At the summer Consumer Electronics Show (CES), Commodore announced its new Commodore Information Network, which can be accessed via CompuServe by selecting "CBM" when signing on. Once on Commodore's network, you can select from the menu to get Commodore News, Directories or Tips.

Selecting Commodore News gives you access to a public bulletin board where you can post comments and questions or get abstracts from Commodore's user publications, worldwide input concerning Commodore products, information from and about Commodore user groups or price lists and announcements of new Commodore products.

Commodore Directories provide an up-to-date list of authorized Commodore dealers and a directory of user groups throughout the United States by geographic area. Hopefully this list will be more current than the one they've been printing in the Commodore magazines.

In Commodore Tips you'll find answers to most common questions about Commodore products, categorized by topic for easy access. Commodore experts will also provide technical tips on hardware and software applications in this section to enhance both practical and playful applications of Commodore computers.

VIC-20 users will be able to access the

---

*Address correspondence to Robert W. Baker, 15 Windsor Drive, Atco, NJ 08004.*



new service with the use of the VIC Modem cartridge. With the purchase of a VIC Modem, Commodore will provide a free one-year subscription to CompuServe, and one free hour of time on the CompuServe network. Also included with the VIC Modem is a copy of the VIC Term I software, which programs the VIC-20 for telecommunications.

A family of four spreadsheet programs

—EasyCalc, EasyPlot, EasyTools and EasyScan—were introduced by Commodore this summer for the SuperPET and Commodore 64 systems. In the near future the Easy programs will also be available for other Commodore systems, including the recently announced P and B series.

EasyCalc is the biggest micro worksheet available, with 65 columns and 999

rows. It replaces old-fashioned paper and calculator and saves many hours in solving a wide range of numerical problems such as budgets, cash flow forecasting, product and resource planning, stock fluctuations, engineering or scientific data, trend analysis, agricultural yields and floor plan models.

EasyCalc has "help" functions to aid first-time users and experts alike. It can print out all formulas and assumptions, and its disk-based grid allows automatic matrix consolidations. Additional features include movement of data in a matrix, selective row reporting and printing, instant "what if" calculations, and integration with Commodore's EasyPlot spreadsheet program.


EasyPlot allows users to interpret and present numerical data with high-quality charts and graphs, and produces bar and pie charts, scatter diagrams and line graphs. It analyzes relationships between different data sets, and charts population trends and stock price fluctuations as well as other numerical information. The user-oriented format of EasyPlot features full-page printing of all charts and graphs and integration with EasyCalc.

EasyTools from Commodore allows users to analyze alternatives and see pros and cons so vital in decision making. It features automatic buy-versus-lease analysis, full loan amortization functions, present and future cash flow calculations and discounted cash flow analysis to help make decisions regarding borrowing, tax deductions and the cost of inflation.

The fourth member of the new spreadsheet family from Commodore, EasyScan, is an instant access diary that never lets you forget. It presents your day, week, month or year at a glance, organizes data by priorities, and lets you "zoom" in for an in-depth look. EasyScan allows users to schedule time and resources for optimum



The Commodore 64 attracted a crowd at Comdex this summer.



The new business machines from Commodore.

Circle 393 on Reader Service card.

**BURN**
EPROMS
**USING**
CP/M

**EPROM PROGRAMMING SYSTEM RUNS UNDER CP/M**

**COMMAND SUMMARY**

- PROGRAM EPROM(S) FROM DISK FILE
- PROGRAM EPROM FROM RAM
- READ DISK FILE INTO RAM
- COMPARE EPROM W/RAM
- READ EPROM INTO RAM
- DISPLAY/MODIFY RAM
- VERIFY EPROM IS ERASED
- COPY EPROM

**FEATURES**

- STAND ALONE SINGLE BOARD (6X7.5) PROGRAMS 2708, 2758, 2716, 2732, 2732A AND 2764 EPROMS.
- NO PERSONALITY MODULES OR DIP SWITCHES TO CHANGE - 100% ELECTRONIC SWITCHING OF EPROM TYPES.
- INTERFACES THROUGH ONE 8 BIT INPUT PORT AND ONE 8 BIT OUTPUT PORT. 16 WIRES - NO SPECIAL HANDSHAKE LINES.
- ALL SOFTWARE IS PROVIDED - YOU WRITE NOTHING!
- SIMPLE CONFIGURATION TO YOUR COMPUTER USING DDT.
- DESIGNED WITH LOW COST EASY TO GET PARTS.
- OPERATES WITH ANY COMPUTER THAT RUNS CP/M AND HAS A PARALLEL PORT.
- COMPLETE ON BOARD SUPPLY - NO BACKPLANE CONNECTIONS.
- SUPPLIED WITH 25 PAGE USER/ASSEMBLY MANUAL.

**Now you can afford to build a professional EPROM programmer.**

**BARE P.C. BOARD WITH COMPLETE DOCUMENTATION AND SOFTWARE ON AN 8" SINGLE DENSITY DISKETTE-\$75.00**

**WRITE FOR MORE INFORMATION DEALER INQUIRIES INVITED TO ORDER SEND CHECK OR MONEY ORDER TO:**

Add \$3.00 for C.O.D.

Ohio res add 5.5% tax

\* CP/M is a trademark of Digital Research

**AndraTech**

1235 VILLAGE GLEN

BATAVIA, OHIO 45103

Circle 231 on Reader Service card.

SUPER SALE

EPROM'S	1-7	8 up	50 up.
2716 (5V, 450nS)	\$3.95	\$3.55	CALL
2732 (5V, 450nS)	7.85	6.95	CALL
2532 (5V, 450nS)	8.25	7.95	CALL
2764 (5V, 450nS)	23.90	CALL	CALL

STATIC RAM	1-7	8 up	50 up.
6116P-3 (150nS)	7.50	7.20	CALL
2114L-2 (200nS)	2.10	1.70	CALL

DYNAMIC RAM	1-7	8 up	50 up.
4164 (200nS)	7.90	7.49	CALL

**MISC**

CPU Z80A	\$5.29 ea.
CDP-1854ACE (UART)	\$4.80 ea.
16K RAM Expansion Kit for TRS-80 Mod III	\$12.95/8

**SUNTRONICS CO., INC.**

12621 CRENSHAW BOULEVARD  
HAWTHORNE, CALIFORNIA 90250

STORE HOURS: Mon - Fri 9:00am to 6:30pm - Sat 10am to 5pm

IN CALIFORNIA OUTSIDE CALIFORNIA TOLL FREE

**(213) 644-1149 1-800-421-5775**

Min Order: \$10, P/H: \$2, Accept VISA, Mastercard, Check or M.O.

Circle 171 on Reader Service card.

Apple II + Paper Tape I/O Is This Easy

10101011010001010.....  
010101010100010100.....  
One minute you're without, the next you're up and running! Just plug into your **APPLE II PLUS**. A neat and complete package.

- Model 600-1 Punch — 50cps, rugged
- Model 605 Reader — 150cps
- Parallel Interface Board/Cable
- Data Handling Program

Code conversion available. **TRS-80** package soon. **ADDMASTER CORP.** 416 Junipero Serra Dr., San Gabriel, CA 91776 \* 213/285-1121.



productivity and also serves as an appointment secretary and project planner/task coordinator.

Each of the Easy spreadsheet programs will retail for \$124.95 for the SuperPET and \$79.95 for the Commodore-64.

Thirteen exciting new cartridge games for the VIC-20 were featured by Commodore at NCC in June. The Bally/Midway games Gorf, Omega Race and Wizard of Wor are real arcade games. High-resolution graphics, sound effects and play action are reportedly exactly like the popular coin-operated games.

Commodore's own Space Vulture, Raid on Fort Knox and Pinball Spectacular have the same kind of fast action and exciting graphics as the arcade games. Mole Attack and The Sky is Falling are Commodore's new cartridge games for young children.

Commodore also introduced five challenging Scott Adams adventure games: Adventureland, Pirate Cove, Mission Impossible, The Count and Voodoo Castle Adventures. These games, previously available only for high-priced systems, are cumulative fantasy games that can be saved and played over a long period of time.

Well, that's the end of the stack of press releases for this month. Sure was a busy time back in June and July! If your company is producing anything for the new machines let me know so we can spread the word.

## On Line Software

On Line Software offers two game programs with separate versions available for just about every Commodore system. Millipede is similar to the popular Centipede arcade game and is the better of the two games being offered. As expected, you try to exterminate the oncoming millipedes and fleas as they descend through the mushroom patch. Giant bounding spiders try to pounce on you while the dreaded scorpion leaves poison mushrooms behind. This game actually has 52 separate levels of play and you can start right in at the high speed mode (level 27) if you think you're good enough. The VIC-20 version of this game is really great—it was all I could do to get my son to stop playing.

Wallbanger is an original arcade-style game that combines high speed action and strategy. You're inside an enclosed area with one to four bouncing balls. While going through the dodge'm, blast'm and attack modes you try to destroy the bouncing balls before they destroy you. If you're successful the walls close in for the next round of play.

Both games are written in assembly language, giving good, fast play action. Sound effects are included and the VIC-20 version includes color graphics. The keyboard is normally used for movement and fire controls; joysticks can only

be used on the VIC-20 versions. However, with either method of control you can't move and fire simultaneously, which can be frustrating. Even so, both games are well done and reasonably priced at \$15 each on cassette tape.

For more information or free game details you can write: On Line Software, PO Box 2044, Orcutt, CA 93455.

## Misc

VIC-20 owners should be aware that another bug has been found in VIC-20's Basic. It only appears when you open a logical device and use the Print# to output to that device. If the first argument of the Print# statement is a Tab(. .) or SPC(. .) function, you'll get a syntax error when the Print# statement is executed. This little example quickly shows what happens:

```
10 OPEN 3,3
20 PRINT#3,SPC(5);"HI THERE"
```

When you run this short program you'll get a syntax error on line 20. If you replace the SPC with Tab and try it again you'll get the same results. Line 20 is perfectly correct according to the manuals and will execute correctly on any other Commodore system. The VIC just doesn't like the Tab and SPC as the first argument of the Print# statement. They do, however, work correctly anywhere else in the Print# statement.

Fortunately you can easily overcome this small problem by simply adding a null string to the beginning of the Print# statement. This line 20 will work correctly:

```
20 PRINT#3,"";SPC(5);"HI THERE"
```

In these simple examples I've used device #3 (the display screen). This is the simplest device to play with since not everyone has a disk or printer and it takes too long using the cassette tape. The problem shown here does not depend on any particular device—it happens on all of them.

My program package on disk that I mentioned in an earlier column is now available through Eastern House Software, 3239 Linda Drive, Winston-Salem, NC 27106. The price has been lowered to \$25, since they're now doing all the work of reproducing the disks. You need a printer to print your own documentation, but you can print additional copies as needed. Watch their advertisements for more details or you can write to the above address.

This package consists of two disks in 4040 or 8050 format. Over 40 program files are on one disk, with documentation on a second disk. The programs included are all from various articles and columns I've done over the past three years. □


Circle 330 on Reader Service card.

**TRS-80™**

**SAVE MONEY**

**BUY DIRECT**

**100% RADIO SHACK EQUIPMENT**



Similar Discounts On All TRS-80™ Hardware

**UP TO 20% OFF ALL TRS-80™ SOFTWARE**

• Color Computer...\$429 <small>(26-3002)</small>	<b>FREE PRICE LIST</b> <b>GSB ELECTRONICS</b> Cherry Hill Mall Cherry Hill, N.J. 08002 <b>TOLL FREE</b> <b>800-257-5225</b> in NJ (609) 779-8877 <b>TM-TANDY CORP.</b>
• Model III...\$1999 <small>(26-1066)</small>	
• Model II...\$2999 <small>(26-4002)</small>	
• Model 16...\$4850 <small>(26-6002)</small>	

Circle 385 on Reader Service card.

**FOR THE:**

**ABCDE**

**FG**

**klm nop**

**QRT**

**SU**

**vwxY**

**Z**

**SIMSIM, INC.**

214 North Main St., Natick, Massachusetts 01760 U.S.A.  
 (Lakewood Office Park; Junction of Routes 9 & 27)  
**NEC Spinwriters 7700 and 3500**  
**Letter-quality leader**

Serial 77xx List price .....	\$3085.00
SimSim's price .....	\$2390.00
Serial 35xx List price .....	\$2290.00
SimSim's price .....	\$1775.00


(Dealers inquiries invited)

In Computer Systems

CALL: (617) 655 6415



# SEARCHING FOR RECORDS CAN BE A REAL HASSLE.



It always seems to happen at the wrong time. A file cabinet or two filled with records that are not *quite* in alphabetical order. In there somewhere is the right record, but there's just no way to find it without leafing through the whole mess. Sound familiar?

With DB MASTER finding the right record takes about *three seconds*. You just call up the name, say "Mark Piper," or invoice number "38965," and there it is in front of you. No worries. No misfiling. No anxiety. Think what it means for a business where you constantly need to check product inventories or customer billing status.

But what if you don't know the whole name or the exact number you're after? No problem. DB MASTER's "Search" method makes it simple to find what you're after. For example, you can call up all the "Pipers" and stop when you recognize the right one. And there's more. You don't even have to know the name at all. If all you really know is that it begins with a "P", for instance, you can use DB MASTER's "Wild Card" feature. It'll give you every name in your file that begins with "P". The same goes for a range of numbers. Punch in the range of digits you know, and you'll get a series to choose from. Try *that* with your filing-cabinet system.

We designed DB MASTER to make your life easier. Sure, there are other data base systems available for

## WITH DB MASTER IT'S EASY.

your Apple II. But, if you're not using DB MASTER you're simply

not getting all you could from your data base manager.

Want more capability? DB MASTER provides it with the

expanded-capacity Special Edition for Hard Disk to complement the popular floppy diskette version. And there are three powerful accessory programs. UTILITY PAK #1, for example, allows you to access other standard Apple files (including VisiCalc), and even change the way you've structured your files. UTILITY PAK #2 allows you to edit or change up to five "fields" in a single pass through your files. And STAT PAK performs statistical analyses on data in your DB MASTER files. Of course, there's considerably more capability in each of our accessory paks than we have room to talk about here. Ask your dealer for the full details.

Stoneware backs up DB MASTER with a support staff second to none. Just give us a call. We can help solve your problems. After all, that's what Stoneware and DB MASTER are all about.



© 1982 Stoneware Incorporated.

TELEX II: 910-384-2016 STONEWARE SRFL

DB MASTER is a registered trademark of DB MASTER Associates. Apple II Plus is a registered trademark of Apple Computer. VisiCalc is a registered trademark of VisiCorp.



# LETTERS TO THE EDITOR

## Discouraging Software Piracy

I am writing in regards to your recent article "How Safe Is Your Software?" by Jake Commander and Mike Vose, which appears in July *Microcomputing* (p. 60).

One of the main problems with protecting software is that it is not in the interests of the semiconductor manufacturers to provide machine verifiable serial numbers on each microprocessor chip. Or is it?

A few years ago, I set up a system to keep track of production and yields for Harris Semiconductor, and it appears to me that there may be a way which will satisfy both the semiconductor manufacturer and the software house.

As chip capability grows, integrated circuit production yields decline. These lower yields frequently prompt management to become interested in statistical analysis. Die location, mask number and wafer fab batch numbers take on new significance when one is trying to optimize production and minimize material and labor on ICs that never make it out the door—or even worse, ICs that may come back as rejects.

What better way to find out where a good chip came from than to ask it during the final test prior to shipping? And what better way to ensure that chips from statistically marginal locations are checked extra thoroughly before they are packaged? In fact, all sorts of adaptive testing strategies become feasible once the production line can identify each chip.

Therefore, it may be in the interest of semiconductor manufacturers to consider providing a mask/batch/die-location-on-wafer processing number in the form of a read only register or ROM location. True, this number would not be unique; but given the number of chips a wafer is broken into, and the number of masks used over a product life span, (masks wear out a lot faster than you would suspect), the odds that any two computer systems had the same CPU process number would be relatively low. If the odds were low that a bootlegged program would run, it might tend to discourage piracy.

True, there is the matter of the software checking that number and taking appropriate action, but in my years of consulting I've seen and heard of more than a few ways to disguise such a check on the large machines, and we all know that microcomputer people tend to be more creative.

There may, of course, be other reasons which would make this impractical. There are easier ways of serializing chips, but would they be as easy for the manufacturers to check on a routine basis?

There is another matter, though—a program is of little use without information. With the proliferation of databases in the mid-eighties, what will prevent the data pirate from buying (as a user, not as a reseller) or stealing information from several sources, combining and reformulating it in some way, then reselling it as his own? We should start thinking of ways to imbed serial numbers in our data. I doubt if the old mapmaker's trick of adding or deleting a town name will work with sophisticated information pirates, and woe unto the legitimate user who uses such a piece of polluted data.

**John V. Vilkaitis**  
Thomaston, CT

## Sounding Off

In the May 1982 issue of *Microcomputing*, Alan E. Hufnagel ("The H-89 Sounds Off" p. 56) presented a simple modification to the Heath H-89 computer to allow users to program sound effects. Users should be cautioned about the program listings presented in that article. The general purpose port (362 octal) has several uses and the program listings do not reflect them properly.

Bit 1, for example, enables the 2 ms clock interrupt. Mr. Hufnagel's programs are correct in resetting this bit during execution, since interrupts will upset the program timing, but it should be set on exit from the program. Some software packages require this interrupt to be active. (An example is the PIE editor from Software Toolworks.)

More important for users of newer H/Z-89s (or older ones which have been modified to run standard ORG 0 CP/M) is that bit 5 of this port controls the memory map of the 89. If bit 5 is set, memory is ORG 0. If it is reset memory is ORG 4200H. Thus, if the system is running at ORG 0, bit 5 should be set on EVERY WRITE to the port. Otherwise, the memory map will be altered during execution with unpredictable results.

Unfortunately, the port cannot be read to determine its current status. The hardware maps an option switch into this port for read operations. Thus, the memory organization must be known when the software is written.

I have included a program listing which will execute the "siren" effect

```

:                               SIREN . ASM
:
:                               Assemble with CP/M ASM
PORT EQU 362Q

: Don't set the following bits:
:   0 = single-step enable
:   1 = clock interrupt

: Must set the following bits:
:   5 = org 0 memory map

: Toggle bit 4 for speaker control
:
: Set bit 1 on exit to CP/M

ON EQU 0011000B : Speaker on
OFF EQU 0010000B : Speaker off
RESET EQU 00100010B : Reset to standard system

ORG 100H

CALL SIREN : Each call gives one
CALL SIREN : siren cycle
CALL SIREN
MVI A,RESET : Reset the port
OUT PORT : and return
RET : to CCP

SIREN: MVI A,ON : Turn it on
OUT PORT
MOV A,B

LOOP1: DCR A : Wait
NOP
NOP
NOP
JNZ LOOP1

MVI A,OFF : Turn it off
OUT PORT
MOV A,B

LOOP2: DCR A : Wait
NOP
NOP
NOP
JNZ LOOP2

DCR B : See if done
JNZ SIREN
RET
END
```

## Program listing.

properly with an ORG 0 H-89. The program is in 8080 mnemonics and will assemble correctly using the standard CP/M assembler.

Mr. Hufnagel has contributed an excellent and very inexpensive modification to the H-89. With some care in programming, it can be quite an asset.

**William R. Brandoni**  
Willoughby, OH

## Reply:

Mr. Brandoni is correct that the program listings in my article were only samples and did not consider all the possible uses of the General Purpose Port. Those readers considering sound modification should heed Mr. Brandoni and carefully explore the ramifications



of manipulating this port while under their particular hardware/software configuration.

**Alan E. Hufnagel**  
Montgomery, AL

### A Need for Programming Information

I commend *Microcomputing* on its in-depth articles on software legal protection in the July 1982 issue. You covered a great deal of material in a factual and straightforward manner.

However, I feel that there must be a great need for instructional information on the subject of how to write operating systems, games and other software. Otherwise why the need for piracy?

The problem should go away when average hobbyists can gain access to better training material for programming than is now available.

**Arthur Guy**  
Madera, CA

### Redefining Computer Crime

"Computer crime" is becoming a common term, but we have recently been victims of a rather unusual form of it. A remarkably sophisticated and specialized burglar broke into our house. To the great surprise of the police, the only thing he took was the 128K Saturn RAM board which I had recently installed in my Apple II. Nothing else (except one unrelated diskette) was taken or disturbed. This is certainly a step beyond piracy of programs, although I suspect that people who try to achieve a reasonable income developing and selling programs might not agree.

I had been thinking of submitting a review of the RAM board to *Microcomputing*, and the thief seems to have given it a favorable review. During the brief time I had it, I too was quite impressed by the Saturn card, and I agree with the burglar that it was the single most valuable thing in my Apple. It did a fine job of speeding up the compilation of large Pascal programs, offered lots of programming space and convenience for Basic programs; the accompanying software performed flawlessly. Furthermore, the documentation was clear, complete and easy to follow. Apparently the thief didn't recognize the value of the manual and diskettes; he failed to take any of them. Unless he is a sophisticated programmer, the card will be useless to him without these items—I find that fact somewhat consoling.

This leads to the point of this letter. I would be grateful if any readers of *Microcomputing* who have Saturn cards would regard with great suspicion any requests to copy their diskettes or manuals, and

let me have the name and address of anyone making such a request.

**James R. Florini, Ph. D.**  
Biology Department  
Syracuse University  
Syracuse, NY 13210

### On with Osborne

In response to Mr. Gordon's idea to form an Osborne user's group (see "Letters to the Editor," May 1982, p. 132), it sounds like a great idea. Put me in for a resounding YES.

In fact, I'd be happy to provide some time as an East Coast Organizer. Let me hear your thoughts.

I purchased the machine to get a lot of needed micro education. Now I'm wondering why I waited so long.

I often have the need for input from an educated user and do understand the valuable role we could play. There is only one thing left... Let's do it!

**Ron J. Lucchesi**  
10 Troll Lane  
Lake Telemark, NJ 07842

### Monitoring the Computer Marketplace

A thought—you have been a prime force in the proliferation of suppliers for the personal computer marketplace. Obviously, there will be some good dealers, some bad ones, and some understandable disagreements between suppliers and customers. Why not a column in one of your magazines that could help keep the consumers apprised of the current problems, and perhaps help resolve some of the disputes?

Such a column (call it Marketplace Interface) could be a big boon to both buyers and sellers. Those tried and true companies that have been reliable for several years could be given a few bouquets, which could certainly help their sales. For example, I recently wrote Apparatus with a question concerning NewDOS+ and the lowercase modifications. I got a prompt reply as I expected; unfortunately, the newcomer to personal computing doesn't know this about Apparatus; it is just another of several hundred suppliers.

An occasional market survey, an analysis of educational programs, book clubs, etc., could be a service to subscribers and advertisers.

Let me know what you think. Thanks, Wayne, and keep up the good work.

**Stephen F. Nowak**  
Barberton, OH

### Reply

Good idea, Stephen, but I'd like to see it as part of the letters section. I'm sure all readers would like to know about

firms which give outstanding service. And if you get stiffed by any firm, I ask that you write them a letter giving the details of the problem, with a copy to me. I'll follow up on it and try to see that things are made right... if I can. I don't always succeed, but my record is pretty good... **Wayne.**

### Starving for Software

I have an IBM PC and a fully configured Prism-132 printer. I continue to be fascinated by the myriad of ads I see in all of the wonderful computer magazines each month. However, most of the really fun programs (games, music synthesizers or graphics aids) seem to be aimed at owners of Apples or TRS-80s. Some of the problems (I am told) are due to the newness of the IBM as well as its nonstandard 8088 microprocessor and the lack of a "standard" operating system.

This letter is to urge all of you to work on powerful, user-friendly software which is capable of utilizing the full capabilities of the IBM for music and color, rather than sticking to "plain-vanilla" business applications. I would like to see the IBM DOS (in either the DOS version 1.05 or the new (soon to be released) DOS 2.00) become the standard operating system for the IBM and you can help!

There is a real market for software which will allow us IBM users to make full use of our IBM, as well as all the nifty features of a fully configured Prism printer, without being forced to resort to awkward home-made utility programs written in Basic.

Right now I am using Easy Writer-II for word processing. It has a beautiful editor, but it cannot even begin to make full use of the advanced features on my Prism, either for color or for graphics (or even for justifying copy using either proportional spacing or mixing type sizes on a single line).

Again let me urge you to branch out your software business to include the IBM. We are starving for good software and there are a lot of us. There is some kind of a myth floating around that IBM PCs are being bought only by corporations for business use. My IBM is owned by my corporation but I really bought it for me. I was unable to plunk down \$7000 in cash for a personal computer for me to play with in my spare time so I was faced with the dilemma of either buying an inexpensive (i.e., limited capability) computer for cash or to purchase an IBM (with dual disk drives, both color and monochrome monitors, and a fully configured Prism-132 printer) on an installment loan. But nobody would lend me \$7000 for a hobby computer. So, I lied to the loan company by telling them what they wanted to hear (that my corporation was buying a \$7000 computer system for business purposes). I suspect that lots of



IBM owners are in a similar boat. We really are a bunch of hobbyists who want all the games, graphics, and music abilities that Apple and Radio Shack owners enjoy. Please don't let us down.

**Bill Siebert  
Spencer, NY**

## A Plea for Price Listings

At long last I am the proud owner of an Epson MX-80 printer. But not until I'd been through a lot of trouble, expense, and waiting around the mailbox for correspondence. After many months of scouring the advertisements and circling little numbers in the back of magazines, and comparing features versus price, I ordered the MX-80 printer on December 2 from Omega Sales Co., Inc.

Due to the closeness of Christmas (and the associated tons of mail that flow through the postal system during that time of year), I decided it would be best to call in my order. And 20 days later the printer arrived by registered mail. Nothing different from the run-of-the-mill mail-order consumer. Right? Wrong.

What makes this particular purchase different is that it was done from West Germany. It started about a year ago when I decided that my SWTP PR-40 printer had outlived its usefulness. Although I had modified it to print 64 characters per line, which made it com-

patible with my VDM's output, the 4½ inch printing paper left a lot to be desired. Besides that, it's rather difficult to punch holes into and mount in a three-ring notebook binder.

After reading all the articles I could find on the various printers that were available, I ran into the recurring problem of the advertisers requesting the reader to call for the price. (This can be confirmed by looking through six months of back issues: you will find that 90 percent of the advertisers listed the price of the Epson-series printers as \$call). Are the advertisers aware of the fact that it costs \$4.38 a minute to call from here? And heaven help you if the person who answers the telephone doesn't know the price of the item you are inquiring about and puts you on hold while he goes to find someone who does know the current price. This happened to me twice even though I told them I was calling from Germany.

I'm fully aware that printers (and many other components) are undergoing rapid price changes, but even in the fliers that these companies put out, the consumers are asked to call for the most current price! Come on, guys, we can do better than that. There has to be a better way. Perhaps a list of the faster-moving items could be printed up on a weekly basis and given to the person who answers the telephone.

So, as I sit here looking at a \$463.35 bill for the printer and a \$73.28 telephone bill, I wonder if it would really hurt the advertisers to list the price for components that they advertise, even if it's not current at the time of publication. As you may know, we consumers like to be surprised when we call (or write) in and find the price has dropped from the one advertised.

**James A. Tomlinson  
USAF in Europe**

## Looking for a Language

I am an assembly-language programmer looking for a high level compiled language in which I can write commercial software.

The language must be able to generate independent ROMable code that implies variables are stored in a user defined area separate from the ROMable program code.

I am currently using a TRS-80 to run my software, but am considering switching to the Atari 400. I am looking for a language that is available on both Z-80 and 6502 machines; however, if a compiler is available for only one of the two machines, I would still consider it.

I would prefer a compiler for which I do not need to pay royalties for the compiled code I sell; however, I would be willing to pay for an excellent compiler that meets the above criteria.

Any help or advice sent would be greatly appreciated.

**Bart Narter  
Box 1203-B  
Nashville, TN 37235**

## Comments on Word Handler

I have some additional comments on your review of the Word Handler program (June 1982, p. 178).

The reviewer was correct that the number of pages in a document is not automatically displayed on screen, but there is a simple way to get the program to do this manually. When you name a document, the program has a provision for entering additional, extraneous information not needed for control purposes. This is accomplished by entering a semicolon after the document name. Any text thereafter will also be displayed on screen.

Whenever I finish writing a document, I note the number of pages, exit from the text and, before removing the diskette, go back and rename the document with the original name plus a semicolon and the number of pages I have written. Subsequently, the number of pages will always appear on screen. (Be careful, though, to include the semicolon and page numbers whenever you copy a document using Apple II's BRUN FID program on the DOS 3.3 system master. If you don't include all the information, the program will not run).

Users of Word Handler may also want to know that there is a way of moving the cursor forward a paragraph at a time, in preference to the normal control key operation that only permits forward movement by a word, a line or a page at a time. Instead of using the control key to move the cursor forward, just hit the return key.

It might also be noted that when you run Word Handler on an Apple III with an Apple II emulator program, you pick up two nice features. First, you get continuous forward and backward movement of the cursor without having to use the control key, as long as the cursor key remains depressed. Second, all uppercase functions are combined in the shift key, instead of being split between the shift key and escape key; or you can buy firmware from Videx for \$149, called Enhancer II. This will upgrade the Apple II keyboard functions.

As the reviewer noted, Word Handler is a very good program. Its biggest drawback—lack of a clear, detailed, step-by-step manual—has just been rectified with the publication of a revised manual by the manufacturer, Silicon Valley Systems (1625 El Camino Real, Belmont CA 94002).

I was told by the company that the new manual will be included with all future purchases of the Word Handler program. Those who already own the program can get the new manual for \$10. SVS is also about to bring out a companion spelling program that will contain some 85,000 words. This should be more than enough for most writers.


**Peter A. Corning  
Palo Alto, CA**

Circle 397 on Reader Service card.

# SPECIAL OFFER

## JOURNAL of PASCAL and ADA

- Program design
- Graphics
- New developments
- Applications
- New Products



An in-depth resource  
for the beginner to  
expert programmer.

**6 issues \$14.00**  
**NEWSSTAND \$18.00**

- ☐ 1 year (6 issues) \$14.00  
☐ Outside U.S. \$21.00  
☐ One trial issue \$3.00

Name \_\_\_\_\_  
Street \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_  
Country \_\_\_\_\_ Zip \_\_\_\_\_


- ☐ Payment enclosed ☐ MasterCard  
☐ American Express ☐ VISA

Card # \_\_\_\_\_  
Signature \_\_\_\_\_

Mail to: Journal of Pascal and Ada  
P.O. Box 384 Orem, Utah 84057



# NEW FROM D & N MICRO PRODUCTS, INC.



## MICRO-80 COMPUTER

Z80A CPU with 4MHz clock and CP/M 2.2 operating system. 64K of low power static RAM. Calendar real time clock. Centronics type parallel printer interface. Serial interface for terminal communications, dip switch baud rates of 150 to 9600. 4" cooling fan with air intake on back of computer and discharge through ventilation in the bottom. No holes on computer top or side for entry of foreign object. Two 8" single or double sided floppy disk drives. IBM single density 3740 format for 243K of storage on each drive. Using double density with 1K sectors 608K of storage is available on a single sided drive or 1.2 meg on a double sided drive. Satin finish extruded

aluminum with vinyl woodgrain decorative finish. 8 slot backplane for expansion. 48 pin buss is compatible with most OSI boards. Uses all standard IBM format CP/M software.

Model 80-1200	\$2995
2 8" single sided drives, 1.2 meg of storage	
Model 80-2400	\$3495
2 8" double sided drives, 2.4 meg of storage	
Option 001	\$ 95
Serial printer port, dip switch baud rate settings	

### Software available in IBM single density 8" format.

<b>Microsoft</b>	
Basic-80	\$289
Basic Compiler	\$329
Fortran-80	\$410
Cobol-80	\$574
Macro-80	\$175
Edit-80	\$105
Mu Simp/Mu Math	\$224
Mu Lisp-80	\$174

<b>Digital Research</b>	
PL/1-80	\$459
Mac	\$ 85
Sid	\$ 78
Z-Sid	\$ 95
C Basic-2	\$110
Tex	\$ 90
DeSpool	\$ 50
<b>Ashton-Tate</b>	
dBase II	\$595


<b>Micropro</b>	
Wordstar	\$299
Mail-Merge	\$109
Spellstar	\$175
SuperSort I	\$195
<b>Pascal</b>	
Pascal/MT +	\$429
Pascal Z	\$349
Pascal M	\$355

## Convert almost any static memory OSI machine to CP/M® with the D & N-80 CPU Board.

Z80A CPU with 4MHz clock. 2716 EPROM with monitor and bootstrap loader. RS-232 serial interface for terminal communications or use as a serial printer interface in a VIDEO system. Disk controller is an Intel 8272 chip to provide single or double density disk format. 243K single density or 608K double density of disk storage on a single sided 8" drive. A double sided drive provides 1.2 meg of storage. DMA used with disk controller to unload CPU during block transfers from the disk drives. Optional Centronics type parallel printer port com-

plete with 10 ft. cable. Optional Real Time Calendar Clock may be set or read using 'CALL' function in high level languages. Power requirements are only 5 volts at 1.4 amps. Available with WORDSTAR for serial terminal systems.

D & N-80	serial	\$695
D & N-80	serial w/Wordstar	\$795
D & N-80	video	\$695
Option 001		\$ 80
	parallel printer and real time calendar clock	



## D & N-80 CPU BOARD

## OTHER OSI COMPATIBLE HARDWARE

<b>IO-CA10X Serial Printer Port</b>	\$125
Compatible with OS-65U and OS-65D software	
<b>IO-CA9 Parallel Printer Port</b>	\$175
Centronics standard parallel printer interface with 10 ft. flat cable	
<b>BP-580 8 Slot Backplane</b>	\$ 47
Assembled 8 slot backplane for OSI 48 pin buss	
<b>24MEM-CM9</b>	\$380
<b>24MEM-CM9F</b>	\$530
<b>16MEM-CM9</b>	\$300
<b>16MEM-CM9F</b>	\$450
<b>8MEM-CM9</b>	\$210
<b>8MEM-CM9F</b>	\$360
<b>BMEM-CM9F</b>	\$ 50
<b>FL470</b>	\$180
24K memory/floppy controller card supports up to 24K of 2114 memory chips and an OSI type floppy disk controller. Available fully assembled and tested with 8, 16, or 24K of memory, with floppy controller (F). Controller supports 2 drives. Needs separated clock and data inputs. Available Bare (BMEM-CM9F) or controller only (FL-470). Ideal way to upgrade cassette based system	

<b>C1P-EXP Expansion Interface</b>	\$ 65
Expansion for C1P 600 or 610 board to the OSI 48 pin buss. Requires one slot in backplane. Use with BP-580 backplane	
<b>BIO-1600 Bare IO card</b>	\$ 50
Supports 8K of memory, 2 16 bit parallel ports may be used as printer interfaces. 5 RS-232 serial ports, with manual and Molex connectors	
<b>DSK-SW Disk Switch</b>	\$ 29
Extends life of drive and media. Shuts off minifloppy spindle motor when system is not accessing the drive. Complete KIT and manual	

<b>Disk Drives and Cables</b>	
8" Shugart SA801 single sided	\$395
8" Shugart SA851 double sided	\$585
FLC-66ft. cable from D & N or OSI controller to 8" disk drive	\$ 69
5 1/4" MPI B51 with cable, power supply and cabinet	\$450
FLC-5 1/4 ft. cable for connection to 5 1/4 drive and D & N or OSI controller, with data separator and disk switch	\$ 75
<b>Okidata Microline Printers</b>	
<b>ML 82A Dot Matrix Printer</b>	\$534
120 CPS, 80/120 columns, 9.5" paper width, friction or pin feed	
<b>ML 83A Same as 82A except</b>	\$895
16" paper width, 132/232 columns with tractor feed	
<b>ML 84 Same as 82A except 200 CPS,</b>	\$1152
16" paper width, 132/232 columns, 2K buffer, dot addressable graphics, with tractor feed	

## D & N Micro Products, Inc.

3684 N. Wells St.  
Fort Wayne, Ind. 46808  
(219) 485-6414



TERMS \$2.50 shipping, Foreign orders add 15%.  
Indiana residents add 4% sales tax.





# Micro Software Digest

Compiled by Dan Muse

*Micro Software Digest is a survey of software as reviewed in the microcomputer press.*

## T.I.M. III, Revision 5

*(Reviewed in Creative Computing, September 1982)*

**System Requirements:** 64K IBM PC, disk drive, monochrome display, parallel printer  
**Manufacturer:** Innovative Software, Inc., 9300 W. 110th St., Suite 380, Overland Park, KS 66210

**Price:** \$495

**Comments:** T.I.M. (Total Information Management) "assists the user in creating electronic files, which can be of great benefit to business and personal applications," the review says.

"T.I.M.'s list generation is well suited for printing mailing lists. The flexibility of the program allows for a variety of options," the review says.

"For small business or personal applications in which self-contained files need be updated only periodically, T.I.M. offers a vast amount of data manipulation power," according to the review. Reader Service number 432

## Ceemac 1.0

*(Reviewed in InfoWorld, July 19, 1982)*

**System Requirements:** Apple II Plus, DOS 3.3, 48K RAM, one disk drive, paddles or joystick

**Manufacturer:** Vagabond Enterprises, 1300 East Algonquin #3G, Schaumburg, IL 60195

**Price:** \$40

**Comments:** "Ceemac can provide you with the kind of fast-paced visuals that you might enjoy while listening to the Grateful Dead. They're not bad with Bach, either," the review says.

As art, Ceemac is mesmerizing; however, "as a programming language for the creation of art forms, Ceemac is somewhat tricky," the review says. "If you enjoy playing around with hexadecimal numbers, this program is definitely for you. If not, you're better off just watching," according to the review.

The only major flaw, according to the review, is the documentation. However, Ceemac is worth "learning about and exploring." Reader Service number 425

## Screen Director

*(Reviewed in Personal Computing, July 1982)*

**System Requirements:** Apple II or Apple III

**Manufacturer:** Business & Professional Software, 143 Binney St., Cambridge, MA 02124

**Price:** \$150 for Apple package; \$250 for Apple III

**Comments:** "Screen Director allows a personal computer to function like a slide projector with a carousel," the review says.

The package complements BPS's Apple Business Graphics. "Screen Director can also be used with almost any other program, such as VisiPlot, that produces graphic images on an Apple computer," the review says.

The displays created by Screen Director can be shown on an unlimited number of video monitors simultaneously. "The monitors may be of any size, from an eight-inch Panasonic to an eight-foot Advent or Novabeam," the review says. Reader Service number 423.

## Monkey Wrench

*(Reviewed in InfoWorld, July 26, 1982)*

**System Requirements:** Atari 800

**Manufacturer:** Eastern House Software, 3239 Linda Drive, Winston-Salem, NC 27106

**Price:** \$49.95

**Comments:** "The Monkey Wrench lets you do many of the tasks that should have been built into the Atari originally, but were not," the review says.

"Its best features, a Basic program renumberer and an automatic line numberer, are worth the low price alone," according to the review.

Monkey Wrench runs with Basic and allows the user to input, update and edit Basic programs with greater ease. "The cartridge also contains a machine-language monitor for more advanced programmers."

Monkey Wrench's "unique design and low cost make it a perfect addition to almost any set of software tools," the review says. Reader Service number 421

## SOAP

*(Reviewed in InfoWorld, July 12, 1982)*

**System Requirements:** Apple II or II+, DOS 3.3, 48K RAM, disk II drive with controller.

**Manufacturer:** H&H Scientific, 13507 Pendleton St., Fort Washington, MD 20744

**Price:** \$250

**Comments:** "With SOAP (Stock Option Analysis Program) you can calculate and graph expected profits or losses on transactions involving up to three classes of options," the review says.

The program assumes the user has a basic understanding of the options market and of various options strategies. SOAP is easy to operate and "traps errors nicely."

"SOAP appears to be a good tutorial and useful tool for investors interested in put and call options using the Black-Scholes model." SOAP lives up to its promises, according to the review. Reader Service number 420

## MicroGantt Version 1.67

*(Reviewed in InfoWorld, July 5, 1982)*

**System Requirements:** 8080 or Z80 system or IBM PC, CP/M or DOS, 48K RAM, one single-sided 5¼- or 8-inch disk drive, printer, 80 or 132 columns

**Manufacturer:** Westico, 25 Van Zant St., Norwalk, CT 06855

**Price:** \$395

**Comments:** "MicroGantt provides a meaningful chart of the tasks to be performed in completing a complex project," the review says.

The program is easy to use once you understand the purpose of MicroGantt. On the whole the documentation contains good information, although "the theoretical explanation of Gantt charts and the instructions for using the program get a little mixed up in the manual explanation," the review says.

MicroGantt is "an interesting program and a useful tool," according to the review. Reader Service number 415



### VisiTran

(Reviewed in InfoWorld, August 2, 1982)

**System Requirements:** Apple II, Dos 3.3, 48K RAM, disk drive with controller

**Manufacturer:** PolyGlot, 264 N. Whisman Road, Mountain View, CA 94043

**Price:** \$99

**Comments:** "With the help of VisiTran you can move data residing in variables of any Applesoft Basic program into a VisiCalc Data File," according to the review.

"If you find programming in Basic easy, then VisiTran could become a very useful tool for you.

"You must be able to provide correct information about the variable values you want to transfer, in order to effectively use the program," according to the review. Reader Service number 430

### Automaniac, Execumaniac & GSW

(Reviewed in InfoWorld, August 2, 1982)

**System Requirements:** Apple II Plus, DOS 3.3, 48K RAM, one Disk II drive. Mountain Hardware Apple Clock

**Manufacturer:** Geegery Software Works, PO Box 8028, Des Moines, IA 50301

**Price:** \$100

**Comments:** "Automaniac and Executive work together nicely to automate routine tasks and keep the Apple working after hours," the review says.

The GSW Introl program "automates the printer and other electronic devices to support the Apple with its unattended work."

"The programs are all menu driven and easy to use," the review says. Reader Service number 434

### Solar System Astronomy

(Reviewed in Softalk, July 1982)

**System Requirements:** Apple II, with 48K, ROM Applesoft, and one disk drive.

**Manufacturer:** Cross Educational Software, Box 1536, Ruston, LA 71270

**Price:** \$30

**Comments:** "This program will not replace a school course in astronomy, but it will give you a good idea of what such a course is about," the review says.

"The information is nicely organized for teaching purposes, and it's presented one idea at a time." The text appears one character at a time accompanied by a series of ticks that simulate a typing sound. This sound is not distracting and "seems to add a kind of warmth to the program—a subliminal suggestion that, even though you are studying alone, the teacher is there with you," the review says. Reader Service number 418

### File Manager 800 Version 3F

(Reviewed in InfoWorld, July 26, 1982)

**System Requirements:** Atari 800 or 400, Atari DOS, 48K RAM, Atari 810 or Percom disk drive, printer (optional)

**Manufacturer:** Synapse Software, 820 Coventry Road, Kensington, CA 94707

**Price:** \$99.95

**Comments:** "File Manager 800 is a quality product that delivers on its promise to enable Atari 800 users to do efficient and effective record keeping on their computers."

The program is a disk-based, general-purpose record-keeping program. "FileManager 800 is an open-format program, so you determine the names, number and lengths of all record fields, within the overall constraints of the program," according to the review.

"FileManager 800 appears to have no equal among software that exists for its purpose for the Atari computer," the review says. Reader Service number 422

### Apple Juggler

(Reviewed in InfoWorld, July 5, 1982)

**System Requirements:** Apple III, 128K RAM, printer

**Manufacturer:** Quark Engineering, 1433 Williams, Suite 1102, Denver, CO 80218

**Price:** \$295

**Comments:** "Word Juggler is a solid text editor with no glaring faults. It is designed in a straightforward fashion and is easy to learn to use," the review says.

"You can master Word Juggler in one session," according to the review. Reader Service number 419

### DTL Basic

(Reviewed in Micro, August 1982)

**System Requirements:** 32K CBM/PET with CBM disk to compile. Some Basic and adequate memory to hold object file required at run-time. Both require a cassette port dongle (data key) protection device.

**Manufacturer:** Canadian Micro Distributors, 365 Main St., Milton, Ont. L9T1P7, Canada

**Price:** \$350; Rundongle \$50

**Comments:** This program "takes as input any normal Basic program file on disk and converts it into a machine-language equivalent," the review says. "The new file may be loaded and run normally."

DTL Basic is "nearly bug-free and easy to use," according to the review.

A major disadvantage, according to the review, "is the required run-time dongle (data key). Run-time protection should be a user option," the review says. Reader Service number 428

### Personal Investor IBM Version

(Reviewed in InfoWorld, July 19, 1982)

**System Requirements:** IBM PC, PC DOS 128K RAM, at least one disk drive, printer and modem optional

**Manufacturer:** PBL Corporation, 605 Harmony Circle Drive, Wayzata, MN 55391

**Price:** \$145

**Comments:** "The Personal Investor excels at letting you keep track of what stocks you own, how much they've appreciated and what the profits from any sales were," the review says.

"The Personal Investor is one of the few programs for the micro market that delivers as advertised. The user interface is simple enough for beginners and quick and easy enough for experienced users," the review says. Reader Service number 424

### Jinsam 8.0

(Reviewed in Creative Computing, August 1982)

**System Requirements:** PET 8032, 8050, 4040 disk drives

**Manufacturer:** Jini MicroSystems, Box 274 Kingsbridge Station, Riverdale, NY 10463

**Price:** \$495

**Comments:** "If you need a data base system, Jinsam deserves a good and careful look."

Jini MicroSystems offers "numerous accessory options for statistics, mailing labels ... and so on," the review says.

The User's Guide is "clear and complete" and warns you about where you might get into trouble," the review says. Reader Service number 426

### Word Plus 1.0

(Reviewed in InfoWorld, August 2, 1982)

**System Requirements:** 8080 or Z80 system, CP/M 1.4 or later version, 32K RAM, eight-inch single-density disk drive

**Manufacturer:** Oasis Systems, 2765 Reynard Way, San Diego, CA 92103

**Price:** \$150

**Comments:** "Word Plus has several useful features that make it a front-runner among spelling-checker programs," the review says.

Word Plus may be valuable if you want to use a spelling checker for very large documents. "The dictionary file for Word Plus takes 136K of the 250K storage space on the eight-inch single-density. This will deter users with small systems but should pose no problem for double-density disk owners and users with eight-inch disk drives," the review says. Reader Service number 431



**ELCOMP** BOOKS and SOFTWARE  
For ATARI PET-OSI-APPLE II-6502-VIC-20-Sinclair-Times

**Dealers welcome!**

**ATARI ATARI ATARI**

**ATARI BASIC — Learning by Using**  
This new book is an "Action" Book. You do more than read it. Learn the intricacy of ATARI-BASIC through the short programs which are provided. The suggestions challenge you to change and write program routines. Yes, it's exciting — Many of the programs are appropriate for beginners as well as experienced computer users. (Screen Drawings, Special Sounds, Keys, Paddles + Joysticks, Specialized Screen Routines, Graphics and Sound, Peeks and Pokes and special stuff.)  
Order-No. 164 \$9.95

**ATARI Learning by Using — Book + cassette or disk**  
This package includes the book No. 164 plus a cassette or disk (please specify) containing a variety of the programs which are listed in the book.  
Order-No. 7220 \$39.95

**Games for the ATARI-Computer**  
How to program your own games on the ATARI. Complete listings in BASIC and Machine Language of exciting games. Tricks and hints.  
Order-No. 162 \$7.95

**GAME PACKAGE for the ATARI**  
Book + cassette or disk  
Includes the book No. 162 plus cassette or disk (please specify) containing a variety of the programs listed in the book.  
Order-No. 7221 \$39.95

**ATMONA-1**  
Machine Language Monitor for the ATARI 400/800.  
This powerful monitor provides you with the firmware support that you need to get the most out of your powerful system. ATMONA-1 comes on a bootable cassette. No cartridges required. Disassemble, Memory Dump HEX + ASCII, (Change Memory Locations, Blocktransfer, fill memory block, save and load machine language programs, start mach. Lang. Progr. (Printer optional).  
Comes with introductory article on how to program the ATARI computer in machine language. (Available also in ROM)  
Order-No. 7022 \$19.95

**ATMONA-2 Superstepper**  
A very powerful Tracer to explore the ATARI ROM/RAM area. Stop at previously selected address. (Opcode or operand (cassette)).  
Order-No. 7049 \$49.95

**EDITOR/ASSEMBLER for ATARI 800, 32K or 48K RAM**  
Extremely fast and powerful Editor/Assembler (8K Source code in about 1/2 seconds) Includes ATMONA-1.  
Order-No. 7098 \$49.95

**MACRO-Assembler**  
for ATARI 800, 48K RAM  
Please specify your system RAM, disc or cassette.  
Order-No. 7099 \$89.00  
Add \$39.00 for cartridge version

**Gunfight** for ATARI 400/800  
16K RAM, needs two joysticks, animation and sound (8K machine language)  
Order-No. 7207 \$19.95

**Birth control with the ATARI** (Knows Ognis) Cass or disk  
Order-No. 7222 \$29.95

**Astrology and Biorhythm for ATARI** (cass. or disk)  
Order-No. 7223 \$29.95

**EPROM Cartridge KIT for ATARI**  
Cartridge (bare board) with instructions (holds two 16K or two 32K EPROMs (2716, 2732, 2732))  
Order-No. 7224 \$19.95  
Order-No. 7043 complete \$29.95

**Invoice Writing** for small business with ATARI 400/800 16K RAM.  
Order-No. 7022, cass. \$29.85  
Order-No. 7200, disc. \$39.99

**Mailing List** No. 7213 \$24.95  
**Inventory Contr.** No. 7215 \$24.95

**NEW! ATEXT-1**  
This new wordprocessor in machine language (8K) for all ATARI 400/800 computers offers the best price performance ever 23 editor control commands, 17 formatting commands, dynamic formatting, Vertical and horizontal scrolling (up to 255 char per line) Include command on disk!  
Order-No. 7210 cassette \$29.95  
Order-No. 7211 disk \$39.95  
Order-No. 7212 cartridge \$79.00

**Learn FORTH for the ATARI 400/800**, cassette or disk  
Order-No. 7053 \$19.95

**ELCOMP Publishing, Inc.**, 53 Redrock Lane  
Pomona, CA 91766, Phone: (714) 623 8314  
Payment: Check, Money Order, VISA, MasterCard, Eurocheck.  
POSTPAID on PREPAID in USA. \$5.00 handling fee for C.O.D.  
All orders outside USA: Add 15% shipping. CA add 6.5% sales tax.  
ATARI is a registered trademark of ATARI Inc. APPLE is a registered trademark of APPLE Inc. PET+VIC-20 is a trademark of Commodore.

**ELCOMP FORTH — Enhanced FIG-FORTH on disk only**  
Order-No. 7055 \$39.95

**How to connect your EPSON-Printer to the ATARI 400/800.**  
Construction article with printed circuit board and software. (Screenprint and variable characters per line).  
Order-No. 7210 \$19.95

**OSI OSI OSI OSI OSI**

**The First Book of Ohio Scientific**  
Introduction to OSI computers, Diagrams, hardware and software information not previously available in one compact source. 192 pages.  
Order-No. 157 \$7.95

**The Second Book of OHIO**  
Order-No. 158 \$7.95

**The Third Book of OHIO**  
Order-No. 159 \$7.95

**The Fourth Book of OHIO**  
Order-No. 160 \$9.95

**VIP Package — Above book plus a cassette with the programs.**  
Order-No. 160A \$19.95

**The Fifth Book of OHIO**  
Order-No. 161 \$7.95

**Invoice Writing Program for OSI-C1PMF, C4P, Disk and Cassette, 8K RAM.**  
Order-No. 8234 \$29.80

**Mailing List for C1PMF or C4PMF 24K RAM**  
250 addresses incl. phone number and parameters on one 5 1/4 disk  
Order-No. 8240 \$29.80

**8K Microsoft BASIC Ref. Man.**  
Order-No. 151 \$9.95

**Expansion Handbook for 6502 and 6802**  
Order-No. 152 \$9.95

**Microcomputer Appl. Notes**  
Order-No. 153 \$9.95

**Complex Sound Generation**  
New revised applications manual for the Texas Instruments SN 76477 Complex Sound Generator.  
Order-No. 154 \$6.95

**Small Business Programs**  
Complete listings for the business user. Inventory, Invoice Writing, Mailing List and much more. Introduction to Business Applications.  
Order-No. 156 \$14.90

**Microcomputer Hardware Handbook** (845 pages)  
Descriptions, pinouts and specifications of the most popular microprocessor and support chips. A MUST for the hardware buff.  
Order-No. 29 \$14.95

**Care and Feeding of the Commodore PET**  
Light chapter exploring PET hardware. Includes repair and interfacing information. Programming tricks and schematics.  
Order-No. 150 \$9.95

**Prototype Expansion Board for VIC-20 (S-44-Bus).**  
Order-No. 4844 \$18.95

**Wordprocessor for VIC-20, 8K RAM**  
Order-No. 4870 \$19.95

**Mailing List for VIC-20, 16K RAM**  
Order-No. 4883 \$14.95

**Tricks for VICs — The VICtory**  
Programs, hints and expansion information for VIC-20.  
Order-No. 141 \$9.95

**TIC TAC VIC**  
Order-No. 4880 \$9.95

**GAMEPACK I (3 Games)**  
Order-No. 4881 \$14.95

**Dual Joystick Instruction**  
Order-No. 4885 \$9.95

**INPUT/OUTPUT Programming with your VIC**  
Order-No. 4886 \$9.95

**16K RAM/ROM board for S44-bus.** Any combination of RAM and ROM on one board (SY2128 or 2716)  
Order-No. 613 \$39.95

**Low cost expansion boards for your APPLE II.** Bare board comes with extensive description and software.  
6522 VIA-1/O Exp.  
Order-No. 605 \$39.00

**2716 EPROM-Burner**  
Order-No. 607 \$49.00

**8K EPROM/RAM Card**  
Order-No. 609 \$29.00

**Software for SINCLAIR ZX-81 and TIMEX 1000**  
Machine Language Monitor  
Order-No. 2399 \$9.95

**Mailing List**  
Order-No. 2398 \$19.95

**Programming in BASIC and machine language with the ZX-81 (82) or TIMEX 1000.**  
Order-No. 140 (book) \$9.95

## The New Step by Step

(Reviewed in Softalk, July 1982)

**System Requirements:** Apple II, with 48K ROM, Applesoft, and one disk drive.

**Manufacturer:** Program Design, 11 Idar Court, Greenwich, CT 06830

**Price:** \$79.95

**Comments:** Calling The New Step by Step a teaching program is "an understatement." You don't get just a program, you get a whole "teaching environment," according to the review.

"The Apple displays examples and demonstrations while a taped voice explains them," the review says. "Every few minutes this process stops and you are asked some simple questions about what you have just learned," according to the review.

"If you want to learn Basic or would like a little guidance and encouragement added to what you already know, then the way to go is Step by Step," the review says. Reader Service number 417

## Senior Analyst

(Reviewed in InfoWorld, July 5, 1982)

**System Requirements:** Apple II Plus, DOS 3.3, 48K RAM, with Language Card or Memory Card, two disk drives, printer

**Manufacturer:** Business Solutions, Inc., 60 East Main St., Kings Park, NY 11754

**Price:** \$225

**Comments:** "Senior Analyst is an excellent product," according to the review.

Senior Analyst is not "just another spreadsheet package"; it is "a business-planning utility capable of creating budgets, forecasts or any type of model needed to analyze data."

The program is easy to use and well designed, the review says. Reader Service number 416

## Budgetmaster & Checkbalancer

(Reviewed in InfoWorld, August 2, 1982)

**System Requirements:** Atari 800, 32K RAM, disk drive or cassette tape recorder, optional printer

**Manufacturer:** Sunrise Software, PO Box 25621, Garfield Heights, OH 44125

**Price:** \$34.95 for Budgetmaster; \$16.95 for Checkbalancer; \$39.95 for both

**Comments:** Budgetmaster and Checkbalancer are designed to help you analyze your financial situation. It begins by "explaining a bit about budget theory." If you are a new user the program "allows you to select budget-category names or leave the original categories in place," according to the review.

"Once you understand all the ins and outs of the programs in this package, it is easy to use," the review says. Reader Service number 427

## Data Encryption System

(Reviewed in InfoWorld, August 2, 1982)

**System Requirements:** Apple II, DOS 3.3, 48K RAM, one or two disk drives

**Manufacturer:** Winner's Circle, 2420 Parker St., Berkeley, CA 94704

**Price:** \$60

**Comments:** "If you are planning to market a software product or circulate a product to software publishers, the Disk Encryption System is a must purchase," according to the review.

"The Disk Encryption System is designed to provide personalized copy protection for both the individual program author and software publishers," the review says. Reader Service number 433.

## Screen Writer

(Reviewed in Micro, August 1982)

**System Requirements:** Apple II (16K memory card optional)

**Manufacturer:** On-Line Systems, 3675 Mudge Ranch Road, Coarsegold, CA 93614

**Price:** \$125

**Comments:** Screen Writer "provides the owner of a minimal Apple with upper- and lowercase characters and an up-to-70-character display with no additional hardware," the review says. "This is done through use of the hi-res screen and generation of hi-res characters."

"The runoff program contains many of the most desirable print control features affecting margins, paging, text positioning, headings, hyphenation, and type style," according to the review. Reader Service number 429

## Super Copy Disk III

(Reviewed in Peelings II, March 1982)

**System Requirements:** Apple II, 48K, Disk II, DOS 3.2 and 3.3

**Manufacturer:** Computer Data Services, PO Box 696, Amherst, NH 03075

**Price:** \$39.95

**Comments:** "Super Copy Disk III is a smooth, easy to use, powerful and well thought out utility for getting control characters out of your catalog names, 'undeleting' files, and removing DOS from a diskette," according to the review.

"The program can be used with a single drive; it is really designed for two," the review says.

"The program is completely self-prompting and obvious after only a few sessions," according to the review. Reader Service number 435



# TEST-FLY A \$20 MILLION JET ON AN APPLE? YES. WITH MICROSPEED.

At the Bethesda Naval Research Center, they've discovered the power of MicroSPEED. The Navy's engineers use this remarkable hardware/software combination to "fly" an advanced fighter aircraft in *real time*—even making vertical landings on a simulated carrier deck. A "crash" is merely another learning experience, and an opportunity to modify the research aircraft—inside the Apple—to improve tomorrow's combat planes.

Surprised that such a sophisticated task is possible on the Apple? So were the Navy's officials, and many others who have discovered...

**THE MICROSPEED DIFFERENCE** This extraordinary Language System exploits the real potential of the microcomputer for the first time. The difference between MicroSPEED and other programming languages is that with MicroSPEED, there is virtually *no limit* to what you can achieve. It may well be the ultimate language for the Apple II and III (and soon the IBM Personal Computer). MicroSPEED literally combines the performance of a *minicomputer* with an exhaustive set of user-friendly capabilities: hard-

ware math processing, fast hi-res graphics and text, turtle graphics, print formatting, two text editors, unlimited data types, and incredible FORTH extensibility—all at speeds up to 100 times faster than Basic.

**USER-FRIENDLY, EASY-TO-LEARN** Starting with simple commands that are comfortable even for non-programmers, MicroSPEED extends and builds, allowing you to create your own tailored application languages. The capability of your computer will grow exponentially, as you work in an active partnership with the machine, exploring and developing new problem-solving facilities—creating, correcting, refining your increasingly powerful system.

**DEMANDING JOBS AT LOW COST** Developed by a team of standout computer professionals, MicroSPEED has been put to the test in fields as diverse as medicine, the stock market, oceanography, and the arts. In even the most challenging applications, MicroSPEED users have been unanimous in their praise of the System and manual. Typical comments are:

**"Very high marks,"**

Thomas Tosch Phd., Tosch Information Management.

**"The more I use MicroSPEED, the more I love it,"**

James L. Hockenhull, University of Washington.

**"Great!...A joy to use,"**

Henry Harris, Mission Designer, Cal Tech's Jet Propulsion Lab.

**"If you plan to use the Apple or IBM Personal Computer for any demanding task, then we built MicroSPEED for you,"**

Sam Cottrell, President of Applied Analytics.

MicroSPEED requires the Apple or IBM Personal Computer with single disk. MicroSPEED II includes 2 MHz math processor. MicroSPEED II+ includes 4 MHz math processor.

Applied Analytics Incorporated  
8910 Brookridge Drive  
Upper Marlboro, Maryland 20772 (301) 627-6650

I'm interested! My computer is: \_\_\_\_\_

Please send me:

\_\_\_\_\_ MicroSPEED II, \$495.00 \_\_\_\_\_ 160 Page Manual, \$15.00  
\_\_\_\_\_ MicroSPEED II+, \$645.00 \_\_\_\_\_ Detailed Information

Name: \_\_\_\_\_


Company: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Phone No. ( ) \_\_\_\_\_

Use this coupon to order, or for more information.

**MicroSPEED**   
APPLE IS A TRADEMARK OF APPLE COMPUTER INC.





# What You Didn't Know About NEC Spinwriter

*The Spinwriter's graphics features have remained hidden too long. Learn how you can generate matchless business graphics that are "better looking than output produced by dedicated pen plotters costing several times as much."*

By Timothy Stryker

Nippon Electric Co. (NEC) makes a fantastic thimblewheel printer called the Spinwriter. Many writers and small businessmen, myself among them, have found the Commodore CBM 8032, the NEC Spinwriter and the Wordpro4+ software package from Professional Software the ideal system for general word processing and business use.

But many Spinwriter users don't know how powerful a printer they have purchased—certainly features like 55 characters per second, unbeatable print quality and total reliability justify the price of the machine without looking any further. The

Spinwriter, however, has special graphics features that you can easily exploit, once you know how. By using these graphics features in conjunction with the normal printing capabilities of the machine, you can generate graphic output that's better looking than output produced by dedicated pen plotters costing several times as much. This is because the Spinwriter can integrate fully-formed character output with plotted output in a single drawing. Let's see how this works.

## Basic Functions

Fig. 1 shows a sample histogram




Fig. 1. A sample histogram generated by the NEC Spinwriter and Commodore computer.

generated by a program running on a Commodore computer. As you can imagine, it would be difficult, if not impossible, to produce output of this quality using an ordinary pen plotter. You'll need seven basic routines to generate a plot of this type:

1. *Initialize Printer*—This is the routine you would call before beginning to generate output. You would use this to define the origin of your coordinate system and to perform any necessary opening of logical devices, setup of printer modes, etc.

2. *Move Absolute to specified coordinates*—You would use this to move the print head to a particular spot on the paper when you (or your program) know in advance the absolute coordinates of the spot you wish to move to. The move is done with the "pen up"; i.e., no line is drawn on the paper as the print head moves to its new position.

3. *Move Relative by a specified (x,y) offset*—You would use this to move the print head by a given amount in x and y, relative to where the head was at the beginning of the move. As with Move Absolute, no line is drawn on the paper as the move is made.

4. *Draw Absolute to specified coordinates*—This routine behaves like Move Absolute except that the move

Address correspondence to Timothy Stryker, Samurai Software, PO Box 2902, Pompano Beach, FL 33062.



is done with the "pen down"; i.e., a straight line is drawn from the current head position to the destination position.

5. *Draw Relative by a specified (x,y) offset*—As you might imagine, this routine draws a straight line from where it is to where it ends up (where it ends up being given in terms of a relative offset from where it started out).

6. *Print Text*—Given a character string, this routine just prints that string out, starting from wherever the print head is at the time the routine is called.

7. *Quit*—This routine performs whatever final cleanup may be necessary, such as closing logical devices, restoring the Spinwriter to its default mode, etc.

### Why RPL?

Routines to perform these functions could be written in any computer language. However, Basic is too slow to be of use for this purpose—lines are drawn from place to place on the Spinwriter using vast numbers of individual overlapping dots, and considerable amounts of program decision-making go into the precise location of each dot. To draw a single eight-inch-long line between two points would take Basic more than a minute. A faster programming language is needed.

I have developed a language called RPL, reviewed in this magazine by Robert Baker last February (p. 10). RPL is much faster than Basic—and it is a structured language. RPL thus has many features which suit it well to this sort of work: for example, RPL lets you name your routines with reasonable mnemonics, like DRWABS for Draw Absolute, and MOVREL for Move Relative. This makes remembering how to call these routines much easier than it is in Basic, where you must remember to GOSUB 500 to do one thing, and GOSUB 750 to do another (not to mention what happens when you renumber the lines of your program).

Listing 1 shows a set of RPL routines designed to fulfill the requirements laid out above. If you're not familiar with RPL, the listing will not make much sense to you at first, but perhaps you can pick up some of the flavor of the language as you go along. As you can see, there are various "labels" followed by double-colons in the listing, whose names suggest the functions we talked about before (e.g., Initialize Printer be-

comes INITNEC, Move Absolute becomes MOVABS, etc.). The lines with nothing but the word REM on them are used to separate the English-language remarks from the segments of the RPL program code.

Listing 1 represents nothing more than a "subroutine library" in RPL; that is, the routines in this listing do nothing by themselves, but instead represent the seven basic, necessary functions discussed above. RPL allows you to set up a collection of routines like this independently of whatever programs you write to make use of them. Once compiled, these routines remain available for your use until you take action to eliminate them. Thus, Listing 2 shows the RPL program which, using these routines, creates the plot in Fig. 1.

Let's trace through the first few statements of Listing 2 to see how this works. The printer is initialized with -42 0 INITNEC &, which tells the printer to consider itself to be starting off at the (x,y) coordinate location (-42,0). The Spinwriter coordinate system uses units of 1/120th of an inch in the x, or horizontal, direction,

and units of 1/48th of an inch in the y, or vertical, direction. Thus, this first subroutine call sets the origin at 42/120ths, or 7/20ths, of an inch from the left margin.

Next, 0 0 MOVABS & moves the print head to the origin just defined. 840 0 DRWABS & tells the printer to draw a line from where it is (the origin) to the point (840,0); this draws the seven-inch line that is the baseline of the histogram. Then 0 0 MOVABS & is repeated, which brings us back to the origin, and then 0 200 DRWABS & draws the y-axis (the solid vertical line on the left side of the graph).

In a similar manner, lines 20 and 30 of Listing 2 label the y-axis with the numbers 25 through 100 and draw the horizontal dotted lines. (Each dot is formed by moving the print head to where the dot is needed and then entering 0 0 DRWREL & to draw a "line" of zero length.) Lines 40 and 50 of Listing 2 write the month names down below the x-axis. Note the use of the PRTTXT routine to output the actual text strings to the printer. Line 60 uses this same routine to output

```

1000      NEC SPINWRITER PLOTTING PACKAGE
1010      FOR USE BY ANY V3.0 OR V4.0 PET OR CBM RUNNING RPL
1020      TIMOTHY STRYKER
1030      *
1040      INITNEC: EXPECTS INITIAL-POSITION X AND Y COORDS ON STACK;
1050      POPS THEM AND INITIALIZES PRINTER.
1060      REM
1070      INITNEC:: NECY ! NECX ! OPENPRTR & HARDCOPY SYS
1080      PIXCTL PUSHST & PRINT RETURN
1090      REM
1100      MOVABS AND MOVREL: EXPECT X AND Y DESTINATION INFO ON STACK
1110      (MOVABS EXPECTS ABSOLUTE DESTINATION COORDS; MOVREL EXPECTS
1120      OFFSETS FROM CURRENT POSITION); BOTH ARE POPPED, AND PRINT
1130      HEAD IS MOVED TO SPECIFIED LOCATION (NO LINE IS DRAWN).
1140      REM
1150      MOVABS:: NECY @ - % NECX @ - % MOVREL & RETURN
1160      MOVREL:: # IF # NECY @ + NECY ! # 0 > IF 1 FOR RVSLF ESC 2 PRINT NEXT
1170      THEN 0 % - 1 FOR LF 1 PRINT NEXT END 0 END . # IF # NECX @ + NECX !
1180      # 0 > IF SPC THEN 0 % - BCKSPC END % 1 FOR # 1 PRINT NEXT END . RETURN
1190      REM
1200      DRWABS AND DRWREL: EXPECT X AND Y COORDINATE INFO ON STACK;
1210      SIMILAR TO MOVABS AND MOVREL EXCEPT THAT A LINE IS DRAWN AS
1220      THE PRINT HEAD MOVES TO THE SPECIFIED DESTINATION POSITION.
1230      REM
1240      DRWABS:: NECY @ - % NECX @ - % DRWREL & RETURN
1250      DRWREL:: # NECY @ + NECY ! # 0 > IF 1 THEN NOT 1 + 0 END DIRX POKE #
1260      DISTX ! ; NECX @ + NECX ! ; 0 > IF 1 THEN % NOT 1 + % 0 END DIRX POKE
1270      ; DISTX ! ; ; > IF . # END # 2 / #
1280      DRLOOP: BCKSPC DOT 2 PRINT DISTX @ DISTX @ OR IF 4 ^ - # 0 < IF 3 ^ +
1290      DISTX @ 1 - DISTX ! DIRX PEEK IF RVSLF ESC 2 THEN LF 1 END PRINT END
1300      % 5 ^ - # 0 < IF 3 ^ + DISTX @ 1 - DISTX ! DIRX PEEK IF SPC
1310      THEN BCKSPC END 1 PRINT END % DRLOOP GOTO END . . . . . RETURN
1320      REM
1330      PRTTXT: EXPECTS A CHARACTER STRING ON THE STACK; POPS IT AND
1340      PRINTS IT OUT STARTING AT THE CURRENT PRINT HEAD POSITION.
1350      REM
1360      PRTTXT:: NRMCTL PUSHST & PRINT # 12 * NECX @ + NECX ! PRINT
1370      PIXCTL PUSHST & PRINT RETURN
1380      REM
1390      QUITNEC: CALL THIS ROUTINE WHEN ALL FINISHED WITH THE SPINWRITER.
1400      REM
1410      QUITNEC:: 13 1 PRINT NRMCTL PUSHST & PRINT CLOSEALL SYS RETURN
1420      PIXCTL: (6,27,93,65,27,93,80) NRMCTL: (6,27,93,76,27,93,87)
1430      OPENPRTR: 0 217 POKE 1279 211 ! 4 210 POKE 65473 @ 3 + SYS RETURN
1440      HARDCOPY:: (162,4,76) [65481] :SOFTCOPY::65484: :CLOSEALL:65511:
1450      :LF:10: :RVSLF:57: :SPC:32: :BCKSPC:8: :ESC:27: :DOT:46:
1460      NECX::## NECY::## DIRX::## DIRY::## DISTX::## DISTY::##

```

Listing 1. RPL routines for creating Spinwriter graphics.



the histogram title.

Finally, lines 70 and 80 generate the histogram bars themselves. The height of each bar is given by the corresponding entry in ENERGYTBL. The whole process, once you know RPL, is remarkably simple and straightforward. Imagine the difficulty of generating a graph like this using assembly language!

### Another Example

Another common business use of computer graphics is generation of pie charts such as that shown in Fig. 2. Since RPL does not directly support floating-point mathematics, you might suppose that it is difficult to generate circles, angles and so forth using RPL. Not so. Listing 3 shows the program which gave rise to the plot in Fig. 2. In order to derive the sines and cosines needed for circles and angles, you just make use of the fact that Basic and RPL programs can coexist in memory: Let Basic handle the generation of sine/cosine information, and use RPL for printer control.

The REM in line 20 of Listing 3 acts as a separator between the Basic part

of the program and the RPL part. The RPL compiler thus considers the Basic statements in line 10 to be, as far as it is concerned, a set of English-language remarks. By the same token, Basic never has to deal with the RPL part from line 30 on, because it never gets that far. When you enter the Run command from Basic, line 10 simply pokes the values of the sines of the angles from 0 to 90 degrees into some scratchpad memory, starting at address 634, and then does a Go. (Go is a command that RPL adds to your

normal Basic vocabulary, saying, in effect, go execute the current RPL program, whatever it may be.)

Once the RPL part of the program begins executing, finding the sine of an angle between 0 and 90 degrees requires nothing more than adding the angle size to the number 634 and doing a peek to that location. To find sines and cosines of angles outside this range, use the fact that  $\sin(x) = \sin(360 + x)$ ,  $\sin(x + 180) = -\sin(x)$ ,  $\sin(x) = \sin(180 - x)$  if  $90 < x < 180$ , and that  $\cos(x) = \sin(90 + x)$ . The COS and SIN routines in lines 500 and 510 of Listing 3 handle all of these transformations, returning sines and cosines, scaled by a factor of 240, when given angles in units of degrees.

The routine labelled PIECHART, starting on line 200 of Listing 3, is the main pie-chart generator routine. It expects to be passed the address of a table of the sort found in lines 100 through 150, and it automatically generates the complete chart, including centering of legends and offsetting the last "piece" of the pie. In line 40 of Listing 3, the phrase PORTFOLIO PIECHART & is all that's needed to call for the generation of the chart—the rest of the program





Fig. 2. A sample pie chart.

Circle 308 on Reader Service card.

### COMPUTER CASSETTES 100% ERROR-FREE



LENGTH	12 PACK	24 PACK
C-05.....	69¢	59¢
C-10.....	79¢	69¢
C-20.....	99¢	89¢

- Fully Guaranteed!
- World's Finest Media
- Custom Storage Case, Add 20¢ Each
- UPS Shipping Add \$3.00 Per Pack

#### FOR ORDERS ONLY

1-800-528-6050 Ext. 3005

In Arizona; 1-800-352-0458 Ext. 3005

**MICRO-80™ INC.**

K-2665 NO. BUSBY ROAD  
OAK HARBOR, WA 98277



```

10 -42 0 INITNEC & 0 0 MOVABS & 840 0 DRWABS & 0 0 MOVABS & 0 200 DRWABS &
20 4 1 FOR -36 50 FN * 2 - MOVABS & 25 FN * STR$ 2 = IF 32 END 3 PRRTXT &
30 0 50 FN * MOVABS & 105 1 FOR 8 0 MOVREL & 0 0 DRWREL & NEXT NEXT
40 MONTHTBL 12 1 FOR 70 FN * 43 - -8 MOVABS & # PUSHST & PRRTXT &
50 # PEEK + 1 + NEXT . 124 -20 MOVABS &
60 "PCT OF ENERGY USE ATTRIBUTABLE TO HEATING, BY MONTH" PRRTXT &
70 20 0 MOVABS & ENERGYTBL 12 1 FOR 0 ; @ 2 * ; ; DRWREL & 36 0 DRWREL &
80 0 % - DRWREL & 34 0 MOVREL & 2 + NEXT . QUITNEC & STOP
100 MONTHTBL: ["JAN", "FEB", "MAR", "APR", "MAY", "JUN"]
110 ["JUL", "AUG", "SEP", "OCT", "NOV", "DEC"]
120 ENERGYTBL: [77, 82, 54, 22, 9, 2, 0, 0, 4, 25, 54, 65]

```

Listing 2. Program that uses RPL routines to plot Fig. 1.

```

10 FORI=0TO90:POKE634+I,INT(SIN(I*3.141592654/180)*240+.5):NEXT:GO
20 REM
30 -450 0 INITNEC & -198 160 MOVABS & "SMITH TRUST PORTFOLIO, MARCH 1982"
40 PRRTXT & PORTFOLIO PIECHART & QUITNEC & STOP
100 PORTFOLIO: (12, "GENENTEC")
110 (25, "SPERRY-UNIVAC")
120 (15, "ROCKWELL")
130 (10, "TRW")
140 (18, "INTEL")
150 (20, "ISI")
200 PIECHART: 0 0 MOVABS & 0 ANGXY & DRWABS & 0 SLICE & # 0 DRWARC &
210 ; PEEK 2 / ; + ANGXY & 10 / % 10 / % MOVABS & 0 NECX 1 0 NECY 1
220 # ANGXY & DRWABS & ; PEEK ; + ; DRWARC & LSLICE & . . . RETURN
230 SLICE: ; PEEK ; + 100 < IF LSLICE: ; PEEK 2 / ; + ANGXY & 2 * 3 / 4 +
240 % 2 * 3 / 18 - % MOVABS & ; PEEK STR$ 1 = IF 32 END 2 PRRTXT &
250 % " PRRTXT & ; 1 + PEEK 6 * -18 % - -8 MOVREL & ; 1 + PUSHST & PRRTXT &
260 0 0 MOVABS & ; PEEK & # ANGXY & DRWABS & % 1 + # PEEK + 1 + %
270 SLICE GOTO END RETURN
300 DRWARC: # ANGXY & MOVABS & FOR FN ANGXY & DRWABS & NEXT RETURN
400 ANGXY: 36 * 5 + 10 / # COS & 3 * 2 / % SIN & 3 * 5 / RETURN
500 COS: 90 + SIN: 360 \ 0 ; 180 > IF . 180 - 1 END % # 90 >
510 IF 180 % - END 634 + PEEK % IF 0 % - END RETURN

```

Listing 3. Program in RPL that generates Fig. 2.



# "THROW AWAY MY BACK ISSUES?.. ..NEVER!"



According to a recent survey, 92% of MICROCOMPUTING's readers keep their back issues.

Why is that?

We can think of two possibilities.

- 1) They think a complete edition of MICROCOMPUTING will someday be very valuable.
- 2) They think every single copy of MICROCOMPUTING already is very valuable.

Well, we're very proud of MICROCOMPUTING, and we think of it as one of the highest quality magazines around, but even we have a hard time believing the first reason.

That leaves reason number 2) which makes us ask "What makes MICROCOMPUTING so valuable?" And the answer?

Information. The kind of information that has application to today's world. The kind of information that doesn't outlive its usefulness. The kind of information our readers will want to refer to again and again—programs, applications, hardware reviews, software reviews, new product announcements, articles on language, education, business, utility, and so much more. MICROCOMPUTING is the all-encompassing monthly journal that takes you beyond the limits of your system manufacturer's documentation into an entirely new and exciting world of microcomputing. Special emphasis is placed on the Apple, Atari, Commodore, Heath, and IBM systems.

But whatever your system, you'll find the information contained in MICROCOMPUTING to be invaluable from the day you receive your first copy until the day microcomputers disappear from the face of the earth... and the Moon, and Mars, and Venus, and... well, until a long time from now.

Start your own collection of MICROCOMPUTING. Get one year's subscription for only \$24.97. That's less than 7¢ a day. That's not much to invest when you

consider the wealth of information you receive in return. And who knows... maybe reason 1) is true after all.

To receive your 12 monthly issues of MICROCOMPUTING, simply fill in the attached reply card or the coupon below (a photocopy is acceptable) and send it to MICROCOMPUTING, Subscription Department, PO Box 997, Farmingdale NY 11737. Or call toll free 1-800-258-5473.



Yes, I want to start my own collection of MICROCOMPUTING

☐ check enclosed for 12 issues of *Microcomputing* for only \$24.97

Bill ☐ ME ☐ VISA ☐ MC ☐ AMEX

Card# \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Canada and Mexico \$27.97, one year only, US funds. Foreign \$44.97, one year only. US funds drawn on a US bank. Please allow 6-8 weeks delivery.

Box 997 • Farmingdale, NY 11737

## MICROCOMPUTING®

A WAYNE GREEN PUBLICATION

32AR7



# EXPOTEK

2723 W. Windrose • Suite 3  
Phoenix, Arizona 85029  
1-800-528-8960

## GUARANTEED LOW PRICES

### APPLE CARDS

16K RAM — \$99      Z80 CARD — \$279  
Videx Card — \$249      Smart Term — \$179  
32K Atari Card — \$99.50      Clock CARD — \$229

### ALTOS

5-15D — \$2290      5-5D — \$4399

### ANADIX

9500A — \$1290      9501A — \$1290

### ATARI

400-16K — \$289      800-16K — \$659  
410 — \$79      810 — \$435  
825 — \$569      850 — \$149

### CITOM

F-10P — \$1380      F-10S — \$1525

### Prowriter

8510AP — \$489      8510ACD — \$610

### DATASOUTH

DS120 — \$595      DS180 — \$1259

### DIABLO

630RO — \$1945      620 — \$1295

### EPSON

MX80FT — \$515      MX80 — \$439  
MX100 — \$699      Graphic Rom — \$45

### HAZELTINE

1500 — \$995      ESPRIT — \$515

### MICRO SCI A2

\$350 — Apple Drive/Card — \$400

### MODEMS

HAYS — MICROMODEM — \$290  
HAYS — SMARTMODEM — \$229  
Penril — 300/1200 (212A) — \$695

### MONITORS

BMC Green — \$95      Color RGB — \$550  
Amdek 3000 — \$159      Color — \$380  
Sanyo-Green — \$225      Color — \$335

### NORTHSTAR

Advantage — \$2795      Horizon 64QD — \$2795.

### NEC

8023 — \$489      7710 — \$2350

### MPI

88G — \$550      99G — \$650

### SOROC

120 — \$659      135 — \$689

### TELEVIDEO

910 — \$569      925 — \$730  
920 — \$735      950 — \$915

### TI

810 — \$1240      820 — \$1795

### ZENITH

Z19 — \$699      Z89 — \$2129

### OKIDATA

M80 — \$320      M83A — \$699  
M82A — \$425  
M84P — \$1059      M84S — \$1225

### SOFTWARE

All Major Brands — \$CALL

### DISKETTES/BOXES

Elephant — \$20      Scotch — \$25      Dysan — \$35

All Prices Subject To Change

**Customer Service**  
**602-863-0759**

Graphics applications are  
not limited to business.


mainline in lines 30 and 40 merely initializes the printer, prints out the pie chart title and calls QUITNEC when done.

This example brings out a couple of points of interest in connection with the use of the Spinwriter for graphics. Note the decreasing resolution in the perimeter of the pie toward the top and bottom of the circle, and the

contrast between the line separating the Rockwell slice for the TRW slice and the others. Because the vertical unit of distance in the Spinwriter is so much greater than the horizontal unit, lines with small nonzero slopes will have a distinctly grainy quality to them.

You should also take this difference between the horizontal and vertical units of distance into account if you want an aspect ratio of 1:1 between the vertical and horizontal axes, as is the case here. (If you didn't allow for this, the pie chart would come out elliptical.) The ratio of

COST PER KILOWATT-HOUR OF ELECTRICITY  
IN PROJECTED BRANCH-OFFICE CITIES WORLDWIDE



Another sample graphic generated by the Spinwriter.

```

10 -450 0 INITNEC & 7 0 FOR 25 FN * 412 - # 0 MOVABS &
20 10 FN * 5 + 0 ; HLFWAY & DRWREL & MIRRORX & ; 0 % - 0 DRWABS &
30 0 % 0 % - HLFWAY & DRWREL & MIRRORX & 0 DRWABS & NEXT -212 0 MOVABS &
40 0 -85 DRWABS & 212 0 DRWABS & 0 85 DRWABS & -212 0 DRWABS &
50 16 9 FOR 25 FN * 412 - # 0 MOVABS & 10 FN * 5 + 0 ; ; HLFWAY &
60 MOVREL & DRWABS & ; 0 % - 0 HLFWAY & DRWREL & MIRRORX & 0 % 0 % -
70 DRWABS & 0 HLFWAY & DRWREL & NEXT -126 -23 MOVABS &
80 CAPITALR PRITLET & CAPITALP PRITLET & CAPITALL PRITLET & QUITNEC & STOP
100 HLFWAY: NECY @ - 2 / % NECX @ - 2 / % RETURN
110 MIRRORX: 0 NECX @ - NECY @ MOVABS & RETURN
130 MIRRORX: NECX @ 0 NECY @ - MOVABS & RETURN
400 PRITLET: # 1 + % PEEK 1 FOR GETCOORDS & MOVREL & 5 + # 1 - PEEK 1
410 FOR GETCOORDS & DRWREL & 4 + NEXT NEXT GETCOORDS & MOVREL & . RETURN
450 GETCOORDS: # @ SCALEX * ; 2 + @ SCALEY * RETURN
460 :SCALEX:3: :SCALEY:1:
500 CAPITALR:(2)
510 [0,0] (11) [0,45,17,0,8,-8,0,-9,-8,-8,8,-20,-6,0,-8,20,-6,0,0,-20,-5,0]
520 [5,25] (6) [0,15,10,0,5,-5,0,-5,-5,-5,-10,0] [25,-25]
550 CAPITALP:(2)
560 [0,0] (8) [0,45,17,0,8,-8,0,-9,-8,-8,-12,0,0,-20,-5,0]
570 [5,25] (6) [0,15,10,0,5,-5,0,-5,-5,-5,-10,0] [25,-25]
600 CAPITALL:(1)
610 [0,0] (6) [0,45,5,0,0,-40,20,0,0,-5,-25,0] [30,0]

```

Listing 4. The recreational program.



1/48th to 1/120th is the same as a ratio of 5 to 2: thus, in order to generate true squares, circles, etc., the horizontal coordinates used must be a factor of 5/2 what they would otherwise be if the horizontal and vertical units of the Spinwriter were equal.

### Not Just Business

Naturally the graphics applications of the NEC Spinwriter are not limited to business purposes. Computer-generated art and big-letter sign making are two recreational application

areas that come quickly to mind. Fig. 3 shows the output of the program in Listing 4, just to give you a taste of the possibilities. With some additional effort, you could probably develop arbitrarily complex 3-D perspective projections, contour maps, automatic software flowcharting utilities and what-have-you, all using these same basic graphical-output routines. You could easily generate color plots by using ribbons of various colors, having your program pause at appropriate points to allow you to change ribbons from one color to the next.

The NEC Spinwriter is a truly so-

phisticated output device. I hope I've given you some idea of its capabilities, and that I've inspired you to learn more. If you have a Spinwriter but cannot use RPL because you don't have a Commodore computer, you can find technical details on the byte sequences required in Section 4 and Appendix D of the manual supplied with your printer. If you have both a Spinwriter and a Commodore computer, you are surely fortunate... feel free to write me for further information regarding the availability of RPL and more advanced Spinwriter-control software. ■




Fig. 3. Recreational NEC graphics.

```
10 REM BASIC PROGRAM TO GENERATE A 1"x1" SQUARE ON THE SPINWRITER
20 REM INITIALIZE PRINTER
30 OPEN 4,4 : FOR I = 1 TO 6 : READ X : PRINT#4,CHR$(X) : NEXT
40 DATA 27,93,65,27,93,80
50 REM MOVE AWAY FROM LEFT MARGIN
60 FOR I = 1 TO 240 : PRINT#4,CHR$(32) : NEXT
70 REM DRAW LEFT SIDE OF SQUARE GOING UP
80 FOR I = 1 TO 48 : PRINT#4,CHR$(46);CHR$(27);CHR$(57);CHR$(8) : NEXT
90 REM DRAW TOP SIDE OF SQUARE GOING RIGHT
100 FOR I = 1 TO 120 : PRINT#4,CHR$(46) : NEXT
110 REM DRAW RIGHT SIDE OF SQUARE GOING DOWN
120 FOR I = 1 TO 48 : PRINT#4,CHR$(46);CHR$(10);CHR$(8) : NEXT
130 REM DRAW BOTTOM SIDE OF SQUARE GOING LEFT
140 FOR I = 1 TO 120 : PRINT#4,CHR$(46);CHR$(8);CHR$(8) : NEXT
150 REM RETURN PRINTER TO NORMAL AND CLOSE DEVICE
160 FOR I = 1 TO 7 : READ X : PRINT#4,CHR$(X) : NEXT : CLOSE 4
170 DATA 13,27,93,76,27,93,87
180 END
```

This Basic program for the Commodore computer draws a simple square box. It illustrates the complexity involved in implementing Spinwriter graphics in Basic.

Circle 318 on Reader Service card.



## CAN'T MAKE ENDS MEET?


We couldn't either. At least, not until 1978 when we began connecting RS-232 devices to IEEE-488 computers with our family of serial interfaces. Three units available for use with Commodore's PET/CBM, the HP-85, Osborne-1 and others, plus our auto-answer/auto-dial 103 Modem, automatic calling unit (Operator), and data communications software. All with cabinet, one-year warranty, documentation. Priced from \$129-389. Details from George Masters:



Dept. S., 3444 Hancock St., San Diego, CA 92110  
(714) 296-2115 • TWX 910-335-1194  
VISA/MasterCard • Dealer Inquiries Welcome

Circle 162 on Reader Service card.

## SENECA ELECTRONICS SUPER DISCOUNTS TRS-80® AND OTHERS



TRS-80®  
BELL & HOWELL™ (APPLE)™  
ATARI™  
VIC COMMODORE™  
and OTHERS...

TRS-80™ 16K MODEL III \$810.00  
TRS-80™ 64K MODEL II \$2995.00  
ATARI™ 800 W/16K \$650.00  
VIC-20™ HOME COMPUTER \$245.00  
ALL MACHINES COME WITH FULL  
MANUFACTURERS WARRANTY!!

COMPUTER FURNITURE, PRINTERS, PERIPHERALS, YOU NAME IT, WE GOT IT, AT THE PRICE YOU WANT TO PAY. WE ACCEPT CERTIFIED CHECKS, MONEY ORDERS, VISA & MASTERCARD. SHIPPING CHARGES WILL BE ADDED TO CHARGE CARD ORDERS.

SENECA ELECTRONICS  
RD #1, HARMONY, PA 16037  
(412) 452-5654



# Super Problem-Solver

*For those of you who haven't taken the plunge yet, here's an introductory look at VisiCalc, a versatile business tool.*

By G. Michael Vose  
Microcomputing Technical Editor

**V**isiCalc is a name that has come to symbolize the power of microcomputers. It is a software tool so good that our industry can claim that this product's availability for a specif-

ic computer may be crucial to that computer's acceptance. The number of imitations—the Supercalcs, Easy Calcs, Versacalcs, etc.—testify to the popularity and versatility of the con-

ceptual tool known as the electronic spreadsheet.

The reason for this is simple: VisiCalc provides solutions. If you can define a problem numerically, you can use VisiCalc to solve it.

The uses of VisiCalc in business are legion. From its highly touted ability to perform "what-if" analysis to the simple task of record keeping, VisiCalc is as versatile as a high-level programming language like Basic, but far less difficult to master.

## What Is a Spreadsheet?

In accounting and finance, the use of a spreadsheet is analogous to a carpenter's use of a hammer. It is a fundamental tool for managing numbers—lots of numbers.

Ironically, there is no formal definition of spreadsheet. An accounting textbook, two unabridged dictionaries and a regular dictionary I consulted failed to list the term. If you go into a stationery store and ask for spreadsheets, the clerk will ask you if you mean a "columnar pad." Nevertheless, accountants use the term spreadsheet regularly.

A spreadsheet is composed of horizontal rows and vertical columns. The intersection of any row or column can be precisely defined by a pair of coordinates (conceptually, a mathematician would call a spreadsheet a "matrix"). For example, the intersection of row 10 and column C is defined as C10 on the spreadsheet.

To make the spreadsheet usable, it is a simple matter to draw the rows and columns so that each intersection

VisiCalc Availability

IBM PC	Apple	Atari	Zen/Heath	N. Star
=====	=====	=====	=====	=====
VisiCalc	VisiCalc	VisiCalc	SuperCalc	Supercalc
219.00	219.00	200.00	269.00	269.00
SuperCalc	SuperCalc		CalcStar	CalcStar
269.00	269.00		259.00	259.00
MagiCalc	CalcStar		MagiCalc	MagiCalc
269.00	175.00		269.00	269.00

Table 1. Available spreadsheet software.

## <<< Retail Pricing >>>

Widgets	Cost Per Unit	Desired Prof %	Selling Price
=====	=====	=====	=====
Widget 1	23.00	12	26.14
Widget 2	56.00	15	65.88
Widget 3	99.00	18	120.73
Widget 4	122.30	13	149.15
Widget 5	12.50	18	15.24
Widget 6	13.33	25	17.77

Average Markup = 16.83

Example 1. Retail markup template.



# Peripherals

## Unlimited...

**OUR FAST SERVICE, PRODUCT SELECTION AND OUR CUSTOMERS' SATISFACTION MAKE US #1.**

Microsoft Z-80 Softcard	\$214
Microsoft RAMCARD	\$129
Z-90-64K DO	\$2588
Z-19 Terminal	\$777
Z-121 Monitor 12"	\$149

### ATARI COMPUTERS

Atari 800 16K	\$649
Atari 400	\$318
Atari Interface Module	\$174
Atari 810 Single Disk	\$444
Atari 830 Modem	\$166
Programmer	\$59
Entertainer	\$84
Star Raiders	\$34
16K Mem. Exp. for Atari	\$74
32K Mem. Exp. for Atari	\$114

### NEC PRINTERS

7710/30 Spinwriter R/O	CALL
7720 Spinwriter KSR	CALL
3510/30 Spinwriter R/O	CALL

### NEC DOT MATRIX

PC-8023	\$474
---------	-------

Call for prices on ribbons, etc.

### MORE PRINTERS

Anadex 9500/9501	\$1295
Anadex DP-9000	\$1049
Okidata Microline 82A	CALL
Okidata Microline 83A	CALL
Okidata Microline 84	CALL
Tractor (OKI80 + 82 only)	\$60
Diablo 630	\$2044

### MONITORS

Sanyo 12" GRN Phosphor	\$266
Sanyo 12" Black + White	\$239
Amdek 12" 300 GRN Phosphor	\$149
Amdek 12" Color I	\$319
Amdek Color II	\$779
NEC 12" GRN Phosphor	\$149
NEC 12" Color	\$344

## FANTASTIC PRICES!

### EPSON PRINTERS

MX-80 w/Graphics	CALL
MX-80 FT (Friction + Tractor)	CALL
MX-100 (15" Carriage)	CALL

Call for prices on  
Ribbons, Cables and Interfaces

### NEC-PC 8000

#### Series Microcomputer

PC-8001A Computer w/32K	\$888
PC-8012A w/32K + Exp. Slots	\$588
PC-8031A Dual Mini Disk	\$888
PC-8032A Add-on Mini Disk	\$777

Call for Software Prices

**FOR THE LOWEST  
PRICE CALL  
TOLL FREE  
1-800-343-4114**

### ORDERING INFORMATION

Our order lines are open 9AM to 6PM EST Monday thru Friday. Phone orders are welcome; same day shipment on orders placed before 10AM. Free use of Mastercard and VISA. Personal checks require 2 weeks clearance. Manufacturer's warranty included on all equipment. Prices subject to revision. C.O.D.'s accepted.


For service, quality and delivery call:

**PERIPHERALS UNLIMITED  
(617) 655-7400**

62 N. Main St. • Natick, MA 01760



## Z-80 SINGLE BOARD COMPUTER \$49.95



### The MASTER CONTROLLER BOARD contains:

- Z-80 Microprocessor: will run 8080/8085 and Z-80 programs.
- 72- Parallel I/O lines; three 8255s
- Keyboard controller: 8279
- 12K- EPROM: three sockets for 2708, 2716, 2732
- 2K- RAM: 2114s
- 8- Sixteen bit counter timer channels: one 8253 and one AMD 9513
- 2- Serial I/O ports; one Z-80 SIO chip. One port has an RS-232 interface and connector.
- 1- High speed arithmetic processor: AMD 9511

All the I/O chips are memory mapped AND I/O mapped. A bus expansion connector is provided. Can be operated on 5 volts only.

### All this on one board less than nine inches on a side

Only three LSI chips (Z-80, 8255, and EPROM) plus support gates and buffers are required for a working controller.

**BARE BOARD \$49.95**  
With documentation.

**MINIMUM KIT.** Includes bare board with documentation, one each Z-80, 8255, 2716, four 2114's, 4Mhz crystal, and support gates and buffers, all socketed. \$119.95

**MONITOR PROGRAM** allows a CRT or TTY to control the MASTER CONTROLLER. This program requires the minimum kit and the serial parts kit. A programmed 2716 and listing is supplied with the monitor. \$29.95. Listing Only \$19.95

**SERIAL PARTS.** Includes 8253, Z-80 SIO, 1488, 1489, sockets, and DB-25 connector \$49.95

**POWER SUPPLY.** 5V2A, -5V $\frac{1}{4}$ A, +12V $\frac{1}{4}$ A, -12V $\frac{1}{4}$ A. \$44.95

**ASSEMBLED and TESTED** fully populated with monitor program less 9511. \$399.00

USA & CANADA include \$3.50 postage and handling. We ship World Wide please include 15% for shipping.

**R.W. ELECTRONICS**  
3165 North Clybourn—M  
Chicago, IL 60618  
(312) 248-2480

### GOLDCOST

Today's Date: June 18, 1982  
Today's Price: \$ 428.00  
(against base of \$ 400.00)  
Difference: \$ 28.00

----- Change this number ONLY !!!

Item #		Weight Factor	Surchrg Factor	Base Price	Surchg. Adjstmnt.	Adjust. Price
W435 14KT 14KT Gold	Watch	12	.035	300	8.40	308.40
W435 10KT 10KT Gold	Watch	10	.025	250	5.00	255.00
W435 18KT 18KT Gold	Watch	14	.045	350	12.60	362.60

Example 2. Template used to reprice jewelry.

is a small box. The boxes can hold numbers or words (words are used to label rows and columns). The individual rows and/or columns can be summed or averaged. The contents of one spreadsheet location can be the product of the contents of several others. The possible combinations are virtually limitless.

In business parlance, a spreadsheet is often called a ledger. A ledger is used primarily to record transactions—the purchase of goods and their resale to the buying public—and the overall record of a business's activity is its general ledger. Other specific ledgers would record debits and credits for the different activities that make up the business.

Accountants use two particular kinds of spreadsheets for almost every business—the balance sheet and the income statement. A balance sheet shows how the business stands at a given instant in time while the income statement details the path travelled between balance sheets.

### The Electronic Spreadsheet

VisiCalc and its clones have come to be known as electronic spreadsheets. Their use requires a microcomputer and this makes them superior to standard paper spreadsheets in a variety of ways. First, they take up virtually no physical space. Dozens of spreadsheets, known in VisiCalc parlance as templates, can be stored on a 5 $\frac{1}{4}$ -inch floppy disk. Second, and most important, an electronic spreadsheet is easily modified—change a data field and the result field automatically recalculates, with just a few keystrokes.

VisiCalc is easier to master than a formal computer programming language because it provides a blank form in which a user simply fills in the blanks. The user need only be concerned with his data—data that he is familiar and comfortable with. He

places this data onto the spreadsheet, places formulas or special functions, such as summation, into certain grid locations and receives a result. He can then change a data item and see how this change affects the result.

Movement around the spreadsheet, which on most eight-bit microcomputers will be 255 rows by 63 columns, is controlled by four cursor control keys. These four keys permit up, down, right and left movement. The computer's display screen serves as a window that can depict 12 rows and 7 columns of a spreadsheet at a time.

Once a spreadsheet is created, it can be printed out or saved onto a floppy disk to be retrieved and modified at a later date. In this way, important information can easily be stored with duplicate disks kept in different locations for safekeeping.

### VisiCalc in Business

In the following paragraphs, I'll explain three specific VisiCalc templates that might be used in a business. There are, however, literally hundreds of uses for a spreadsheet in a business. For example, as a magazine publishing house, Wayne Green, Inc., uses VisiCalc to track articles, figure average article cost, figure editorial cost versus production costs, break down mailing costs, analyze sales, figure editorial to advertising ratios, analyze circulation figures and figure batting averages for the company softball team.

Batting averages don't matter in a retail store, but establishing the markup for the products to be sold is a major factor in producing a profit. Example 1 shows a VisiCalc template to figure retail cost, based on profit needed and wholesale cost. To find out how much to charge for a widget, simply type in its wholesale cost and the amount of profit needed on the



sale of each widget. This template will calculate and display the required retail price. As the wholesale cost of widgets changes, you can change your retail cost to maintain your desired profit margin.

This template does nothing magic. It simply performs the math you would've used a calculator to do. What makes this template useful is that it does the calculations for you and displays the results in an easily read format. You can print out today's prices, hand them to a clerk and save the template using a disk filename coded to correspond to the current date. Over time, you can accumulate data on your prices that you can analyze at your leisure.

Example 2 (courtesy of Wing Associates, Box 161, Peterborough, NH) shows a similar template used to re-price jewelry pieces based on the current price of gold. The only number that you will change is the current price, indicated by the large arrow. Based on this number, the appropriate price for 14 karat, 10kt and 18kt gold pieces is shown by the bottom rows of numbers.

In order to visualize how this template works, look at Example 3. Here the price has been changed from \$420.00 to \$500.00. Note the corresponding changes, automatically calculated by VisiCalc, in the columns marked Surcharge Adjustment and Adjusted Price.

Once again, there is nothing dramatic about this simple template; nevertheless, it can more easily ensure that a jeweler makes a profit selling items containing gold.

### Getting More Complex

Example 4 shows a much more sophisticated VisiCalc application. This template is an automatic payroll calculator (based on a model in the book *VisiCalc Home and Office Companion*) that takes regular and overtime hours, computes a wage and then subtracts all necessary taxes for each employee. In order to subtract taxes, this template makes use of the VisiCalc function @LOOKUP. This function lets VisiCalc use a table of information as a reference for looking up specific data.

The payroll template is broken into three parts: Employee Records contains the vital information about each employee—name, hourly rate, marital status, number of exemptions; Payroll Register is the output portion of the template, except for the two col-

umns containing the hours worked; Tax Tables are the portion of the template used by the @LOOKUP function—this portion of the template would not normally be printed out.

To use this template, you simply type in the hours worked by each employee. The program calculates the gross and net check amounts along with all withholding information, which you print out and use to write your paychecks. Save the printout for your permanent records.

This template can be easily modified to keep track of yearly and quarterly totals of the individual payroll categories. At each pay period, the template is loaded from disk, the current hours are added, and the quarter-to-date and year-to-date totals are automatically updated. This new template is then saved on disk to be used again at the next pay period.

There are a variety of VisiCalc utilities that make it easier to accumulate or carry over data. One such program, called the Consolidator (Omega Software), lets you merge successive VisiCalc files on the same template. Utilities are available to graph and plot VisiCalc data, to use special printers, provide more memory for larger templates, and to increase screen widths to 80-column display.


### Why VisiCalc?

These examples show the versatility and simplicity of VisiCalc. Nevertheless, it can be argued that a business program written in Basic or Pascal provides higher-quality results. A payroll program, for example, can calculate payrolls and print

Circle 172 on Reader Service card.

## MEMOREX FLEXIBLE DISCS

**WE WILL NOT BE UNDER-SOLD!!** Call Free (800)235-4137 for prices and information. Dealer inquiries invited and C.O.D.'s accepted.




**PACIFIC EXCHANGES**  
100 Foothill Blvd.  
San Luis Obispo, CA  
93401. In Cal. call  
(800)592-5935 or  
(805)543-1037



Circle 74 on Reader Service card.

## EPROM PROGRAMMER \$99.95



**PROGRAMS: 2708, 2716, 2732, 2764, and BEYOND**

DUAL programming voltage switch

PROGRAMMING in progress LED

PROGRAM voltage safety switch

COMPLETE software listing for use with MASTER CONTROLLER BOARD type interface

PROGRAMS and verifies, single and multibyte

EPROM can be examined and transferred to RAM

"TEXTOL" socket

CAN be used in any system with two output ports

COMPLETE KIT with Textool socket and software listing for **\$99.95**

2Kx8 6116 RAM or eq. **\$14.95**

26PIN ribbon cable 3 ft **\$9.95**

Extra Identity Modules **\$4.95**

EPROM PROGRAMMER KIT plus MASTER CONTROLLER KIT with Monitor program and Serial parts including 26 pin cable **\$309.95**

Power Supply, 5V2A, -5V $\frac{1}{4}$ A, +12V $\frac{1}{4}$ A, -12V $\frac{1}{4}$ A, 18VAC, **\$44.94**

USA & CANADA include \$3.50 postage and handling.

We ship World Wide please include 15% for shipping.

**R.W. ELECTRONICS**

3165 North Clybourn—M  
Chicago, IL 60618  
(312) 248-2480



## DISK DRIVE POWER SUPPLIES

DUAL P/S . . . . . \$59.95  
 DUAL P/S W/CASE . . . 74.95  
 SINGLE P/S . . . . . 34.95  
 SINGLE W/CASE . . . . 44.95  
 Cases finished in black  
 wrinkle. Other color options  
 are available, . . add \$2.00  
 Specify color when ordering  
 Tan. .Blue. .Green. .Silver. .

## POWER SUPPLY KITS

DUAL W/CASE . . . . . 54.95  
 SINGLE W/CASE . . . . 34.95  
**Features:**  
 Simple Instructions  
 Assembles in 2 hours  
 Color Options for case

## DISK DRIVES

**BASF 6106, 40 TK, DD**  
**12 MS T-T, & SS.**  
 Fully reconditioned to  
 new unit performance.  
 Compatible with TRS-80\*,  
 MOD-1, III & Color  
 plus Heath computers.  
 BARE DRIVE . . . . . 124.95  
 2DRIVE CABLE . . . . . 21.00  
 4 DRIVE CABLE . . . . . 32.00  
 TECH MANUAL . . . . . 10.00  
 All drives and factory  
 assembled power supplies  
 are guaranteed in writing  
 for a period of 120 days.

## BASF DRIVE REPAIR \$35.00 PLUS PARTS 90 DAY GUARANTEE

**Terms:**  
 For VISA/MC add 3%  
 COD, M.O., Cashier's Check  
 & M.O.

Send To: C.P.R.  
 P. O. BOX 834  
 OAK HARBOR, WA 98277  
 or call our order number

(206) 679-4797

All shipping UPS Ground

West of MO. add 4.00

East of MO. add 8.00

Wash. Res. add 6% sales tax

out the paychecks. So why use VisiCalc if professionally prepared software can do a given job better?

For the small business, the intrinsic limitations of VisiCalc may be more than offset by the lower cost. Most implementations of VisiCalc and its clones cost from \$99 to \$299 (see Table 1) and are available for most microcomputers. Professional business software can cost from \$100 to \$1500 per package.

Professional business software, being generic in nature, is hard to customize for a specific business. The electronic spreadsheet programs, however, are easily tailored to specific applications.

One of the less recognized features of recent versions of VisiCalc is the

ability to store template data in DIF (data interchange format) files. These files arrange the data in a standard sequential data file that can then be accessed by programs other than VisiCalc. This makes it possible to use the same data for several different applications.

### Starting Small

The bottom line on the electronic spreadsheets simply may be that they are an excellent way to begin to understand the power of microcomputers. The simplicity of the genre may help cure newcomers to computers of their natural fear of the machine.

The 'Calcs may even allow people to enjoy working with numbers again!■

#### GOLDCOST

Today's Date: June 18, 1982  
 Today's Price \$ 500.00 <===== Change this number ONLY !!!  
 (against base of \$ 400.00)  
 Difference: \$ 100.00

Item #		Weight Factor	Surchrg Factor	Base Price	Surchg. Adjstmnt.	Adjust. Price
W435 14KT						
14KT Gold	Watch	12	.035	300	42.00	342.00
W435 10KT						
10KT Gold	Watch	10	.025	250	25.00	275.00
W435 18KT						
18KT Gold	Watch	14	.045	350	63.00	413.00

Example 3. This template reflects a change in the price of gold.

#### {{ Mini -Payroll Worksheet >>> OT Factor 1.5 FICA Rate 6.1 Pay Pers 52

##### Employee Records

Name of Employee	Rate	Single	Married	Exempts
Davis, David	5.00	1		1
Bombay, Jules	10.00		1	2
Huston, Arthur	15.00		1	2
Maloney, Eric	7.50	1		1

##### Payroll Register

Employee	Reg Hrs	OT Hrs	Tot Hrs	Fwt	FICA	State	Gross	Net
Davis, David	5.00	0.00	5.00	0.00	1.53	0.14	25.00	23.33
Bombay, Jules	40.00	6.00	46.00	85.99	29.89	11.29	490.00	362.83
Huston, Arthur	40.00	0.00	40.00	121.38	36.60	14.04	600.00	427.98
Maloney, Eric	40.00	0.00	40.00	86.00	24.48	9.55	401.25	281.22
<b>Totals</b>	<b>125.00</b>	<b>15.00</b>	<b>140.00</b>	<b>293.37</b>	<b>92.49</b>	<b>35.02</b>	<b>1516.25</b>	<b>1095.36</b>

##### Tax Tables Value Per Exemptn 1000.00

Range	Single Subtract	Percent	Add
0.00	0.00	0.00	0.00
1420.00	1420.00	0.15	0.00
3300.00	3300.00	0.18	282.00
6000.00	6000.00	0.21	912.00
10200.00	10200.00	0.26	1626.00
14200.00	14200.00	0.30	2660.00
17200.00	17200.00	0.34	3566.00
22500.00	22500.00	0.39	5368.00

State Tax  
 Exem Val 1000.00  
 Rate .025

Range	Married Subtract	Percent	Add
0.00	0.00	0.00	0.00
2400.00	2400.00	0.15	0.00
6000.00	6000.00	0.18	630.00
10900.00	10900.00	0.21	1404.00
15000.00	15000.00	0.24	2265.00
19200.00	19200.00	0.28	3273.00
23600.00	23600.00	0.32	4505.00
28900.00	28900.00	0.37	6201.00

Annual	FWT Work Area	Single	Diff	Percent	Tax on %	Tot Tax	FWT Work Area	Married	Diff	Percent	Tax on %	Tot Tax	Final
Less Ex	Start Amt	0.00	0.00	0.00	0.00	0.00	Start Amt	0.00	0.00	0.00	0.00	0.00	Final
300.00	0.00	300.00	0.00	0.00	0.00	0.00	19200.00	4200.00	0.28	1198.40	4471.40	4471.40	
23400.00	22500.00	900.00	0.39	382.20	5750.20		28900.00	300.00	0.37	111.00	6312.00	6312.00	
25200.00	22500.00	6700.00	0.39	2613.00	7981.00		19200.00	665.00	0.28	186.20	3459.20	4472.10	
19805.00	17200.00	2605.00	0.34	906.10	4472.10								

Example 4. Automatic payroll calculator.



**We** created SCREEN MASTER™ for purely selfish motives. Basically, we wanted to make our job easier and faster.

After many man-years of effort, our systems researchers—collaborating with our application developers—created a Screen Management System with unprecedented data entry and display capabilities.

Our application people were understandably possessive about SCREEN MASTER. But it worked so incredibly well we couldn't justify keeping it to ourselves. So we decided to make it available to programmers everywhere.

SCREEN MASTER interfaces with all the popular programming languages (COBOL, PL/1, PASCAL, BASIC, C, FORTRAN).

It also interfaces with our state-of-the-art Data Base Management System, MDBS III.

That means that an application developer can at last end the productivity bottleneck caused by other screen handling approaches.

SCREEN MASTER allows one-time definition of frames which may be used in any number of window definitions. Once defined, a window may be used in any number of screens. And once a screen's defined, it may be used in any number of programs.

SCREEN MASTER provides dictionary-driven control over color, intensity, blinking, prompting, editing, validating, positioning of screen elements, etc. During data entry, SCREEN



# Introducing the Screen Management System that's so good we almost kept it for ourselves.

MASTER *automatically* performs a vast range of integrity checking and data editing.

HELP messages for each screen can be displayed with a single key stroke at any time during screen processing. The current screen is automatically restored after the HELP session.

**SCREEN MASTER is program-independent.** Modification of screen layouts and characters can be made without recompiling any of the application programs.


**SCREEN MASTER is terminal-independent.** It allows all application software

to be independent of terminal type. You don't need to re-compile just to use a different terminal.

For more information, fill in the coupon or contact your local ISE office.

## Developed by:

Micro Data Base Systems, creators of SCREEN MASTER, MDBS, and other fine software products, is one of the world's leading software R & D firms.



## Offered by:

International Software Enterprises  is an international consortium of the world's leading software and consulting firms, representing over 5,000 professionals around the world, providing developer-friendly tools for building user-friendly applications.

For more information, contact:  
ISE-USA—in the United States and Canada  
(312) 577-6800  
ISE-PACTEL—in the United Kingdom and Ireland  
01-828-7744  
ISE-ADV/ORG—in West Germany  
089-192-071  
in Austria and Switzerland  
01-251-0270  
ISE-CEGOS—in France  
620-61-61  
ISE-DATEMA—in Norway  
(00947) 267-0880  
in Sweden 08-834020  
ISE-COLRUVT—in the Benelux countries  
32-2-356-3880  
ISE-TIETOTEHDAS—in Finland  
358-0-5261.



ISE-USA  
85 West Algonquin Road  
Suite 400  
Arlington Heights, Illinois 60005  
(312) 577-6800

Outside U.S. and Canada, contact  
your local ISE Representative or  
ISE-International  
350 West Sagamore Parkway  
West Lafayette, Indiana 47906  
(317) 463-4561

SCREEN MASTER and MDBS III are trademarks of MDBS, Inc.

Circle 38 on Reader Service card.

## Tell me more about SCREEN MASTER.

Name \_\_\_\_\_

Title \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_

My computer is: \_\_\_\_\_

Processor \_\_\_\_\_

Operating System \_\_\_\_\_


Programming Language \_\_\_\_\_

Application \_\_\_\_\_

5A402


VISIT US AT BOOTH 3260 COMDEX SHOW







## QUASAR

SALES REPORT (APR. '82)



	SALES AMOUNT (DM)		INCREASING
	FEBRUARY	MARCH	RATE (%)
BEER	56,842	53,248	-5.0
WHISKY	28,633	30,723	7.3
WINE	48,986	49,151	0.5
OTHERS	14,049	14,330	2.0
TOTAL	147,510	147,452	-0.1



## One picture is worth a thousand numbers.

Introducing the new wide-tape Quasar® 4-Color Plotter, driven by the portable with the speed and power of a desktop computer.

Coupled with the sophisticated Quasar Hand-Held Computer, this advanced, 80-character plotter turns dry statistics into dramatic graphics anytime, anywhere. Makes analysis easier, presentations more exciting.

The Quasar HHC is actually a desktop computer you can take with you. Its heart is a fast, powerful 6502 microprocessor, with powerful programming languages—Microsoft BASIC, SnapBASIC and SnapFORTH, and high-memory capacity of up to 8KB RAM and 16KB ROM internal, expandable with external Memory Modules and ROM's or EPROM's in capsules. Operates on rechargeable NiCad batteries and retains data with power off.



The Quasar mainframe has a complete range of intelligent peripherals including a new 40-Character Printer, Telephone Modem/Cassette Interface, RS232 Interface, Color TV Adaptor, I/O Adaptor that works with up to 6 peripherals.

That means the Quasar HHC system can be your personal computer and database, or portable terminal that interacts with a large, central computer, or supplementary system to host computers for data retrieval, collection and transfer.

An expanding array of snap-in software includes modelling programs for "what if" alternatives, programs for time-billing professionals, financial calculations, and many others for scientific, engineering, marketing and business applications.

For a complete information kit, write Quasar HHC Dept., or use Reader Service Card.

# Quasar

Portable Computer Systems

### For HHC system tailored to your specific application contact System House/OEM:

American Medical Instruments  
Albany, CA  
415-525-1113

Cyber Diagnostic Corp.  
Aurora, CO  
303-695-8751

Impact Technologies Group, Inc.  
Salisbury, NC  
704-637-6183

Systems 7, Inc.  
Houston, TX  
713-468-4394

Insta-Data Systems, Inc.  
Simi Valley, CA  
805-522-9629

Pentagon Industries, Inc.  
Chicago, IL  
312-867-9200

System Exposure  
Dunedin, FL  
813-736-5154

Agent Computer Services, Inc.  
Columbia City, IN  
219-422-6552

### Quasar HHC Distributors:

RPC Electronics  
Pittsburgh, PA  
412-782-3770

InterNet  
San Francisco, CA  
800-227-4258  
415-781-0175

Straitline Marketing Inc.  
New York, NY  
212-445-4225



# Protect Your Small Business From Impending Disaster

*This financial analysis tool can keep your firm on its feet by determining a small-business's profitability, liquidity, operating efficiency and capital structures. In Applesoft Basic.*

By Corey D. Schou and Ronald S. Rubin

The term "financial statement analysis" refers to the art of analyzing and interpreting financial statements. Whether one is a potential creditor, a potential investor or a manager of a small business, the goal of financial statement analysis is the same—to provide a basis for rational decision making.

For example, a bank loan officer might have to decide whether to grant or deny a loan, and would be concerned with short-term liquidity and the collateral value of liquid assets. The investor would need to decide whether to buy or sell stock; therefore, the potential stockholder would be concerned with the long-term profitability and capital structure of the business. And for the small-business manager the decision would be to choose between continuing with a past practice or changing to a new procedure.

To analyze the financial condition of a business requires certain financial records. If the business has a good accounting system, these records will be readily available, but not all businesses keep good records. This omission is usually the first step to major financial problems and may be the reason the financial analysis is required. Many businesses continue operations each year with only minimum information regarding the profit (or loss) status of the company.

More often than not, any real understanding of the financial picture

develops only at income tax time. In many cases, this is far too late for corrective action for the new fiscal year since one quarter has already been

completed. Studies show that reasons for business failure can frequently be traced to the owner-manager's inability to see the direction in which his

Listing 1. Financial analysis program in Applesoft Basic.

```
0 REM THIS PROGRAM REQUIRES 7068 (1B9C) BYTES
1 GOSUB 248: REM INITIALIAZATION
2 GOTO 106: REM BRANCH PAST SUBROUTINES
3 REM RETURN ON SALES TEXT
4 PRINT "RETURN ON SALES IS DETERMINED BY"
5 PRINT "DIVIDING AFTER TAX PROFITS BY NET"
6 PRINT "SALES."
7 RETURN
8 PRINT "THIS MEANS FROM EACH SALES DOLLAR THE"
9 PRINT "FIRM MADE A CERTAIN AMOUNT OF CENTS"
10 PRINT "PROFIT."
11 GOSUB 104: RETURN
12 PRINT "RETURN ON INVESTMENT RELATES AFTER TAX"
13 PRINT "EARNINGS TO THE COMPANY'S TOTAL ASSET"
14 PRINT "BASE."
15 RETURN
16 PRINT "RETURN ON EQUITY RELATES AFTER TAX"
17 PRINT "EARNINGS TO STOCKHOLDERS EQUITY."
18 RETURN
19 PRINT "ONE SHOULD SETTLE FOR NO LESS THAN"
20 PRINT "10% RETURN BEFORE TAXES."
21 GOSUB 104: RETURN
22 PRINT "THIS RATIO IS DESIGNED TO MEASURE THE"
23 PRINT "RELATIONSHIP BETWEEN CURRENT ASSETS AND"
24 PRINT "CURRENT LIABILITIES."
25 RETURN
26 PRINT "IT IS A GOOD IDEA TO KEEP A 2 TO 1"
27 PRINT "RATIO FOR THE SAKE OF SOUND CASH FLOW."
28 GOSUB 104: RETURN
29 PRINT "THIS IS CALLED THE ACID TEST BY SOME."
30 PRINT "IT IS THE RATIO BETWEEN QUICK ASSETS"
31 PRINT "AND CURRENT LIABILITIES."
32 RETURN
33 PRINT "THIS TEST INDICATES THE ABILITY OF THE"
34 PRINT "FIRM TO MEET ITS OBLIGATIONS IF SOME"
35 PRINT "TYPE OF CATASTROPHE OCCURS."
36 GOSUB 104: RETURN
37 PRINT "DAILY SALES ARE THE NET ANNUAL SALES"
38 PRINT "FOR THE YEAR DIVIDED BY THE NUMBER OF"
39 PRINT "DAYS IN THE YEAR."
40 RETURN
41 PRINT "THIS RATIO IS USED TO CALCULATE THE"
```

More →

Address correspondence to Dr. Corey D. Schou and Dr. Ronald S. Rubin, University of Central Florida, Department of Marketing, Orlando, FL 32816.



Listing continued.

```

42 PRINT "AVERAGE COLLECTION PERIOD."
43 GOSUB 104: RETURN
44 PRINT "THE AVERAGE COLLECTION PERIOD MEASURES"
45 PRINT "THE SPEED WITH WHICH RECEIVABLES ARE"
46 PRINT "TURNED INTO CASH."
47 RETURN
48 PRINT "IT IS USUALLY A GOOD POLICY TO GET"
49 PRINT "RID OF SLOW PAYING CUSTOMERS"
50 GOSUB 104: RETURN
51 PRINT "THIS SHOWS THE RATE AT WHICH THE"
52 PRINT "INVENTORY MOVES (AND THUS THE ACCOUNTS"
53 PRINT "RECEIVABLE)."
54 RETURN
55 PRINT "THIS SHOWS THE NUMBER OF DAYS"
56 PRINT "SALES ARE TIED UP IN INVENTORY."
57 RETURN
58 PRINT "THIS RATIO MAY BE USED TO COMPARE"
59 PRINT "ONE COMPANY'S PERFORMANCE WITH ANOTHER"
60 PRINT "OR WITH THE INDUSTRY."
61 RETURN
62 PRINT "A LOWER THAN AVERAGE OR DECLINING RATIO"
63 PRINT "SUGGESTS THE POSSIBILITY OF OVER BUYING"
64 PRINT "OR ACCUMULATION OF UNSALABLE GOODS."
65 GOSUB 104: RETURN
66 PRINT "THIS PROVIDES A GUIDE AS TO HOW"
67 PRINT "ACTIVELY INVESTED CAPITAL IS BEING PUT"
68 PRINT "TO WORK. IT MEASURES PROFITABILITY."
69 GOSUB 104: RETURN
70 PRINT "A LOW RATIO SHOWS UNPROFITABILITY USE"
71 PRINT "OF WORKING CAPITAL. A HIGH ONE"
72 PRINT "INDICATES A VULNERABILITY TO CREDITORS."
73 GOSUB 104: RETURN
74 PRINT "THIS MEANS THAT EACH DOLLAR INVESTED"

```

More

business is going. With up-to-date records, he could have foreseen impending disaster in time to take steps to avoid it.

The microcomputer provides an interactive arrangement between the financial analyst and his computer, enabling him to do financial analysis accurately and quickly. The step-by-step microcomputer model presented here is to evaluate the current financial condition of a business and develop a reasonable basis for forecasting. Various tools and techniques of financial statement analysis are used to make a reasonable assessment of the future financial condition of a company based on an analysis of its present and past financial condition.

Ratio analysis is one tool used in financial statement analysis. Generally, ratios allow the analyst to develop a set of statistics that reveal key financial characteristics of the business. In most instances, ratios are used in two major ways.

First, ratios for the business in question are compared to industry standards. The industry standards are easily obtained through commer-

Circle 320 on Reader Service card

**Computer  
Case  
Company**

## AN OPEN AND SHUT CASE FOR COMPUTERS



AP103

CALL TOLL FREE:  
(800) 848-7548

Your sizable investment in your computer should be protected. If you have to load and unload your computer every time you want to move it, you must consider the possible damage. Computer Case Company has solved your computer protection problem. Once your equipment is safely inside the attache-style carrying case, it never has to be taken out again. Simply remove the lid, connect the power, and operate. For storage, disconnect the power, enclose your disks, working papers, and manuals in the compartments provided, and attach the lid. Case closed. Judge for yourself.

• AP101	Apple II with Single Disk Drive	\$109
• AP102	Apple II with Double Disk Drive	119
• AP103	Apple II, 9 inch Monitor & Double Drives	129
• AP104	Apple III, two additional Drives & Sitetype	139
• AP105	12 inch Monitor plus accessories	99
• RS201	TRS-80 Model I, Expansion Unit & Drive	109
• RS-202	TRS-80 Model or TV set	84
• RS204	TRS-80 Model III	129
• RS-205	Radio Shack Color Computer	89
• AT301	Atari Computer & Accessories	109
• P401	Paper Tiger 440/445/460	99
• P402	Centronics 730/737 Line Printer II/IV	89
• P403	Epson MX70, MX80 or IBM Matrix	89
• P404	Epson MX100	99
• P405	IDS 560 or Prism Printer	109
• IB501	IBM Personal Computer	129
• IB502	IBM Monitor	99
• CC80	Matching Attache Case (5")	85
• CC90	Matching Attache Case (3")	75
• CC91	Matching Accessory Case	95



5650 Indian Mound Court • Columbus, Ohio 43213 • (614) 868-9464



### INDEX TO RATIOS

A. RETURN ON SALES, . . . . .	0
B. RETURN ON INVESTMENT, . . . . .	0
C. RETURN ON EQUITY, . . . . .	0
D. CURRENT RATIO, . . . . .	0
E. QUICK RATIO, . . . . .	0
F. DAILY SALES, . . . . .	0
G. AVERAGE COLLECTIONS, . . . . .	0
H. INVENTORY TURNOVER, . . . . .	0
I. DAYS SALES IN INVENTORY, . . . . .	0
J. NET SALES TO INVENTORY, . . . . .	0
K. NET SALES TO EQUITY, . . . . .	0
L. NET SALES TO WK CAP, . . . . .	0
M. NET SALES TO FIXED ASSETS, . . . . .	0
N. DEBT-EQUITY RATIO, . . . . .	0
O. FIXED ASSETS TO EQUITY, . . . . .	0

PRESS THE LETTER OF YOUR CHOICE OR P TO PRINT.

Fig. 1. Financial analysis options.

### INDEX TO RATIOS

A. RETURN ON SALES, . . . . .	.16
B. RETURN ON INVESTMENT, . . . . .	.02
C. RETURN ON EQUITY, . . . . .	.83
D. CURRENT RATIO, . . . . .	2.78
E. QUICK RATIO, . . . . .	2.61
F. DAILY SALES, . . . . .	8.68
G. AVERAGE COLLECTIONS, . . . . .	9.08
H. INVENTORY TURNOVER, . . . . .	.48
I. DAYS SALES IN INVENTORY, . . . . .	1.13
J. NET SALES TO INVENTORY, . . . . .	.71
K. NET SALES TO EQUITY, . . . . .	.1
L. NET SALES TO WK CAP, . . . . .	5.39
M. NET SALES TO FIXED ASSETS, . . . . .	10.15
N. DEBT-EQUITY RATIO, . . . . .	1.26
O. FIXED ASSETS TO EQUITY, . . . . .	.1

PRESS THE LETTER OF YOUR CHOICE OR P TO PRINT.

Fig. 2. Sample financial ratio values.

cial sources such as Dun and Bradstreet or Robert Morris Associates. Whatever the source of the ratios, care must be taken to compare the company under analysis to standards developed for companies of approximately the same size. If industry standards are not readily available for a given industry, then a "rule of thumb" approach may be necessary.

Second, ratios are used to compare the trend over a period of time. For example, the trend of the after-tax profit can be compared over a five-year period.

### Gathering Financial Data

The two most important financial statements are the balance sheet and the income statement. The balance sheet tells how a business stands at one given moment in the business year. The income statement sums up the results of operations over a period of time. The balance sheet and income statement are the basis for the financial analysis.

As far-fetched as it may seem, not all businesses prepare or have prepared regular balance sheets and income statements. Since these two

Circle 71 on Reader Service card.

— Professional —

## REAL ESTATE SOFTWARE

for APPLE, TRS-80 & CPM SYSTEMS

- PROPERTY MANAGEMENT SYSTEM: \$325**

Tenant History	Operating Stmt.
Late Rent Report	Building Reports
Vacancy Report	Utilities Report
Income Report	Tax Expense Report
Auto Late Charge	Prints Checks
Returned Checks	Prints Receipts
- PROPERTY LISTINGS/COMPARABLES: \$325**

— SCREEN BY —

22 Items/Listing	Max/Min Price
1000 Listing/Disk	Max Price/Income
Listing Memo Field	Max Price/Sq Foot
	Min Cashflow
- REAL ESTATE ANALYSIS MODULES: \$50/Module**

Home Purchase	Tax Deferred Exchange
Income Prop Analysis	APR Loan Analysis
Property Sales	Loan Amortization
Construction Cost/Profit	Depreciation/ACRS Analysis
Loan Sales/Purchase	Loan Wrap Analysis
- WORD PROCESSOR — WORD STAR: \$295**




At Computer Stores Everywhere  
or Order COD Direct  
Cal Residents add 6 1/2% Sales Tax

(213) 372-9419

**Software Realty Company**  
Suite E, 1116-8th Street, Manhattan Beach, CA 90266

Circle 128 on Reader Service card.



### MC6801 APPLICATIONS PROTOTYPE BOARD

The APB is a small board which supports the MC6801 family of microcomputers. It is described in Motorola's application note AN799. A typical 6801 member contains an enhanced 6800 processor, 2K bytes of ROM, 128 bytes of RAM, a 16-bit programmable timer, parallel I/O, and a serial communications interface. In addition to the resources of the 6801, the APB provides an additional 2K bytes of EPROM (TMS2716), 2K bytes of RAM (2114L), and a full duplex RS-232 interface. It also supports special versions such as the 6801G1 with its LILBUG<sup>®</sup> monitor, and provides on-board programming of the 6801 EPROM version.

The APB is an excellent educational aid which allows for evaluation and familiarization of 6801 family members. It is great for prototype development. Since the nuts and bolts are already in place, the designer need only add the necessary interface circuits for a particular application. It can also be used as a simple cost-effective dedicated controller for those limited quantity applications.

Besides being so practical, it is a fun little board. Order yours today!

\* TM of Motorola Semiconductor Products, Inc.

APB-1 Bare board with documentation . . . . .	\$ 19
APB-2 Above assembled with all parts less microcomputer and memory . . . . .	\$ 69
APB-3 Above with MC6801G1 and LILBUG manual . . . . .	\$109
APB-4 Above with four 2114L RAMs . . . . .	\$129

For the SS-30 Bus:  
 AD-68A A/D Converter - 8 channels, 8 bit, 0-2.5V input, 6ms conversion time — \$39 A&T  
 CI-68A Control Interface - 8 opto-isolated inputs, 8 reed relay outputs — \$79 kit, \$98 A&T

Terms: Check, MO, VISA, or MC. In US and Canada add \$3 per item for shipping. Others add \$7 per item. US funds only. TX add 5% tax. Shipped from stock to two weeks.

**INNOVATIVE TECHNOLOGY**  
 510 Oxford Park  
 Garland, TX 75043 (214) 270-8393

Circle 189 on Reader Service card.

# TRS-80<sup>\*</sup>

## SAVE A BUNDLE

When you buy your  
**TRS-80<sup>™</sup> equipment!**

Use our toll free number to  
 check our price before you buy  
 a TRS-80<sup>™</sup> . . . anywhere!

TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.

**Don't Delay. . Call Today**



## SALES COMPANY

704 W. MICHIGAN AVE.  
 P.O. BOX 8098 PENSACOLA FL 32505

904/438-6507  
 nationwide 1-800-874-1551



Listing continued.

```

75 PRINT "IN THE BUSINESS PRODUCES A CERTAIN"
76 PRINT "AMOUNT OF SALES."
77 GOSUB 104: RETURN
78 PRINT "LEVERAGE REFERS TO THE EXTENT TO WHICH"
79 PRINT "A COMPANY EMPLOYS DEBT CAPITAL TO"
80 PRINT "FINANCE ITS OPERATIONS."
81 RETURN
82 PRINT "AS THIS FIGURE APPROACHES 100 - THE"
83 PRINT "CREDITORS' INTEREST IN THE BUSINESS"
84 PRINT "APPROACHES THE OWNERS."
85 GOSUB 104: RETURN
86 PRINT "THE HIGHER THIS RATIO THE LESS THE"
87 PRINT "OWNERS CAPITAL IS AVAILABLE. IF IT IS"
88 PRINT "MORE THAN 75% OF WORTH IT MAY BE UN-"
89 PRINT "MANAGABLE."
90 GOSUB 104: RETURN
91 REM
92 LET T = LEN (R$(I)): REM SETS UP FRACTIONS ON EACH PAGE
93 VTAB 12: PRINT R$(I);
94 FOR X = 1 TO (39 - T): PRINT "-";: NEXT X
95 PRINT "--"
96 VTAB 11: HTAB T + 2: PRINT N$(I)
97 VTAB 13: HTAB T + 2: PRINT D$(I)
98 VTAB 15: PRINT N$(I);: INPUT NUM
99 VTAB 16: PRINT D$(I);: INPUT DEN
100 LET RA(I) = ( INT ((NUM / DEN * 100) + .5) / 100)
101 VTAB 17: PRINT R$(I); " "; RA(I)
102 RETURN
103 GET A$: HOME : RETURN : REM CLEARS SCREEN AND PAUSES
104 INVERSE : VTAB 24: PRINT " PRESS ANY KEY ";: GET A$: NORMAL : RETU
RN : REM PAUSE
105 VTAB 19: RETURN
106 HOME : REM THE START OF THE MAIN
107 PRINT "SMALL BUSINESS FINANCIAL EVALUATION"
108 VTAB 5: HTAB 11: PRINT "RONALD S. RUBIN"
109 VTAB 8: HTAB 15: PRINT "COREY D. SCHOU"
110 GOSUB 104: HOME : VTAB 5
111 PRINT "THE TERM FINANCIAL STATEMENT ANALYSIS"
112 PRINT "REFERS TO THE ART OF INTERPRETING FIN-"
113 PRINT "ANCIAL STATEMENTS."
114 PRINT
115 PRINT "THE GOAL IS INFORMED DECISION MAKING"
116 REM -----
117 GOSUB 104
118 HOME
119 HTAB 10: PRINT "INDEX TO RATIOS"
120 FOR X = 1 TO 15
121 PRINT CHR$(X + 64); ". "; R$(X);
122 LET T = LEN (R$(X))
123 FOR Y = 1 TO (30 - T)
124 PRINT ". ";
125 NEXT Y
126 PRINT " "; RA(X)
127 NEXT X
128 VTAB 20: PRINT "PRESS THE LETTER OF YOUR CHOICE OR P TO PRINT.": GET A$
129 LET I = ( ASC (A$) - 64)
130 IF I < 1 THEN 128
131 PR# 0
132 ON I GOSUB 137,145,152,160,168,176,184,192,199,206,214,221,227,234,242,271
133 IF I > 0 AND I < 17 GOTO 118
134 VTAB 22: PRINT "ENTER ONE ON THE LIST": GOTO 128
135 REM
136 REM RETURN ON SALES
137 REM -----
138 HOME : PRINT R$(I)
139 PRINT : GOSUB 4
140 GOSUB 92
141 VTAB 19: GOSUB 8
142 RETURN
143 REM
144 REM RETURN ON INVESTMENT
145 REM
146 REM


```

statements are the basis and starting point for any financial analysis, they must be developed from existing records if they aren't available. This may be a long difficult process, especially if records have been kept on backs of envelopes or brown paper bags.

However, with persistence it is possible to construct fairly accurate financial statements from these types of records. The Small Business Administration's (SBA) Small Business Management Series booklet no. 15, *A Handbook of Small Business Finance*, is

More →





## EXPAND VISICALC® ON APPLE® II

Do you need more memory for your VisiCalc models? Would you like to see them in 80 column display? Do you want hard disk support?

Then you need one of Saturn's VisiCalc expansion systems. For a fraction of the cost of a larger computer, you can create models you never dreamed possible on an Apple II.

With Saturn board(s) and software, you can increase your workspace to as much as 177K. With additional

hardware, you can get 80 column display and lower case letters. You can even use the Nestar hard disk system, if you wish.


Saturn's VC-Expand programs allow you to use the entire displayed VisiCalc matrix, and to save your large models on more than one diskette.

You can also use your Saturn boards to expand user programming capabilities, or to simulate a disk drive under DOS, PASCAL, or CP/M.®

Ask your retail computer store salesperson about Saturn's memory expansion systems. See how much bigger and better your VisiCalc models can become.



VisiCalc is a registered trademark of VisiCorp.  
Apple is a registered trademark of Apple Computer, Inc.  
CP/M is a registered trademark of Digital Research Corporation.



P.O. Box 8050    Ann Arbor, Michigan 48107  
(313) 973-8422





NF SYSTEMS LTD. PRESENTS:

## HOSTCOMM by JANADON

### The Personal Host Communications System

#### ★ Features:

- The first Host communications system for the IBM Personal Computer
- Run programs from a remote site with a terminal or another computer
- Use as a personal communications system or electronic mailbox
- Full Upload/Download facility for ASCII files
- Easy set-up, installation, and especially easy to use
- Full system operator support
- Three level password protection
- Unattended operation

#### ★ Minimum Systems Requirements:

- 64KB System Unit
- 320KB Diskette storage (1 or 2 drives)
- PC-DOS 1.0 or 1.1
- Video Display (40 or 80 characters)
- Printer
- Asynchronous Communications Adapter
- Hayes Stack™ Smartmodem

**Introductory Offer Now: \$125.00**  
**List Price \$139.95**

NF SYSTEMS, LTD.  
P.O. Box 76363  
Atlanta, GA 30358



Catalog Available




Personal Computer

Call collect to order - 404-252-3302  
Add \$2.50 for postage and handling

Circle 92 on Reader Service card.

### JPC PRODUCTS FOR

## 6800 COMPUTERS



### High Performance Cassette Interface

- **FAST** - 4800 Baud Loads 4K in 8 Seconds!
- **RELIABLE** - Error Rate Less Than 1 in 10<sup>6</sup> Bytes.
- **CONVENIENT** - Plugs Directly Into The **SWTPC**.
- **PLUS** - A Fully Buffered 8 Bit Output Port Provided.
- **LOW COST** - \$59.95 For Complete Kit.
- **OPTIONAL** - CFM/3 File Manager.

Manual & Listing \$19.95  
(For Cassette Add) \$ 6.95

TERMS: CASH, MC or VISA;

Shipping & Handling \$3.00



JPC PRODUCTS CO.

Phone (505) 294-4623

12021 Paisano Ct.

Albuquerque, N.M. 87112

Listing continued.

```

147 HOME : PRINT R$(I)
148 PRINT : GOSUB 12
149 GOSUB 92
150 GOSUB 104: RETURN
151 REM
152 REM RETURN ON EQUITY
153 REM
154 HOME : PRINT R$(I)
155 PRINT : GOSUB 16
156 GOSUB 92
157 VTAB 19: GOSUB 19
158 RETURN
159 REM
160 REM CURRENT RATIO
161 REM
162 HOME : PRINT R$(I)
163 PRINT : GOSUB 22
164 GOSUB 92
165 VTAB 19: GOSUB 26
166 RETURN
167 REM
168 REM QUICK RATIO
169 REM
170 HOME : PRINT R$(I)
171 PRINT : GOSUB 29
172 GOSUB 92
173 VTAB 19: GOSUB 33
174 RETURN
175 REM
176 REM DAILY SALES
177 REM
178 HOME : PRINT R$(I)
179 PRINT : GOSUB 37
180 GOSUB 92
181 VTAB 19: GOSUB 41
182 RETURN
183 REM
184 REM AVERAGE COLLECTION PERIOD
185 REM
186 HOME : PRINT R$(I)
187 PRINT : GOSUB 44
188 GOSUB 92
189 VTAB 19: GOSUB 48
190 RETURN
191 REM
192 REM INVENTOR TURNOVER
193 REM
194 HOME : PRINT R$(I)
195 PRINT : GOSUB 51
196 GOSUB 92
197 GOSUB 104: RETURN
198 REM
199 REM DAYS SALES IN INVENTORY
200 REM
201 HOME : PRINT R$(I)
202 PRINT : GOSUB 55
203 GOSUB 92
204 GOSUB 104: RETURN
205 REM
206 REM NET SALES TO INVENTORY
207 REM
208 HOME : PRINT R$(I)
209 PRINT : GOSUB 58
210 GOSUB 92
211 VTAB 19: GOSUB 62
212 RETURN
213 REM
214 REM NET SALES TO EQUITY
215 REM
216 HOME : PRINT R$(I)
217 GOSUB 92
218 VTAB 19: GOSUB 66
    
```

More →



# ALCOR PASCAL

## TAKE THE NEXT STEP IN MICRO COMPUTER EVOLUTION..... PUT THE LANGUAGE OF THE FUTURE ON YOUR COMPUTER TODAY.

Let ALCOR Pascal transform your computer into a truly professional development system.  
No other language system offers as much power, efficiency, and versatility.

### EASY TO LEARN

Alcor Pascal is easy to learn. It comes with a 250 page documentation package which includes a 100 page tutorial that introduces Pascal to the beginning programmer.

Also included in the language are many of the string functions that are familiar to Basic programmers.

### SPEED

Important to many users is the fact that Alcor Pascal programs execute between 10-20 times faster than interpreted Basic programs.

### ALCOR SYSTEMS SUPPORT

Alcor Systems stands behind its products with a free one year service contract that includes upgrades to new Alcor Pascal releases for a nominal fee. Also included free is a one year subscription to the Alcor Pascal Newsletter. Programs may be developed for resale that execute like stand alone machine language programs. (Absolutely no licensing fees)

### COMPATIBLE COMPUTERS AND OPERATING SYSTEMS

48 K memory / One disk drive Single or Double Density (two recommended)

#### TRS80 Model I

Trsdos 2.3, Ldos 5.1, Newdos 2.0, Dosplus 3.3, 3.4

#### TRS80 Model III

Trsdos 1.3, Ldos 5.1, Newdos 2.0, Dosplus 3.3, 3.4

Osborne - 1

CP/M

Apple II

CP/M (Z-80 softcard)

Other Z-80

CP/M based systems (8 inch drives)

### Pascal Features

A complete Jensen and Wirth Standard Pascal  
Produces compact efficient code that executes 10-20 times faster than interpreted BASIC  
Can compile large programs (4000 lines +)  
Fast one pass compiler  
Simple commands for compiling and running programs  
Supports separate compilation of procedures and functions  
Compiler switch options, including conditional compilation  
Full heap support including NEW and DISPOSE procedures that perform true heap allocation  
Complete implementation of sets with up to 256 members.  
Variant records are fully supported  
Supports single and double precision REAL  
Files are compatible with TRSDOS

### Extensions

OTHERWISE clause on case statements  
Identifiers may contain '\$' and '-' characters  
Automatic type conversion in arithmetic expressions and assignment statements  
Constants may be expressed in decimal or hexadecimal  
Characters within strings may be specified by ascii code.  
Allows non-printable characters in strings.  
Type transfer operator to override type matching  
ESCAPE allows exit from anywhere in a procedure  
LOCATION function returns the address of a variable  
SIZE function returns the amount of memory for a variable

### Full Screen Text Editor

Included with Pascal  
No limit on file size (except disk capacity)

### The Best of Both Worlds

Pseudocode (Pcode) for compactness  
Allows large programs in small memory space (8500 line + programs can execute in 48k)  
Native code for speed  
Optional code generator produces Z80 instructions  
Z80 code can be mixed with Pcode

### 250 Page Documentation Pkg.

Beginner's guide  
Pascal Tutorial with 500 line Data Base program.  
(source supplied on diskette)  
Pascal Reference Manual  
System Implementation Manual  
Text Editor Manual  
Handy System Reference Card  
Cross reference index for documentation package

### Linking Loader

Links separately compiled routines  
Supports procedure and function libraries  
Can create command files

trademark

TRS-80 Tandy Corporation

CP/M Digital Research, Inc.

Z80 Zilog, Inc.

APPLE II Apple Computer, Inc.

OSBORNE I Osborne Computer Corp.

ALCOR PASCAL Alcor Systems

DEALER INQUIRIES  
INVITED



### Optional Advanced Development Pkg.

Pcode optimizer  
Reduces the size of a program by 25-30%  
Increases execution speed  
Z80 native code generator  
Produces relocatable, reentrant native code for the Z80  
Native code executes 3-5 times faster than Pcode.  
Native code can be mixed with Pcode to provide speed where required and still benefit from the compactness of Pcode

#### YES, I'm interested in Pascal for:

- |  |   |
|--|---|
| <input type="checkbox"/> TRS-80 Model I        | <input type="checkbox"/> CP/M Osborne-1         |
| <input type="checkbox"/> TRS-80 Model III      | <input type="checkbox"/> CP/M Apple II (Z80 SC) |
| <input type="checkbox"/> CP/M Z80 8 inch disks |   |
| <input type="checkbox"/> Send More Information | FREE  |
| <input type="checkbox"/> Alcor Pascal System   | \$199   |
| <input type="checkbox"/> Advanced Dev. Pack.   | \$125   |
| <input type="checkbox"/> Manuals only          | \$ 30   |
| Shipping & Handling \$5.00 USA \$10.00 Foreign |   |

Name \_\_\_\_\_

Address \_\_\_\_\_

City, State, Zip \_\_\_\_\_

Master/Visa # \_\_\_\_\_

#### ALCOR SYSTEMS

800 W. Garland Avenue, #100 • Garland, Texas 75040  
For immediate service call: (214) 226-4476



an excellent guide for preparing balance sheets and income statements, especially for those who have had limited experience in developing financial statements.

### Financial Ratios

Key financial ratios are commonly grouped into four major categories, according to the particular aspect of the company's financial condition that the ratios aim to highlight:

**Profitability**—Ratios designed to measure the earnings power and profitability of the company.

**Liquidity**—Ratios designed to measure the ability of the business to meet its liabilities as they come due.

**Operating efficiency**—Measures of the efficiency with which business resources are employed to earn a profit.

**Capital structure (leverage)**—Measures of the extent to which debt financing is employed by the business.

There is some difference of opinion as to how many financial ratios are significant; the number ranges from ten to 34. Small Business Management Series booklet no. 20, *Ratio Anal-*

*ysis for Small Business*, lists ten suggested key ratios, while the Dun and Bradstreet's *Key Business Ratios* publication lists 14.

After financial ratios are computed, they should be compared against the industry average for the particular type or similar type of business. Ratio sources are classified into two groups: those agencies which compile data for a number of individual industries, and those which confine their work to a particular industry or a group of related industries. The best known of the former are Dun and Bradstreet, Inc. and Robert Morris Associates. The latter group is composed of trade associations, publishers and trade magazines, specialized accounting firms and industrial companies (e.g., the National Cash Register Company). The SBA booklet no. 20 has a particularly good chapter on evaluating, comparing and interpreting financial ratios.

### Using the Program

The ratio analysis program (Listing 1) is written in Applesoft Basic, but we have tried our best to use those

commands and statements that are common to most versions of Basic.

The program has several unique features that increase its use to the small-business person. These features include:

- menu-driven instructions and results
- prompting of key variables for use in the appropriate formulas
- simplified hard copy of results

The menu (see Fig. 1) indicates the ratios available for analysis. You need only key in the letter representing the appropriate ratio and the formula for that ratio will appear on the display, prompting you to type the necessary information into the computer. When the figures are keyed in, the resulting ratio will appear with a brief "analysis" of the results. The analyst can then continue to choose and key in those ratios most appropriate for his analysis. When he has finished his selection, the resulting menu (see Fig. 2) will list the appropriate values that can be printed and saved for later use in comparing past figures with those calculated for the present time. If this comparison is

## 80micro bookshelf Nanos System REFERENCE CARDS

For Models I, II, III, Color, Pocket and Apple II & II Plus

At last! No more flipping through the pages of the Basic manual! No more working through the maze of machine language instructions! These cards completely summarize the Basic and Assembler manuals!

**FEATURES** (on most cards): memory map, eyeball graphics, math instructions, basic commands, store instructions, basic functions, load instructions, basic statements, move instructions, special keys, exchange instructions, print using examples, shift instructions, basic special characters, compare instructions, basic and assembler messages and codes, branch instructions, basic facts, data alteration instructions, reserved words, I/O instructions, ROM routines, complete character chart with graphics and space-compression codes, hex-dec chart, control code cross-reference, assembler instructions commands and operators, screen line layout, editor commands & subcommands, condition code easy access.

Model I: BASIC only FC1001	\$2.95
Model I: BASIC and Assembler FC1002	\$4.95
Model II: BASIC and Assembler FC1005	\$5.95
Model III: BASIC only FC1004	\$3.95
Model III: BASIC and Assembler FC1003	\$5.95
Color: BASIC and Extended FC1006	\$4.95
Apple II & II plus BASIC FC1007	\$3.95
Apple II & II plus BASIC & 8502 FC1008	\$4.95
Pocket: BASIC only FC1009	\$2.95




Prices do not include shipping and handling charges. Sorry no COD orders. Use the order card in this magazine to order. Allow 4-6 weeks for delivery. Shipping and handling for cards only \$1.00 per order.

80 Microcomputing Bookshelf • Peterborough, NH 03458

**1-800-258-5473**



\*TRS-80 is a Registered Trademark of Tandy Corp.  
Computer picture reprinted permission Tandy Corp.  
APPLE is a registered trademark of Apple Computing Inc.





Listing continued.

```

219 RETURN
220 REM
221 REM NET SALES TO NET WORKING CAPITAL
222 HOME : PRINT R$(I)
223 GOSUB 92
224 VTAB 19: GOSUB 70
225 RETURN
226 REM
227 REM NET SALES TO FIXED ASSETS
228 REM
229 HOME : PRINT R$(I)
230 GOSUB 92
231 VTAB 19: GOSUB 74
232 RETURN
233 REM
234 REM DEBT-EQUITY RATIO
235 REM
236 HOME : PRINT R$(I)
237 PRINT : GOSUB 78
238 GOSUB 92
239 VTAB 19: GOSUB 82
240 RETURN
241 REM
242 REM FIXED ASSETS TO EQUITY
243 REM
244 HOME : PRINT R$(I)
245 GOSUB 92
246 VTAB 19: GOSUB 86
247 RETURN
248 POKE 33,40
249 DIM R$(15),N$(15),D$(15)
250 DIM RA(15)
251 FOR X = 1 TO 15
252 READ R$(X),N$(X),D$(X)
253 NEXT X
254 RETURN
255 DATA RETURN ON SALES, EARNINGS AFTER TAX, NET SALES
256 DATA RETURN ON INVESTMENT, EARNINGS AFTER TAX, TOTAL ASSETS
257 DATA RETURN ON EQUITY, EARNINGS AFTER TAX, STOCKHOLDERS EQUITY
258 DATA CURRENT RATIO, CURRENT ASSETS,CURRENT LIABILITIES
259 DATA QUICK RATIO,CASH+MKT SEC +ACCT REC +CUR.,LIABILITIES
260 DATA DAILY SALES, NET SALES FOR YEAR, DAYS IN YEAR
261 DATA AVERAGE COLLECTIONS,ACCOUNTS RECEIVABLE,DAILY SALES
262 DATA INVENTORY TURNOVER,COST OF GOODS SOLD, AVERAGE INVEN.
263 DATA DAYS SALES IN INVENTORY, DAYS IN YEAR, INVEN. TURNOVER
264 DATA NET SALES TO INVENTORY,NET SALES,INVENTORY
265 DATA NET SALES TO EQUITY,NET SALES,STOCK H. EQUITY
266 DATA NET SALES TO WK CAP,NET SALES,NET WORKING CAP.
267 DATA NET SALES TO FIXED ASSETS,NET SALES,FIXED ASSETS
268 DATA DEBT-EQUITY RATIO,CURRENT LIABILITY,EQUITY
269 DATA FIXED ASSETS TO EQUITY,FIXED ASSETS,EQUITY
270 RETURN
271 PR# 1: RETURN
286 END
287 REM -----
288 REM ---VARIABLES USED IN PROGRAM---
289 REM --A$---TRANSIENT VARIABLE
290 REM --DE---THE DENOMINATOR FOR RATIO
291 REM --DI$---CONTAINS CHR$(4) DISK
292 REM ---D$---TEXT FOR DENOMINATOR
293 REM --I---CONTAINS CURRENTSECTION #
294 REM --MN---NAME OF MONTH FOR RECORD
295 REM --NU---THE NUMERATOR FOR RATIO
296 REM --N$---TEXT FOR NUMERATOR
297 REM --RA---ARRAY CONTAINING RATIOS
298 REM --R$-----TITLES FOR RATIOS
299 REM --T-----TEMP VARIABLE
300 REM --X-----INDEX FOR LOOPS
301 REM --Y-----INDEX FOR LOOPS
302 REM --YE$-----YEAR FOR DISK FILE
303 REM COPYRIGHT COREY D. SCHOU 1981

```

made over a number of time periods, a simple trend may be observed. This will permit the analyst to see where the business has been and where it is headed.

### Profitability Ratios

Three commonly used measures of profitability are return on sales, return on investment (ROI) and return on equity (ROE). Return on sales is determined by dividing after tax profits by net sales, where net sales represents the dollar volume of sales less any returns, allowances and cash discounts:

$$\text{Return on Sales} = \frac{\text{Earnings After Tax (Net Income)}}{\text{Net Sales}}$$

This means that from each sales dollar the firm made a certain amount of cents profit. This obviously is a strategic ratio in determining the overall profitability of the firm.

The second profitability ratio, return on investment, relates after tax earnings to the company's total asset base:

$$\text{ROI} = \frac{\text{Earnings After Tax}}{\text{Total Assets}}$$

The final profitability ratio, return on equity, relates after tax earnings to stockholders' equity (capital). Stock-



holders' equity normally excludes the effect of any intangible assets (goodwill, trademark, etc.) and is determined by deducting total liabilities and intangible assets from total assets. The ratio is computed as follows:

$$\text{ROE} = \frac{\text{Earnings After Tax}}{\text{Stockholders Equity}}$$

How much should a businessman earn on his investment? There are no hard and fast answers to this question. A great deal depends on the nature of the business, the expectations and ambitions of the owners, and the number of investment alternatives available to them at any particular time. The authors recommend that no small-business investor should settle for a return of less than 10 percent before taxes. He would be better off to consider investing in blue-chip stocks or savings certificates, where he can earn at least 10 percent.

### Liquidity Ratios

The most commonly used measure of liquidity is the current ratio, which is designed to measure the relationship, or balance, between current

assets and current liabilities (mainly accounts payable, current rates payable and the currently due portion of any long-term debt). The ratio is computed as follows:

$$\text{Current Ratio} = \frac{\text{Current Assets}}{\text{Current Liabilities}}$$

Generally, it's advisable for a small business to maintain a current ratio of at least 2 to 1 for the sake of a sound cash flow and a healthy financial condition. This is not necessarily a must—particularly if a major part of the current assets are in cash and readily collectible receivables—otherwise, 2 for 1 or better is a pretty good idea. This provides current liabilities with a 100 percent margin of safety. Since the current ratio indicates a relationship between two figures, in order to improve it you must either increase the current assets or decrease the current liabilities. For example, the following transactions will improve a current ratio:

- Payment of debts
- Additions to current assets resulting from term loans or other borrowing with a maturity of more than one year
- Additional investment in current assets
- Tax refunds
- Conversion of noncurrent assets into current assets
- Profits

On the other hand, the current ratio may be adversely affected by:

- Short-term borrowing or similar obligations
- Purchase of goods, materials and supplies on account
- Withdrawal of investment in current assets as dividend payments
- Reduction of fixed investment as a result of withdrawals
- The accrual of expenses, federal taxes, etc., if such items are set up to show both the expense and the offsetting liability of liability reserve
- Conversion of current assets into noncurrent assets

A second commonly used ratio, which is related to the current ratio, is called the quick ratio. It's also called the acid test and is designed to measure the relationship between so-called quick assets (assets that can be quickly converted to cash) and current liabilities. It's computed as follows:

$$\text{Quick ratio} = \frac{\text{Cash} + \text{Marketable Securities} + \text{Accounts Receivable}}{\text{Current Liabilities}}$$

This test indicates the ability of the firm to meet its obligations if some type of catastrophe occurs. The quick assets consist of items which represent a relatively stable dollar value, such as cash, and accounts receivable. A 1 to 1 ratio is usually considered favorable because it indicates that current liabilities are not exceeding the firm's ability to meet them in the short run.

Two final liquidity ratios measure the speed with which accounts receivable and inventories are converted into more liquid forms of current assets. The accounts receivable turnover ratio, which may be expressed in terms of annual turnover rates on the number of days' sales outstanding as receivables (also called the average collection period), measure the speed with which receivables are turned into cash:

$$\text{Daily Sales} = \frac{\text{Net Sales for Year}}{365 \text{ Days a Year}}$$

$$\text{Average Collection Period} = \frac{\text{Accounts Receivable}}{\text{Daily Sales}}$$

If your trade terms are 30 days, receivables are outstanding, slow collections are indicated, and immediate action must be taken to speed up the collection of overdue accounts. Since the collection period does not pinpoint the condition of individual accounts, at this stage the manager should request that his accountant furnish him with an aging schedule of his accounts receivable. This can be done by dividing them under such headings as "Overdue from 1 to 30 days," "31 to 60 days," "61 to 90 days."

Although it is usually a good policy to get rid of chronically slow-paying accounts, it is not a good idea to cut off every overdue customer, as some of these customers provide volume. A too-rigid collection policy can mean a loss of business and a failure to cultivate future profitable outlets. In policing accounts receivable, a major factor to be considered is the markup realized from a particular account. It is obvious that a business which enjoys a high markup on its sales can afford to be much more lenient in its collections than one which does not.

The inventory turnover ratio, which may be expressed in terms of annual turnover rates or the number of days' sales tied up in inventories,

Circle 302 on Reader Service card.

## Software for NorthStar Users

### EXPENSE PROFILE

**\$29.95**

Now a program that really helps at income tax time. It summarizes expenses by categories and by person. Makes SEPARATE vs. JOINT TAX RETURN comparisons simple.

Promotes frequent review of spending habits. Guided by MENUS add new expenses, categories, and users anytime. Quickly search to any item to make changes. Store expenses on disk automatically.

### DYNAMIC BUDGET

**\$29.95**

Cope with rapidly changing economic conditions. Forecast effects of INFLATION on your family. CAL-NDAR built-in so recurring items like rent are entered only once.

Monthly listings of expenses, income, and balance. Change or add items anytime. Data automatically stored on disk.

### PATHFINDER DISASSEMBLER

**\$22.50**

Z80 or 8080 code. Pauses at each jump or call to allow you to follow program or continue straight ahead. Printer & video output.

### KID MATH

**\$17.50**

Math drill. Watch speed, accuracy and confidence grow.

### CP/M versions

available soon

First class postage paid in U.S. MD residents add 5% tax.

## The Software Connection

10703 Meadowhill Rd.  
Silver Spring, MD 20901

Dept KB



# H & E COMPUTRONICS INC.

•• EVERYTHING FOR YOUR TRS-80™ • ATARI™ • APPLE™ • PET™ • CP/M™ • XEROX™ • IBM™ ••

\* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. - \* ATARI is a trademark of Atari Inc. - \* APPLE is a trademark of Apple Corp. - \* PET is a trademark of Commodore  
\* CP/M is a trademark of Digital Research - \* XEROX is a trademark of Xerox Corp. - \* IBM is a trademark of IBM Corp.



## BUSINESS PAC 100

100 Ready-To-Run

Business Programs

★ All orders processed within 24-Hours  
★ 30-Day money back guarantee

(ON CASSETTE OR DISKETTE).....Includes 128 Page Users Manual.....

Inventory Control.....Payroll.....Bookkeeping System.....Stock Calculations.....

Checkbook Maintenance.....Accounts Receivable.....Accounts Payable.....

### BUSINESS 100 PROGRAM LIST

#### NAME

#### DESCRIPTION

1	RULE78	Interest Apportionment by Rule of the 78's
2	ANNU1	Annuity computation program
3	DATE	Time between dates
4	DAYYEAR	Day of year a particular date falls on
5	LEASEINT	Interest rate on lease
6	BREAKEYN	Breakeven analysis
7	DEPRSL	Straightline depreciation
8	DEPRSY	Sum of the digits depreciation
9	DEPRDB	Declining balance depreciation
10	DEPRDDB	Double declining balance depreciation
11	TAXDEP	Cash flow vs. depreciation tables
12	CHECK2	Prints NEBS checks along with daily register
13	CHECKBK1	Checkbook maintenance program
14	MORTGAGE/A	Mortgage amortization table
15	MULTMON	Computes time needed for money to double, triple, etc.
16	SALVAGE	Determines salvage value of an investment
17	RRVARIN	Rate of return on investment with variable inflows
18	RRCONST	Rate of return on investment with constant inflows
19	EFFECT	Effective interest rate of a loan
20	FVAL	Future value of an investment (compound interest)
21	PVAL	Present value of a future amount
22	LOANPAY	Amount of payment on a loan
23	REGWITH	Equal withdrawals from investment to leave 0 over
24	SIMPDISK	Simple discount analysis
25	DATEVAL	Equivalent & nonequivalent dated values for oblig.
26	ANNUDEP	Present value of deferred annuities
27	MARKUP	% Markup analysis for items
28	SINKFUND	Sinking fund amortization program
29	BONDVAL	Value of a bond
30	DEPLET	Depletion analysis
31	BLACKSH	Black Scholes options analysis
32	STOCVAL1	Expected return on stock via discounts dividends
33	WARVAL	Value of a warrant
34	BONDVAL2	Value of a bond
35	EPSEST	Estimate of future earnings per share for company
36	BETAALPH	Computes alpha and beta variables for stock
37	SHARPE1	Portfolio selection model i.e. what stocks to hold
38	OPTWRITE	Option writing computations
39	RTVAL	Value of a right
40	EXPVAL	Expected value analysis
41	BAYES	Bayesian decisions
42	VALPRINF	Value of perfect information
43	VALADINF	Value of additional information
44	UTILITY	Derives utility function
45	SIMPLEX	Linear programming solution by simplex method
46	TRANS	Transportation method for linear programming
47	EQOQ	Economic order quantity inventory model
48	QUEUE1	Single server queueing (waiting line) model
49	CVP	Cost-volume-profit analysis
50	CONDPROF	Conditional profit tables
51	OPTLOSS	Opportunity loss tables
52	EQOQOQ	Fixed quantity economic order quantity model
53	FQEOOWSH	As above but with shortages permitted
54	FQEOQPB	As above but with quantity price breaks
55	QUEUECB	Cost-benefit waiting line analysis
56	NCFANAL	Net cash-flow analysis for simple investment
57	PROFIND	Profitability index of a project
58	CAP1	Cap. Asset Pr. Model analysis of project

59	WACC	Weighted average cost of capital
60	COMBAL	True rate on loan with compensating bal. required
61	DISCBAL	True rate on discounted loan
62	MERGANAL	Merger analysis computations
63	FINRAT	Financial ratios for a firm
64	NPV	Net present value of project
65	PRINDLAS	Laspeyres price index
66	PRINDPA	Paasche price index
67	SEASIND	Constructs seasonal quantity indices for company
68	TIMETR	Time series analysis linear trend
69	TIMEMOV	Time series analysis moving average trend
70	FUPRINF	Future price estimation with inflation
71	MAILPAC	Mailing list system
72	LETWRT	Letter writing system-links with MAILPAC
73	SORT3	Sorts list of names
74	LABEL1	Shipping label maker
75	LABEL2	Name label maker
76	BUJBUD	DOE business bookkeeping system
77	TIMECLCK	Computes weeks total hours from timeclock info.
78	ACCTPAY	In memory accounts payable system-storage permitted
79	INVOICE	Generate invoice on screen and print on printer
80	INVENT2	In memory inventory control system
81	TELDIR	Computerized telephone directory
82	TIMUSAN	Time use analysis
83	ASSIGN	Use of assignment algorithm for optimal job assign.
84	ACCTREC	In memory accounts receivable system-storage ok
85	TERMSPAY	Compares 3 methods of repayment of loans
86	PAYNET	Computes gross pay required for given net
87	SELLPR	Computes selling price for given after tax amount
88	ARBCOMP	Arbitrage computations
89	DEPRSF	Sinking fund depreciation
90	UPSZONE	Finds UPS zones from zip code
91	ENVELOPE	Types envelope including return address
92	AUTOEXP	Automobile expense analysis
93	INSFILE	Insurance policy file
94	PAYROLL2	In memory payroll system
95	DILANAL	Dilution analysis
96	LOANAFD	Loan amount a borrower can afford
97	RENTPRCH	Purchase price for rental property
98	SALELEAS	Sale-leaseback analysis
99	RRCONVBD	Investor's rate of return on convertible bond
100	PORTVAL9	Stock market portfolio storage-valuation program

- ☐ TRS-80 Cassette Version \$99.95
- ☐ TRS-80 (Mod-I or III), Pet, Apple or Atari Versions \$99.95
- ☐ TRS-80 Mod-II, IBM, Osborne and 8" CP/M Versions \$149.95

ADD \$3.00 FOR SHIPPING IN UPS AREAS  
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS  
ADD \$5.00 TO CANADA AND MEXICO  
ADD PROPER POSTAGE OUTSIDE OF U.S., CANADA AND MEXICO

**COMPUTRONICS**  
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD  
SPRING VALLEY, NEW YORK 10977

ASK FOR OUR 64-PAGE CATALOG

NEW TOLL-FREE  
ORDER LINE  
(OUTSIDE OF N.Y. STATE)  
(800) 431-2818

AMERICAN  
EXPRESS

24 HOUR  
ORDER  
LINE

(914) 425-1535

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE  
DELIVERY SUBJECT TO AVAILABILITY



measures the speed with which inventories are turned into sales (and thus accounts receivable):

$$\text{Inventory Turnover} = \frac{\text{Cost of Goods Sold}}{\text{Average Inventory}}$$

$$\text{Days' Sales in Inventory} = \frac{365 \text{ Days}}{\text{Inventory Turnover}}$$

### Operating Efficiency Ratios

Operating efficiency ratios provide measures of the relationship between annual sales and investments in various classes of asset accounts. The first ratio presented is sales to inventory. It lets you compare one company's performance with another or with the industry.

$$\text{Net Sales to Inventory} = \frac{\text{Net Sales}}{\text{Inventory}}$$

A lower than average or declining ratio suggests the possibility of overbuying on an accumulation of unsalable goods. A high inventory-turnover ratio, although desirable, should not always be taken at face value, because it could be the result of inadequate inventory levels. Low, unprofitable prices can also increase inventory turnover without improving a firm's profitability.

Other ratios are:

$$\text{Net Sales to Equity} = \frac{\text{Net Sales}}{\text{Stockholder's Equity}}$$

This provides a guide as to how actively invested capital is being put to work by indicating its turnover during a period. It helps to measure the profitability of the investment.

New Sales to Net Working Capital =

$$\frac{\text{Net Sales}}{\text{Net Working Capital}}$$

A low ratio shows unprofitable use of working capital; a high one, vulnerability to creditors. The importance of maintaining an adequate amount of working capital in relation to the amount of annual sales being financed cannot be overemphasized.

$$\text{Net Sales to Fixed Assets} = \frac{\text{Net Sales}}{\text{Fixed Assets}}$$

This means that each dollar invested in the business produces blank amount of sales. If this figure is lower than the sales/fixed assets ratio of comparable enterprises, it is obvious that this company is not using its assets as efficiently as its competitors are using theirs.

### Capital Structure (Leverage) Ratios

In general, the term "leverage" refers to the extent to which a company employs debt capital to finance its operations. The more debt employed by a company, the more highly leveraged it is said to be. The first ratio to be examined is referred to as the debt-equity ratio:

$$\text{Debt-Equity Ratio} = \frac{\text{Current Liabilities}}{\text{Equity}}$$

As this figure approaches 100, the creditors' interest in the business assets approaches the owner's. How much debt should a businessman incur? There are no rigid rules to answer this question. Although a low percentage of debt means fewer headaches for management, it may also mean that management is neglecting opportunities to use more low-cost funds to enhance the return on the owner's equity.

$$\text{Fixed Assets to Equity} = \frac{\text{Fixed Assets}}{\text{Equity}}$$

The higher this ratio, the less the owner's capital is available for use as working capital, or to meet debts. If it exceeds 75 percent of worth, they may become unmanageable.

### Conclusion

Performing a ratio analysis is likely to repay the time and effort many times over. Many businesses have been able to place their operations on a sounder basis by examining the various ratios. Identification of problem areas can be made simpler by examining "standards" such as are provided by ratios. After making the appro-

priate comparisons, you should earmark those items from the financial statements which appear seriously out of line with the "trade average" or the "rule of thumb" measure.

The first reaction may be to take some drastic step to correct the situation. But, more fitting would be a careful reflection as to the possible cause of why the item is seriously out of line with the "standards." Remember, the typical ratios may not represent par. The industry ratios represent an average; they represent the performance of the least-efficient and the most-efficient business. Therefore, the objective of the small-businessperson should be to adjust operations so that they are at least as good as, but preferably better than, the typical operating ratios. ■

### References

Droms, William. *Finance and Accounting for Nonfinancial Managers*, Addison-Wesley Publishing Company, Reading, MA. 1979.

*Expenses in Retail Businesses*. Published periodically. The National Cash Register Co. Marketing Services Department, Dayton, OH 45409.

*Key Business Ratios in 125 Lines*. Annual, Dun & Bradstreet, Inc. Business Information Systems, 99 Church Street, NY 10007.

Kreps, Clifton and Edward F. Gee. *Analyzing Financial Statements*, American Institute of Banking and The American Bankers Association, 1973 printing.

Sanzo, Richard. *Ratio Analysis for Small Business*, Small Business Management Series No. 20, Small Business Administration, Washington, DC.

*Statement Studies*, Annual. The Robert Morris Associates, Research Department, Philadelphia Bank Building, Philadelphia, PA 19107.

Troy, Leo. *Almanac of Business and Financial Ratios*. Annual, Prentice-Hall, Inc., Englewood Cliffs, NJ 07632.

Zwick, Jack. *A Handbook of Small Business Finance*. Small Business Management Series No. 15, Small Business Administration, Washington, DC.

Circle 70 on Reader Service card.

**REAL-WORLD**  
**AD-3 APPLE® INTERFACE CARD**



- A/D Conversions—3 DC, 1 AC port!
- D/A Conversions—Direct or Filtered!
- 16 User-Defineable I/O Ports!
- 2 Multi-Mode Timers—Interrupt Capability!

**INCLUDES:** Board, Manual, Ribbon Cables, & Demo Diskette. Included diskette requires DOS 3.3, 48K, Applesoft firmware. A knowledge of machine language will enhance your use of this product.

**INTRO PRICE: \$99** Add \$4 for Postage and Handling. Ohio residents add 6% Sales Tax. Apple and Applesoft are registered trademarks of Apple Computer.



3148 Dorf Drive • Dayton, Ohio 45418



# NEC's new letter-quality printer gets personal with IBM.

## The Spinwriter™ 3550 lets the IBM PC get down to business.

NEC's new Spinwriter letter-quality printer is the *only* one plug-compatible with the IBM Personal Computer. So you get the business applications you've been wishing for. Letter-quality output for word and data processing. Multi-language, scientific, and technical printing. Simple forms handling. Quiet operation. And the reliability of the industry's most popular printer line.

NEC designed the new Spinwriter especially for the IBM PC. It comes complete with documentation and training materials to fit your PC user's handbook. Just plug the Spinwriter in and your PC instantly becomes more versatile and flexible.

## More than 8 forms handlers and 50 print thimbles boost PC versatility.

NEC designed the Spinwriter's 8 modular forms handlers to accommodate a wide range of paper and document sizes and types. The easily mounted handlers let your computer print out the forms you

need for data processing, word processing, graphics, accounting or other business applications.

The Spinwriter's 50 print thimbles can more than triple your PC's usefulness. They come in both constant pitch and proportional-spaced fonts, plus in foreign language, technical and scientific versions. They snap in and out in seconds, and let you print up to 203 columns on 16-inch paper. They each last for more than 30 million impressions.

## This printer's special features make everything look better on paper.

The Spinwriter's software-invoked features include automatic proportional spacing; bidirectional, bold and shadow printing; justification; centering; underlining; and sub/super scripting, all at speeds up to 350 words per minute.

## That big extra, Spinwriter reliability.

Spinwriters have the industry's best mean-time-between-failure rating, in excess of 3,000 hours. In terms of average personal computer usage, that's more than five years.

The Spinwriter 3550 is available at **ComputerLand** stores, **Sears Business Systems Centers** and **IBM Product Centers** nationwide.

NEC Information Systems, Inc. MG1082		
5 Militia Drive, Lexington, MA 02173		
Send me more information on the Spinwriter 3550.		
Name _____		
Title _____	Telephone _____	
Company _____		
Address _____		
City _____	State _____	Zip _____

**NEC****NEC Information Systems, Inc.**

Spinwriter is a trademark of Nippon Electric Co., Ltd.  
Nippon Electric Co. Ltd., Tokyo, Japan

We're Made

for Each Other.





# The Enhanced 80

*Build the LNW-80, and the vast library of TRS-80 software will become accessible to you.*

By William G. Eisinger

For some time I've been enviously eyeing the vast quantities of TRS-80 software. Everything from Space Invaders to Videotex is available, and at very affordable prices. I found that my 8080-based homebrew S-100 machine did not satisfy my needs. So I decided to buy either a TRS-80 or a similar machine such as the PMC-80, capable of running TRS-80 programs.

Enter the LNW-80.

LNW Research Corporation has been marketing a bare expansion board for the TRS-80 for some time. They've continued the same bare-board philosophy with the LNW-80 computer (the LNW-80 is also available assembled and tested).

The LNW-80 seemed to be TRS-80 hardware- and software-compatible, portable and easy to use (a plus with my wife—a school teacher who intends to use the LNW-80 in her classroom). And it was less expensive than buying a TRS-80 Model III.

In addition to the standard TRS-80 features, the LNW-80 lists as standard the following:

- Selectable 4 MHz/1.77 MHz Z-80A speed
- 500/1000 bits-per-second cassette interface
- 24 by 80 video display capability if desired
- Upper- and lowercase
- Reverse video
- 63-key keyboard with numeric pad
- High-resolution b/w graphics 480 by 192
- High-resolution color graphics (NTSC) 128 by 192 in eight colors
- High-resolution color graphics (RGB) 384 by 192 in eight colors


I ordered the bareboard from LNW for \$89.95. It soon arrived, appearing to be an excellent quality 10 by 16 inch, double-sided, solder-masked and silk-screened, glass epoxy board.

The LNW-80 is no project for beginning kit builders. I consider myself a fairly accomplished tinkerer with more than a few years of constructing amateur radio gear and computer hardware, but this was one of the more difficult projects I've undertaken.

The complexity of the project lies primarily with the number of parts involved. More than 120 ICs, 140 capacitors and 130 resistors are crammed onto the board, along with miscellaneous diodes, transistors and power supply components.

The manual, which was a preliminary version, left much to be desired. The first three pages consisted of errata sheets that required some study. The remainder of the manual contained parts lists, general assembly instructions, technical data and a description of the high-density graphics format and software requirements.

The manual recommends that the



*Interior view with all components in place.*

Address correspondence to William G. Eisinger, 11510 Alejandro, Boise, ID 83709.



user buy both the *TRS-80 Microcomputer Technical Reference Handbook* and the *Level II Basic Reference Manual*. I heartily agree with that recommendation: no description of Level II Basic, and very little description of electrical circuits, was supplied in the manual.


Once I had the circuit board in hand, I had to acquire the components. LNW supplies a keyboard kit for \$84.95, which I also ordered. The keyboard is mounted on a single-sided PC board with a rather large amount of jumpers. Since the TRS-80 uses a matrix scan type of keyboard with software decoding, very few components are required aside from the keys. This results in a very simple assembly and interface with the main circuit board.

I bought most of the remaining components from various mail-order suppliers. A few of the hard-to-find parts were supplied by LNW at competitive prices. When buying the components, you can save significantly by shopping around for the best bargains. Since I built my LNW-80 at least one supplier has begun offering a complete kit of parts at a reasonable cost.

The majority of components used are standard TTL-type integrated circuits. There are 16K bytes of main memory and another 16K of graphics memory using 4116-type dynamic memory chips.

The Level II Basic read-only memory (ROM) chips can be bought either from Radio Shack or LNW for \$120. The ROMs supplied by Radio Shack are either a two- or three-chip set, depending on the type, and those supplied by LNW are a six-chip set, programmed onto standard 2716 erasable-programmable ROM chips. Using jumpers, the board can be configured for any of the ROM types available.

Since there are virtually no assembly instructions other than the errata and instructions for configuring the board for various ROM types, ease of assembly is going to vary directly with the experience of the builder. Parts placement and density is similar to that of many other kits and bareboards currently on the market. There were no surprises or unexpected hitches during construction, with the exception of insufficient quantities of certain parts. The manual contained two separate lists of components, one listing parts by component type and quantity, and the other by device number and com-




Completed and ready to go. An assembled version is also available from LNW (2620 Walnut, Tustin, CA 92680).

ponent type. Unfortunately, the two lists did not entirely agree with each other, which led to a little confusion during assembly. I again warn the inexperienced builder to avoid this project if he is not prepared for little pitfalls such as this.

Upon completion, the board had the usual complement of reversed ICs and so on. But upon correction it sprang to life at the first power-up with the familiar TRS-80 initialization sequence on the screen.

The LNW-80 performs superbly with all features as advertised. All software has loaded and run without a hitch. The high-density graphics and color features open up a whole realm of possible applications for both game playing and business and scientific applications.

With the LNW-80, the power of the TRS-80 is available to those who enjoy "rolling their own." The price and performance of the LNW-80 make it an excellent bargain. ■



LNW-80 board. Z-80A is on lower left, power supply upper left, Level II ROMs in center (with stickers), 16K RAM to the right of the ROMs, color video section on the upper right.



# Lighten Your Search

*Here's a useful, easy-to-use information storage and retrieval system for the Apple II.*

By Paul Hyman

**H**ere's a program for the Apple II, written in Applesoft Basic, that can be used to store and retrieve records containing text data using a DOS random access disk file. It lets you specify data items to be kept in a database, add records to the database, update existing records, delete records and find records by searching for items containing specified character strings. Although it may not have all of the features of similar commercially available programs, it should prove sufficient for many personal and small-business applications.

## Program Operation

The program begins by asking if a new database is to be created or an old one used. Databases can be created at any time, as long as you give them names different from existing ones. The program will ask for the name of the database and then for the name and length of each field.

As an example, to create a file containing people's names and telephone numbers, fields called LAST NAME, FIRST NAME and TELEPHONE, with lengths of 30, 30 and 13 respectively, might be used. Note that the lengths can be anything up to 255, but they should be as small as possible, since making them bigger than necessary will waste space in the disk file. When all the desired fields have been entered, answer the FIELD NAME prompt with just a carriage return. The program will then create two disk files, one called DEFINITIONS/database name, and the other with just the name of the database. The definitions file contains information on the record size of the data file and the item names and lengths, while the other file will contain the actual data.

Once you've created a database, the

program will return to the first menu. Now, the response to access an existing database can be selected, and the name of the one which was just created given. Then the main menu will be displayed, offering several options. There will be no data in the file at this point, so the first thing to do is select the ADD RECORD option. The program will then prompt for each of the fields that were defined. After you've entered all of the fields, the record will be written to the file, and the program

will return to the main menu.

The other items on the menu are QUIT, SEARCH FOR RECORD and LIST ENTIRE DATA BASE. Once started, the list and search options work the same. Each record that exists (for the list option) or matches the search string (for the search option) is displayed on the screen, and the program waits for input with a prompt

*Address correspondence to Paul M. Hyman, 811 Azalea Ave., Placentia, CA 92670.*

## Program listing. Information storage and retrieval program for the Apple II.

```
10 REM *****
20 REM *
30 REM * INFORMATION STORAGE AND *
40 REM * RETRIEVAL SYSTEM FOR THE *
50 REM * APPLE II. *
60 REM * P.M. HYMAN *
100 DIM A$(20)
200 DIM A$(20)
300 DIM B$(20)
400 FO = 0
500 B = 0
600 D$ = CHR$(4)
700 HOME
800 PRINT " INFORMATION STORAGE AND RETRIEVAL"
900 HTAB 15: PRINT "SYSTEM"
1000 VTAB 5
1100 PRINT "ENTER OPTION:"
1200 PRINT "1) CREATE NEW DATABASE"
1300 PRINT "2) ACCESS/UPDATE EXISTING DATABASE"
1400 INPUT OP
1500 ON OP GOTO 13200,1700
1600 GOTO 1100
1700 INPUT "DATABASE NAME - ";F$
1800 F$ = "DEFINITIONS/" + F$
1900 PRINT D$;"READ";F$
2000 INPUT N$
2100 INPUT I
2200 B = 10
2300 FOR J = 1 TO I
2400 INPUT A$(J - 1): INPUT A$(J - 1)
2500 B = B + A$(J - 1)
2600 NEXT
2700 PRINT
2800 PRINT D$;"CLOSE ";F$
2900 PRINT D$
3000 IF FO = 0 THEN GOSUB 31010
3100 HOME
3120 PRINT "ENTER OPTION:"
3200 PRINT "1) ADD RECORD"
3300 PRINT "2) SEARCH FOR RECORD"
3400 PRINT "3) LIST ENTIRE DATA BASE"
3500 PRINT "4) QUIT"
3600 INPUT OP
```

More →



line at the bottom of the screen. If a carriage return is entered in response to the prompt, the next record (if listing the entire database), or the next record meeting the search string (if searching) will be displayed. Entering an S will cause the program to stop the search and return to the main menu, a D will delete the record and a C will allow the record to be changed.

The program is easy to use, with prompts whenever input is required, and menus listing available options. Only one option is not listed in a prompt; when entering a string in the search-for-record option, if you enter an asterisk (\*) as the first character, any record containing that string in the specified data item will be considered a match. Otherwise, the specified data item must be identical to the specified string.

For example, when searching for a last name of Smith in the telephone number file described earlier, asking for \*SMITH would also show records containing SMITHY, SMITHERS, etc. In this case, use of the \* option would not be appropriate. However, if searching for all persons whose area code was 213, searching for \*(213) would do the trick.

The program keeps the records in the data file as a linked list, with each record that contains data having the record number of the next record (a forward pointer), and the record number of the previous record (a backward pointer). Although this makes the program a little more complicated than maintaining a simple sequential file, it lets you add and delete records without the time-consuming searches and data moves that would otherwise be necessary.

The first three records in the file contain no data, but are used for special purposes. The first record (record 0) contains the highest record number currently written to the file. This is used when a record is to be added but no deleted records are available for re-use, so that a record can be added to the end of the file without having to read the whole file to find where the end is. Record 1 contains the number of the first available record (one that has been deleted and is available for re-use), and record 2 contains the number of the first in-use record.

I won't go into the mechanics of adding and deleting records from a linked list here, since you don't need to know this to use the program and since explanations can be found in many books. ■

# *Listing continued.*

```

3700 X = FRE (0)
3800 IF OP = 4 THEN GOTO 13000
3900 LE = 0
4000 ON OP GOTO 16800,4300,4200
4100 GOTO 3100
4200 LE = 1: GOTO 5100
4300 PRINT : PRINT "SEARCH ON WHICH FIELD?"
4400 FOR J = 1 TO I
4500 PRINT J;";" ";A$(J - 1)
4600 NEXT
4700 INPUT S
4800 IF S < 1 OR S > I THEN PRINT "NUMBER OUT OF RANGE": GOTO 4300
4900 SS$ = A$(S - 1)
5000 INPUT "SEARCH FOR? ";SF$
5100 RN = 2:BN = 0: GOSUB 30000
5200 INPUT K
5300 IF K = 0 GOTO 12700
5400 BO = 10
5500 HOME
5600 FOR J = 1 TO I
5700 PRINT
5800 PRINT D$,"READ ";N$;"R";K;"B";BO
5900 INPUT B$(J - 1)
6000 B$(J - 1) = LEFT$ (B$(J - 1),A$(J - 1))
6100 BO = BO + A$(J - 1)
6200 PRINT D$
6300 NEXT
6400 IF LE = 1 THEN 7600
6410 REM SEE IF STRING STARTS WITH A *
6500 IF LEFT$ (SF$,1) < > "*" GOTO 7400
6510 REM YES, SEE IF STRING IS IN THE FIELD
6600 LN = LEN (SF$) - 1
6700 SN$ = RIGHT$ (SF$,LN)
6800 LB = LEN (B$(S - 1))
6900 M = 1
7000 IF MID$ (B$(S - 1),M,LN) = SN$ GOTO 7600
7100 M = M + 1
7200 IF M < LB GOTO 7000: REM LOOP TO TEST ALL BYTES
7300 GOTO 12400
7400 IF SF$ = B$(S - 1) THEN 7600
7500 GOTO 12400
7600 HOME
7700 FOR J = 1 TO I
7800 HTAB 1
7900 INVERSE : PRINT A$(J - 1);: NORMAL
8000 PRINT " - ";B$(J - 1): PRINT
8100 NEXT
8200 VTAB 23
8300 PRINT "ENTER C (CHANGE), D (DELETE)
8400 PRINT "S (STOP SEARCH) OR RETURN";
8500 GET Q$
8600 PRINT Q$
8700 HOME
8800 IF Q$ < > "C" THEN 10400
8900 PRINT : PRINT "CHANGE WHICH FIELD?"
9000 FOR J = 1 TO I
9100 PRINT J;";" ";A$(J - 1)
9200 NEXT
9300 INPUT S
9400 PRINT "ENTER ";A$(S - 1);
9500 INPUT " ";B$(S - 1)
9600 BO = 10
9700 FOR J = 1 TO I
9800 RN = K:BN = BO: GOSUB 31000
9900 PRINT B$(J - 1)
10000 BO = BO + A$(J - 1)
10100 NEXT
10200 PRINT D$
10300 GOTO 5400
10400 IF Q$ = "S" THEN 2900
10500 IF Q$ < > "D" THEN 12400
10600 RN = K:BN = 0: GOSUB 30000
10700 INPUT FL: REM GET FWD LINK
10800 BN = 5: GOSUB 30000
10900 INPUT BL: REM GET BWD LINK
11000 IF BL = 0 THEN BL = 2: REM USE LIST HEADIF FIRST REC
11100 RN = BL:BN = 0: GOSUB 31000
11200 PRINT FL: REM COPY FL TO PREV
11300 IF FL = 0 GOTO 11600
11400 RN = FL:BN = 5: GOSUB 31000
11500 PRINT BL: REM COPY BL TO NEXT
11600 RN = 1:BN = 0: GOSUB 30000
11700 INPUT FL: REM AVAIL LIST PTR
11800 GOSUB 31000
11900 PRINT K: REM LINK IN REC
12000 RN = K:BN = 0: GOSUB 31000
12100 PRINT FL: REM PT TO NXT AVAIL
12200 PRINT D$: PRINT "DELETED"
12300 GOTO 2900
12400 RN = K:BN = 0: GOSUB 30000
12500 INPUT K: IF K = 0 GOTO 12700
12600 GOTO 5400
12700 HOME : HTAB 10: PRINT "END OF DATA"
12800 FOR M = 1 TO 1500: NEXT
12900 GOTO 2900

```

More →



## FOR TRS-80 MODEL I OR III IBM PERSONAL COMPUTER

- ★ **MORE SPEED**  
10-20 times faster than interpreted BASIC.
- ★ **MORE ROOM**  
Very compact compiled code plus VIRTUAL MEMORY makes your RAM act larger. Variable number of block buffers. 31-char.-unique wordnames use only 4 bytes in header!
- ★ **MORE INSTRUCTIONS**  
Add YOUR commands to its 79-STANDARD-plus instruction set!  
Far more complete than most Forths: single & double precision, arrays, string-handling, clock, graphics (IBM low-res. gives 8W and 16 color or 200 tint color display).
- ★ **MORE EASE**  
Excellent full-screen Editor, structured & modular programming  
Word search utility  
THE NOTEPAD letter writer  
Optimized for your TRS-80 or IBM with keyboard repeats, upper/lower case display driver, full ASCII.
- ★ **MORE POWER**  
Forth operating system  
Concurrent Interpreter AND Compiler  
VIRTUAL I/O for video and printer, disk and tape (10-Megabyte hard disk available)  
Full 8080 or 8088 Assembler aboard  
(Z80 Assembler also available for TRS-80)  
Intermix 35- to 80-track disk drives  
IBM can read, write and run M.3 Disks  
M.3 can read, write and run M.1 disks

# mmsFORTH

### THE PROFESSIONAL FORTH SYSTEM FOR TRS-80 & IBM PC

(Thousands of systems in use)

MMSFORTH Disk System (requires 1 disk drive, 32K RAM)  
V2.0 For Radio Shack TRS-80 Model I or III ..... \$129.95\*  
V2.1 For IBM Personal Computer (80-col. screen) ..... \$249.95\*

#### AND MMS GIVES IT PROFESSIONAL SUPPORT

Source code provided  
MMSFORTH Newsletter  
Many demo programs aboard  
MMSFORTH User Groups  
Inexpensive upgrades to latest version  
Programming staff can provide advice, modifications and custom programs, to fit YOUR needs.

MMSFORTH UTILITIES DISKETTE: includes FLOATING POINT MATH (BASIC ROM routines plus Complex numbers, Rectangular-Polar coordinate conversions, Degrees mode, more); a powerful CROSS-REFERENCER to list Forth words by block and line; plus (TRS-80) a full Forth-style Z80 assembler requires MMSFORTH V2.0, 1 drive & 32K RAM) ..... \$39.95\*

FORTHCOM: communications package provides RS-232 driver, dumb terminal mode, transfer of FORTH blocks, and host mode to operate a remote FORTHCOM systems (requires MMSFORTH V2.0, 1 drive & 32K RAM) ..... \$39.95\*

THE DATAHANDLER: a very fast database management system operable by non-programmers (requires MMSFORTH V2.0, 1 drive & 32K RAM) ..... \$59.95\*

FORTHWRITE: fast, powerful Word Processor w/leasy keystrokes, Help screens, manual & demo files. Full proportional widths, outdenting. Include other blocks, documents & keyboard inputs—ideal for form letters (requires MMSFORTH V2.0, 2 drives & 48K RAM) ..... \$175.00\*

MMSFORTH GAMES DISKETTE: real-time graphics & board games w/source code. Includes BREAKFORTH, CRASH-FORTH, CRYPTOQUOTE, FREEWAY (TRS-80), OHELLO & TICTACFORTH (requires MMSFORTH V2.0, 1 drive & 32K RAM) ..... \$39.95\*

#### Other MMSFORTH products under development

#### FORTH BOOKS AVAILABLE

MMSFORTH USERS MANUAL - w/o Appendices ..... \$17.50\*  
STARTING FORTH - best! ..... \$15.95\*  
THREADED INTERPRETIVE LANGUAGES - advanced, analysis of FORTH Internals ..... \$18.95\*  
PROGRAM DESIGN & CONSTRUCTION - intro. to structured programming, good for Forth ..... \$18.00\*  
FORTH-79 STANDARD MANUAL - official reference to 79-STANDARD word set, etc. .... \$13.95\*  
FORTH SPECIAL ISSUE, BYTE Magazine (Aug. 1980) - A collector's item for Forth users and beginners ..... \$4.00\*

ORDERING INFORMATION: Software prices include manuals and require signing of a single computer license for one-person support. Describe your Hardware. Add \$2.00 S/H plus \$3.00 per MMSFORTH and \$1.00 per additional book; Mass. orders add 5% tax. Foreign orders add 20%. UPS COD, VISA and M/C accepted; no unpaid purchase orders or refunds.

Send SASE for free MMSFORTH information.  
Good dealers sought.

Get MMSFORTH products from your  
computer dealer or

**MILLER MICROCOMPUTER  
SERVICES (K10)**

61 Lake Shore Road, Natick, MA 01760  
(617) 653-6136

#### Listing continued.

```

13000 IF FO = 1 THEN GOSUB 31020
13100 END
13110 REM ** CREATE NEW DATABASE**
13200 HOME
13300 B = 10: REM BYTE COUNT STARTS AT 10 (2 LINK FIELDS)
13400 INPUT "DATABASE NAME -- ";C$
13500 F$ = "DEFINITIONS/" + C$
13600 FOR I = 1 TO 20 STEP 1
13700 INPUT "FIELD NAME -- ";A$(I)
13800 IF A$(I) = "" GOTO 14400
13900 INPUT "NUMBER OF CHARACTERS -- ";AZ(I)
14000 IF AZ(I) <= 0 GOTO 13900
14100 B = B + AZ(I)
14200 IL = I
14300 NEXT I
14400 PRINT D$;"OPEN";F$
14500 PRINT D$;"WRITE";F$
14600 PRINT C$
14700 PRINT IL
14800 FOR J = 1 TO IL
14900 PRINT A$(J): PRINT AZ(J)
15000 NEXT
15100 PRINT D$;"CLOSE";F$
15200 HOME
15300 PRINT " FIELD DEFINITIONS SAVED"
15400 PRINT "NUMBER OF FIELDS= ";IL
15500 N$ = C$
15600 PRINT D$;"OPEN ";N$;".L";B
15700 RN = 0:BN = 0: GOSUB 31000
15800 PRINT 2: REM WRITE HBW
15900 RN = 1: GOSUB 31000
16000 PRINT 0: REM WRITE AVAIL LIST HEAD
16100 RN = 2: GOSUB 31000
16200 PRINT 0: REM WRITE DATA LIST HEAD
16300 BN = 5: GOSUB 31000
16400 PRINT 0
16500 PRINT D$
16600 GOTO 1100
16700 REM FIND AVAILABLE REC
16800 RN = 1:BN = 0: GOSUB 30000
16900 INPUT AV
17000 IF AV = 0 THEN 18300
17100 PRINT D$
17200 RN = AV
17300 GOSUB 19900
17400 RN = 2:BN = 0: GOSUB 30000: INPUT FP
17500 GOSUB 31000: PRINT AV
17600 RN = AV: GOSUB 30000: INPUT FL
17700 RN = 1: GOSUB 31000: PRINT FL
17800 RN = AV: GOSUB 31000: PRINT FP
17900 BN = 5: GOSUB 31000: PRINT 0
18000 IF FP = 0 GOTO 2900
18100 RN = FP:BN = 5: GOSUB 31000: PRINT AV
18200 GOTO 2900
18300 RN = 0: GOSUB 30000
18400 INPUT HB
18500 HB = HB + 1:RN = HB
18600 PRINT D$
18700 GOSUB 19900
18800 RN = 2:BN = 0: GOSUB 30000: INPUT FP
18900 GOSUB 31000: PRINT HB
19000 RN = HB: GOSUB 31000: PRINT FP
19100 BN = 5: GOSUB 31000: PRINT 0
19200 IF FP = 0 GOTO 19400
19300 RN = FP:BN = 5: GOSUB 31000: PRINT HB
19400 RN = 0:BN = 0: GOSUB 31000
19500 PRINT HB
19600 PRINT D$
19700 GOSUB 31020
19800 GOTO 2900
19900 BO = 10
20000 HOME
20100 FOR J = 1 TO I
20200 HTAB 1
20300 PRINT "ENTER ";A$(J - 1);" -- "
20400 INPUT B$(J - 1)
20500 BN = BO
20600 GOSUB 31000
20700 PRINT B$(J - 1)
20800 BO = BO + A$(J - 1)
20900 PRINT D$
21000 NEXT
21100 RETURN
29900 REM SUBROUTINES TO READ AND WRITE A GIVEN
29910 REM RECORD NO. (RN) AT A FIELD STARTING AT BYTE BN
30000 PRINT D$;"READ ";N$;".R";RN;"B";BN: RETURN
31000 PRINT D$;"WRITE ";N$;".R";RN;"B";BN: RETURN
31005 REM OPEN AND CLOSE ROUTINES
31010 PRINT D$;"OPEN ";N$;".L";B:FO = 1: RETURN
31020 PRINT D$;"CLOSE ";N$;FO = 0: RETURN

```



# We Have It!.. At the best prices.

**Call For Super Value  
On S-100 System With  
Dbl. Dens. 8" Drives!**

## INTERTEC SUPERBRAIN II Free! MicroSoft Basic 80

Self-contained computer with dual disks and two RS232C ports. Complete with CP/M 2.2.  
**64K Double Density.....\$2099**  
**64K Quad Density.....\$2495**  
**64K Super Density.....\$2949**  
**10 Meg. DDS Hard Disk.....\$2995**

## VIDEO TERMINALS

SOROC IQ 130.....	595
SOROC IQ 135.....	749
SOROC IQ 135G.....	799
SOROC IQ 140.....	1149
HAZELTINE ESPRIT.....	CALL
ESPRIT-II.....	CALL
1420.....	CALL
1500.....	CALL
1510.....	CALL
1520.....	CALL
TELEVIDEO 910C.....	CALL
912C.....	CALL
920C.....	CALL
925C.....	CALL
950C.....	CALL
TEXAS INST. 940 BASIC.....	1599
940 Package.....	2079
745 Portable Terminal.....	1399
745 Portable Terminal w/U/L/Case.....	1495
INTERTEC INTERTUBE III.....	749
ZENITH Z-19.....	729

## PRINTERS

ANADIX DP-9500.....	\$1349
DP-9501.....	1349
PAPER TIGER IDS 445G.....	<b>Special! 599</b>
PRISM PRINTER IDS-80, w/o color.....	Call
IDS-80, w/color.....	Call
IDS-132, w/color.....	1695
NEC 3510, RO RS232C 35 CPS.....	1945
NEC 3530, RO, Centr. Inter. 35CPS.....	1945
NEC 7710, RO RS232C 55 CPS.....	2395
NEC 7720, KSR, RS232C 55CPS.....	2999
NEC 7730, RO, Centr. Inter. 55 CPS.....	2395
QUME Sprint 9/45.....	
Ltd or Full, 45 CPS, RS232C... <b>NEW LOW!</b>	
C. ITOH Pro Writer, Parallel.....	549
Serial and Parallel.....	689
DIABLO 630 RO RS232C, 55CPS.....	2299
CENTRONICS 730-1, Parallel.....	399
730-3, RS232C.....	489
737-3, RS232C.....	389
739-1 w/ Graphics, Parallel.....	525
739-3B w/ Graphics, RS232C.....	639
704-11, Parallel.....	1695
704-9, RS232C.....	1595
122G, Parallel, 120 CPS.....	949
EPSON.....	
MX80.....	489
MX80FT.....	589
MX100FT.....	789
RS232 Serial Interface.....	65
RS232/2K Buffer Interface.....	125
Graftrax II.....	90
Apple Printer Interface.....	75
TIB10 Basic, RS232C.....	1349
810 Basic, RS232C & Parallel.....	1395
810 w/ full ASCII, vertical forms control compressed print.....	1599
820 RO, Basic.....	1645
820 KSR, Basic.....	1839

All prices, F.O.B. shipping point, subject to change. All offers subject to withdrawal without notice. Advertised prices reflect a 2% cash discount (order prepaid prior to shipment). C.O.D.'s and credits cards are 2% higher.

OKIDATA Microline 80.....	359
Tractor-feed option.....	50
Microline 82A.....	479
Microline 83A.....	759
Microline 84 PARALLEL.....	1149
Microline 84 SERIAL.....	1249

## MONITORS

ZENITH-ZYM-121, 12" Green Phos.....	\$125
AMDEK 100, 12".....	<b>NEW LOW, 99</b>
100G, 12" Green Phosphor.....	149
300, 12" Green Phos., Hi. Res.....	199
Color, 13".....	359
Color II, 13", R.G.B. Hi Res.....	799
Apple adapt. for R.G.B.....	159
BMC, 12", Green Phosphor.....	169

## NORTH STAR Call For Prices

## FLOPPY DISK SYSTEMS

MORROW DESIGNS.....	
Discus 2D, single drive DD.....	\$898*
Dual Discus 2D, dual drive DD.....	1549*
Discus 2+2, double sided DD.....	1239*
Dual Discus 2+2.....	2139
*Includes CP/M 2+2 and Microsoft Basic	

## HARD DISK SUBSYSTEMS

MORROW DESIGNS.....	
Discus M-5 5 Meg.....	\$1849*
Discus M-10 10 Meg.....	3095*
Discus M-20 20 Meg.....	4069*
Discus M-26, 26 Meg.....	3795*
CORVUS 5 Meg.....	3185
10 Meg.....	4545
20 Meg.....	5499
KONAN David 5 Meg.....	2499
10 Meg.....	3049
15 Meg.....	3295
INTERTEC 10 Meg.....	<b>SPECIAL \$2995</b>
*S-100 only w/CP/M 2+2 & Microsoft Basic	

## FLOPPY DISK CONTROLLER BOARDS

CROMEMCO 16FDC DD.....	\$499
NORTH STAR DD.....	479
MORROW Disk Jockey 2D, A&T.....	329

CONDUCTOR DD, A&T.....	269
INTERSYSTEMS, FDC-2, A&T.....	439
TARBELL DD, A&T.....	445
SYSTEMS GROUP DD DMA.....	439

## ESCON CONVERSION FOR IBM SELECTRIC

Complete with microprocessor controller and power supply. Factory built. User installs solenoid assembly or it can be done at ESCON Factory.  
 RS232 Serial & Parallel..... **\$534**  
 Cable for above..... 25

## PROM PROGRAMMERS

SSM PB1 Kit.....	\$152
SSM PB1, A&T.....	225

## MODEMS

NOVATION CAT Acoustic Modem.....	\$149
D-CAT Direct Connect.....	155
AUTO-CAT Auto Ans.....	219
APPLE CAT.....	329
UDS 103 LP Direct Connect.....	175
103 JLP Auto Answer.....	219
DC HAYES MICROMODEM II (Apple).....	299
MODEM 100 (S 100).....	339
Smart Modem (RS 232).....	239
Potomac Micro Magic (S 100).....	339

## CALIFORNIA COMPUTER SYSTEMS

Z80 CPU Board.....	\$269
Disk Controller 2422, w/CP/M.....	359
16K Static, A&T.....	259
32K Static, A&T.....	399
64K Dynamic RAM.....	335
System 2210 w/64K, CP/M 2.2.....	1745

## CPU BOARDS

(assembled unless noted)

NORTHSTAR Z-80A (ZPB-A/A).....	\$269
INTERSYSTEMS (MPU-80).....	349
SSM CB1 8080, A&T.....	214
CB2, Z-80, A&T.....	289
CB2, Z-80, Kit.....	219
DELTA Z-80 with I/O.....	289
SD SYSTEMS, SBC-100, A&T.....	349
SBC-200, A&T.....	399
SYSTEMS GROUP Z-80 with I/O.....	419

## MEMORY BOARDS

NORTHSTAR 16K RAM.....	\$299
HRAM 64K.....	589
HRAM 32K.....	419
CROMEMCO 16KZ.....	419
CROMEMCO 64KZ.....	595

MEMORY MERCHANT.....	
16K Static, 4MHz.....	159
64K Static, 4MHz.....	549

SYSTEMS GROUP.....	
(Measurement Systems & Controls).....	
DM4800 48K Board.....	499
DM6400 64K Board.....	529
DMB6400 64K Board.....	595
INTERSYSTEMS 64K Dynamic.....	845

## GODBOUT (A&T)

CPU Z.....	\$249
CPU 8085 88.....	359
RAM 20 32.....	359
RAM 17 64.....	675
RAM 21.....	1439
Interfacer 1.....	210
Interfacer 2.....	210
Disk 1.....	419
System Support 1.....	335
Enclosure 2 (Desk).....	699
Enclosure 2 (Rack).....	760

## VIDEO BOARDS I/O Mapped

SD SYSTEMS.....	
VDB-8024, A&T.....	\$469
SSM VB2 I/O, Kit.....	169
VB2 I/O, A&T.....	229

## MEMORY MAPPED

VB1C, 16x64, Kit.....	152
VB1C, 16x64, A&T.....	206
VB3, 80 Char. 4MHz, Kit.....	359
VB3, 80 Char. 4MHz, A&T.....	419

## APPLE BOARDS

CALIFORNIA COMPUTER.....	
7710A Asynchronous Ser Interface.....	\$129
7712A Synchronous Ser. Interface.....	149
7424A Calendar Clock.....	105
7728A Centronics Printer Interface.....	99

**WordStar, SpellStar,  
MailMerge....List, \$895**

**—Special, \$399—**

(popular formats only)

**—Limited Supply, Limited Time—**

**SuperCalc, ... \$179**

(popular formats only)

**—Limited Supply, Limited Time—**

# MiniMicroMart, Inc.

943 W. Genesee St. P.O. Box 2992K Syracuse, N.Y. 13220 (315) 422-4467 TWX 710-542-0431

Circle 238 on Reader Service card.



# Submit to CP/M

*Learn to chain files together using CP/M's equivalent to Job Control Language—the Submit file.*

By Wesley E. Barbour

With so many useful programs and utilities becoming available to run under the CP/M operating system, it is tempting to use several of these together for various applications. Wouldn't it be great to be able to "chain" from one program to another, even if the programs are written in different languages?

For example, a CBasic program might be written to print mailing labels and also let you choose one of several sorted orders or tell the program you are ready to print. After you choose a sorted order (by entering the choice number), the CBasic program ends, and another program such as MicroPro's Supersort takes over to perform the particular detailed sort you requested. When the sort is completed, your CBasic program is again loaded and printing can begin.

One way of doing this is to make the CBasic program create its own ready-to-run Submit file. A built-in feature of CP/M is that whenever a warm boot is performed (such as reaching a stop statement in CBasic or after executing a system statement in Microsoft Basic), the program searches for a file on drive A called \$\$\$\$.SUB.

This file is normally created by the CP/M Submit utility that came with your CP/M. Whenever it exists, CP/M takes the commands from this file instead of the keyboard. Unfortunately, information is stored in this

file in an unconventional way, and most descriptions of the Submit features tell us that the only way to create such a file is through the Submit utility.

The \$\$\$\$.SUB file contains one or more 128-byte records. The first byte in each record is the length (number of characters) of the CP/M command that follows. Then the command is stored simply as a series of ASCII characters. It doesn't matter what follows the command; the Submit utility leaves garbage in the record after the command.

There is only one command per 128-byte record. The commands are stored in reverse order (that is, the last record in the file is executed first), and when a record is executed it is effectively erased. When the complete file has been executed, it is automatically erased.

## The Programs

One of the two program segments included with this article is a "user-defined function" (a special kind of subroutine) written in CBasic; the other is a regular subroutine written in Microsoft Basic (see Listing 1). Each routine, when placed in your program, allows your program to create and use the special \$\$\$\$.SUB file.

To use these routines, you must supply three parameters: the command you want to store in the file, the sequence number that determines in which order your com-

mands will be executed, and the logical file number used to reference the file while it is open (use a number that is not currently active).

One of the advantages of a user-defined function over a simple subroutine is that the names of the variables do not have to either match or be different from variables in the main program. This allows the same function to be used without change in many different programs, and all you have to do is transfer a copy of it from a text file on disk where it is kept to the appropriate place in any given program written in the same language. The user-defined function gets the values it needs (parameters) from the relative position of the variables or values in parentheses when the function is requested (called) by the main program.

Let's set up the statement which calls the function using the example above. Let's assume our CBasic program is called Mailist. Since we eventually want to return to the Mailist program, that command should be stored first in the \$\$\$\$.SUB file (remember, the commands are executed in reverse order):

```
X%=FNCHAIN%('A:CRUN2 A:MAILIST',  
1,20)
```

---

*Address correspondence to Wesley E. Barbour, RR 1, Box 208, Agamenticus Road, Cape Neddick, ME 03902.*

---




**NEW  
LOWER PRICES**

**"THE BIG BOARD"**  
OEM - INDUSTRIAL - BUSINESS - SCIENTIFIC  
**SINGLE BOARD COMPUTER KIT!**  
Z-80 CPU! 64K RAM!

**NEW!**

**PARTIALLY ASSEMBLED KITS**  
For All Sockets Installed  
And Soldered Add \$50.



**WANT MORE INFO?**  
Full Documentation and  
Schematics — \$5.

**THE BIG BOARD PROJECT:** Three years in the works, and maybe too good to be true. A tribute to hard headed, no compromise, high performance, American engineering! The Big Board gives you all the most needed computing features on one board at a very reasonable cost. The Big Board was designed from scratch to run the latest version of CP/M\*. Just imagine all the off-the-shelf software that can be run on the Big Board without any modifications needed! Take a Big Board, add a couple of 8 inch disc drives, power supply, an enclosure, C.R.T., and you have a total Business System for about 1/3 the cost you might expect to pay.

**\$399<sup>00</sup>**

(64K KIT  
BASIC I/O)

SIZE: 8 1/2 x 13 1/2 IN.  
SAME AS AN 8 IN. DRIVE.  
REQUIRES: -5V @ 3 AMPS  
- 12V @ .5 AMPS.

**FULLY SOCKETED!**

**FEATURES: (Remember, all this on one board!)**

**64K RAM**

Uses industry standard 4116 RAM'S. All 64K is available to the user, our VIDEO and EPROM sections do not make holes in system RAM. Also, very special care was taken in the RAM array PC layout to eliminate potential noise and glitches.

**Z-80 CPU**

Running at 2.5 MHZ. Handles all 4116 RAM refresh and supports Mode 2 INTERRUPTS. Fully buffered and runs 8080 software.

**SERIAL I/O (OPTIONAL)**

Full 2 channels using the Z80 SIO and the SMC 8116 Baud Rate Generator. FULL RS232! For synchronous or asynchronous communication. In synchronous mode, the clocks can be transmitted or received by a modem. Both channels can be set up for either data-communication or data-terminals. Supports mode 2 Int. Price for all parts and connectors: \$49

**BASIC I/O**

Consists of a separate parallel port (Z80 PIO) for use with an ASCII encoded keyboard for input. Output would be on the 80 x 24 Video Display.

**BLANK PC BOARD — \$149**

The blank Big Board PC Board comes complete with full documentation (including schematics), the character ROM, the PFM 3.3 MONITOR ROM, and a diskette with the source of our BIOS, BOOT, and PFM 3.3 MONITOR.

**24 x 80 CHARACTER VIDEO**

With a crisp, flicker-free display that looks extremely sharp even on small monitors. Hardware scroll and full cursor control. Composite video or split video and sync. Character set is supplied on a 2716 style ROM, making customized fonts easy. Sync pulses can be any desired length or polarity. Video may be inverted or true. 5 x 7 Matrix - Upper & Lower Case

**FLOPPY DISC CONTROLLER**

Uses WD1771 controller chip with a TTL Data Separator for enhanced reliability. IBM 3740 compatible. Supports up to four 8 inch disc drives. Directly compatible with standard Shugart drives such as the SA800 or SA801. Drives can be configured for remote AC off-on. Runs CP/M\* 2.2.

**TWO PORT PARALLEL I/O (OPTIONAL)**

Uses Z-80 PIO. Full 16 bits, fully buffered, bi-directional. User selectable hand shake polarity. Set of all parts and connectors for parallel I/O: \$19.95

**REAL TIME CLOCK (OPTIONAL)**

Uses Z-80 CTC. Can be configured as a Counter on Real Time Clock. Set of all parts: \$9.95

**CP/M\* 2.2 FOR BIG BOARD**

The popular CP/M\* D.O.S. to run on Big Board is available for \$159.00.

**PRICE CUT!**

**PFM 3.3 2K SYSTEM MONITOR**

The real power of the Big Board lies in its PFM 3.3 on board monitor. PFM commands include: Dump Memory, Boot CP/M\*, Copy, Examine, Fill Memory, Test Memory, Go To, Read and Write I/O Ports, Disc Read (Drive, Track, Sector), and Search. PFM occupies one of the four 2716 EPROM locations provided. Z-80 is a Trademark of Zilog.

**Digital Research Computers**  
(OF TEXAS)

P.O. BOX 401565 • GARLAND, TEXAS 75040 • (214) 271-3538

**TERMS:** Shipments will be made approximately 3 to 6 weeks after we receive your order. VISA, MC, cash accepted. We will accept COD's (for the Big Board only) with a \$75 deposit. Balance UPS COD. Add \$4.00 shipping.  
USA AND CANADA ONLY

\*TRADEMARK OF DIGITAL RESEARCH. NOT ASSOCIATED WITH DIGITAL RESEARCH OF CALIFORNIA, THE ORIGINATORS OF CPM SOFTWARE  
\*\*1 TO 4 PIECE DOMESTIC USA PRICE.



The 1 causes this command to be placed in the first 128-byte record in the file; 20 is an otherwise unused file number.

The variable X% will have a value of 0 if the function is able to write in the file, or a value of 1 if there is a nonfatal error. It is a good idea to specify the drive along with the actual file name so that the program will operate correctly no matter which drive is the currently logged-in drive.

Now we need to call the function again, this time to place Supersort into operation. The command line will also have to pass the sort requirements to the sort program (unless we set up a special command file):

```
X%=FNCHAIN%("A:;SORT; IN=100,CR;
SORT B:MAIL.DAT; OUT=B:SORTED.DAT;
KEY=#7,5,#1,20; GO",2,20)
```

This statement would be typed on one line. It loads and executes a program on the A drive called Sort. Records to be sorted have a maximum length of 100 characters and are delimited by carriage returns. The file you want to sort is called MAIL.DAT on drive B. The sorted results are to be put in a file called SORTED.DAT also on drive B. The records are sorted by field number 7 (zip code) and within a given zip code by field number 1 (last name). "GO" directs the sort to begin without further action. The 2 indicates this long command will be stored in the second record of \$\$\$SUB.

Since there will only be two records in this example, the sort command will execute first, then the CBasic program Mailist will execute again. (The second time, of course, the sorted order will already be determined, and you could choose a print option from the menu.)

Once have you stored the necessary commands in the \$\$\$SUB file, the CBasic program must execute a stop. This will return control to CP/M and the newly created Submit file will take over.

The special function will look for a \$\$\$SUB file, and if not found, will create one. CP/M will automatically erase it after all commands have been executed.

In order to use the MBasic version, your program must supply the values for COM\$ (the command to be executed), S% (the sequence number) and F% (the logical file number). Then use a GOSUB 50 statement (or whatever line number you gave the subroutine) whenever you want to

stuff a command into the \$\$\$SUB file. A System command is needed to leave MBasic, at which time the \$\$\$SUB file will begin execution.

The same types of routines can be placed in most programs used with CP/M no matter which languages

they are written in—Pascal, Cobol, Fortran or assembly. However, Bazic from Micro Mikes will not work due to the inability of that language (similar to North Star Basic) to specify an alphanumeric file type such as .SUB. ■

```
*****
CBASIC FUNCTION:
```

```
DEF FNCHAIN%(COM$,SEQUENCE%,FILE%)

REM Will set up or add to temporary file which will operate
REM as a "submit" file automatically at the next warm boot,
REM effectively allowing program chaining outside CBASIC

IF END # FILE% THEN 17.71
OPEN "A:$$$SUB" RECL 128 AS FILE%
GOTO 17.72
17.71 CREATE "A:$$$SUB" RECL 128 AS FILE%
17.72 IF END # FILE% THEN 17.73
PRINT USING "&"; # FILE%, SEQUENCE%; CHR$(LEN(COM$))+COM$
CLOSE FILE%
FNCHAIN%=0
RETURN
17.73 FNCHAIN%=1
CLOSE FILE%
RETURN
FEND
```

```
*****
MBASIC SUBROUTINE:
```

```
50 OPEN "R",#F%,"A:$$$SUB",128:FIELD#F%,128 AS BUF$:
LSET BUF$=CHR$(LEN(COM$))+COM$:PUT #F%,S%:CLOSE #F%:RETURN
```

```
*****
SAMPLE CBASIC TEST PROGRAM:
```

```
REM ***** CBASUB *****
REM CBASIC PROGRAM TO DEMONSTRATE USING A SUBMIT FILE TO CHAIN\
SOMEWHERE OUTSIDE CBASIC

DEF FNCHAIN%(COM$,SEQUENCE%,FILE%)
IF END # FILE% THEN 17.71
OPEN "A:$$$SUB" RECL 128 AS FILE%
GOTO 17.72
17.71 CREATE "A:$$$SUB" RECL 128 AS FILE%
17.72 IF END # FILE% THEN 17.73
PRINT USING "&"; # FILE%, SEQUENCE%; CHR$(LEN(COM$))+COM$
CLOSE FILE%
FNCHAIN%=0
RETURN
17.73 FNCHAIN%=1
CLOSE FILE%
RETURN
FEND

COM$="CRUN2 CBASUB"
X%=FNCHAIN%(COM$,1,1)
INPUT"CP/M command desired? ";COM$
X%=FNCHAIN%(COM$,2,1)
REM FILE IS NOW READY AND SHOULD EXECUTE\
WHEN THIS PROGRAM TERMINATES
END
```


```
*****
SAMPLE MBASIC TEST PROGRAM:
```

```
10 REM ***** MCHAIN.BAS *****
20 GOTO 100
50 OPEN "R",#F%,"A:$$$SUB",128:FIELD#F%,128 AS BUF$:
LSET BUF$=CHR$(LEN(COM$))+COM$:PUT #F%,S%:CLOSE #F%:RETURN
100 F%=1:S%=1:COM$="MBASIC B:MCHAIN":GOSUB 50
110 INPUT"CP/M command desired";C$
120 S%=2:COM$=C$:GOSUB 50
130 SYSTEM
```

```
*****
NOTE: Since both of the test programs are endless loops, we need
to terminate their operation by using the control-C or "DEL" keys
during the execution of the $$$SUB file, which will cancel
operation of the submit file and cause it to be erased.
```

Listing 1. Routines that let you "chain" CP/M programs.





# "TIME IS MONEY"

## INTROL-C for the 6809

For process control, Introl-C saves time in two important ways:

1. Less development time than assembly language
2. Faster execution time (and smaller code size) than most other high-level languages

Introl-C/6809 includes:

- C Compiler
- 6809 Assembler
- Linking Loader
- Library Manager
- Standard Library

Introl-C produces efficient, re-entrant, position-independent, ROMable object code.

Available as resident software for: FLEX-09\* \$300, UNIFLEX\* \$350, and OS-9\*\* \$300 or as cross-software for CP/M\*\*\* \$350 systems. 8" SSD diskette only. Add 10% outside U.S. and Canada.

Trademarks:

\*Technical Systems Consultants

\*\*Microware, Inc.

\*\*\*Digital Research

**INTROL** CORPORATION 647 W. Virginia St.  
Milwaukee, WI 53204  
(414) 276-2937

Circle 91 on Reader Service card.

## QUALITY SOFTWARE FOR TRS-80 COLOR AND OSI




**QUEST** — A NEW IDEA IN ADVENTURE GAMES! Different from all the others. Quest is played on a computer generated map of Alesia. Your job is to gather men and supplies by combat, bargaining, exploration of ruins and temples and outright banditry. When your force is strong enough, you attack the Citadel of Moorlock in a life or death battle to the finish. Playable in 2 to 5 hours, this one is different every time.

16K COLOR-80 OR TRS-80 or 12KOSI.  
\$14.95.


**BASIC THAT ZOOMS!!**  
**AT LAST AN AFFORDABLE COMPILER FOR OSI AND TRS-80 COLOR MACHINES!!!** The compiler allows you to write your programs in easy BASIC and then automatically generates a machine code equivalent that runs 50 to 150 times faster.

It does have some limitations. It takes at least 8K of RAM to run the compiler and it does only support a subset of BASIC—about 20 commands including FOR, NEXT, END, GOSUB, GOTO, RETURN, END, PRINT, STOP, USR(X), PEEK, POKE, \*, /, +, -, X, X, =, VARIABLE NAMES A-Z, A SUBSCRIPTED VARIABLE, and INTEGER NUMBERS FROM 0-64K.

**TINY COMPILER** is written in BASIC. It generates native, relocatable 6502 or 6809 code. It comes with a 20 page manual and can be modified or augmented by the user. \$24.95 on tape or disk for OSI or TRS-80 Color.



**LABYRINTH** — 16K EXTENDED COLOR BASIC — With amazing 3D graphics, you fight your way through a maze facing real time monsters. The graphics are real enough to cause claustrophobia. The most realistic game that I have ever seen on either system. \$14.95. (8K on OSI)



**VENTURER!**—A fast action all machine code Arcade game that feels like an adventure. Go berserk as you sneak past the DREADED HALL MONSTERS to gather treasure in room after room, killing the NASTIES as you go. Great color, high res graphics, sound and Joystick game for the TRS-80 Color or OSI machines. (black and white and silent on OSI.) Tape only. \$19.95.



TRS 80 COLOR

**AARDVARK - 80**

2352 S. Commerce, Walled Lake, MI 48088

(313) 669-3110

OSI



# Bubble Sort with Sinkers: A Still More Excellent Way

*The most efficient way yet to sort record lists.*

By David Vergin

The two-direction bubble sort described in the April 1981 issue of *Microcomputing* ("A Better Bubble Sort" by W. A. Harrison and S. H. Sachs, p. 148) points the way to a bubble-sort algorithm that is as simple as the one-direction sort but faster than the full-pass two-direction sort. The sort described here usually makes about half as many comparisons of item pairs as the standard bubble sort.

Sample sorts show that all three of these pair-switching sorts do the job using the same number of switches. No improvement in the number of


switches is possible within the limits of the pair-switching technique. But the improvement shown by the two-direction sort shows that you can appreciably reduce the number of comparisons that must be made. The sorting algorithm presented here is one possible pattern for minimizing the number of comparisons.

The problem with full-pass bubble sorts is that, for the sake of a simple algorithm, many properly-oriented pairs are examined again and again. To eliminate this, you need a way to recognize patterns in the emerging order that need not be re-examined as



the sort continues.

## Sinkers

The "bubbles" in a bubble sort are, of course, high numbers (or alpha strings) that are too near to the bottom of the list. These must float up to the top of the list during the sort. These bubbles displace smaller numbers (sinkers) near the top of the list and push them down to their proper positions. In the two-direction sort (Fig. 1), the sinkers drop more quickly during the downward pass as opposed to a one-direction sort, in which they are displaced one posi-



Address correspondence to David Vergin, PO Box 700, Milton, WA 98354.





tion at a time with each upward pass.

Let us first modify the full-pass two-direction sort slightly (see Fig. 2). We begin on an upward pass. Suppose that when we make a switch we interrupt our upward progress to immediately check the switched sinker against the next lowest item to see if it should drop more than a single position. If the second comparison shows that the sinker should not fall further, we simply continue on the upward pass. But if the second comparison shows that the sinker should continue falling, we make the switch and check the new *next lowest* item.

We continue working our way back down the list until the sinker bumps into a smaller item below it and comes to rest in proper (though partial) order. At this point we again reverse direction and continue working our way up the list until another switch is needed; we follow that new sinker down as far as necessary.

In this way we progress by a series of partial passes tending upward whenever a sinker does not carry us down. When we finally reach the top, the list is sorted and we're done. This modified strategy usually eliminates a few comparisons over the

full-pass two-direction sort. But its real importance is that it exposes a pattern. As can be seen in the sinker-following-bubble sort in Fig. 2, the downward passage of a sinker through previously-sorted items does not disturb their proper order. The sinker must be compared at each new level to see if it should drop further. But once it reaches its resting place, the return pass up over the previously sorted material (to the previous high point of the search) is superfluous. Much better to pop up and continue the upward pass at the point where the sinker was first discovered. Everything below that is now in order.

The progress of such a pop-up bubble sort with sinkers is shown in Fig. 3. The bonus is program simplicity. As the flowchart in Fig. 4 shows, this modified bubble sort is just as simple as the standard one-direction sort. Because we know that everything below us is always in proper order at any point, we no longer have to keep track of the execution of switches during a pass to know when we are done.

Also, because the backing-down routine is part of the switching





Fig. 4. Flowchart for the pop-up bubble sort with sinkers routine.

branch of the program, we eliminate almost half of the full-pass two-direction flowchart. The other basic change is a variable, MAX, to keep track of the top of the sorted material so we can pop up to a new bubble after following a sinker down. ■


Circle 103 on Reader Service card.

## PION introduces the INTERSTELLAR DRIVE.



**A solid state disk emulator for your APPLE\*, TRS80\*\*, S100, or SS50 computer**

**Introductory Price \$1095.** plus tax and shipping



**SEND FOR FREE BROCHURE**  
Identify your model.

**PION, INC.** Tel. (617)648-1717  
74 Appleton St., Arlington, MA 02174

\*Trade Mark Apple \*\*Trade Mark Tandy Corp.

- A FAST mass storage device. Speeds up any program requiring disk access.
- No head seek time, no motor startup time, no moving parts.
- Standard 256K bytes of storage expandable to 1 megabyte.
- Independent regulated power supply.
- Automatic power failure detect and battery backup.
- Hardware error detection and write protection.
- Only 4 bytes-ports of address I/O space used.
- Hardware optimized for block transfers and access.
- Drivers, diagnostics, and utilities software provided.
- Certified to comply with Class B limits Part 15 of FCC rules.

Circle 166 on Reader Service card.

## TEACHING WILL NEVER BE THE SAME AGAIN!



**INTRODUCING Torricelli author**

A powerful authoring and presentation program that allows teachers without programming experience to create effective training and education courses. Specifically designed for Business, Industry, Education and Home use.

**Features include:**

- Built-in full screen editor using WordStar™ commands for rapid on-screen editing and course generation.
- Creation of courses for mass distribution is fully supported. 20% royalties for courses submitted for our courseware catalog.

Requires CP/M™ 2.2, 48K, and 24 x 80 CRT. Available on 8" (3740) Single Density Disk. Contact distributors for other formats.

Package includes: Torricelli Author program, a linear presentation program, complete documentation, two courses of instruction and description of the entire educational software line. **\$295.**

California residents add 6% tax. Visa/MasterCard accepted.

\*CP/M is a trademark of Digital Research.  
\*\*WordStar is a trademark of Micro Pro Int.

**THE ANSWER IN COMPUTERS**  
6035 University Avenue, #7  
San Diego, CA 92115  
714-287-0795



# CP/M Table-Setter

*Its word processing capability gives this table maker more flexibility than other spreadsheet programs.*

By Frank Derfler

If you've been watching the ads for CP/M-compatible software, you've probably seen Lifeboat Associates' ad for a program called T/Maker II. The name T/Maker stands for table maker. This is the second version of the table-maker software, and it's marketing's good fortune that the name alliterates.

T/Maker II displays information in the form of tables. It shares this characteristic with such popular programs as VisiCalc and SuperCalc. But T/Maker II can be used in applications that the other spreadsheet programs could never touch.

T/Maker II can display and sort numbers, letters or combinations of numbers and letters. A typical application might be to display informa-

tion on hourly workers in a business. The table of information could include the workers' names, the names of their supervisors, their hourly wages, total hours worked, overtime hours worked and their withholding costs. The information could be contained in a master data file with a great deal of other data. It can be sorted alphabetically by name, grouped by supervisors, or displayed according to salary, withholding or any other factor.

The financial information can be entered or changed in any column and all columns recalculated with a simple command. Tables created by T/Maker II can be embedded in text and easily printed out as part of a report or even transmitted over elec-

tronic mail systems.

Two features of T/Maker II make it easy to use. The first is a complete word processing program on the order of the famous Electric Pencil. The second is a complete command language that enables beginning users to immediately use the power of the software and provides experienced users with a very fast information manipulation tool.

## The T/Maker II Word Processor

The T/Maker II Edit function is a separate overlay program which provides a fully capable character-oriented word processor. Every common editing function (character insert/delete, global search/replace, full cursor control, and so on) is available through easily used control codes. Some uncommon capabilities are available too. The Edit program lets the user store a few lines (the space available for storage depends on the RAM available) that will be used repeatedly throughout the text. These characters are then entered into the text with a control-X command. This feature is certainly handy for preparing reports in which lengthy corporate, academic or other titles must often appear.

Sales Data				
		1977	1978	Increase
ex		9999.99	99999.99	99999.99
ac1		-	+	=
ac2		+	+	=
+	Item A	9	11.1	
+	Item B	11.23	14.11	
=	Total			

Table 1. The T/Maker II command syntax is easily understood. The line starting with ex (which stands for example) tells T/Maker where you want the numbers placed and what they should look like. Those 9's are simply place holders. The instruction ac means always compute. The numbers 1 and 2 in ac1 and ac2 are equation numbers which can range from 0 to 20. In this example, ac1 is a column equation and ac2 is both a column and a row equation. The instructions for ac1 simply say, "Subtract row 1 from row 2 and display the difference in row 3." Similarly, ac2 is a straight addition instruction. Other instructions let the user set conditions and variables.

Address correspondence to Frank J. Derfler, Jr., PO Box 691, Herndon, VA 22070.



Additionally, other lines can be sent out to temporary storage in a buffer and called back in when needed. This is great for those of us whose thoughts get ahead of our logic. It's nice to be able to save a good thought for later use in a more appropriate place.

The T/Maker II editor will scroll the screen so that documents wider than the available display screen can be created. Again, this capability is handy for writing reports and statistical spreadsheets. A unique Frame mode lets you move around inside a big document and not get lost. When you select Frame mode, a representational map of the document is created which shows you where you are; you can continue to edit and create data in the Frame mode. This is very useful for making little changes to already-existing large documents.

The editor has a printing function which can provide justification and column printing. Subroutines to do proportional spacing are not included, but that function can be provided by system-unique software or even by the printer itself. Other features are provided, such as page pause to change paper and the proper handling of tabs for table printing.

The T/Maker II editor is very powerful, and its integration into T/Maker II adds a great deal of value to the complete package.

## Table Making

As nice and as powerful as the T/Maker II word processor is, it would be just another word processor without the table creation and manipulation functions. The Compute subroutine is the heart of the table creation function. It is used to call data from the files and to perform the data manipulations. The first step in creating a simple table is to type in the headings and numbers. This is essentially a typing task, and full editing capabilities are available. The second phase involves entering the formatting instructions and the equations that tell the program what to do with the data.

I found a great similarity between the process of learning T/Maker II's command language and the process of learning Basic. Both languages can be used by beginners with very little instruction, both are powerful, and both let users achieve high levels of sophistication with experience. Basic and T/Maker II's command language use common symbols and meaning-

		Sales Data			
		1977	1978	Increase	Total
ex		9999.99	99999.99	99999.99	99999.99
ac1		-	+	=	
ac2		+	+		=
+	Item A	9.00	11.10	2.10	20.10
+	Item B	11.23	14.11	2.88	25.34
=	Total	20.23	25.21	4.98	45.44

*Table 2. The Compute command directs the program to work the equations and display the results according to the instructions in the table. After the table has been calculated, you can still change any number or equation and have the calculations done again.*

ful phrases to create commands. In both languages, there are often several ways to do the same job. I don't mean to imply that T/Maker II's commands are the same as Basic, only that the level of effort and the nature of the learning experience are similar.

Table 1 explains one fairly simple T/Maker II table. This table is an example of one constructed for limited use. The data is entered directly into the table, the commands are given and the results computed. The data and formulas may be changed and recomputed (and the results of each change saved separately), but this kind of table would mainly be used for limited runs on limited amounts of data.

Obviously, this kind of analysis becomes very powerful when it can be applied to large bodies of data repeatedly over long periods of time. This analytical capability is needed for business reports, academic studies and many other statistical problems. T/Maker II lets users selectively and automatically pluck data from extensive files and display and manipulate it in any assortment of permanent user-constructed files.

The greatest limitation in using desktop computers in business involves creating data files. Computers can file, sort and manipulate data, but somebody has to put the data into the system the first time. T/Maker II limits the weight of this burden because the data only has to be entered once. After that initial entry, the program can be instructed to pick through the data files to withdraw whatever information it needs for a particular application.

As a small bonus, the T/Maker II files are standard CP/M files. If you have to enter the data for other accounting or information programs to work on, it may be possible to structure the data files so they can be used

by programs other than T/Maker II. The files can also be easily transmitted by any of the popular smart terminal programs that run under CP/M.

The first step in using this function of T/Maker II is creating the data file. A typical data file groups the name of the information with a list of values. Because no difficult entry or typing is needed, file entry can be done by relatively inexperienced office personnel.

The harder job is the creation of the table mask, which is used to withdraw data and display it. This only has to be done once. After the file mask is created, running T/Maker II and creating tables is easy. Creating the mask isn't difficult, but some care and thought must be given to leaving space enough for the largest possible numbers that will be displayed and to calling out the data you really mean to use. "Garbage in—garbage out" still applies.

Once the mask is created and the equations are entered into the table, a simple Load command (specifying a file name) brings the desired data into the columns and rows. A Compute command causes the program to work the equations and display the results. A very handy Unload command takes the data out of the mask and stores it as a data table. In this way, yearly tables can work on the processed file data of a complete set of monthly tables. The system can rapidly generate a great deal of information—all from a one-time entry of the initial data.

## Operation

T/Maker II is easy for anyone to use. Mistakes in entering commands are met with understandable error messages. Mistakes in constructing the tables are easy to spot because of blank spaces, strange



amounts and other clues. It's good practice to run new tables with easy numbers that will produce predictable solutions. Nothing is more likely to cause the entire computerized system to fall from grace than reports that give the authority of computer processing to erroneous data.

In practice, you generate reports by first using T/Maker II tables to manipulate the data and determine the results. Save these final tables with one command—Compute Clean Save—which removes the equations and all directions and saves a clean table of data. Use the word processor to write text describing the data (or whatever needs to be discussed) and then call the tables into the text when appropriate. The entire document could then be printed out, transmitted using a communications program or transferred in disk format.

T/Maker II's documentation is excellent. The large manual has three sections: operation, installation and tutorial. The operation section includes an extensive table of contents but no index and is clearly written. The author doesn't use a lot of computer jargon, but rather helps the user understand T/Maker II commands and functions and apply the program to practical situations. The tutorial is excellent. It takes the user through a step-by-step on-line experience and describes what is happening along the way.

The disk includes a demonstration mode which automatically shows what the displays look like and how they can be used. It immediately

Sales Data				
	1977	1978	Increase	Total
Item A	9.00	11.10	2.10	20.10
Item B	11.23	14.11	2.88	25.34
Total	20.23	25.21	4.98	45.44

Table 3. When the table is ready to be printed, the equations, instructions, placeholders and all other excess information are removed with a simple Clean command.

removes the fear of the system that a new user is likely to have. The demonstration is also great for introducing the program to nontechnical people who will not be creating the table formulas and commands, but who will enter data and run the programs to generate the finished tables and reports.

### Installation

It is true that CP/M has become a widely accepted operating system allowing programs to be carried from one system to another. However, the need for program customization or installation still remains. This is particularly true of programs that make heavy use of the I/O ports and editing features available within the system. T/Maker II comes as a generalized program which must be tailored for operation on a specific system. Happily for those of us who are not expert machine-language programmers, a comprehensive installation and modification program is included on the program disk. The proper settings for the common CP/M microcomputer systems are included in the program.

Most versions of CP/M on the mar-

ket today make the computer react like a common terminal (usually the ADM3A) in the areas of cursor control, character deletion, reverse video, and so on. If you're running a reasonably standard configuration for your display and printer I/O, you can have T/Maker II up and running in just a few minutes by following the simple instructions. If you have a customized system, you will need to know such things as the address of the output data port and status port, polarity, and printer and cursor addressing techniques. If you have a system so different that it is not included in the T/Maker II menu, then you probably know these things by now anyway.

The T/Modify installation program lets you customize the word processor so it responds to the same commands as other programs you use. If you're accustomed to the control codes used in WordStar, Scripsit or Electric Pencil, you can make the T/Maker II editor respond to almost all of those same editing commands. This little feature may not seem significant, but it makes transition into the system much easier for anyone already familiar with a different word processing program. This is particularly important for nontechnical personnel who use another program regularly.


T/Maker II requires a 48K CP/M-equipped system to operate effectively. More memory will be useful for many applications. An 80-column display is ideal, but a version for 64-column screens is available.

### Value

T/Maker II has some excellent uses in business, the academic world and even personal finance. The combination of a word processor and table maker makes it a complete package—you really don't need anything else to generate first-class reports. It's a mature program with no bugs or quirks. The \$275 price makes it a great value for anyone who can use its capabilities. ■

Circle 359 on Reader Service card.

#### 80 CHARACTER VIDEO BOARD—S-100



- All This on ONE BOARD:
- Keyboard port with TYPE-AHEAD buffer
  - 8275 CRT controller with light pen port
  - Two 2716's—program & character rom's
  - Optional 2716 for CHARACTER GRAPHICS
  - All screen & keyboard ram
  - SIMULTANEOUS I/O or Memory mapped
  - Z-80 MPU—2 or 4 Mhz system clock
  - Easy to adapt Software
  - Uses only EAST-TO-GET parts
  - Use in any S-100 system
  - 696 Bus Compliance: D8 M16 I8 T200
  - Build for less than \$200

Now includes crystal & heat sink.

Introducing The VDB-A  
Bare board with Documentation \$49.50  
+ \$2 s&h (Ill. res. add 6% tax)

**Simpliway** PRODUCTS CO., Dept KM-9  
P.O. Box 601, Hoffman Estates, IL 60195  
Dealer Inquiries Invited  
312/359-7337

Circle 35 on Reader Service card.

### SOFTWARE & NEWS

FOR MICROPOLIS S-100, INCL. VECTOR GRAPHIC, EXIDY, COS, COMPAL, BLACKHAWK, IMSAI, and the 16-sector TANDON & TEAC.

MDOS & CPM Languages, Util's, Appl's, Games  
Price List - Free Catalog - \$2.00

BASIC/S & Z Compilers .....	\$345
Accounting S/W - A/R, A/P, G/L, INV, PAY, Order Entry .....	\$140-\$350
Data Base Management .....	\$50-\$450
Mail System .....	\$50
Assembly Language Sorts - called from Mp Basic or Basic-80 .....	\$75
MDOS to CP/M, CP/M to MDOS translator and disk utilities .....	\$150
Word Processors .....	\$125-\$500
Micropolis/Vector Graphic Users Group Monthly newsletter, S/W discounts ..	\$18
Library disks (MDOS & CP/M) .....	\$3-\$10

Products postpaid to N. Amer. Add \$7 elsewhere. All funds in U.S. \$. VISA & MC accepted. Deduct 5% for cash.

**DAMAN** (205) 881-1697  
Ste. 202, 604 Springwood Cr., Huntsville, AL 35803



# RIBBONS

Low Price • FREE Shipping  
SATISFACTION GUARANTEED

## MX-80 Cartridge

price each in quantity of				
1-2	3-5	6-11	12-23	24-47
8.95	8.41	7.90	7.43	6.99

**RIBBON LOOPS**  
new ribbon for your old cartridge  
top quality nylon • standard matrix ink


price each in quantity of				
	1-2	3-5	6-11	12-23 24-47
MX-70/MX-80/MX-100	3.95	3.63	3.34	3.08 2.83
MX-100 double length	7.86	7.23	6.65	6.12 5.63
Decwriter LA34	2.92	2.69	2.47	2.27 2.09
Radio Shack 26-1418	2.26	2.08	1.91	1.76 1.62

New cartridges are available in black ink only.  
Loops are available in blue or black ink (same price).  
You may mix any combination for quantity price breaks.  
Ribbon loops include DO-IT-YOURSELF INSTRUCTIONS.

VISA **DATA SYSTEMS** MasterCard  
(305) 788-2145 • Box 99 • Fern Park, FL 32730

THE BIGGEST NAME IN LITTLE COMPUTERS™

TRS-80™ Model II — Your Best Buy  
In a Business Microcomputer



**UP  
TO  
15%  
OFF!**

**TRS-80™ computers, on  
software and peripherals**

CASHIERS CHECK, MONEY ORDER OR  
WIRE TRANSFER

CALL COLLECT: 1-505-758-8321

FINANCIAL CONSULTANTS  
Cruz Alta Center • P.O. Drawer UUU  
Taos, New Mexico 87571

DEALER F749  
Form F48 Provided

Standard Warranty in Effect  
THE NATIONWIDE SUPERMARKET OF SOUND®

## Sales Opportunity


A few select territories available

Join a fast growing company involved in the microcomputer industry as a direct salesman. Sales involve our wide selection of books, four publications and software. We are looking for a non-smoking individual with a good sales background and a basic understanding of microcomputers. An excellent career awaits the person who wants to be "on his own." It will be the responsibility of our direct salesman to become familiar with all makes of computers and their sales outlets, amateur radio and electronic stores, book stores, and other outlets for our products in your given territory. We will also add other lines as they become available. Arrangements are being made to coordinate efforts with some other firms in the

area, including a major printer manufacturer. We offer an excellent growth potential with a highly motivated, young corporation. If you or someone you know is interested in the opportunities available at Wayne Green Inc., please submit your background in detail, including sales experience, recent work history, knowledge of the microcomputing industry, educational background and references to:

Sales Manager  
Wayne Green, Inc.  
Peterborough, NH 03458

All replies will be immediately acknowledged and held in the strictest of confidence.



**WAYNE GREEN, INC.**  
(M-10) Pine Street  
Peterborough, N.H. 03458

# TCS

TEXAS COMPUTER SYSTEMS

# TRS-80

**MODEL III 48k 2 Disk**  
Systems from \$1795

**COLOR COMPUTER**  
Original and TCS versions

TCS 16k Ext. Basic . . . . \$439

**MODEL II and MODEL 16** TCS 32k Ext. Basic . . . . \$499

**TANDON BARE DRIVES**  
5 1/4 inch 40 and 80 track drives  
8 inch floppy & Winchester type  
Single & double sided available

**HARD DRIVE ADD-ON**  
for most popular computers  
**ACCESSORIES**

**PRINTERS**  
RS Printers / Epson / Okidata  
C-Itoh & other popular printers

**SOFTWARE**  
**WORD PROCESSING**

●●●●●●●● Call for our CATALOG ●●●●●●●●

For fast, efficient service. **Heart of** we can air freight from Dallas

**TEXAS COMPUTER SYSTEMS**  
P.O. Box 1327 Arlington, Texas 76004-1327

★ Toll Free Number 800 433-5184  
Texas Residents 817 274-5625

Payment: Money order, cashiers or  
certified check. Visa/MC

\* Prices subject to change at any time  
\* No Tax out-of-state. Texans add 5%.



# In Step with the Heath H8

*Build this circuit to troubleshoot and single-step the HZ8 adapter and keep your H8 humming along.*

By J. Glenn Brookshear

Heathkit's H8 microcomputer is an outstanding choice for the computer enthusiast wanting to learn how a machine really works. Its excellent documentation and modular construction let you build an inexpensive starting system with a variety of ready-to-use software and then expand with professional or homebrew designs. (See, for example, the HZ8 adapter proposed by Patrick Swayne in his October 1980 article

"Upgrading the Heath H8 with a Z-80," p. 50). But if it fails to work when first turned on, a helpless feeling can quickly overcome one's enthusiasm.

One problem is that the H8's single-step feature is implemented by software; if the adapter is not executing correctly, there is no easy method of finding out what it is doing. To solve this problem I designed a hardware single-step circuit that fits on the HZ8 adapter. With this circuit and a logic probe, you can quickly trace the execution of the processor.

The single-step circuit is shown in Fig. 1 and a parts list is given in Table 1. The idea is to use the  $\overline{M1}$  pulse, which is generated during each *op code* fetch, to initiate a  $\overline{WAIT}$  that will last until the operator indicates otherwise. Thus, the processor will be stopped during each fetch, with the *op code* on the data lines and the corresponding address on the address lines.

Referring to Figure 1, note that if the processor is running, the next  $\overline{M1}$  signal will pull the  $\overline{CLEAR}$  pin of the 74LS74 low, causing the  $Q$  output to go low (and  $\overline{Q}$  to go high). Thus, the Z-80 will enter a wait state. During this wait state  $\overline{M1}$  is held low, but the RC network coupling it to the 74LS74 allows the  $\overline{CLEAR}$  pin to return to its

normally high value. If S1 is now switched to the left, a positive going edge is applied to the  $CLOCK$  pin of the 74LS74 which causes the high at  $D$  to be passed to the  $Q$  output. This in turn allows the processor to exit the wait state.

Switching S2 to the continuous-run position restores normal operation of the processor. Since this switch is not debounced, switching it from continuous-run to single-step will often catch the processor in a stage other than an *op code* fetch. This procedure can be used as an ad hoc method of obtaining additional information about what the Z-80 is doing.

The single-step circuit requires only one additional IC (the 74LS02), since one section of the 74LS74 used in the HZ8's optional section is available. I found ample room for the additional 74LS02 in the same area on the perfboard used for the optional section. I used a lever switch for S1, which I glued to the perfboard above the 8224. This allows for easy access when the adapter is installed.

For S2 I used a slide switch mounted between the 8080 socket and the 7405. Power and ground connections were obtained from the nearest source. In particular I took the 5 V for S1 from the 8224 and got power and ground for the additional

Quantity	Description
1	74LS02 IC
1	14 pin wire-wrap socket
1	SPDT slide switch
1	SPDT lever switch
3	330 ohm resistors (1/4 watt)
1	1k ohm resistor (1/4 watt)
1	680 pF capacitor

If the optional section of the HZ8 is not being built, a 74LS74 and a 14 pin wire-wrap socket are also needed.

Table 1. Parts list.

Address correspondence to J. Glenn Brookshear, Department of Mathematics and Computer Science, Marquette University, Milwaukee, WI 53233.




# SAY...

Hardware modifications,  
Applications software, and  
Programming techniques that  
Permit  
You to  
Hurtle past the  
Outmoded,  
Limited  
Information and  
Documentation that  
Accompanied  
Your system.

Special attention is paid to the  
Apple\*, Atari, Commodore,  
Heath, and IBM  
systems. What bet-  
ter way to say Hap-  
py Holidays to your  
favorite computerist...

\*A trademark of Apple Computer Inc



# YES!

I want to give a subscription  
to MICROCOMPUTING for  
the Holidays (12 issues for \$24.97)

☐ Check enclosed ☐ MC ☐ VISA ☐ AE ☐ Bill me

Card# \_\_\_\_\_ Expire Date \_\_\_\_\_

Signature \_\_\_\_\_ Interbank \_\_\_\_\_

My Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Please enter a one year gift subscription to:

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Canada & Mexico \$27.97/1 year only, U.S. Funds  
Foreign \$44.97/1 year only, U.S. Funds Drawn on U.S. Bank

62AR7

MICROCOMPUTING•

P.O. BOX 997•FARMINGDALE, NY 11737

... A SUBSCRIPTION TO  
MICROCOMPUTING.

# MOVING?

Let us know 8 weeks in advance so that you  
won't miss a single issue of Microcomputing

☐ Extend my subscription one additional year for only \$24.97.  
☐ Payment enclosed ☐ Bill me

Canada and Mexico, \$27.97 1 year only. Foreign, \$44.97 1 year only.  
U.S. Funds drawn on U.S. banks only.

Attach old label where indicated and print new address in  
space provided. Also include your mailing label whenever  
you write concerning your subscription. It helps us serve  
you promptly.

**AFFIX LABEL**

If you have no label handy, print OLD address here:

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

**Print NEW address here:**

Name \_\_\_\_\_

Address \_\_\_\_\_


City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

**MICROCOMPUTING**

P.O. Box 997•FARMINGDALE, N.Y. 11737

Circle 266 on Reader Service card.

# DISCOUNT



# TRS-80®

**TRS-80 MODEL III**

**\$1950 \$819**

48-K 26-1066 16-K 26-1062

**TRS-80 MODEL II**

**\$3000**

64-K 26-4002

TRS-80 8.4 MEGABYTE HARD DISKS (PRIMARY UNIT) ... \$4000.

**TRS-80 MODEL 16**

**\$4825**

128-K 26-6002

**TRS-80 COLOR**

**\$309**

**\$425**

**\$525**

16-K 26-3004

16-K 26-3002

32-K 26-3003

**WE HAVE COLOR DISK DRIVES 0—\$475 1-2-3—\$315**

WE ALSO CARRY EPSON AND OKIDATA PRINTERS,  
XEROX 820 AND ALTOS COMPUTERS.  
NO OUT-OF-STATE TAXES. T.M. TANDY CORP.

Sold with the manufacturer's limited warranty. Copies of such war-  
ranty may be obtained for review from Perry Oil and Gas Co.

# PERRY OIL & GAS INC.

Dept. No. M-13 137 NORTH MAIN ST., PERRY, MICHIGAN 48872

PHONE (517) 625-4161. MICH

FOR OUR PRICES,


PLEASE CALL TOLL FREE

WE ACCEPT CERTIFIED CHECKS,  
CASHIERS CHECKS  
AND MONEY ORDERS.

**1-800-248-3823**



# SONICS DELIVERS:



## SD SYSTEMS.

### SONICS MICRO SYSTEM'S PLEDGE TO THE CUSTOMER IS:

1. PROFESSIONAL TREATMENT
2. FULL TECHNICAL SUPPORT
3. DELIVERIES FROM STOCK
4. BOARD/SYSTEM LEVEL REPAIRS

**SINGLE USER SYSTEM** \_\_\_\_\_ \$1080

SBC 200, 64K RAM, VERSA FLOPPY II,

**MULTI-USER SYSTEM** \_\_\_\_\_ \$1995

SBC 200, 256K RAM, VERSA FLOPPY II,  
MPC-4, COSMOS

**SD SYSTEMS COMPATIBLE "TURBODOS"** \$ 350  
WITH DOCUMENTATION

**SINGLE USER "DISC-LESS" SYSTEM** .. \$1770 ...  
WITH CP/M 2.2

### BOARD LEVEL PRODUCTS

SBC 200	\$ 345
EXPANDORAM II	\$ 443
EXPANDORAM III	\$ 848
VERSA FLOPPY II	\$ 375
VDB 8024	\$ 465
MPC-4	\$ 495
Z-80 STARTER KIT	\$ 299
MODEL 200 64K RAM	
SOFTWARE BANK SELECT	\$ 475
RAM + ROM DISC	
WITH CP/M 2.2	\$1050



**SONICS**

**MICRO SYSTEMS INC.**

1500 N.W. 62ND STREET • SUITE 508 • FT. LAUDERDALE, FL 33309 • 1-800-327-5567

In Florida call: 305-776-7177

Cientes Latinoamericanos serán atendidos por nuestro departamento internacional (en español), bajo la gerencia de la LCDA. Joan Voyles.






Fig. 1. Single-step circuit.

74LS02 from the Z-80.

### Troubleshooting

With the aid of the single-step circuit, you can troubleshoot the HZ8 as follows. Place S2 in its continuous-run position, install the adapter and try it. If PAM-8 runs you are in good shape. Otherwise, try the following:

Check to see that the run light on the front panel is on. If it is not, clock pulses are not getting out to the system. To make sure the clock itself is working, test pin 6 of the 8224 with a probe. It should glow with a brilliance between on and off which indicates the presence of pulses. Next, make sure the clock pulses are getting to the Z-80 by testing its pin 6 in the same way you tested pin 6 of the 8224. If any of these tests fail, your problem is probably incorrect wiring or poor connections associated with the 8224. You might want to make sure the 8224 is still all right by temporarily restoring the H8 to its original 8080 configuration.

Next, check pin 27 of the Z-80. Again, the probe should glow with a brilliance between on and off. If it doesn't, check the power and ground connections to the Z-80. (Also check pins 17 and 24 of the Z-80. They should be high.)

If everything is fine to this point, the Z-80 is probably running. Switch S2 to single step and turn the H8's power off and back on. With the probe check the address and data lines on the Z-80. The address should be zero and the data should be 00010001 (the first PAM-8 op code).

If this test fails, check the wiring on

all data and address lines. Also make sure pin 24 (MEMR) of the 8238 socket is low. Otherwise there is a problem in the circuit between this pin and the Z-80. The MEMR signal should also be reaching pin 28 of the system bus as a high. (The generation of MEMW can be checked in a similar way, but first the processor must be stopped during a write. This can be done by switching S2 from continuous-run to single-step until pin 22 of the Z-80 shows low when in single step. This method takes advantage of the bouncing of S2 as mentioned earlier.)

If these tests are successful, return S2 to the single-step position and turn the H8's power off and back on. Now, using S1, you can step through the PAM-8 routine, checking each address and op code as you go. This technique will tell you which of the address or data lines are not being honest or, as in my case, can lead to the discovery of more subtle problems as described below.

One of the first tasks PAM-8 performs is to check how much memory is in the system. It does this in a loop that writes and reads values in memory cells at 1K intervals. If what was written is not the same as what was read, PAM-8 concludes that it has reached the upper memory limit. By single-stepping, I found that this loop was only being executed once—indicating that the first comparison was failing even though the system had 56K of RAM. Since the processor had single-stepped correctly to this point, I concluded that op codes were being read correctly and thus the

problem was probably with writes. Further investigation revealed the following:

The original adapter works well in conjunction with Heathkit's 8K byte memory boards, but you can have a problem with the 16K byte boards. These boards require a falling edge from the system clock ( $\phi 2$ ) during a memory write request (MEMW). This edge is inverted on the memory board and used to clock half of a 74LS74, which initiates the write. (The 8K boards merely use MEMW without reference to  $\phi 2$ .) When the HZ8 adapter is used the MEMW signal is obtained by combining the MREQ and WR outputs from the Z-80. Unfortunately, the MREQ and WR signals produced by the Z-80 barely overlap the falling edge of the clock at the end of their durations. The result can be an inaccurate write or no write at all.

A solution to the problem is to run the Z-80 clock 180 degrees out of phase with the system clock. This places the falling edge of the system clock well within the duration of the generated MEMW. The shift is easily done by removing two components from the original adapter; namely, the first inverter (7405) at pin 6 of the 8224 and its 1k pull-up resistor. (See Fig. 2.)

This modification solved my problem. The adapter now runs well in my system, which consists of 16K and 8K byte memory boards, an H17 floppy disk controller and an H8-4 serial interface board.

One final note: Since the single-step described in this article is a true hardware single-step, it may not be compatible with some of the non-Heath Company dynamic memory boards on the market. ■




Fig. 2. Clock to Z-80 circuit in original HZ8 adapter (top). Clock to Z-80 circuit after modification (bottom).



# Game Digest



Edited by Dan Muse

## Birth of the Phoenix

*(Reviewed in Creative Computing, August 1982)*

**System Requirements:** Apple II 3.3 DOS 48K

**Manufacturer:** Phoenix Software, 64 Lake Zurich Drive, Lake Zurich, IL 60047

**Price:** \$22

**Comments:** "Birth of the Phoenix is a class 1 adventure for novice players," the review says. The manual gives the player information on the particular game and the genre in general.

"The game itself is a text adventure with several goals. The player must find certain treasures, but he must also help the Phoenix in a manner learned while playing the game.

"Birth of the Phoenix is a great introduction to the realm of adventure games," the review says. Reader Service number 401

## Congo

*(Reviewed in Creative Computing, August 1982)*

**System Requirements:** Apple II 48K, disk drive, joystick recommended

**Manufacturer:** Sentient Software, Inc., PO Box 4929, Aspen, CO 81612

**Price:** \$34.95

**Comments:** Congo has "spectacular graphics and a clever theme," according to the review.

You are on safari and are separated from your native guides. You must make your way up the Congo River. "Along the way you will see other survivors of your party stranded in native villages or awaiting your rescue on small islands in the river," the review says.

To save your mates, you must maneuver your hand-made raft past deadly obstacles in the river. You also must not get too close to the shoreline where crocodiles and white panthers patrol.

The game is frustrating at first, and a great deal of practice time is required to get used to the game, the review says; however, Congo is a "spectacular and colorful game." Reader Service number 402

## Chicken

*(Reviewed in Creative Computing, August 1982)*

**System Requirements:** Atari 400/800 16K  
**Manufacturer:** Synapse Software, 820 Coventry Road, Kensington, CA 94707

**Price:** \$29.95

**Comments:** This is "a children's game which will keep many adults busy after the kids have been tucked in," the review says.

As a chicken, "You must catch in your cart all the eggs dropped by a fox scampering across the top of the screen," the review says.

Missing an egg will result in the egg breaking and a peeping chick appearing. For obvious reasons, you must "fight back the instinctual urge to sit on the eggs you drop," the review says.

"If you do plop down on a chick, a huffy farmer strides across the screen and gives you a boot," according to the review.

"The addiction level is high, and the game is refreshingly violence-free," the review says. Reader Service number 412

## Mouseattack

*(Reviewed in Creative Computing, August 1982)*

**System Requirements:** Atari 400/800 32K  
**Manufacturer:** On-line Systems, 36575 Mudge Ranch Road, Coarsegold, CA 93614

**Price:** \$39.95

**Comments:** "If maze games appeal to you, so will Mouseattack."

Instead of eating as you go through the maze, you are a plumber, laying pipes as you go. "You are zealously pursued by a group of multi-colored rodents whose goal is to snuff you out," the review says.

Your only assistance is a couple of traps and a couple of cats. The traps don't hold the rats for long, and the cats are too scared to do much.

The game offers many challenging and innovative features, including a simultaneous two-player game, wherein you play against rodent and opponent at the same time. Mouseattack is "squeaking good fun," the review says. Reader Service number 408

## Twerps

*(Reviewed in Creative Computing, August 1982)*

**System Requirements:** 48K Apple II, 3.2 or 3.3 disk drive, paddles, joysticks optional

**Manufacturer:** Sirius Software, Inc., 10364 Rockingham Drive, Sacramento, CA 95827

**Price:** \$29.95

**Comments:** As Captain Twerp, your mission is to "bash your way through orbiting satellites and rescue a shipload of stranded Twerps."

"The game starts with a graphic of a spaceship exploding, and the escaped Twerps plummeting into holes on the planet surface, leaving only their antennae protruding," the review says.

You must get from your Twerpstation to the planet. If you run out of fuel, the game is over. You must also avoid Glingas and Gleepnoks, both of whom are trying to "relieve you of your rescues," according to the review.

"This is a well-planned program from beginning to end." Reader Service number 411

## ZX Galaxians

*(Reviewed in SYNC, May/June 1982)*

**System Requirements:** ZX81, ZX80, 8K ROM, 4K RAM

**Manufacturer:** Artic Computing, 396 James Reckitt Ave., Hull, N. Humberside HU8 OJA, United Kingdom


**Price:** £3.95, £1.00 shipping and handling in U.S.

**Comments:** "If you are a keen arcade player, then ZX-Galaxians is for you," the review says.

The player is attacked in deep space by formations of hostile Galaxians, and it is his mission to prevent them from attacking Earth.

The player gets ten points for each galaxian shot in formation and 20 points for those shot in mid-flight. The game's use of ZX81's graphics is good. "When your base gets hit either by a galaxian or by a galaxian's bomb, the explosions are quite good." Reader Service number 403





Welcome to the Game Room. Each month this section will feature Micro Game Digest, reviews of computer games currently available and articles dealing with the low-end, home/game computers—Atari, Vic. . . . So read on and let the games begin.

### Choplifter

(Reviewed in Softalk, July 1982)

**System Requirements:** Apple II, with 48K bytes, ROM Applesoft, and one disk drive.

**Manufacturer:** Broderbund, 1938 Fourth St., San Rafael, CA 94901

**Price:** \$34.95

**Comments:** "Choplifter is a delightful mixture of arcade excitement and graphics whimsy, executed with a realism seldom found in entertainment software," according to the review.

Your mission is to rescue your fellow countrypersons who are being held hostage by the merciless Bungelers. You have to swoop in with your helicopter and pick up the hostages, "providing you can find them."

There are tanks awaiting you at every touchdown. Should you destroy the tanks, "there are plenty of lethal aircrafts and the dreaded drome-homing mines to keep you on your toes," the reviewer writes.

"It appears a good deal of thought went into the details of Choplifter. The thoughtfulness is welcome. The game itself is fun," the review says. Reader Service number 404

### Dog Daze

(Reviewed in Creative Computing, September 1982)

**System Requirements:** 32K Atari, disk drive, two joysticks or 8K Atari, cassette drive

**Manufacturer:** The Atari Program Exchange, PO Box 427, 155 Moffatt Park Drive, B-1, Sunnyvale, CA 94086

**Price:** \$17.95

**Comments:** "Dog Daze is an excellent game. It combines the capabilities of the Atari and an unusual game concept to achieve a truly enjoyable game," the review says.

The object of the game is to get all the "fire hydrants at the top of the play area your dog's color," according to the review.

"Dog Daze is one of the few two-player games which allows both competitors to play at the same time." One hazard is that if your dog passes too close to an opponent's hydrant he must, like all dogs, stop to sniff for a few seconds. "While you are sniffing, your opponent's dog may be claiming all the neutral hydrants in sight," the review says. Reader Service number 413

### The Human Fly

(Reviewed in Creative Computing, August 1982)

**System Requirements:** 48K Apple, Disk Drive

**Manufacturer:** Computer Programs Unlimited, 9710 24th Avenue St. S.E., Everett, WA 98204

**Price:** \$29.95

**Comments:** In this game you attempt to climb the CPU Towers Building. You must avoid "angry police, unpredictable birds, falling flower pots, closing windows, earthquakes, menacing gorillas," according to the review. You will also be confronted by a "rising balloon (catch it and gain ten floors)."

The game is modeled after Crazy Climber, the review says, but there are some differences.

If the Human Fly falls, you see him "falling head over heels and eventually splattering on the pavement in a bloody heap, a somewhat gory but spectacular end to the climb," the review says. Reader Service number 410

### Bandits

(Reviewed in Softalk, July 1982)

**System Requirements:** Apple II, with 48K bytes, ROM Applesoft, and one disk drive.

**Manufacturer:** Sirius Software, 10364 Rockingham Drive, Sacramento, CA 95827

**Price:** \$34.95

**Comments:** "Bandits is a variation of the age-old invaders-type game, but with enough new twists and innovations of its own to make it one of the better of this genre—possibly the best," the review says. Reader Service number 405

### Protector

(Reviewed in Creative Computing, August 1982)

**System Requirements:** Atari 400/800 32K, cassette or disk

**Manufacturer:** Synapse Software, 820 Coventry Road, Kensington, CA 94707

**Price:** \$29.95

**Comments:** Protector is "exceptionally dramatic in its graphics and sound effects, and the animation is mirror smooth," according to the review.

This adventure game contains six levels of difficulty. As soon as a level loses its challenge, you can advance to the next level.

The graphics are the best thing about Protector. Sound effects and the title music are also good. Reader Service number 407



Action Quest is an arcade game—and it is addictive, well paced and fun

### Action Quest

(Reviewed in Creative Computing, August 1982)

**System Requirements:** 16K Atari 400/800, cassette/disk

**Manufacturer:** JV Software, 3090 Mark Ave., Santa Clara, CA 95051

**Price:** \$29.95

**Comments:** "Action Quest is a one player arcade-style game within an adventure format—and it is addictive, well paced, and fun," according to the review.

This is not a shoot-em-up type of game, and could almost be labeled an adventure game, the review says. Reader Service number 406

### Trailblazer

(Reviewed in Softline, July 1982)

**System Requirements:** Apple II, 48K, disk

**Manufacturer:** Zeta Systems, 1725 Adelaide Blvd., Akron, OH 44305

**Price:** \$29.95

**Comments:** Trailblazer "offers space exploration and trading for one to four players," the review says.

"Trailblazer maintains the tradition established by its noncomputer predecessors. It is good—and inexpensive relative to similar game programs on the market," according to the review.

"The game is played in four distinct phases. The object is to accumulate the greatest number of victory points in a predetermined number of rounds of game play.

"Players must bid against each other for limited supplies produced on known worlds in the galaxy. The bidding is open and competitive," the review says.

"Trailblazer is much more than Outer Space Monopoly... as you play, you must develop new marketing strategies and carefully plan ahead for several moves if you hope to survive against an astute opponent," the review says. Reader Service number 414

Juggler is absolutely delightful and unlike anything else currently on the market

### Juggler

(Reviewed in Creative Computing, August 1982)

**System Requirements:** 48K Apple, disk drive, paddle optional

**Manufacturer:** Innovative Design Software, Inc., PO Box 1658, Las Cruces, NM 88004

**Price:** \$29.95


**Comments:** Juggler is "absolutely delightful and unlike anything else currently on the market," the review says.

In this game you are given various types of objects to juggle.

Balls and "tumblers" are launched into the air and "careen off a small inclined plane and hit objects the juggler is tossing into the air or the juggler himself," according to the review. Reader Service number 409

Circle 198 on Reader Service card.

## COMPUTER KITS – FROM \$69.95



**LNW SEMI-KITS** can save you hundreds of dollars. By obtaining your own parts at the lowest possible cost and assembling the **LNW SEMI-KITS**, you can have the most highly acclaimed microcomputer in the industry – the **LNW80**. The **LNW SEMI-KITS** are affordable modules. You can start with a modest cassette system and expand to a full 4Mhz TRS-80 compatible system with 5 or 8 inch double density disks and color at any time.

**A. LNW80 CPU** – Made of high quality FR4 glass epoxy double sided circuit material, with plated-through holes and gold edge connector. It is fully solder-masked and silk screened. Here are just some of the outstanding features you will have when your **LNW80** CPU board is fully assembled: • 16K RAM • Color and black and white video • 480 x 192 high resolution graphics • 64 and 80 column video • 4 Mhz Z80A CPU • Upper and lower case display • 500 and 1000 baud cassette I/O – \$89.95

**B. SYSTEM EXPANSION** – Expand the **LNW80** computer board, **TRS-80** and **PMC-80** computer with the following features: • 32K memory • Serial RS232C and 20Ma port • Real time clock • Parallel printer port • 5 inch single density disk controller • Expansion bus (screen printer port) • Onboard power supply • Solder-masked and silk screened legend – \$69.95 (tin plated contacts) – \$84.95 (gold plated contacts)

**C. KEYBOARD** – 74 key expanded professional keyboard – includes 12 key numeric keypad. Fully assembled and tested. – \$99.95

**D. COMPUTER CASE** – This stylish instrument-quality solid steel case and hardware kit gives your **LNW80** that professional factory-built appearance. – \$84.95 Add \$12.00 for shipping.

**E. SYSTEM EXPANSION CASE** – This stylish instrument-quality solid steel case and hardware kit gives your **SYSTEM EXPANSION** interface that professional factory-built appearance. – \$59.95 Add \$10.00 for shipping.

**F. LNW80 CPU – HARD TO FIND PARTS KIT – \$82.00**

**G. LNW80 VIDEO – HARD TO FIND PARTS KIT – \$31.00**

**H. SYSTEM EXPANSION – HARD TO FIND PARTS KIT – \$27.50**

**I. LEVEL II ROM set (6 chip set) – \$120.00**

**VISA and MasterCard** accepted. Add \$3.00 for shipping plus \$1.00 for each additional item. All shipments via UPS surface. Add \$2.00 for U.S. Mail. Shipments outside continental U.S.: funds must be U.S. dollars. Sufficient shipping costs must be included with payment.

**ORDERS & INFORMATION – (714) 544-5744**  
**SERVICE – (714) 641-8850**

## LNW Research Corp.

2620 WALNUT Tustin, CA. 92680



**Finally  
you can afford  
to satisfy  
your lust for  
power.**





Sinclair

ZX81





# For \$99.95 you can have a full powered personal computer.

Most people know by now that the ZX81 from Sinclair Research is the lowest priced personal computer in the world.


But serious programmers are looking for more than a low price. They're looking for true computer power. And that's where the ZX81 surprises a lot of people.

Just look at the keyboard and you'll get some idea of the ZX81's power. It has more than 60 BASIC commands, 20 graphic symbols, and complete mathematical functions. And there's even more power that you can't see.


**A breakthrough in personal computers.** The ZX81 offers features found only on computers costing two or three times as much.

Just look at what you get:

- Continuous display, including moving graphics
- Multi-dimensional string and numerical arrays
- Mathematical and scientific functions accurate to 8 decimal places
- Unique one-touch entry of key words like PRINT, RUN and LIST
- Automatic syntax error detection and easy editing
- Randomize function useful for both games and serious applications
- Built-in interface for ZX Printer
- 1K of memory expandable to 16K
- A comprehensive programming guide and operating manual



Sinclair programs are available



16K Memory Module

The ZX81 is also very convenient to use. It hooks up to any television set to produce a clear 32-column by 24-line display. And you can use a regular cassette recorder to store and recall programs by name.

**What you get.** When you order your ZX81, you get everything you need to start programming.

It comes with connectors for your TV and cassette recorder, an AC adaptor, and a free programming guide and operating manual that completely documents the capabilities of the ZX81.

**Options and add-ons.** Like any full-powered computer, the ZX81 can be expanded and upgraded.

Its 1K memory can be expanded to over 16K just by plugging the Sinclair Memory Module onto the back of the unit. The cost is only \$49.95.

Sinclair has also published pre-recorded programs on cassettes for your ZX81. We're constantly coming out with new programs, so we'll send you our latest software catalog when you order your computer.

**How did we do it?** The question most often asked about the ZX81 is, "How can so much computer power cost so little money?"

The answer is that Sinclair Research simply took a different approach. Our only goal was to make programming power as affordable as possible. So we developed a radical new design that cuts costs dramatically without cutting computer power. For example, our unique Master Chip replaces as many as 18 chips used in other personal computers.

The success of the ZX81 speaks for itself. It is now the fastest-selling personal computer in the world. And we stand behind our product. If anything goes wrong in the first 90 days, we'll repair or replace your unit free of

charge. Even after that, you can take advantage of our national service-by-mail facilities for a minimum fee.

**Order now and try it out for 10 days.** Simply send the coupon along with a check or money order. For faster delivery, call our toll-free number and use your MasterCard or VISA.

You have 10 days to try out the ZX81. If it isn't all we say it is, just send it back and we'll refund your money.

Why wait any longer? With the Sinclair ZX81, you can finally afford to have the computer power you've always wanted.

**Call toll free 800-543-3000.** Ask for operator #509. In Ohio call:

800-582-1364; in Canada call: 513-729-4300. Ask for operator #509.

Phones open 24 hours a day, 7 days a week.

Have your MasterCard or VISA ready.

These numbers are for orders only. If you just want information, please write: Sinclair Research Ltd., 2 Sinclair Plaza, Nashua, NH 03061.



Free guide to programming

**To order call toll free: 800-543-3000.**

AD CODE <b>AOKM</b>		MAIL TO: Sinclair Research Ltd., One Sinclair Plaza, Nashua, NH 03061.	
	PRICE*	QTY.	AMOUNT
ZX81	\$99.95		
16K Memory Module	\$49.95		
Shipping and Handling	\$4.95		\$4.95
*U.S. dollars		TOTAL	
Name _____			
Address _____			
City _____		State _____	Zip _____

Sinclair technology is also available in Timex/Sinclair computers under a license from Sinclair Research Ltd.

# sinclair





# Meet Teddy, A Likable Garbage Man

Edited by Dan Muse

### Microwave

Out of the Pac-Man Genre, this game is Unique and enjoyable

The story line involves Teddy, an intergalactic salvage man, who must defend himself with microwave dishes (and, it turns out, the radiation from same) against alien varmints. These dishes are powered by power packs that—you guessed it—Teddy salvages. Boring?

After playing Microwave until 1:30 or later several mornings in a row, I can tell you that it is anything but boring. It is a very well put together game; the crummy storyline on the back of the package actually does nothing for the product. In fact, it was probably written to minimize sales, since word of mouth should make this a most successful product.

Microwave belongs to the Pac-Man genre of games, but with some added adventure-like features. There are nine different mazes, or levels, as they are called on the screen, each more difficult to penetrate. Teddy walks briskly in the direction chosen by (reassignable) keyboard keys or a joystick until he hits a wall, is eaten by aliens, blown up by time bombs left by the aliens, runs out of life support equipment or escapes to the next level.

The goal of the game is to have Teddy pick up all the tools and sundries scattered about the maze. When all of these are picked up, an exit appears and Teddy must pass through it to escape to the next level. The higher the level, the smarter (and faster) the aliens. Higher level exits are increasingly better guarded both from a passive (maze design) and alien response point of view. Each game begins with three chances for Teddy; if you make it to level 5—I did this early one morning—you get one extra chance. (A nice gesture, but it didn't help me).

Teddy has three defenses. The first one

is adroit finger-work by the player. This takes some time to develop. I tried to use a joystick but found that without automatic centering of the stick control, it is hard to maintain. I kept missing vital turns in the heat of the chase. The keyboard worked far better for me.

Teddy's second defense is the "powerful" microwave dishes. These can be dispensed at critical times, but only one may be active at a time. They are always focused to the rear of Teddy. The beams of the dishes are instantly fatal to any alien caught in them. Otherwise, aliens are usually repelled—but sometimes killed—by the radiation which runs along a maze path until it hits a wall. Teddy can walk through the beams with no apparent ill effect.

The third defense is to stop action. Though probably considered a form of cheating by Microwave enthusiasts, action can be stopped anytime in the game by typing a control C. (Try to do that when you are surrounded on four sides by converging aliens if you think this is cheating.) This command is supposed to be used to allow keyboard reassignment if you don't like the left-right arrows for side motion, A and Z for up and down and space bar for dish release defaulted by the program. Action will be instantly stopped for your casual perusal and can be restarted by simply reassigning the keys to their normal value. (This is a very painless task, and worth the work if you can stop the show in time.)

Sound effects and music are very good and can be turned on and off with a control S. After four or five hours they get boring, even when well done, and this refinement shows the detail that was spent on the game. The last three highest scores, along with your initials, are saved on a scoreboard displayed at the end of the game. Another nice touch.

I enjoyed watching the motion of the aliens. I think I have found three different modes of behavior on their part. Mode 1 is

"random" motion. Unless something disturbs them, they will follow the same path every game. Level 1, the easiest maze, uses this mode most of the time. (There is a route that Teddy can follow that works just about all the time.)

Alien mode 2 seems to involve "alien seek" on poor Teddy. You will discover this mode very quickly in level 2, although after a little while, if they don't get you, the alien chase becomes more like random milling about.

Mode 3 is invoked when a maze is nearly solved and you try to get Teddy to the exit. Level 2 usually has one or two aliens guarding the single passageway to the exit. Higher levels have all available aliens buzzing around well-guarded exits like hornets. Quick-witted, clever strategies and careful use of the microwave dishes can obtain access to these exits.

What are the bad points of the game? At first it seems childishly simplistic; the package description is entirely misleading. Another bad point is that it is very addictive, apparently for all age groups from seven (my youngest) to 39 (I won't mention who).

The good points are only everything that makes a good computer game—good sound effects, animation, challenge. And intense action for 30 to 60 seconds (if you are lucky), followed by instant gratification or annihilation, continues for as long as you choose. Skill and luck will be required to penetrate the deeper levels. Skill in this case is fun to develop (your wife and family will probably have another word for it) and you already know about luck.

I thoroughly liked Microwave and enthusiastically recommend it to everyone. It is an arcade quality game for the Apple II and a step above Apple Invaders. Control is crisp, and attention to detail of the game is consistently high and professional.



Cavalier Computer Corporation, PO Box  
2032, Del Mar, CA 92014. \$34.95

**Jim Hansen**  
New Boston, NH

## Computer Stocks and Bonds

Squander a fortune—  
Worry-free—  
In investment game

If you have ever wanted to be involved in the stock market but lacked the courage or cash to jump in and try your hand, this might be the program for you. For the sum of \$20 (\$25 disk) you will be given \$5000 and a chance to build yourself a fortune the way the big boys do. The beautiful thing is that if you lose it all it won't hurt as badly.

From one to six players may try their skill and cunning in investments. Each player will be given \$5000 at the beginning of the game. The game is played in year cycles, with each turn being the equivalent of one year. The game is over after ten "years" of trading, and the player who has amassed the greatest fortune will emerge as the winner.

When the game begins, the computer will announce if it is a Bull or Bear market. You will be expected to use this information wisely. The computer will next ask you if you wish to see its own version of the Dividend Announcement—Avalon Hill International News Bulletin, or the Stock Split/Bankruptcy screens.

These screens display some very important information on the companies that you are investing in and should be used on every turn; even if you don't view them, they will have an effect on the outcome of the game. They give such relevant information as which companies are paying dividends and how much; what, if any, companies are having a stock split or going bankrupt; and important news items that will have an effect on the company involved.

The news items may be such things as a congressional vote to stop supporting ore prices due to a stockpile, or a company that had a fire announcing that it does not have enough insurance to cover the losses. These are all very interesting and important when you are planning where to invest your money.

The Avalon Hill International News Bulletin is presented as a video ticker-tape which runs across the top of the screen, giving you stock prices throughout the game. It also lets you know when the market is open for trading.

Each player is given his position when it is his turn to play. The position is determined by the amount and value of stock owned by the player and his net worth at

the beginning of trading for that year. The video ticker-tape runs across the top of the screen displaying the current price for the stock. The player may then choose to buy or sell as many shares of the stock as he owns or can afford.

You will have a choice of ten companies to invest in ranging from Central City Municipal Bonds, which is the safest investment, to the speculative investment, Uranium Enterprises, Inc. There are many types in between to choose from—Mutual Funds, Auto Industry companies and utilities, for example.

Any company that reaches a price of \$150 per share will usually declare a two for one split, and holders of that stock will have their amount doubled. The corresponding price will also be cut in half. Any stock price that falls below zero will cause the company to declare bankruptcy, and any player holding that stock will lose all financial interest in it. At the start of the next turn, the bankrupt company will start fresh with a trading price of \$100, and players may then buy it again if they wish.

There are also two player-aid routines that the players may use to help them decide whether to buy or sell a stock. The first is the price history routine—with this the player can see the price history of a stock for all the "years" the game has progressed. This will give you a fairly good idea about the direction a stock is taking. You may decide to ride out a downslide or sell if you feel the security has reached its peak. This is a very useful item to rely on for the novice.

The second player-aid routine is a Bar Graph Analysis. With this you can select three stocks at a time and have the prices plotted on a bar graph for comparison. You can only display three stocks at a time so if you own more than that you will have to run an additional analysis.

The more "years" that have passed, the more you will get out of these aids. They can be called upon whenever it is your turn so make the most out of them; they can make the difference between poverty and riches.

The instruction book provided is well-written and easy to understand even for the beginning investor. It contains all the information you will need to load the program and play the game. The eight-page manual even comes with a glossary of terms used in the investment world so a total novice can play and enjoy this game.


Computer Stocks and Bonds lets you use your investment skill and strategy to make (or lose) vast fortunes without investing more than the price of the program. Invite your friends over and see who is the sharpest investor, or just play it by yourself and sharpen your decision-making skills. Who knows? It may pay off at the real Stock Exchange.

Avalon Hill Game Company, 4517


Circle 77 on Reader Service card.

# Main/Frames Main/Frames from \$200


- 30 Models of Enclosures
- Assembled and tested
- Quasi-Coax Motherboards
- Power Supply
- Card cage and guides
- Fan, line, cord, fuse, power & reset switches




8" Floppy Main/Frame



8" Disc Enclosure



Phase/80 8" Floppy Mainframe



Phase/80 Desk + Mainframe

Write or call for our  
brochure which includes our  
application note:  
"Building Computers —  
A Recipe"

## INTEGRAND

8620 Roosevelt Ave. • Visalia, CA 93291  
209/733-9288

We accept BankAmericard/Visa  
and MasterCard



Harford Road, Baltimore, MD 21214.  
\$20, disk version \$25.

**Richard D. Prill**  
Pompano Beach, FL

## Educational Software For Kids

### "Sammy Sea Serpent" Helps to develop Children's skills

The programs in Educational Software for Kids are not shoot-em-up arcade games where you must defend the universe and destroy all the aliens before they get us; they are not maze-like adventures that take us to the edge of our sanity. These are a few of the educational games available to teach the young.

As an added benefit, they also help to orient the young to the use of computers. They help kids become interactive with computers and not hold them in awe. It is quite possible that a child may fear the computer if the only exposure he gets to it is in science fiction.

These programs have been tested by the toughest critics I know—my own kids. They have run the cycle from arcade games on the TV to where they are now—the Atari 400. The oldest one already has her eye on my Atari 800

("...but, Dad, it's easier to type"). Now if you can bear to back away from the keyboard and let the kid have a go at it, you may be interested in these programs.

Sammy the Sea Serpent and Story Builder/Word Master are two of the programs available from Program Design, Inc. They are in a category named by PDI as the Children Challengers.

There are currently nine programs in this category, ranging from preschool IQ builder to addition with carrying. This is a very good first program for children. It is done in storybook format with very good graphics. The story involves Sammy the Sea Serpent whom the child must guide through the story with the use of joystick controllers.

The story is narrated by use of the cassette audio track and gives the background of the story and instructions to the participant. The program helps to develop eye/hand coordination. The child must guide Sammy through mazes and gardens. The child must also help Sammy find his food so that he can grow up and continue on his journey.

In one instance the child is given a time limit on moving Sammy to find his food. If the child doesn't get him there on time the bug flies off and Sammy must be taken to another one.

This gives the participant something of a goal to work toward without penalizing him if he should fail the first time.

The story is well-written and should give the child hours of use.

The cassette's reverse side involves games that require joysticks. They run 16K (Atari) and are recommended for children ages four to seven.

Story Builder/Word Master is another educational program available from PDI. It is available in 8K for the Atari on cassette or diskette and 32K for the Apple

on diskette. It is recommended by the manufacturer for ages nine or older.

This program is used to help the child develop his grammar skills. There are three separate programs on side 1 of the cassette. In the first program the child is given the definitions of a noun, a verb and an adjective. The computer puts different sentences on the screen and asks the child, for example, which is the noun. The word that is sought is in inverse video so it is easy for the child to spot it.

The child makes his choice by entering the corresponding number. The computer then tells the child if this is correct. If incorrect, the computer gives the child another chance. If it is wrong on the second try the computer gives the child the definition of the type of word it is looking for, and gives another chance at it. If the answer is right the child is given an audio and visual display letting him know, and then another sentence is put on the screen for him to try.

The only complaint I had with this program is the almost obsessive use of the word "yucky" in the program. It would seem that somewhere in the English language there must be a better choice.

The next program is called Fractured Nursery Rhymes. In this program the child takes what he has learned in the first program and puts it to use. The program asks the child for a noun, a verb and an adjective and places them into strategic spots in familiar children's poems.

It then puts them on the screen for the child to read, allowing him to see if his words fit in the same position as in the program. It helps the child to understand in what context the words are used. The rhymes that are on the screen can be quite amusing, as my nine-year-old found out.

The third program is a continuation of the second and is called More Fractured Nursery Rhymes. It features different rhymes in case the player wants to look at some new poetry.

On the reverse side of the cassette is a game which is fun and challenging for both kids and adults. In this game the computer selects a three-letter word, and you have ten tries to guess what it is. The computer will show how many letters you have correct and in the right position, and how many letters you have correct but in the wrong position. This is an old game, but it is still challenging and fun to play.

These are only two of the many educational and challenging programs available from PDI. They have programs for kids of all ages, and I hope to acquire more of them in the future if the quality of the programs is on par with what I have already seen. Both programs are \$23.95 on diskette and \$16.95 on cassette. Program Design Inc., 11 Idar Court, Greenwich, CT 06830.

**Richard D. Prill**  
Pompano Beach, FL

Circle 319 on Reader Service card.

**FREE?**

**CHEMIN**  
The Sophisticated European Card Game  
with the Improved American Dealer

**win & get a check ...**  
CASINO PAY WINNER

**YOU COULD GET THIS GAME FREE!**

**FEEL LUCKY?**

price > \$24.95  
INTRODUCTORY  
OFFER REBATES  
FROM \$0 to \$25

Write or Call  
for Details  
Up to \$5 credit  
on order for  
Phone call order

**...lose & pay the price**

**OR!**

**TIRED OF ONLY PLAYING GAMES  
WITH YOUR COMPUTER?  
READY FOR SOME SERIOUS SOFTWARE?**

We will custom develop programs  
tailored to your desires  
OR  
Provide our own Quality Programs

**ALL at unbelievably LOW PRICES**

We will even send you royalty payments  
when we re-sell programs we developed  
at your suggestion!

#### PERSONAL PROGRAMS ALREADY DEVELOPED VALUE

- Important assets logging/tracking program. Organize  
for wills, taxes, insurance, etc. **\$24.95**

#### HOUSEHOLD

- Keep track of all household goods by room. Compile  
total cost new, current value, and replacement  
costs. **\$24.95**

#### TICKLE

- Reminder of things to be done. Sorted by date to  
be done, deleted as each finished **\$ 9.95**

#### TEACHER

- Friendly, informative, 1st time user introduction  
to computers. Makes basic operation of the machine  
enjoyable and easy to learn. **\$24.95**

#### ALL RUN ON OSBORNE


OR ON ANY MACHINE WITH MICROSOFT BASIC OR CROMEMCO 32K BASIC  
QUANTITY DISCOUNTS available to dealers and User Groups

CHEMIN USES CURSOR ADDRESSING. TESTED ON OSBORNE, TELEVIDEO, INTERUBE,  
ADM, & HAZLETINE. APPLE II/RS-80 versions being developed

**ARTCOM DATA SERVICE <313> 522-3377**  
P.O. BOX 9343 LIVONIA, MI. 48150

Circle 163 on Reader Service card.

## Analog and Power Control I/O.....in a Single Board Computer




6801 or 68701 MPU with 2K ROM or  
EROM, 128 RAM, timer. 8 12-bit  
analog inputs, 8-bit analog  
output, 8 AC or DC inputs or  
outputs, serial I/O, digital I/O,  
watchdog timer, power supply.



**WINTEK**

Wintek Corp.  
1801 South Street  
Lafayette, IN 47904  
317-742-8428





# SHOWS FOR YOU IN '82

**THE NATIONAL COMPUTER SHOWS** are the largest public computer expositions in the country. They feature hardware and software for business, industry, government, education, home, and personal use.

Under one roof you'll be able to test the new computers, desk top computers, data and word processing equipment, and a huge array of computer peripherals, computer services and computer supplies.

At each show you'll see all the major brands, all the major manufacturers, the big distributors and the local dealers and retailers. Everything together and for sale at super show prices.

Don't miss the National Computer Show coming to a city near you. Admission is \$5 per person per day.

## **TICKET INFORMATION:**

Send \$5 (payable to National Computer Shows) for each day-long ticket along with the name of the Show you plan to attend to the address below. Tickets can also be purchased at the show.

The National Computer Shows,  
822 Boylston St., Chestnut Hill, MA 02167  
Telephone: 617-739-2000

## **BOSTON**

### **THE NORTHEAST PERSONAL COMPUTER SHOW**

Friday-Monday October 8-11 (Columbus Day Weekend)  
Hynes Auditorium/Prudential Center  
Show Hours: Friday 11 am to 9 pm,  
Saturday & Sunday 12 noon to 9 pm,  
Monday 11 am to 6 pm

## **WASHINGTON, D.C.**

### **THE MID-ATLANTIC COMPUTER SHOW**

Thursday-Sunday October 28-31  
D.C. Armory/Starplex  
Show Hours: 11 am to 6 pm daily

## **BOSTON**

### **THE NORTHEAST BUSINESS COMPUTER SHOW**

Thursday-Sunday November 11-14  
Hynes Auditorium/Prudential Center  
Show Hours: 11 am to 6 pm daily

## **ATLANTA**

### **THE SOUTHEAST COMPUTER SHOW**

Thursday-Sunday December 9-12  
Atlanta Civic Center  
Show Hours: 11 am to 6 pm daily

**THE  
NATIONAL  
COMPUTER  
SHOWS**

822 Boylston St., Chestnut Hill, MA 02167





# Squeeze the Most Out of Your VIC-20

*Learn how to use the color dot and high-resolution capabilities of the VIC-20 to generate some super game graphics.*

By Jeff Knapp

Commodore's VIC-20 microcomputer has been in people's hands for some time now, and users are enjoying its many features: color, sound effects, music and character graphics. But for all its facilities and ease of use, there's always a computer hacker who wants to squeeze more out of his machine.

One feature that has been "squeezed" is the capacity for programmable characters. Several people, working independently, have devised programs for constructing a user-generated character set; and by the time you read this, Commodore may have its version on the market.

Two other, related, features may be useful to you. One is the facility for high-resolution black-and-white dot-addressable graphics, and the other is medium-resolution eight-color dot-addressable graphics.

## Programmable Characters

Those of you familiar with the VIC may understand the principle behind user-generated characters but wonder, since the VIC screen memory is only 506 bytes, how you can get hi-res when those bytes are not bit-addressable. The answer is to use the VIC's programmed character generator, and when a hi-res dot is required, generate a custom-built character on the fly.

The VIC computer gets its name from the VIC (Video Interface Chip) integrated circuit that Commodore's MOS Technology subsidiary manufactures. This chip governs all of the

screen and sound functions. It includes 16K address space, on-chip generation of 16 colors, screen centering, screen grid of up to 192 horizontal by 200 vertical dots, two selectable graphic character sizes, on-chip sound system (three voices, white noise and volume), two on-chip analog-to-digital converters, 16 addressable control registers, light pen/gun input and two modes of color operation: hi-res and multicolor.

This powerful little piece of plastic has a lot of capability. Table 1 shows the VIC register names and the decimal addresses they occupy. Note CR5; this register controls the addresses at which the VIC chip will expect to find the screen memory and the character generator ROM. By altering this register, we can make the VIC chip look at an alternate programmed character generator. Since each character is composed of eight consecutive bytes, you can build

your own characters by setting bits on or off in those bytes.

When CR5 contains 240 (decimal), the VIC chip looks at the uppercase/graphic characters of the character generator ROM. When CR5 contains 242, the lowercase/uppercase character set is used. If you poke CR5 with 255, the character set is considered to start at address 7168 in the top of the VIC computer RAM. Eureka! Since you're in free RAM, it should be a small matter to design custom characters and poke the appropriate values into the required bytes. Fig. 1 illustrates how this is done.

By laying out an 8-by-8 grid, and weighting the columns as shown, you can fill in the blocks to design a character. When you are done, horizontally sum the column weights of each row. In this example, the top row has a sum of 24 (16+8), the second row has a sum of 36 (32+4), etc., with the last three rows having sums of 129

Register name	Function	Address
CR0	Horizontal centering	36864
CR1	Vertical centering	36865
CR2	Number of columns	36866
CR3	No. rows, character size	36867
CR4	Current scan line	36868
CR5	Character & video addresses	36869
CR6	X position of light pen	36870
CR7	Y position of light pen	36871
CR8	Digitized value of POTX	36872
CR9	Digitized value of POTY	36873
CRA	Tenor tone generator	36874
CRB	Alto tone generator	36875
CRC	Soprano tone generator	36876
CRD	White noise generator	36877
CRE	Volume control	36878
CRF	Screen color control	36879

Table 1. VIC register names and the decimal addresses they occupy.

Jeff Knapp (1823 7th Ave., Charleston, WV 25312) manages a Commodore dealership in Charleston.



# CRUSH THE EMPIRE IN **MEGA**WARS

ENLIST



MegaWars, a real-time space battle

between the forces of the Colonists and the Kryon Empire. Join an intergalactic shootout with up to eight starship commanders transmitting orders from the keyboard cockpits of their craft anywhere in the U.S.A.

## THE ULTIMATE COMPUTER CONFLICT

Attacking, evading, scanning, communicating. That's MegaWars. Easy to learn but difficult to master. That's why CompuServe will give one free hour to every MegaWars player entering a game before December 31, 1982.

Call toll free  
800-848-8990.

You'll receive the illustrated guide to CompuServe, America's most comprehensive Videotex service, plus the MegaWars Commanders Briefing.

**CompuServe**

5000 Arlington Centre Blvd.  
Columbus, Ohio 43220  
800-848-8990



1									
2	6	3	1						
8	4	2	6	8	4	2	1		
				X	X				24
				X			X		36
				X				X	68
X	X	X	X	X	X	X	X	X	255
X								X	129
X								X	129
X								X	129

Fig. 1. An example of VIC character generation.

(128 + 1).

When you have a list of eight numbers that describe your character, you may poke the numbers into eight consecutive bytes of memory to build the character generator. The user-programmed character generator starts with the @ character at locations 7168-7175. The A character is at 7176-7183. You can calculate a character starting position by using the formula  $P = 7168 + (C * 8)$ , where C equals the number of the character if @ = 0, A = 1, B = 2, etc.

Using this simple technique, you can create a character in an 8-by-8 grid and use that character in a program. Commodore, for example, used this technique to create the "meanies" in the VIC game program, Blue Meanies from Outer Space.

## Hi-Res Graphics

Now you can use the same technique to display dot-addressable graphics on the VIC screen. The procedure is simple: starting with X and Y coordinates of the dot to be lit (or unlit), calculate the screen byte position within the eight bytes that make up the screen position, create a character, put the new character in the screen byte position, and set or clear the bits necessary to make the desired pattern. For example:

For X, Y position 67, 55:

horizontal byte =  $67 / 8 =$  byte 8 with a remainder of 3

horizontal bit position = 3

vertical byte =  $55 / 8 =$  byte 6 with a remainder of 7

vertical bit position = 7

screen byte will be  $7680 + (22 * 6) + 8 = 7820$

create the next available character, e.g., @ (this would be character 0)

poke 7820,0

bit position will be the 3rd bit of the 7th byte of

character 0

byte 7 =  $7168 + (0 * 8) + 7 = 7175$  (remember the formula for finding the byte, above)

bit position three is weighted as 32, so poke 7175, 32

By poking the screen RAM with the appropriate character (in this case, @) and then defining that character as necessary, you can have dot-by-dot control over the screen. The program listing shows a simple way of getting started. Line 10 clears the screen and sets the output to blue, then lowers the memory ceiling to make room for the new alphabet. The CLR statement ensures that all pointers in the computer are set correctly.

Array C(x) keeps track of which characters are available to be redefined. Line 11 declares character 32 occupied, and changes the VIC chip pointers to the new character set and the background/border to black. Line 12 defines a function that makes it simple to find out which byte is to have bits set. Lines 15 through 20 create an array of bit weights and clear all bytes of our new character set.

Lines 10-20 should be at the head of your program. Lines 1000-1070 comprise the actual plotting subroutine, and follow the procedure set

forth above with the addition of line 1030. Line 30 checks to see if the calculated screen position already holds a character; if it does, alter the existing character instead of creating a new one.

Line 1050 prints on the top line of the screen the character being defined; it can do this by calculating the proper value and displaying it in reverse video. While you're in the user-generated character mode, you can display any of the normal uppercase characters by printing them in reverse video. Line 1060 tests for defined characters and skips them until it finds a blank one to use.

Before running a program using this routine, press the stop and restore keys simultaneously, or else poke 36879, 27 inside the program. This resets the video to a white background and cyan border. Note that although the program sets the output to blue, the dots in the screen are white. This is because only printed output is blue, and poked output such as we use for plotting takes on the background color.

## Medium-Res Dot-Addressable Color Graphics

That brings us to color graphics.

```

10 PRINT "Sb":POKE52,28:POKE56,28:CLR:DIMC(64):      rem lower memory ceiling
11 C(32)=1:POKE36869,255:POKE36879,8                rem set alphabet & field
12 DEF FNA(C)=7168+(C*8)+Y2                          rem define character calc
15 FORX=0TO7:READB:B(X)=B:NEXT                      rem read bit weights
17 DATA128,64,32,16,8,4,2,1
20 FORX=7168TO7680:POKEX,0:NEXT:C=0:PRINT          rem clear alphabet
30 rem define x coordinate here
40 rem define y coord here
50 GOSUB 1000                                         rem gosub plot routine
60 :
70 :
80 :
90 :
100 END
1000 X1=X/8:Y1=Y/8
1010 X1=INT(X1)*8:Y1=INT(Y1)*8:X2=X-X1:Y2=Y-Y1      rem calculate byte pos
1020 S=7680+((Y1/8)*22)+(X1/8)                      rem calculate bit pos
1030 IFPEEK(S)<>32THENC=PEEK(S):                     rem calc screen pos
      POKEFNA(C),PEEK(FNA(C))ORB(X2):GOTO1050       rem if screen pos is
                                                    occupied, alter char
1040 POKES,C:POKEFNA(C),B(X2):C(C)=1               rem if not, start new
1050 PRINT "s|||r"CHR$(C+64)                        rem print char used
1060 C=C+1:IFC(C)THEN1060                            rem increment char count
1070 RETURN

```

Cursor Legend: s=home cursor

S=clear screen

b=print in blue

] = cursor right

r = reverse video

Program listing. Basic program to define programmable characters on the VIC-20.



# NEW! FOR IBM PC USERS

## Contains . . .

Full descriptions and prices of more than 800 Expansion devices and Software packages for the IBM PC,

## Provided by . . .

250 independent Manufacturers and Software Publishers,

## And . . .

Original text on Spreadsheets, Memory Expansion, Hard Disks, and the 5 Operating Systems available for the IBM PC.

ISBN# 0-88022-019-8

\$19.95



Available NOW at all computer stores and fine bookstores such as B. Dalton, Krochs & Brentanos, Stacey's, Coles and Waldenbooks, or

**Order directly from Que**

Please RUSH \_\_\_\_\_ copy(ies) of **IBM PC EXPANSION & SOFTWARE GUIDE** @ \$19.95/each.

Add \$2.00 per book for shipping and handling. Indiana residents add 4% sales tax.

Name \_\_\_\_\_

Address \_\_\_\_\_

City/State/Zip \_\_\_\_\_

Total enclosed \$ \_\_\_\_\_ or charge my ☐ Visa ☐ MasterCard ☐ Other (specify) \_\_\_\_\_

Card # \_\_\_\_\_ Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

**Phone  
Orders**

**1-800-428-5331**

Make checks payable to: QUE Corp.,  
7960 Castleway Dr., Indianapolis, IN 46250



You can get much the same results, but in color, using the VIC chip's multicolor mode instead of the hi-res mode. I won't go into great depth with this, referring you instead to Commodore/MOS publication "6560/6561 Video Interface Chip," available from Commodore, 950 Rittenhouse Road, Norristown, PA 19403 (phone 215-666-7950). This is a complete, albeit technical, description of the VIC chip and its capabilities.

Take a look again at Table 1. CRF bits 0-2 select one of eight colors for the border area of the screen. Bit 3 determines whether a character will be displayed in normal or reverse video. Bits 4-7 determine one of 16 colors for the background of all characters.

This register, as you can see, controls much of the color, but only on a screenwide basis. To get bit color control, you must use this register with others, and there is one for each position on the screen. They're called Color Pointers; they reside at decimal address 38400 and continue for 506 bytes, giving a one-for-one correspondence to the Screen RAM that

Let's see someone  
use the hi-res and  
multicolor capabilities  
of the VIC to do  
some super game like  
Missile Command or  
Asteroids....

was poked into a short time ago.

These pointers contain the color information for each character printed on the screen, and determine whether that character will be displayed in hi-res or multicolor mode. The most significant bit of each color pointer makes that determination. If the bit is 0, then that character is displayed in hi-res; if it contains 1, then the displayed character is in the multicolor mode.

With hi-res selected, there is a one-to-one following of bit to background color. With multicolor selected, each two bits of a character byte (remember there are eight bytes to a character) correspond to one bit on-screen, and the color of that dot is determined by a code comprised of those two bits.

Unlike hi-res mode, which allows only two colors to be displayed per character, multicolor allows up to four colors per character. However, since two bits of cell data correspond to one bit on-screen, multicolor has half the resolution of hi-res. That is to say, an 8-by-8 character now maps out at 8-by-4 (eight lines of four each). The same memory is required, but it's mapped differently.

In multicolor mode the two bits that make a dot will select one of the four colors for that dot. The four codes created by those bits tell the VIC chip where to get color information. The four codes and where they point to are shown in Table 2.

00 = background color (bits 4-7 of CRF)  
01 = exterior border color (bits 0-2 of CRF)  
10 = foreground color (color pointer RAM)  
11 = auxiliary color (bits 4-7 of CRE)

Table 2. Two-bit codes that point to color information in the VIC.

You should understand that the four codes are not colors, but pointers that indicate where the color information is held. This allows greater color capability, as each code pointed to has either three- or four-bit resolution.

Suppose the bit pattern were 0001-1011. The first two bits would be in the background color, the second two in the border color, the third pair in the foreground color, and the final two in the color described in the auxiliary color register.

If you want to see how this works, list the plotting routine (or any other program) on the screen. At the bottom of the screen, type the following direct command and press return:

FOR X = 38400 TO 38906:POKE X, 200:NEXT


If the screen was in its normal cyan-border/white-background combination, you should see portions of the characters get wider and turn black, to give narrow blue segments and wide black ones in each character. Retype the line, but this time, poke X, 255: instead. The colors change from blue and black to blue, black and orange.

### Using the Hi-Res Routine

You may use the hi-res plotting routine anytime you need to create complex or unusual shapes. It's interesting to feed the routine coordinates derived from the VIC's transcendental functions. But there is one point of which you should be aware: Because you only have 512 bytes in which to redefine the alphabet, and each character takes up eight bytes, you can only define 64 new characters. So you must be sure that your program prevents any attempt to create any character out of range. Also, this routine does not check for out-of-range points to be plotted. Horizontal resolution is 176 dots and vertical resolution is 184 dots.

And now for some challenges. Let's see someone use the hi-res and multicolor capabilities of the VIC to do some super game like Missile Command or Asteroids—or to plot the shapes of the continents for students to identify. And take a serious look at using the VIC's two A-D converters (CR8 and CR9) along with the user port and some external sensors to create a low-cost, highly flexible biomedical monitor. Try plotting heartbeat and blood-pressure waveforms. The uses of the VIC in the real world are limited only by your imagination. ■

Circle 295 on Reader Service card.



**Save Time • Save Money  
Save Disk Storage Space**  
Now you can convert an entire  
box of 10 disks quickly and  
safely in just minutes.

You will pay for this kit in  
added disk space with the first box  
of disks you convert.

**Disk Doubler** for 5 1/4 inch disks.  
Use both sides of  
your single sided disks.

**Disk Doubler II** for 8 inch disks.  
Use single sided disks either as  
two sided or double sided  
depending on your disk drives.

**Disk Doubler—\$8.95** postpaid  
(in U.S.) [CA residents add 54¢ tax]

**Disk Doubler II—\$12.95** postpaid  
(in U.S.) [CA residents add 78¢ tax]

Overseas customers  
write for shipping charges.  
Send your check or money order today  
and start saving money.

**JIM GUINN**  
**Computer Division**  
9120 CLEARLAKE WAY  
LAKESIDE, CA 92040



# WIN \$5,000 Plus Royalties!\*

Circle 249 on Reader Service card

**For the best  
Talking Game**



**For the Atari®  
or Apple® II+**

## Using the VOICE BOX™

Now you can make your Atari® 400/800 or Apple® II games and other programs come alive with the VOICE BOX by the Alien Group — the first low-cost, smart speech synthesizer with unlimited vocabulary.

Add jokes to your programs. Insults. Compliments. Help messages. Stories. Alien voices. Animal roars. Have your computer talk to the fire department or police in emergencies. To kids. Or blind people. Teach touch typing with immediate spoken feedback. Or just about any other subject — the fun way. Or help a speech-impaired friend communicate... the possibilities are limitless.

The VOICE BOX plugs into your Atari's serial port. And talks directly through your TV set. Or into any Apple II slot. No power supply or special interfaces needed.

Just select from its simple screen menu. A dictionary with thousands of common words (on diskette or cassette) automatically translates your text into speech. It's that easy.

But don't let its friendliness fool you. The VOICE BOX has all 64 phonemes (basic sounds, like "ah") built in. So you can precisely create any word or sound you can imagine. And store it all on diskette or tape. Names or foreign language words, for example. Or wierd non-human languages.

Let me entertain you — The VOICE BOX is creative too. It will crack you and your friends up with non-stop random, grammatically correct sentences, using words you specify. It



## Speech Synthesizer

also has an amusing talking face with lip-sync animation — a real crowd-stopper. Best of all, you can call the VOICE BOX from any BASIC program and make your program really hum — literally!

Singing Apples? — Apple owners get all these capabilities too — as a plug-in card plus diskette. Or there's a deluxe version with the dictionary in ROM (no diskettes to bother with), speaker, and ability to "sing" (hey we're not making this up folks) in any key. (Both Apple versions require 32K or more. Applesoft and DOS 3.3).

Don't confuse the VOICE BOX with "dumb" speech synthesizers that can't learn new words. Or software-based ones with lower speech quality — and an annoying tendency to blank out the display when they talk. The VOICE BOX is a true breakthrough in speech synthesis. Small wonder thousands of Atari and Apple owners have already bought the VOICE BOX.

The VOICE BOX is available now at leading computer stores throughout the world. Or direct from the Alien Group, with 10-day money back guarantee if you're not completely satisfied.

**VOICE BOX For Atari. \$169.00**

16K and 32K versions included  
(Specify diskette or cassette).

**VOICE BOX for Apple II+. \$139.00.**

(Requires speaker.)

**VOICE BOX for Apple II+. \$215.00.**

(Includes dictionary in ROM and singing capability. Comes with speaker.)

Enclose check or money order, Visa or Mastercard#. Please include expiration date.

CHECK YOUR LOCAL COMPUTER STORE FOR TALKING "VOICE BOX" VERSIONS OF YOUR FAVORITE GAMES FROM LEADING GAME COMPANIES

\*Win a \$5,000 prize — plus royalties — for the best Atari 400/800 or Apple II+ game using the VOICE BOX. Deadline: May 30, 1983. Write for contest details.

Please mail to: The Alien Group, Department MC-5, 27 W. 23 St., N.Y., N.Y. 10010  
Or call in order to (212) 741-1770



# CHIPS & DALE

## THE INFLATION FIGHTERS!

\*\*\*SPECIAL\*\*\*

4116 250 ns 8/\$9.50 100 + \$1.05 ea.  
 4116 200 ns 8/\$11.00 100 + \$1.18 ea.  
 4116 150 ns 8/\$14.50 100 + \$1.50 ea.  
 4116 120 ns 8/\$16.50 100 + \$1.80 ea.  
 2114L 300 ns 8/\$11.25  
 2114L 200 ns 8/\$13.00  
 4164 200 ns \$6.75 ea 100 + \$6.00  
 4164 150 ns \$7.75 ea 100 + \$7.00  
 6116 150 ns \$6.00 ea 100 + CALL  
 6116 200 ns \$5.00 ea 100 + CALL  
 1791 Disk Controller \$16.50  
 Z80A CPU \$3.00  
 8251A \$4.00 ea  
 2716-1 (5V) 350 ns 8/\$5.50 ea \$6.25 ea  
 2716 (5V) 450 ns 8/\$3.75 ea \$4.00 ea  
 2732 8/\$6.25 \$7.50 ea 100 + CALL  
 2532 8/\$6.25 \$7.50 ea 100 + CALL  
 2764 5V 300 ns 28 pin \$20.00 ea

### COMPUTERS

NEC P.C.-8000	sugg. lists	C & D
8001 Comp 32K.....	\$995.00	\$715.00
8012 I/O unit.....	\$649.00	\$475.00
8031 Dual Minidisk unit.....	\$649.00	\$715.00
Other NEC Products.....	CALL	CALL

Altos Computers.....	CALL	CALL
Eagle II.....	\$2995.00	CALL
Eagle III.....	\$3995.00	CALL
Sage II (16 bit).....	CALL	CALL
IBM P.C. complete sys. (with or w/out hard disk).....	CALL	CALL

### PRINTERS

Epson MX80 Graphtrax Plus.	\$645.00	CALL
Epson MX80 F/T Graphtrax Plus.....	\$695.00	CALL
Epson MX100 Graphtrax Plus.....	\$895.00	CALL
NEC Printer P.C. 8023.....	\$695.00	\$465.00
Other NEC Printers.....	—	CALL
Okidata Printers		
82A.....	\$748.00	\$397.00
83A.....	\$995.00	\$645.00
84A.....	\$1395.00	CALL
PACEMARK 2350.....	\$2800.00	\$2200.00

Smith-Corona Printers TP-1..	\$895.00	CALL
------------------------------	----------	------

Diablo Printers 630 (R102)...	\$2710.00	\$1989.00
ProWriters Starwriter Printmaster.....	—	CALL
C. Itoh Printers.....	—	CALL


### SOFTWARE CP/M, IBM, Apple, TRS-80, Atari

Package 1 includes Wordstar, Mail Merge,  
 Spellstar (CP/M)..... \$350.00  
 Package 2 includes Data Star, Calcstar,  
 Supersort (CP/M)..... \$350.00  
 dBase II (CP/M)..... \$465.00  
 FMS 80 (CP/M)..... \$597.00  
 CALL for other mfg. comp., prnts, modems,  
 terminals, chips, & software

Allow up to 3 wks. for personal checks to clear.  
 Please include phone number. Price subject to  
 change without notice. Shipping & Handling for  
 Chips \$3.50. FOB Bellevue, WA for all else. Wash.  
 residents add 6.5% Sales Tax.

**CHIPS & DALE**  
 10655 N.E. 4th St., Suite 400  
 Bellevue, WA 98004  
 1-206-451-9770

# Conquering the Cube



Does your Cube have you beat? This monthly column will feature solutions and variations to the infamous Rubik's Cube. We welcome your contributions of material relating to the Cube and your Apple, Atari, Commodore, Heath or IBM computer.

The purpose of this program (Listing 1) is to provide a useful tool for understanding and solving the cube. It was written in TSC Basic on a SWTP 6800 computer with 32K bytes of memory but it has been run on an Apple II with Applesoft after only a few modifications (see Listing 2). In addition this program will interpret and execute move sequences that you enter.

My goal in writing this program was not to achieve the shortest solution; rather it was to progress to the solution in easy-to-recognize plateaus or stages of completion which may be followed on an actual cube.

Cube status may be displayed at each plateau. If the result of manual moves should not agree with the display, it is a simple matter to re-enter the status of the cube and start over.

If you have already glanced at the program, you are probably concerned with its length. To get started you do not have to enter the whole program at once. The solution portion of the program may be omitted initially. You are still left with a program that will initialize the cube colors to its pristine state, execute move commands and display cube status.

Before moves can be defined, it is necessary to develop a precise move notation. A unique move designator is required for each of the six cube faces. This designator must then be interpreted and executed by this program. The face designators chosen are U, D, L, R, F and B for up (top), down (bottom), left, right, front and back.

To specify a 90-degree clockwise face rotation (when looking directly at that face) you simply append a + to the face character. An appended - specifies a counter-clockwise 90-degree rotation. For example, an F+ entry causes the front face to rotate 90-degrees clockwise. In practice, the + is assumed and omitted for clockwise moves. Note that two sequential 90-degree moves are specified by appending 2 to the face character.

Since two sequential 90-degree moves in either direction have the same end result, this single notation is sufficient for both. While on this point, any four identical sequential 90-degree moves have no effect since you simply end up where you started.

Center slices are rotated either clockwise or counterclockwise by appending either + or - to X, Y or Z. X is the slice between L and R. The entire cube is rotated 90 degrees clockwise by the move commands X>, Y> or Z> or counterclockwise by X<, Y< and Z<.

Two special move command designators are used. P is used for ten predetermined move sequences (P0 through P9) defined in the program. These sequences are used repeatedly in solving the cube. Designator C is used for three move sequences (C+, C- and C2) that are functionally equivalent to Y>, Y< and Y>Y>. Its only use is to facilitate the reduction of answer strings to simplest terms.

A move command can always have two characters. An example of a valid move sequence is F + L - X> B2 P4 C+. Spaces may be inserted for readability as



desired. They are ignored by the program. It is never permissible to represent a move by using three characters.

### Control Commands

The program provides seven control commands. They are start, draw, color, save, load, exit and solve. When entering a control command, only the first two characters need be entered. (If a single character is entered, it will be interpreted as a move command, resulting in either an unwanted move or an error message.)

On entering the program, you must choose the display format. Option 1 gives both the solution and a cube display at each plateau level. Stops occur at each plateau to give you an opportunity to copy the results.

To continue on after a stop, simply enter X<CR>. Option 2 outputs only the solutions at each plateau without any stops or cube displays. Option 3 gives the solution and a display at each plateau without stops.

If you are using a different Basic (other than TSC Basic for SWTP 6800) you must determine the maximum concatenated string length, which is 128 in my Basic. Change this value in line 700 to agree with your Basic if it is less than 128.

Cube solution is programmed in the following manner. First the program logic determines the position of certain cubies associated with the particular solution-plateau being solved. Based on interpretation of this information, a series of internal move commands is generated. These commands are executed and saved as a move command string.

When a solution plateau is completed, the cube has been moved in accordance with the saved command string. Thus, the command string consists of the moves necessary to achieve that plateau level. In most cases the command string may be reduced to a simpler form. This is done before the solution is printed. If, at any time, the move command string exceeds the maximum allowable concatenated length, the string is automatically reduced and printed as part of the solution after which the program continues with the rest of the solution.

Six major plateaus are used:

- plateau 1 places all four back face edge cubies in proper location;
- plateau 2 places all four back face corner cubies in proper position, completing the back face;
- plateau 3 places the front face corner cubies in their correct cubicles;
- plateau 4 color aligns the front face corner cubies;
- plateau 5 positions the front face edge cubies, completing the front face;
- plateau 6 completes the centerslice between the front and back faces, solving the cube.

P move command strings are sequences of moves that are frequently used. They are defined by the program as follows:

```
P0 = U + F2U -
P1 = R - F2R +
P2 = F2R - F + R + F -
P3 = X - F + X +
P4 = F + X - F2X +
P5 = L - Z - L + L + Z + L -
P6 = R + R + Y + R + R + Y -
P7 = Y - U - Y - U - Y - U + Y + U - Y + U + U +
P8 = U - F + F + U + L + U + L + U - L - U - F + F + U + F + F +
P9 = U - F + F + U + F + U - F + U + F + F +
```

In general, their use only changes a limited portion of the cube, leaving the rest unaffected. If, for example, you enter P8 and note the resulting change from the pristine state, you see that the bottom two front face corner cubies have been exchanged without affecting the back face.

It is, as I have mentioned, not necessary to enter the whole program at once. You can get started by entering lines 10 through 910 and lines 1650 through 2680. With this portion of the program you can initialize the cube face colors to the pristine state, enter move strings and display the cube state. Other sections can be added later as desired. ■

Listing 1. Rubik's cube program in TSC Basic.

```
0010 REM RUBIK'S CUBE SOLUTION
0020 REM KENNETH W. COOPER JR.
0030 REM
0040 DIM F(3,3),U(3,3),B(3,3),D(3,3),L(3,3),R(3,3)
0050 DIM S$(6),M$(54),W(3,3),P$(9)
0090 P$(0) = "U-F2U-"
0100 P$(1) = "R-F2R+"
0110 P$(2) = "F2R-F+R+F-"
0120 P$(3) = "X-F+X+"
0130 P$(4) = "F+X-F2X+"

```

More

## 500 K Great Reasons to Buy Your Diskettes from Snappware!

Byte for byte, performance counts. Every byte of data you record is important. That's why Snappware offers Scotch diskettes, the highest quality diskette on the market at very competitive prices. Scotch diskettes are tested and guaranteed error-free. And the low abrasivity saves your read/write heads.

### Scotch Brand 744-0

5¼ inch single sided, single density, soft sectored with hub rings.

One box	\$23.00/box
Five boxes	\$22.50/box
Ten boxes	\$22.00/box
Twenty boxes	\$21.50/box

### Scotch Brand 744D-0

The premium grade mini-floppy. Double density certified, with hub rings. The very finest available for your Model III.

One box	\$27.00/box
Five boxes	\$26.50/box
Ten boxes	\$26.00/box
Twenty boxes	\$25.50/box

### Scotch Brand 741-0

Eight inch single sided, double density soft sectored. The very finest available for your Model II.

One box	\$33.00/box
Five boxes	\$32.00/box
Ten boxes	\$31.00/box
Twenty boxes	\$30.00/box

When it comes to diskettes, we have the best price per byte.



Authorized  
Distributor 3M  
Information  
Processing  
Products

SNAPPWARE  
SNAPPWARE

Time saving power at your  
fingertips.



CALL TOLL FREE:

1-800-543-4628

OHIO RESIDENTS  
CALL COLLECT: (513) 891-4496  
3719 Mantell  
Cinti., Ohio 45236






# Dysan

CORPORATION


Solve your disc problems, buy 100% surface tested Dysan diskettes. All orders shipped from stock, within 24 hours. Call toll FREE (800) 235-4137 for prices and information. Visa and Master Card accepted.



**PACIFIC EXCHANGES**  
100 Foothill Blvd.  
San Luis Obispo, CA  
93401. (In Cal. call  
(805) 543-1037.)

Circle 362 on Reader Service card.

**YOU CAN PAY MORE  
BUT YOU CAN'T  
GET MORE!**



Model III 16K  
**\$799**  
Model III 48K  
2 disk & RS232 c  
**\$1949**

BUY DIRECT. These are just a few of our great offers which include Printers, Modems, Computers, Peripherals, Disc Drives, Software and more. call TOLL FREE 1-800-343-8124

We have the lowest possible fully warranted prices and a full complement of Radio Shack Software.



Color Computer 16K  
**\$305**  
w/16K Ext. Basic  
**\$399**  
w/32K Ext. Basic  
**\$499**

**computer plus**  
Write for your free catalog.

245A Great Road  
Littleton, MA 01460  
617 • 486 • 3193



Circle 234 on Reader Service card.



**VIDEO  
OUTPUT  
for  
H/Z '19  
or '89**

Display the CRT image on Projection TV or other monitor. Great for classroom or group applications.

Only **\$79.00**  
**MAGNOLIA**  
**MICROSYSTEMS**

2264 - 15th AVE. W • SEATTLE, WA 98119  
[206] 285-7266 [800] 426-2841

Listing 1 continued.

```

0140 P$(5)="L-Z-L+L+Z+L-"
0150 P$(6)="R+R+Y+R+R+Y-"
0160 P$(7)="Y-U-Y-U-Y-U+U+Y+U-Y+U+U+"
0170 P$(8)="U-F+F+U+L+U+L+U-L-U-F+F+U+F+F+"
0175 P$(9)="U-F+F+U+F+U-F+U+F+F+"
0185 REM STOP=STOP, SOL=SOLUTION, DRW=DRAW CUBE
0190 PRINT "ENTER 1=STOP, SOL, DRW 2=SOL 3=SOL, DRW";: INPUT K$
0200 IF K$<"1" OR K$>"3" THEN 190
0210 GC=VAL(K$)
0220 REM SIDES: F=FRONT, U=UP (TOP), B=BACK
0230 REM D=DOWN (BOTTOM), R=RIGHT, L=LEFT
0240 REM COLOR INIT. BY NEXT FOUR LINES
0250 FOR Y=1 TO 3 : FOR X=1 TO 3
0260 F(X,Y)=ASC("W") : U(X,Y)=ASC("R") : B(X,Y)=ASC("B")
0270 D(X,Y)=ASC("O") : L(X,Y)=ASC("Y") : R(X,Y)=ASC("G")
0280 NEXT X : NEXT Y
0290 REM COMMAND LOOKUP TABLE
0300 EE=0:PRINT:PRINT"ENTER COMMAND ";:INPUT Z$
0310 W=0:J=0:A$="":GB=LEN(Z$):IF GB<2 THEN 430
0320 IF Z$=LEFT$("SOLVE",GB) THEN PRINT "SOLVE": J=1
0330 IF Z$=LEFT$("DRAW",GB) THEN PRINT "DRAW": J=2
0340 IF Z$=LEFT$("COLOR",GB) THEN PRINT "COLOR": J=3
0350 IF Z$=LEFT$("SAVE",GB) THEN PRINT "SAVE": J=4
0360 IF Z$=LEFT$("LOAD",GB) THEN PRINT "LOAD": J=5
0370 IF Z$=LEFT$("START",GB) THEN 190
0380 IF Z$=LEFT$("EXIT",GB) THEN END
0390 REM
0400 IF J=0 THEN 430
0410 ON J GOSUB 820,1670,1440,920,980
0420 GOTO 300
0430 K=1 : REM REMOVE SPACES
0440 IF K=LEN(Z$) THEN PRINT Z$ : GOTO 480
0450 IF MID$(Z$,K,1)<>" " THEN K=K+1 : GOTO 440
0460 Z$=LEFT$(Z$,K-1)+RIGHT$(Z$,LEN(Z$)-K): GOTO 440
0470 REM CALL INTERPRETER SUBROUTINE
0480 GOSUB 530 : IF EE<>1 AND W=0 THEN 480
0490 GOTO 300
0500 REM
0510 REM MOVE INTERPRETER
0520 GOSUB 690:W=0:W7=2
0530 W=W+1 : Q$=MID$(Z$,W,1) : W$=MID$(Z$,W,2)
0540 IF Q$="" THEN W7=1 : RETURN
0550 IF Q$="P" THEN W7=2 : GOSUB 740 : GOTO 530
0560 GOSUB 1880 : IF R=0 THEN RETURN : REM (ERROR)
0570 IF W$="C2" THEN L1=0:GOSUB 1960:W=W-1:GOSUB 1960:GOTO530
0580 IF W$="C+" THEN Q$=">" : GOTO 640
0590 IF W$="C-" THEN Q$="<" : GOTO 650
0600 IF Q$="C" THEN Q$=">":W=W-1:GOTO 640
0610 Q$=MID$(Z$,W+1,1)
0620 IF Q$="2" THEN L=2 : W=W+1 : GOTO 670
0630 IF Q$="-" THEN GOSUB 1840
0640 IF Q$=">" THEN L1=0 : GOSUB 1960 : GOTO 530
0650 IF Q$="<" THEN L1=1 : GOSUB 1960 : GOTO 530
0660 IF Q$="+" THEN W=W+1
0670 FOR W9=1 TO L
0680 GOSUB 2390 : NEXT W9 : GOTO 530
0690 REM BUILD MOVE STRING. PRINT IF TOO LONG
0700 IF LEN(A$)+LEN(Z$) < 128 THEN A$=A$+Z$ : RETURN
0710 K$=Z$:GOSUB 1040:Z$=K$:GOTO 700
0720 REM GO DO 'P' COMMAND
0740 H$=Z$ : W8=W : W=0
0750 Z$=P$(VAL(MID$(Z$,W8+1,1)))
0760 GOSUB 530 : IF W7=0 THEN 760
0770 W=W8+1:IF Z$="" THEN Z$=H$ : GOTO 1930
0780 Z$=H$ : RETURN
0790 REM
0800 INPUT "PAUSE";H$
0810 GOSUB 1670:INPUT "PAUSE";H$ : RETURN
0820 REM SOLVE CUBE ROUTINE
0830 GOSUB 1580 : IF EE=1 THEN 300 : REM CHECKSUM ERROR
0840 GOSUB 930 : REM SAVE COLOR
0850 FOR KK=1 TO 6 : GOSUB 880
0860 ON KK GOSUB 3880,4180,2700,3030,3440,3620
0870 NEXT KK
0880 IF GC=1 THEN GOSUB 800
0890 IF GC=3 THEN GOSUB 1670
0900 RETURN
0910 REM
0920 REM SAVE CUBIE COLORS
0930 FOR Y=1 TO 3 : FOR X=1 TO 3 : J=X+3*(Y-1)
0940 M(J)=F(X,Y) : M(J+9)=U(X,Y) : M(J+18)=B(X,Y)
0950 M(J+27)=D(X,Y) : M(J+36)=L(X,Y) : M(J+45)=R(X,Y)
0960 NEXT X : NEXT Y : RETURN
0970 REM
0980 REM RELOAD CUBIE COLORS
0990 FOR Y=1 TO 3 : FOR X=1 TO 3 : J=X+3*(Y-1)
1000 F(X,Y)=M(J) : U(X,Y)=M(J+9) : B(X,Y)=M(J+18)
1010 D(X,Y)=M(J+27) : L(X,Y)=M(J+36) : R(X,Y)=M(J+45)
1020 NEXT X : NEXT Y : RETURN
1030 REM
1040 REM REDUCE AND PRINT SOLUTION
1050 FOR K=1 TO LEN(A$) STEP 2
1060 B$="" : C$=""
1070 W=8 : Z$=MID$(A$,K,W)
1080 IF LEFT$(Z$,1)="P" THEN 1310

```

(continued on page 122)







# IBM Update

*Peripheral and software developers are busy bringing to realization the potential hidden inside this \$1600 personal computer.*

By Frank Pozar

**F**ive tests determine if a new business system is worth its salt:

- the quality of its video display and keyboard
- the speed and efficiency of the microprocessor
- the amount of memory
- the quality of the support programs
- the amount of permanent (disk) storage.

IBM's personal computer passes the first four tests rather well and holds great promise for the fifth. But while IBM did its usual good job, it still has to overcome a shortage of programs and a few minor problems such as expandability, a finicky color adapter, expensive components and a lack of good beginners' manuals.

## Too Many Pieces

IBM designed the Personal Computer to be modular, and modular it is. Mine has all five slots filled with adapters, for a printer and monitor (high-quality business television),

disk drives, telephone communications, graphics (allowing the computer to draw color pictures on the screen) and game paddles. Every expansion device snaps or plugs in, and, as with the Apple computer, you can attach your own printer, monitor or television, and disk drives.

The printer is made in Japan, the monitor in Taiwan and the drives in the U.S. Using parts from other corporations is an unusual move for IBM, but it allowed IBM to concentrate on the box behind the keyboard. This was necessary because there are so many things a well-designed personal computer can do that even IBM couldn't handle (IBM has actually offered to give technical advice to small companies wanting to design special-purpose adapters).

With the adapters already available, this computer will do just about everything I want (but I'll never be able to use IBM's Pascal unless I unplug something else). The Personal

Computer is so modular that it limits itself. But that should change before a year has passed. Multipurpose boards could make several of the first adapter boards obsolete. So waiting to expand might not be a bad idea.

But as for memory, I'll have to be fair and admit that it won't be a problem when IBM finally breaks down and offers 64K-bit memory chips instead of the power-hungry, space-consuming 16K-bit chips. When they do arrive, they'll make the computer run cooler, and 256K bytes of memory won't take up precious expansion slots.

Waiting for these new chips could save more than money. They're technological marvels, using only a small percentage of the power of their predecessors. Unfortunately, they're so small that background radiation (the kind you've lived with all your life and never noticed) is enough to change bits of information. Experts say the problem has been solved, but letting others prove it first couldn't hurt.

If you wait a year or so, you may even get a refined version of these chips. IBM was rumored to have originally produced only 15,000 to test the water, and found itself flooded with orders before the first demonstrators were in place. Although this computer is ahead of others, it's way behind for IBM. First glimpses show many standard circuits from Intel, Motorola, Beckman, NEC and Texas Instruments that are bound to be replaced by fewer, more complex, circuits.

The Personal Computer could



*Address correspondence to Frank Pozar, Box W. 2317, Spokane, WA 99205.*



evolve into an extremely powerful machine. In fact, many of the parts needed for an advanced version are just now coming into volume production. IBM chose Intel's family of parts because they were the first to bring out an array of ICs that could enhance the power of the microprocessor. Each of these support chips can measurably increase the computer's speed. While every computer claims to be expandable, upgrading this one will more than triple its speed. And by the time no support chips are left to speed things up, enhanced versions of the microprocessor will arrive.

### Too Expensive

Add-on parts such as the printer live up to my expectations of IBM: expensive. IBM, like Radio Shack, took a popular printer (Epson's MX-80) and put on their own label (fortunately, IBM didn't try making this printer compatible with only their computer). When I called IBM's national marketing center, they seemed aggravated when I mentioned MX-80.

As chance would have it, I bought "IBM's" printer back in February. Epson (a division of Seiko) poured the same resources into its printer that IBM did into its Personal Computer. Epson's manual, for example, was rewritten with cartoons, sample programs and an easy-to-read style that's uncommon in technical manuals.

Epson's printers have become runaway best-sellers in the computer industry. IBM is missing a good bet by not advertising adapters such as a friction feed attachment allowing individual sheets of paper to be loaded.

If you go to an IBM Product Center (something so rare they're said to be on the endangered species list) your printer will cost \$265 more than mine. The IBM Product Centers do offer the best prices on the "IBM" printer (compared to other Personal Computer retailers) and everything else for the Personal Computer.

That "everything else" includes a direct-drive, green phosphor monitor (an expensive animal, but if you want to squint at a regular screen and save \$100 and can find one that uses a "standard" nine-pin cable, then you can shave \$100 to \$200 off the \$350 price). Disk drives are a touchy point with computer manufacturers, but this is the best place to save money. Radio Shack built in its drives and charges more than the going rate to



repair a Model III that includes other people's drives, but IBM's national marketing center claims they won't use that tactic. At a potential \$250 saving per drive, IBM may lose a lot of disk drive sales. But then, how many people buy their add-on disk drives from the Apple Computer Corporation? This is probably why IBM gave other manufacturers an easy way to adapt.

### Unadaptable?

To really use the color graphics for business (or games), you'll need a \$300 color adapter, a \$40 extended Basic disk, a \$60 game-paddle board (with its odd, 15-pin connector) and a \$325 to \$1500 color monitor. If you try using a color television with an rf modulator, you might run into problems. My TV wouldn't accept color until it had a few hours to warm up (my \$70 video game worked fine). But then, this computer was designed for professional-quality monitors (again using the nine-pin adapter, although there is a phono jack for the new direct-input televisions; RCA, Zenith, Sony, Matsushita and G.E. all introduced models this August that start at \$750 and go up fast).

The color adapter I used costs only \$29.95, isn't made by IBM and isn't fond of old color TV sets. And though it's supposed to be the best, it's the weak link in the hardware. Maybe that's why IBM refuses to make its own.

### No Games?

The lack of games bothers my girlfriend. I explain that fantastic games with incredible animated pictures are

coming (this computer uses the same Extended Color Basic as Radio Shack's Color Computer, and a few commands in this system saves hours of coding), but she remains steadfastly convinced that this can't be the perfect computer without games.

I have to admit she's right.

The TRS-80 and Apple both have hundreds of program-producing companies clamoring for attention. The programs IBM has endorsed are excellent, but besides being meager in quantity, they're offered by less than 200 computer stores, and only for business people with business budgets.

Radio Shack, Xerox and Hewlett-Packard executives were quick to point out that IBM ignored the Z-80 microprocessor with its vast library of programs. Everyone else realized the next generation of microprocessors may provide the cutting edge of technology, but it's a double-edged sword that offers a quick road to software starvation.

For any new computer, altering programs to take advantage of a better keyboard, speaker, graphics, light pen and game paddles would take months. Good programs written specifically for the IBM will probably appear a year short of the customary two years (this computer's going to attract a lot of enthusiastic programmers), but that's because IBM spent millions for versions of two industry-standard operating systems. CP/M (Control Program for Microcomputers) could help provide a flood of the best programs around Christmas.

New programs could take longer, but because of a company in Belle-



vue, WA, called Microsoft, it won't be much longer. This company is renowned for Basic interpreters. Apple calls its version Applesoft. Radio Shack calls its Level II, and Texas Instruments labeled its TI Basic. Even Atari had to give up and admit they'd better get a Microsoft version. Most of the older CP/M systems have switched to a version of Microsoft Basic called MBasic.

Farming out development of the operating system surprised everyone. It was a shrewd move that allows thousands of programs to be modified and enhanced for the IBM, with advanced disk commands that allow background music, animated graphics and the latest developments in Basic that, for the first time, allow programs to be of any size.

### Let the Beginners Beware

IBM's reference library is the best set of reference manuals I've seen (short of Radio Shack's 600-page manual for their Model II). Each subject is in a different loose-leaf binder so that adding updates will be painless.

While they're excellent reference manuals, few beginners will be able

to read through and absorb much. But, since IBM didn't try to write yet another version of Basic, a manual for the powerful color commands is already written. It's the manual for Radio Shack's Color Computer, entitled *Going Ahead with Extended Color Basic*. Although IBM has more colors, graphics pages and dots on the screen, all the commands are similar.

The rest of the Basic language can be learned from any of the dozens of books about Microsoft Basic (it's hard to find one that's not about Microsoft Basic). Although this isn't a replacement for a beginner's manual, it's a good second.

On the brighter side, the reference manuals are clearly written. And the computer is such a milestone that at least one good manual will be published by next fall, whether IBM commissions it or not.

### The Display—Fun or Business?

The Personal Computer attaches to either a monitor or color television (or, with a few days of fussing, to both at once). Of all the business systems, few have gone to the effort to include both a 25th line and characters that don't look like collections of


dots. The monitor (rumored to be made in Taiwan by Hitachi) is also used on the Displaywriter (IBM's word processor), but it can be replaced with one of your choosing (although IBM's direct-drive monitor has an odd, seven-pin connector). Any monitor (with the \$150 adapter) will display 255 characters in two intensities, blink them, show them as dark characters on a nice green phosphor screen, underline or even not display them depending on the color to which you set the black and white screen.

The IBM has the best color graphics system I've seen. That's due, mostly, to a really impressive feature: everything is encoded on a magnetic disk and replaceable adapter board. Thus, the graphics slot can soon hold a board with a special video microprocessor like the one NEC just introduced. When that happens, pictures with over one million dots on a screen will be available (photographic quality) and the Personal Computer will compete with the most sophisticated graphics terminals around. Combined with the fascinating new graphics language Microsoft just introduced, this should provide some

Circle 335 on Reader Service card.

THE MULTI-USER FRIENDLY MEMORY BOARD WITH

## NO COMPROMISE



- ☐ 256 kilobytes 150 NS dynamic ram
- ☐ Designed to operate in any S-100 System IEEE or Non-IEEE
- ☐ 16-bit addressing option: Powerful Macrotech Memory Mapping (M<sup>3</sup>) bank select architecture allows each 4K block of the 16 bit (64K) logical addresses to be dynamically translated to any 4K block of the 256K on board physical memory.
- ☐ 24-bit direct addressing option

- ☐ "Educated" cycle control module generates all timing on board asynchronously for maximum access speed and uniform operation
- ☐ Comprehensive technical manual with complete installation guide and source listings for MP/M II™\* and "Virtual Disk" solid state disk applications.
- ☐ DMA operation fully supported in strict accordance with IEEE 696 standard.
- ☐ 8/16 data transfer protocol
- ☐ Parity error detection

- ☐ Multilayer board and bus signal filtering for noise-free operation.
- ☐ Full one year warranty

If you wish, send a check or money order for \$1,379 (in California add 6% sales tax where applicable). Manual available at \$25.00 each refundable with order.

\*Registered Trademark of Digital Research Corp.  
OEM & Dealer inquiries invited



MACROTECH International Corp.,  
22133 Cohasset St., Canoga Park,  
California 91303  
(213) 887-5737

Circle 283 on Reader Service card.

### PROFESSIONAL WORD PROCESSOR

- ✓ Double Columns
- ✓ Right Justification
- ✓ Printer Graphics
- ✓ Variable Line Space
- ✓ Printer Control Code
- ✓ Page by Paragraph
- ✓ Line Centering
- ✓ Shorthand
- ✓ Margin Control
- ✓ Form Letters

FOR APPLE/PET/CBM

**COPY-WRITER** by IDPC Co.  
only \$185.00

### EXCHANGE DATA w IBM 3740

PEDISK II 877 FLOPPY DISK Systems can now read and write records from IBM "Basic Data Exchange" type diskettes. FILEX software from WILSERVE does all the work! Converts EBCDIC - ASCII.

EXCHANGE System (877/FILEX) ..... \$1295.  
PEDISK 877-1 8" Floppy for PET..... \$ 995.  
PEDISK 540-1 5" Floppy for PET..... \$ 595.  
CONTROLLER BOARD w PDOS..... \$ 229.

### \$139 COLOR CHART

AIM/SYM system video display, 64 x 16 characters, 8 colors, plugs into ROM socket, 4K RAM Multiple modes; semi graphics, alpha.  
PET/CBM color graphic display, 128 x 192 pixels, generate color bar graphs on one screen with data on main screen. RS170 video color chart. 6847 based video output.

SEE YOUR DEALER OR:

**MICROTECH** P.O. Box 102  
Langhorne, Pa. 19047  
215-757-0284  
DEALER INQUIRIES INVITED



interesting programs.

### The Keyboard?

The Personal Computer's keyboard matches the one on the IBM System 23. It's so loaded with keys that finding the Enter key while watching the screen becomes an interesting game.

Like on many new computers, the keyboard uses extra shift keys to allow each key to have a hidden personality. Ten special-function keys, for example, become 40 (although only ten are easily used) and the keypad becomes an editor for correcting what's on the screen (something that has to be seen to be believed).

The ALT shift key (short for alternate keyboard) allows fumble-fingered programmers to turn the keyboard into a shorthand pad. For example, holding down the ALT key and tapping P and U types PRINTUS-ING on the screen. (I've never been able to type that word without making a mistake.)

The reset and break keys require two hands. To reset, you tap three keys at once (hitting the reset by accident was something that constantly plagued Apple users). The break key

requires simultaneously pressing control and break.

IBM encased their keyboard in six pounds of plastic and cast iron (to keep the FCC happy by cutting down on the computer's radio frequency interference). It has the effect of making the keyboard, which looks too thin to be real, solid enough to type on without moving.

Despite the complexity of the 200 or so keys and key combinations, I'm happy with it. Not only is it well thought out, but it can be customized by any beginning programmer. I use special-function keys 7 and 9 to switch between my color television and my monitor—something that will probably be done with a switch command in a year or two.

This keyboard shows that IBM recognized what Texas Instruments didn't—the keyboard is the computer. Call it human engineering, man-machine interfacing or whatever; the more complex the keyboard, the more you can do. And after using it, you'll agree that a computer's a computer, but a computer with a keyboard this well thought out is a whole new dimension.

Including all these features in a mi-

crocomputer with game paddles, light pen and speaker will produce some unique programs. I'd like to see a word processor that used a mouse (a high-quality joystick) instead of buttons to move the cursor. An occasional "gulp" as an offending word is deleted might not be a bad feature.

Putting all of these features into the basic unit forced the base price to a lofty \$1565 (including the color adapter needed to use a color television). But surprisingly, the price comes out about the same as the Apple II when both are fully configured with upper/lowercase and 80-column displays.

In short, the display and keyboard are good enough by themselves to make sales fairly brisk. But most of the sales will come from what's in the little box behind the keyboard.

### Intel's 8088—First Of a New Generation

I imagine IBM viewed going to Intel Corp. for microprocessors much like the Pentagon would view going to Russia for rifles. But their willingness to go outside impresses me—it impresses me more than IBM setting up a software publishing department



Circle 206 on Reader Service card.

## TRS-80™ "CAN YOU BUY DIRECT?"

Buying a GENUINE TRS-80 direct, literally, means buying from the Tandy Warehouses in Fort Worth. For the end user this is not possible. However, the closer a retailer is located to the source the lower his cost per unit and the closer his buyer can come to "almost" buying direct. WE ARE CLOSER so WE SELL LOWER. It only takes a FREE phone call to verify this FACT.

### WARRANTY:

ONLY A GENUINE TRS-80 purchased from an Authorized-Outlet can have the Radio Shack Warranty. BUYER BEWARE OF IMITATIONS.



SAVE SALES TAX\*  
PLUS DISCOUNT

\*TEXAS RESIDENTS ADD ONLY 4%

"WE ARE CLOSER"

FORT WORTH COMPUTERS

IN TEXAS CALL 817-573-4111

TOLL FREE ORDER NUMBER: 1-800-433-S-A-V-E

TM: TRADE MARK OF THE TANDY CORPORATION

377 PLAZA GRANBURY • FORT WORTH • TEXAS 76048



for those wishing to publish a program through IBM, and more than publishing technical specifications that others like Radio Shack, Commodore and Atari tried so desperately (at first) to keep secret.

This move showed a willingness to do what was necessary to develop the best at a given cost. Although this tactic gives away a good slice of the profits, it's the only way any personal computer can reach its limits. This tactic is what made the Apple computer so incredibly successful and, if IBM lives up to its promises, this strategy will send competitors scrambling to survive.

### Many Microprocessors

IBM managed the colossal feat of building a computer with a new microprocessor that uses the best programs from the old microprocessors—a feat that shows up in everything from the speed of animated displays to simple sorting and high-speed math and that will become more obvious early next year when IBM offers a special math "co-microprocessor" called the 8087 (there's even an empty socket for it right next to the 8088).

Then it will show up again when another co-microprocessor, the 8089, will more than triple the speed that data flows through this computer. And again when a memory management unit with hard-disk drives makes the machine capable of doing just about everything the big computers do. (A hard disk is a faster, more dependable magnetic disk that holds much, much more than the 5¼-inch floppy disks most microcomputers use.)

Many say that Intel's 8088 microprocessor is just IBM's gimmick. While the 8088 alone isn't magical, the 8088 with all its support chips and two industry-standard operating systems is.

The 8088, in case you haven't followed microprocessors, is the "slowed down" version of Intel's 8086 microprocessor. It isn't regarded as being as powerful as Motorola's 68000, Zilog's Z8000 or National's 16000. But it's in the same ball park. Many of its support chips are in full production, and it has far outsold the other three combined. It's been thoroughly tested, and with the support of both CP/M and IBM, it'll probably become the next industry standard.

In short, unlike the computers before it, the Personal Computer will be replaced by the 8086 and use the same machine-language programs. Then, when the 8086 has reached its full life, it'll be replaced with the iAPX-286, the supercharged version that Intel just announced for delivery in 1983 (that's computer lingo for 1985). This upward expandability doesn't mean that much except when you consider machine-language programs, but they're the ones that cost so much. Normal machine-language programs have a five- to seven-year life span, but, with the ten- to 12-year life expectancy of the 8086 family of microprocessors and the expected number of sales, programs running in this computer could be unmatched in even the big machines.

### The Memory

Previously, the small amount of memory (random-access memory, working storage, or whatever) was a computer's major limitation. Every useful business program could only be a subset of one language or another because of that 64K byte limitation.

So in my enthusiasm, I got out my

Circle 72 on Reader Service card.

## MASTER ELECTRONICS, INC.


\*TRS-80 is a trademark of Tandy Corporation.

CAN SET YOU UP IN A

# TRS-80

STATE-OF-THE-ART-COMPUTER

**STARTING AT 15% DISCOUNT!**



FULLY STOCKED

IN: Model II's

Model III's

ALL-PRINTERS

AND — MORE!!

\* PLUS \*

THE ALL NEW:

**Model 16 and the 8.5 meg. Hard Drive!**

CALL US NOW!!!

**Toll FREE: 1-800-531-7323**


TEXAS CALL COLLECT: 512/689-5536



MASTER ELECTRONICS, INC.  
154 NORTH 5th  
RAYMONDVILLE, TX 75580



Circle 165 on Reader Service card.



## MED SYSTEMS SOFTWARE

Med Systems now offers some of the finest professional software available today. More complete information is available in our full page ads in '80 *Microcomputing*, or by calling our toll free number.

### PROFESSIONAL/SCIENTIFIC WORD PROCESSING

Qwerty 3.0 offers more features than any Scripsit patch available today. Like Greek letters. Over 75 new symbols. Page end indication. Footnotes. Simultaneous superscripts and subscripts. User-controlled cursor speed. Two and three column formats. Qwerty 3.0 requires at least one disk, a TRS-80 Model I or Model III, and Scripsit. \$49.95

### STATISTICAL PACKAGE FOR MICROCOMPUTERS (SPM)

SPM, written by Bruce Powell Douglass, is one of the finest statistics packages available for the TRS-80. It includes descriptive statistics, one and two way analysis of variance, single and multiple variable linear regression, and single and multiple non-linear regression. Requires a TRS-80 Model I or III with disk. \$89.95

### WE GUARANTEE SATISFACTION!

When ordering, please indicate Model I or Model III, and number of disk drives in your system.

**MED SYSTEMS Software** ✓ 165  
P.O. BOX 2674 CHAPEL HILL, NC 27514  
1-800-334-5470



pencil. The 8088 can address exactly 1,048,576 bytes. Of that, IBM used only 262,144 for the general memory and not quite 41,000 for the operating system's ROM (read-only memory that the computer reads when started).

This is an odd situation since the computer has a set of 16 switches that tell the computer how much memory is available. Fourteen of these switches can be repositioned to allow for that first quarter-million bytes, but the other two switches simply are not discussed. Once these are flipped, however, adding all that extra memory is simple.

Now that memory prices have tumbled, this tiny computer will soon run programs designed for the million-dollar behemoths as well as new applications such as the special version of VisiCalc that IBM contracted. That additional memory will allow advances in color graphics and use of remote terminals.

If you're only doing word processing or playing Star Trek, you'll find the standard 64K is enough. Even if you're running a business, it's unlikely you'll want much more unless you need sophisticated Pascal or Cobol

programs. But those are expensive. Too expensive, perhaps, when a thousand and one business programs are readily available for this computer with 64K bytes of memory.

### Support? Three Operating Systems!

Most people are dazzled by a new computer's features and styling. They don't realize that it takes longer to write a good operating system and support programs than it does to design the machine. This can't be emphasized enough. It's the reason IBM can move into an established field and possibly dominate it.

After Texas Instruments' new 16-bit microcomputer failed to immediately catch on, everyone was leery about going to bigger and better microprocessors. There seemed to be too many excellent programs for existing machines for a completely new personal computer to succeed.

IBM broke through this barrier with money—lots of it. They put so many programmers to work and contracted so many firms to develop versions of industry-standard programs that this "multi-million-dollar nudge" may cause some more advanced computers to fall by the way.

### Each an Industry Standard.

CP/M is the biggest operating system with the most established programs. It's a simple system that interconnects many computer languages.

UCSD Pascal is called the "language of the future." It's a more organized system than Basic and allows you to write bigger, faster-running (compiled) programs and keep them organized.

IBM's operating system with its advanced version of Microsoft Basic could become the real standard if expanded.


### The Biggest Standard?

Not only is it just \$40, but it includes a Basic with dozens of new commands (such as a music subsystem and animation). Fortunately, Microsoft is going ahead with plans to offer enhanced levels of this operating system that go all the way up to a version of Bell Lab's super operating system, Unix, normally for big computers only. This is nice because the disk operating system is so limited. I haven't found any bugs, but Radio Shack's disk operating system spoiled me.

Circle 292 on Reader Service card.


## COOSOL COMPUTER PRODUCTS

### PRINTERS



- EPSON MX70 ..... \$288
- EPSON MX80 GRAFTRAX+ ..... CALL
- EPSON MX80 F/T GRAFTRAX+ ..... CALL
- EPSON MX100 GRAFTRAX+ ..... CALL
- NEC PC-8023A-C ..... CALL
- NEC 3550 ..... CALL
- NEC 3510, 3515, 3530 ..... \$1695
- NEC 7710, 7715, 7730 ..... \$2275
- NEC 7720, 7725 ..... \$2645
- C.I.TOH 8510AP \$499 • 8510ACD ..... \$616
- C.I.TOH 1541SP \$769 • 1541SRE ..... \$839
- C.I.TOH F10-40PU. \$1395 • F10-40RU. \$1395
- C.I.TOH F10-55PU. \$1795 • F10-55RU. \$1795
- OKIDATA 82A CALL • 83A ..... CALL
- OKIDATA 84A ..... CALL • 82A TRACTOR ..... \$60
- TALLY MT 1602 MT 1605 ..... \$1495
- TALLY MT 1802 MT 1805 ..... \$1795
- DIABLO 630R132 \$2395 • 630R101 ..... \$1749
- DIABLO 630R104 \$2395 • 630K104 ..... \$2949
- QUME SPRINT 5 45/RO.KSR & 55/RO.KSR ..... CALL
- ANADEx ADX-9500-P ADX-950-P ..... \$1295
- SMITH-CORONA TP-1 ..... CALL

### HAYES SMART MODEM & CHRONOGRAPH



- HAYES SMARTMODEM ..... \$229
- RS-232C COMPATIBLE
- FULL and HALF-DUPLEX OPERATION WITH BOTH
- TOUCH TONE and PULSE DIALOG
- AUTO-ANSWER/DIAL/REPEAT
- COMPLETELY PROGRAMMABLE
- BUILT-IN AUTO MONITOR
- STATUS AT A GLANCE
- DIRECT-CONNECT DESIGN.
- HAYES CHRONOGRAPH ..... \$209
- NOVATION AUTO-CAT AUTO ANS ..... \$219

### Monitors

- NEC JC-1202DH RGB HIGH RES. COLOR ..... \$799
- AMDEK COLOR-II RGB HIGH RES. COLOR ..... \$769
- NEC PC-1201M(A) HIGH RES. GREEN ..... \$179

### Terminals

- TELEVIDEO 910 \$595, • 912 ..... \$705
- TELEVIDEO 920 \$750, • 950 ..... \$959
- ADDS Viewpoint A1, A2, A3, ..... \$535

### NEC COMPUTER



- Above NEC System with PC-8001A CPU/KBD, PC-8012A I/O Exp., PC-8031A Dual Disk, & JB-1201 Green Monitor ..... \$2149
- NEC ACCESSORIES & SOFTWARE ..... CALL

### Other Computers

- ALTOS 8000 SERIES COMPUTERS ..... CALL
- ALTOS 5-15D ..... \$2299
- ALTOS 5-5D, SOFTWARE and etc ..... CALL
- ATARI 800 48K, and 810 ..... \$1249
- ATARI PERIPHERALS and SOFTWARE ..... CALL
- DYNABYTE 5605-6-1 ..... \$5999
- DYNABYTE OTHER SYSTEMS ..... CALL
- SANYO MBC-1000 ..... \$1639
- SANYO MBC-2000 ..... \$2899
- SANYO MBC-3000 ..... \$4999
- ADD-ON DISK DRIVES ..... CALL
- SOFTWARE for the above ..... CALL

Calif. (714) 545-2216

(800) 854-8498

COOSOL, INC. P.O. BOX 743, ANAHEIM, CALIFORNIA 92805-0743



This sounds strange since Radio Shack hired Microsoft for six weeks to write a version of Level II Basic; IBM tied up better than a third of Microsoft's staff for over a year (after it was much larger and already had a greatly enhanced Basic). But then, writing a new Basic interpreter and writing a complete operating system for a new machine are quite different

jobs.

According to Bill Gates, president of Microsoft, of 450 IBM programmers, two dozen were specifically assigned to comb through his operating system. He claims they left it more refined than any of the company's older standards with years of field testing. The way the keyboard, array of manuals, operating system and

adapter boards all tie in makes his claim believable.

This advanced operating system offers a Basic interpreter that's a combination of Radio Shack's extended color and business Basics plus some interesting options such as modules from its own business Basic and a \$40 communications package. My only gripe is that Microsoft's new Basic

## PC Tech Manual Vital to Third-Party Vendors

One of the IBM Personal Computer's attractive features is its accessibility. The makers of the machine concluded that if others can adapt hardware peripherals and software for the Personal Computer, its market appeal can only be enhanced. So IBM has provided a Technical Reference Manual for the PC, aimed squarely at the outside vendor's market.

The IBM Technical Reference Manual carries a \$36 price tag and runs 385 pages. It's available from any authorized Personal Computer retailer or directly from IBM in Boca Raton, FL. Showing a high regard for its customers, IBM has thoughtfully provided three product comment forms at the back so that readers can comment on the manual or the Personal Computer. The Technical Reference Manual is obviously not an afterthought; IBM is out to please its customers and to assure them a valuable product.

### A Three-Part Book

The Technical Reference Manual is divided into three parts—a hardware overview, a hardware section describing the individual PC components and a ROM and system usage section. These are accompanied by an eight-page table of contents, a 21-page index, a bibliography of technical sources and five appendices.

The hardware overview is a brief, general description of the Personal Computer's configuration. In four pages, the PC's adapters, possible memory configurations and expansion options are covered.

The Personal Computer uses five expansion slots, into which a variety of peripheral adapters can be plugged. Interestingly, IBM has

developed an adapter that combines circuitry for the monochrome display and printer; but if you want color, you need an adapter for the monitor and a separate adapter for your printer. These adapters each require one of the five available expansion slots. This means a Personal Computer configured for color display will be somewhat restricted in terms of the number of peripherals that can be attached to it.

The hardware section is the meat of the manual. It contains detailed descriptions of all components: CPU motherboard, I/O buses, keyboard, cassette user interface, on-board speaker, system memory, memory-expansion switch settings, power supply specifications, the monochrome-display adapter, color-display adapter, parallel-printer adapter, the IBM dot matrix printer, ASCII coding table and control codes for the printer, disk drive adapter, game control adapter and asynchronous communications adapter. (An interesting note at the bottom of p. 70 reads, "you may lose data anytime you are running a program with the printer off and attached to the system unit.") The only question not answered is what the other 8K of ROM contains (only 40K of the 48K ROM is explained).

The ROM and system usage section contains a description of the Basic I/O System (BIOS), an interrupt vector listing, a BIOS memory map, BIOS cassette logic software algorithms, keyboard encoding numbers and tables for Basic workspace and reserved memory.

The five appendices contain an assembly listing of the ROM, an Intel 8086/8088 instruction set reference, character and keyboard

codes, logic diagrams and component electrical/environmental specifications. IBM has even included an eight-page glossary of terms.

The manual is a classic reference work; the attention to detail in producing the index, table of contents and lists of figures shows a high degree of professionalism. IBM's technical writing department knows what a technician needs in a manual. The logic diagrams are all located together in an appendix—they are not scattered throughout the text as in some manuals. This makes it easy to refer to two diagrams at the same time. Tables are placed on separate pages for quick reference, and blank pages are included throughout the manual for notes.

The manual is *not* a service manual. It does not contain printed circuit board layout diagrams, parts lists and trouble-shooting information. It is intended only for the developer of peripherals and/or software for the Personal Computer.

The manual has some problems. There are a number of typographical errors in the text; this is not acceptable in a technical manual. The most glaring deficiency is in the logic diagram schematics. Many of the schematics have been photo-reduced to fit the 5½ by 8-inch page format, thus losing some of the numbers on the diagrams. While this may not prove to be a fatal error, it will cause some technicians to reach for the aspirin bottle. A similar criticism can be made of the ROM disassembly in Appendix A; you'll need a magnifying glass to read it with accuracy. ■

**G. Michael Vose**  
Technical Editor



# THE LEMON<sup>TM</sup> SOURS SURGES



Our crop-The Lemon<sup>TM</sup>, The Lime<sup>TM</sup>, and The Orange<sup>TM</sup> are designed to eliminate undetected submicrosecond overvoltage transients from electrical circuits. Commonly referred to as "spikes", or "glitches", these transients can cause hardware and software damage to unprotected circuits.

Today's electronic products are often microprocessor controlled - mini and micro computers, televisions, video cassette recorders - to name a few. Each of these products is sensitive to fluctuations in electrical power lines. Power switching devices such as refrigerators coming on and off or air conditioners starting up can be responsible for a momentary surge or spike of electricity in a circuit. Even your local

utility stepping-up transformers to add power at peak load times or an electrical storm passing through can trigger surges. Such surges can cause equipment to falter at times, not to work at peak performance or fail completely. An entire data base can be lost.

Now you can prevent this from happening to you with an AC Surge Protector from Electronic Protection Devices. Each Protector is a solid state clamping device with 6 outlets utilizing modern high speed semiconductor technology. Using our Protectors is as simple as plugging it into any standard three wire duplex outlet then plugging what needs protection into it. Each Protector exceeds the IEEE 587-1980 Guide for Surge Voltages in Low

Voltage AC Power Circuits.

When you compare the cost of computer hardware, software and your time with the price of a Protector (from \$59.95 to \$139.95), you'll want to sour your surges with one of the AC Surge Protectors from EPD, which are available through your local dealer.

## *Electronic Protection Devices*

5 Central Avenue  
Waltham, Massachusetts 02154

In Massachusetts Call:  
(617) 891-6602

Outside Massachusetts Call:  
1-800-343-1813

Dealer Inquiries Invited



forces you to put spaces between all commands. It makes programs more readable, but sloppy people resent having neatness thrust upon them (and it'll make transferring my old programs a bit harder). The Basic's new features are taking their toll.

Many companies are transferring their programs directly to IBM's system. This can save the user several hundred dollars by not having to buy CP/M and MBasic. It also has the advantage of offering the same commands for color graphics and the light pen that aren't available with CP/M.

I expect the coming year will bring a half-dozen enhancements of IBM's system with even more features, simply because IBM's computer has so many facets.

### Care to Learn a New Language?

Pascal is the latest fad in programming languages (and it's a good one). UCSD (University of California at San Diego), the most portable version, may survive for quite a while, not just because IBM has endorsed it, but because after two years, Softech finally produced a good set of manuals.

It's simpler to write long programs in Pascal than in Basic.

Being a compiled language, Pascal requires that you write and compile an entire unit before you can run it. (UCSD is the one version that has an interpreter.) This forces you to be organized. If you want a program to do a complex, powerful job, Pascal is your language.

If you are frustrated with Basic and are willing to become a student, you'll find it well worth the effort. IBM's implementation of Pascal is well done and has a good library of programs, but for some reason it requires twice the memory of the other versions (even though the 8088 microprocessor is supposed to use memory 33 percent more efficiently). But then computerists have a saying: the more memory you have, the more you'll need.

### And Then There's the Disk

A half-dozen or so companies will soon scramble for the chance to supply a second disk drive for the Personal Computer. The home user need only attach five cables, flip a switch and slide in the second drive. Eventually, the IBM may have 25 times the capacity of the first drive if someone markets one of the new small hard-disk drives to fit in the same small

disk slot. But, IBM could make that unprofitable.

### That Something Extra

The four-second pause when the computer starts heralds something new in personal computers: a diagnostic self-test. That's as incredibly rare for microcomputers as the 48-hour replacement-by-courier service agreement. If you're in business, knowing that you'll never be without a computer for more than two days is an important feature.

Even after the computer's going, every character is checked for a parity error. Parity checking is also uncommon in personal computers.

The on-screen editor makes correcting what's on the screen unbelievably simple for self-taught typists like myself. It's already 80 percent of a word processor. After three weeks of tinkering with that editor, the special-function keys and some read-data statements, my home-built word-processing program has most of the commands of a professional one. (If you're planning on doing word processing with the IBM, send a self-addressed envelope to me and I'll send you a listing.)

But mostly, there's that 37-pin connector in the back. It's causing an awful lot of speculation. A quarter-million characters of memory coupled with a hard-disk drive will allow expansion to a multitasking, multi-user system (one person can play games while another writes a report while a third figures a payroll). Business systems using the last generation of microprocessors were limited to four simultaneous users, but this computer could address the same amount of memory as a 64-terminal Univac and do it twice as fast (the more powerful 8086 version of the microprocessor already has a multitasker available that allows 256 different tasks). The IBM Data Master provides for only two users. New chips, such as Intel's memory management unit for hard-disk drives can make a multi-user set of Personal Computers very appealing economically.

IBM has plugged the Personal Computer into both its 370/158 and Series One computers through its Asynchronous Communications package (available from IBM for \$50). This makes these computers think they're dealing with IBM's 3270 remote terminal (that's going to sell a lot of these computers). The

startling fact that IBM could, to some extent, be sacrificing one of its own products in favor of the Personal Computer and the fact that it recently introduced a "bigger brother" and a word processor called the Displaywriter (both with the 8086 versions of the same microprocessor) show that this isn't just an isolated product. There were over 100,000 of these processors sold to the general computer industry before IBM brought out this computer, and sales are increasing steadily.

### Public Reaction

Early reports from Sears and Computerland show a lot of confidence in IBM's name. Orders had matched Computerland's best-seller, Apple, before IBM had shipped its first computer or supplied more than a few demonstrators. Thousands (like me) were so impressed by the specifications that they've been buying it sight unseen. I'm no longer surprised when I visit Computerland and find all the customers huddled in the corner around the IBM or when I read yet another glowing report about it or its expansion capabilities.

Sears also seems impressed by the initial interest, but isn't sure a computer this expensive can hold its own. The high starting price hurts, but the difference in price isn't much after the dozens of accessories are added.

### Conclusion

The IBM Personal Computer isn't astounding. It doesn't do anything you can't do with an Apple. But it seems to be expandable in every direction. Apple and Atari have comparable graphics systems and Apple even has a few dozen small companies producing adapters. Radio Shack's mainstay computers have better disk operating systems and Texas Instruments has much the same sound system for much less.


This computer seems to have three strong points:

- It has nearly every feature available on a personal computer except a speech synthesizer.
- Every feature is almost as advanced as the competition's specialty.
- Most importantly, it can be used as a business system, even though its capabilities have just begun to be exploited.

This seemingly unlimited ability to adapt and expand is what really sets the Personal Computer apart from the other small machines. ■



Finally, a  
magazine as  
good as your Apple\*



From Wayne Green, Inc.—publishers of *80 Micro*, *Microcomputing* and *Desktop Computing*—comes...

## inCider

*inCider* premieres this winter and will expand the limits of your Apple like *80 Micro* has blown the lid off the TRS-80.

Not just another Apple magazine—but a comprehensive system specific monthly filled with...

- programs
- software applications
- hardware modifications
- reviews
- new product announcements
- advertising
- tutorials
- games

...written by technically competent editors and columnists. *inCider* is designed to provide you with the *newest* and *best* for your Apple.

Want to know the easiest way to get the kinks out of your programs? *inCider* will show you. Want to know which peripherals have the best history and the brightest future? *inCider* will tell you. Want to expand your knowledge

of hardware? Or become an expert programmer? Want to discover which word processors give you the most for your money? Or how your Apple can better manage your financial affairs? *inCider* will answer these and many other questions each month.

The inaugural issue of *inCider* will be available in early December. And you can become a Charter Subscriber to *inCider* for only \$19.97! Fill out the attached reply card and drop it in the mail, or use the coupon below. Or call toll free

1-800-258-5473

And here's a special bonus offer: enclose payment (check or credit card #) with your order and you'll receive a 13th issue of *inCider* absolutely free!

**Be an *inCider* and get more useable information for your Apple than you ever dreamed possible.**

**Subscribe to *inCider* today.**

\*Apple is a trademark of Apple Computer Inc.



**YES, I want to be an inCider. Send me 12 issues for only \$19.97.**

☐ CHECK ☐ MC ☐ VISA ☐ AE ☐ BILL ME ☐ I have enclosed payment—please put me down for my free 13th issue.

Card# \_\_\_\_\_

Interbank \_\_\_\_\_ Exp. date \_\_\_\_\_

Signature \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Canada & Mexico—\$27.97, 1 year only, US funds  
Foreign Surface—\$44.97 1 year only, US funds drawn on U.S. bank  
You will receive your first issue in mid-December

**inCider**  
PO Box 911  
Farmingdale, NY 11737

**32AR7B**



# Trouble-free Cassette Use On the Atari

*If you can't yet afford disk storage for your Atari, you'd better read  
this article to learn how to use Atari cassette files.*

By Marty Carmichael

When I bought my Atari 800 computer system, I couldn't afford a disk drive. A cassette recorder was my only mass storage medium, so I was determined to make the best of it. I had to tolerate the slow speed until disk storage looked more financially plausible.

## The Problem

Minor problems occurred in writing some small programs. For instance, when I opened a data file for output with the device designation of the cassette (OPEN#1,8,0,"C:") and requested information from the screen with an input statement, the tape motor started and a header was written on the cassette as soon as the open statement executed.

A header is just a special tone to let the computer know a file is coming when the cassette is read back in. I waited for the header to be written and motor to turn off (as it does on the TRS-80 or PET); the Atari, however, is not like a TRS-80 or PET and the motor does not turn off after the header is written. So I watched as the cassette player just kept going. The problem was that the cassette motor will turn itself off only after it has written out a buffer of 128 bytes. The open statement did not write out

these 128 bytes and consequently the motor did not turn off.

## The Solutions

There are two ways to get the cassette motor to stop—manually and through system action. Turning the motor off manually has a high probability of ruining the file—useful in some applications but not this one. To turn the cassette motor off under program control, poke location 54018 with a value of 60 (type POKE 54018,60).

A better solution is to let the system take care of itself, by writing your own header of 128 bytes to the cassette. After this header is written, the motor will stop. The header can be useful if you want it to be, or it can be just a filler to get your data file going. You can put the date, the file name or anything else you like in those 128 bytes.

Listing 1 will create a data file from input given on the screen. It will then read the data file and display the information on the screen.

## Comments on Listing 1

Notice that semicolons, rather than commas, are used between variables on the print statements (PRINT#1).

Commas cause spaces to be printed to the cassette just as they will to the screen. If you put commas in the print statements, you'll get several blank spaces on your data tape—making it slower than it already is. Notice also that I used one print statement for each variable to be sent to the file. If there is more than one variable per print statement the program will not automatically separate the variables, giving you trouble when you try to read them back in. There are two ways to solve this problem.

First, use one print statement for each variable, which will automatically place a separator character between variables on the data tape. It is also simple.

Second, you can place your own character between variables. This separator character should be an end-of-line character, ATASCII code number 155. When writing more than one variable with a single print statement, just include this character between variables. For example, in Listing 1 you could change line 40 to 40 DIM HEADERS\$(128), NAMES\$(20), ANS\$(1), SEPS\$(1) and then add a line to set the separator character (SEP\$) to an EOL:

```
43 SEP$=CHR$(155)
```

Lines 170 and 180 could be combined into a single line

```
170 PRINT#1;NAMES;SEP$;AGE
```

You could do this with lines 230 and 240 too—the rest of the program would execute properly.

An Atari cassette file, like Atari

FLAG BYTE USED IN A DISK BOOT	(BYTE 1)	0
NUMBER OF 128 BYTE RECORDS	(BYTE 2)	1
MEMORY LOAD ADDRESS (LOW BYTE)	(BYTE 3)	2
MEMORY LOAD ADDRESS (HIGH BYTE)	(BYTE 4)	3
INITIALIZATION PROG ADDRESS (LOW)	(BYTE 5)	4
INITIALIZATION PROG ADDRESS (HIGH)	(BYTE 6)	5

Fig. 1. Boot files format.

Address correspondence to Martin Carmichael,  
143 Hollywood Ave., Tracy, CA 95376.



Basic, is not hard to use once you figure it out. But the real power of the cassette is not in the sequential data file, it's in the cassette boot file. With this little gem you can do many interesting things. The disk operating system lets you build boot files easily, but this is not true with cassette boot files. Building a cassette boot file requires more work and a basic knowledge of 6502 assembly language, but it is worth the effort if you want to do special effects.

### The Cassette Boot File

To boot a file from cassette, turn on your Atari with the start button held down and a correctly formatted file on tape. The second part of this is harder than the first. To create a boot file you must write the boot file header, and to do that you'll need to know a little about IOCBs (Input/Output Control Blocks).

### Boot File Header

The advantage of the cassette boot file is that the system will boot this whether or not you have a disk or cartridge inserted. This gives interesting abilities to read from or write to memory *before* your cartridge or disk takes over. Keep in mind that once the boot is started you take over the system—if a cartridge (or disk) needs to be executed you must jump to the correct vector yourself.

You can use Basic to create your boot files, but the assembler is easier. In either case you need to define the boot file format. Boot files have the same format whether for disk or cassette (see Fig.1). The first byte on a cassette boot file has no meaning and is used only as a flag byte for disk. The second byte is the number of 128-byte records to be read in as the boot. Bytes three and four are the load address in memory for the boot. Bytes five and six are the boot initialization address. The addresses in bytes three and four and in bytes five and six are low-byte first and high-byte second. Byte seven is the start of the boot continuation program.

The sequence of the boot process goes like this. Turn on the Atari with the start key held down. The system beeps (as usual for cassette input). Press the play button on the cassette recorder to read your boot file in. Press any key (as usual for cassette input) and the system starts reading your tape. The first 128 bytes are read and put in the cassette buffer at location 1024 (hex 0400).

Circle 95 on Reader Service card.

## Leap into a new dimension



with Aztec C II

# MANX

### C COMPILERS - COMMON FEATURES:

- UNIX VER 7 compatibility • standard float, double, and long support • run time library with full I/O and source • fast compilation and execution • full language.

**AZTEC C II CP/M HEATH HDOS \$199**

- produces relocatable 8080 source code • assembler and linker supplied • optional M80 interface • SID/ZSID debugger interface • library utility • APPLE requires Z80 and 16K card

**AZTEC C II APPLE DOS \$199**

- relocating assembler supplied • APPLE SHELL•VED editor • library and other utilities • requires 16K card

**C86 IBM PC MSDOS CP/M-86 \$249**

- directly produces 8088/8086 object code • linker supplied

Manuals — \$30

ORDER BY PHONE OR BY MAIL - Specify products and disk format

# MANX

software systems

Box 55, Shrewsbury, N.J. 07701  
(201) 780-4004



CP/M FORMATS: 8"STD, HEATH, APPLE, OSBORNE, NORTHSTAR,...  
OUTSIDE USA - Add \$10 In N.J. add 5% sales tax

Circle 177 on Reader Service card.

## HEATH H8/H89 OWNERS:

### H - SCOOP

The State of the Art monthly newsletter to help you get the most from your H8 or H89. \*Who is doing what \*Problem solvers \*Reviews \*Programming Goodies \*Features \*Reports \*Software \*Hardware \*Disk Software Offers \*MUCH MUCH MORE. Find out why **H-SCOOP** was rated #1! H-SCOOP! Contact with the future!

RATES: 12 issues/year for \$20 (US 1st class), \$27 Foreign Air Mail.

VISA and MC accepted. For more information or to order, write or call:

### H-SCOOP

2918 S. 7th St., Sheboygan, WI 53081 (414) 452-4172

Circle 385 on Reader Service card.

FOR THE:

ABCDE  
FGH  
IJK  
LMNOP  
QRST  
SU  
VWXYZ

## SIMSIM, INC.

214 North Main St., Natick, Massachusetts 01760 U.S.A.  
(Lakewood Office Park; Junction of Routes 9 & 27)

(LETTER QUALITY PRINTER + SOPHISTICATED TYPEWRITER)  
NOTHING TO ADD OR DISCONNECT \*ADVANCED FEATURES  
BYTEWRITER (OLIVETTI PRAXIS 30) ..... \$ 795  
OLYMPIA ES 100KRO ..... 1195  
OLYMPIA ES 101KRO ..... 1395

CALL COLLECT FOR SPECIAL OFFER \*MANY FAMOUS NAMES

In Computer Systems

CALL: (617) 655 6415



# Happy Hands

Offers Discounts on All

## TRS-80<sup>TM</sup> COMPUTERS

We Have What You Are Looking For

- \* Free Shipping Within United States
- \* 26-1006 Mod III 48K ..... \$2,055.00
- \* 26-3001 4K Color ..... 310.00
- \* 26-3002 16K Color ..... 455.00
- \* 26-3003 32 K Color ..... 520.00
- \* No Tax On Out of State Shipments

For Additional Prices and Shipping Information

Call Toll Free

1-800-545-9019

N.M. Residents Call 257-7865

or write

HAPPY HANDS

P.O. DRAWER I

RUIDOSO, NEW MEXICO

88345

Circle 319 on Reader Service card.

**FREE?**



**CHEMIN**  
The International European Card Game  
with the Important American Dealer

win & get a check ...

...lose & pay the price

**YOU COULD GET THIS GAME FREE!**

FEEL LUCKY?

price > \$24.95  
INTRODUCTORY  
OFFER REBATES  
FROM \$0 to \$25

Write or Call  
for Details  
Up to \$5 credit  
on order for  
Phone call order

**OR!**

**TIRED OF ONLY PLAYING GAMES WITH YOUR COMPUTER?**  
**READY FOR SOME SERIOUS SOFTWARE?**

We will custom develop programs tailored to your desires  
OR  
Provide our own Quality Programs

**ALL at unbelievably LOW PRICES**

We will even send you royalty payments when we re-sell programs we developed at your suggestion!

**PERSONAL PROGRAMS ALREADY DEVELOPED**

**VALUE** - Important assets logging/tracking program. Organize for Wills, taxes, insurance, etc. **\$24.95**

**HOUSEHOLD** - Keep track of all household goods by room. Compile total cost new, current value, and replacement costs. **\$24.95**

**TICKLE** - Reminder of things to be done. Sorted by date to be done, deleted as each finished **\$ 9.95**

**TEACHER** - Friendly, informative, 1st time user introduction to computers. Makes basic operation of the machine enjoyable and easy to learn. **\$24.95**

**ALL RUN ON OSBORNE**

OR ON ANY MACHINE WITH MICROSOFT BASIC OR CROMEMCO 32K BASIC

QUANTITY DISCOUNTS available to dealers and User Groups

CHEMIN USES CURSOR ADDRESSING. TESTED ON OSBORNE, TELEVIDEO, INTERUBE, ADM, & HAZLETINE. APPLE/TRS-80 versions being developed

**ARTCOM DATA SERVICE <313> 522-3377**  
**P.O. BOX 9343 LIVONIA, MI. 48150**

Information is extracted from the first six bytes and the record is put in memory at the address specified in bytes three and four of the header. Then the rest of the 128-byte records are read in (the number was specified in byte two of the header minus the 1 that has already been read). The system then does a jump-to-subroutine

(JSR) to your subroutine start address (bytes three and four of the header) plus 6 (this would be byte seven of your header) for the boot continuation program.

In this routine I recommend turning off the cassette motor by changing the value in PACTL at location 54018 (hex 03CA). After turning off the

```

10 REM *****
11 REM
12 REM THIS PROGRAM WILL GET INFORMATION FROM THE
13 REM SCREEN AND CREATE A SEQUENTIAL CASSETTE FILE
14 REM
15 REM AFTER IT IS CREATED THE PROGRAM WILL READ
16 REM THE FILE BACK IN. THE FILE WILL CONTAIN
17 REM THE NAMES AND AGES OF N PEOPLE.
18 REM
19 REM ***** VARIABLES *****
20 REM HEADERS -- THE 128 HEADER ON THE CASSETTE TAPE
21 REM NAMES -- A PERSONS NAME
22 REM AGE -- A PERSONS AGE
23 REM ANSS -- A QUERY RESPONSE
24 REM
25 REM *****
40 DIM HEADERS(128), NAMES(20), ANSS(1)
50 REM ***** BLANK OUT HEADER *****
60 FOR I = 1 TO 128 : HEADERS(I) = " ": NEXT I
65 REM ***** PUT IN USEFUL INFORMATION *****
70 HEADERS(1,15) = "FILE NUMBER 1 "
80 HEADERS(16,50) = "SEQUENTIAL FILE OF NAMES AND AGES "
85 PRINT "PRESS RECORD AND PLAY ON THE CASSETTE"
87 PRINT "WHEN YOU HEAR TWO BEEPS. THEN PRESS (RETURN)"
90 REM ***** OPEN THE FILE AND WRITE HEADER *****
100 OPEN#1,8,0,"C:"
110 PRINT#1;HEADERS
120 REM *****
130 REM GET AND WRITE DATA
140 REM *****
150 PRINT "INPUT PERSONS NAME ":INPUT NAMES$
160 PRINT "INPUT PERSONS AGE":INPUT AGE
170 PRINT#1;NAMES$
180 PRINT#1;AGE
190 PRINT "DO YOU WISH TO CONTINUE ? (Y/N)":INPUT ANSS
200 IF ANSS<>"N" THEN GOTO 150
210 REM ***** SET EOF FLAG AND CLOSE FILE *****
220 NAMES$ = "<EOF>":AGE=0
230 PRINT#1;NAMES$
240 PRINT#1;AGE
250 CLOSE#1
260 REM *****
270 REM
280 REM THE SECOND PART WILL READ IN THE CREATED
290 REM DATA FILE
300 REM
310 REM *****
320 PRINT "REWIND THE CASSETTE AND PRESS (RETURN)"
330 PRINT "WHEN YOU HEAR THE BEEP PRESS PLAY"
335 PRINT "AND THEN PRESS (RETURN) AGAIN":INPUT ANSS
340 REM ***** OPEN THE FILE INPUT *****
350 OPEN#1,4,0,"C:"
360 REM ***** RETRIEVE OUT HEADER *****
370 INPUT#1;HEADERS$
380 REM *****
390 REM NOW READ AND WRITE UNTIL THE END OF FILE
400 REM *****
410 FOR I = 0 TO 1
420 INPUT#1,NAMES$,AGE
430 PRINT "NAME ";NAMES$;" AGE ";AGE
440 I = (NAMES$="<EOF>")
450 NEXT I
460 REM ***** CLOSE THE FILE *****
470 CLOSE #1
480 REM ***** THE PROGRAM IS DONE
490 END

```

Listing 1. Atari I/O utility.



# Everybody's making money selling microcomputers. Somebody's going to make money servicing them.

## New NRI Home Study Course Shows You How to Make Money Servicing, Repairing, and Programming Personal and Small Business Computers

Seems like every time you turn around, somebody comes along with a new computer for home or business use. And what's made it all possible is the amazing microprocessor, the tiny little chip that's a computer in itself.

Using this new technology, the industry is offering compact, affordable computers that handle things like payrolls, billing, inventory, and other jobs for businesses of every size...perform household functions including budgeting, environmental systems control, indexing recipes. And thousands of hobbyists are already owners, experimenting and developing their own programs.

### Growing Demand for Computer Technicians

This is only one of the growth factors influencing the increasing opportunities for qualified computer technicians. The U.S. Department of Labor projects over a 100% increase in job openings for the decade through 1985. Most of them *new* jobs created by the expanding world of the computer.

### Learn at Home in Your Spare Time

NRI can train you for this exciting, rewarding field. Train you at home to service not only microcomputers, but word processors and data terminals, too. Train you at your convenience, with clearly written "bite-size" lessons that you do evenings or weekends, without going to classes or quitting your present job.

Your training is built around the latest model of the world's most popular computer. It's the amazing TRS-80™ Model III, with capabilities and features to perform a host of personal and business functions. No other small computer has so much software available for it, no other is used and relied on by so many people. And it's yours to keep for personal or business use.

You get plenty of practical experience. Using the NRI Discovery Lab® that also comes as part of your course, you build and study circuits ranging from the simplest to the most advanced. You analyze and troubleshoot using the professional 4-function LCD digital multimeter you keep to use later in your work. Then you use the lab and meter to actually access the interior of your computer...build special circuits and write programs to control them. You "see" your computer at work and demonstrate its power.

(TRS-80 is a trademark of the Radio Shack division of Tandy Corp.)



### Computer Assisted Instruction

Your TRS-80 even helps train you. You receive 4 special lesson tapes in BASIC computer language. Using them in your microcomputer, you "talk" to it as you progress. Errors are explained, graphics and animation drive home key points. Within a matter of minutes, you'll be able to write simple programs yourself.

### Become the Complete Computer Person

In addition to training in BASIC and advanced machine language, you gain hands-on experience in the operation and application of computers to business and personal jobs. You're trained to become the fully rounded, new breed of technician who can interface with the operational, programming and service facets of today's computers. You're ready to take your place in the new electronic age.

### Other Opportunities

NRI has been giving ambitious people new electronic skills since 1914. Today's offerings also include TV/Audio/Video Systems servicing with training on our exclusive Heath/Zenith computer-programmable

25" diagonal color TV...Industrial Electronics, Design Technology...and other state-of-the-art courses.

### Rush Coupon for Free Catalog... No Salesman Will Call

Send the coupon for our 100-page catalog showing all courses with equipment and complete lesson plans. There's no obligation other than to yourself. See how NRI can help you grow with the most exciting and important new field of the 80's. If coupon has been removed, please write to NRI Schools, 3939 Wisconsin Ave., Washington, D.C. 20016.



All career courses  
approved under GI bill.  
☐ Check for details

172-102



**NRI Schools**  
McGraw-Hill Continuing  
Education Center  
3939 Wisconsin Avenue  
Washington, D.C. 20016

We'll give you tomorrow.

### NO SALESMAN WILL CALL.

Please check for one free catalog only.

- ☐ Computer Electronics including Microcomputers
- ☐ Color TV, Audio, and Video System Servicing
- ☐ Electronics Design Technology
- ☐ Digital Electronics
- ☐ Communications Electronics • FCC Licenses • Mobile CB • Aircraft • Marine

- ☐ Industrial Electronics
- ☐ Basic Electronics
- ☐ Small Engine Servicing
- ☐ Appliance Servicing
- ☐ Automotive Servicing
- ☐ Auto Air Conditioning
- ☐ Air Conditioning, Heating, Refrigeration, & Solar Technology
- ☐ Building Construction

Name \_\_\_\_\_ (Please Print) Age \_\_\_\_\_

Street \_\_\_\_\_

City/State/Zip \_\_\_\_\_  
Accredited by the Accrediting Commission of the National Home Study Council




# Big sale on K's!

16K...\$149.95

32K...\$199.95

48K...\$249.95

64K...\$299.95



## New JAWS-IB The Ultrabyte Memory Board

Due to the tremendous success of our JAWS I, we were able to make a special purchase of first-quality components at below-cost prices for JAWS-IB. And we are sharing our cost saving with you. But don't be surprised if the next time you see this ad the prices have gone up substantially. Better yet, order now, and get the best memory on the market at the best price on the market.

### ONE CHIP DOES IT ALL

Jaws-IB is the Rolls-Royce of all the S100 dynamic boards. Its heart is Intel's single chip 64K dynamic RAM controller. Eliminates high-current logic parts... delay lines... massive heat sinks... unreliable trick circuits. JAWS-IB solves all these problems.

### LOOK WHAT JAWS-IB OFFERS YOU

Hidden refresh... fast performance... low power consumption... latched data outputs... 200 NS 4116 RAM's... on-board crystal... RAM jumper selectable on 8K boundaries... fully socketed... solder mask on both sides of board... phantom line... designed for 8080, 8085, and Z80 bus signals... works in Explorer, Sol, Horizon, as well as all other well-designed S100 computers.

10-DAY MONEY-BACK TRIAL: Try a fully wired and tested board for 10 days... then either keep it, return it for kit, or simply return it in working condition.

Continental U.S.A. Credit Card Buyers Outside Connecticut:  
TO ORDER CALL TOLL FREE 800-243-7428

From Connecticut Or For Assistance:  
(203) 354-9375

KB8

Please send the items checked below:

### JAWS-IB kit:

- ☐ 16K...\$149.95\*
- ☐ 32K...\$199.95\*
- ☐ 48K...\$249.95\*
- ☐ 64K...\$299.95\*

### JAWS-IB Fully Assembled, Wired & Tested:

- ☐ 16K...\$179.95\*
- ☐ 32K...\$239.95\*
- ☐ 48K...\$299.95\*
- ☐ 64K...\$359.95\*

☐ EXPANSION KIT, 16K RAM Module, to expand JAWS-IB in 16K blocks up to 64K. \$59.95

\*All prices plus \$2 postage and insurance (\$4.00 Canada). Connecticut residents add sales tax.

Total enclosed: \$

- ☐ Personal Check ☐ Money Order or Cashier's Check
- ☐ VISA ☐ Master Card (Bank No. )

Acct. No. \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_  
Print Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

**NETRONICS R&D Ltd.**  
333 Litchfield Road, New Milford, CT 06776

motor, the continuation program can be any function you require.

To let the system know the boot continuation process is complete and the boot is proceeding normally, just clear the carry bit (CLC) before returning from the subroutine (RTS).

Next the system will jump-to-subroutine (JSR) for initialization of your application program. It will jump to the address in bytes five and six of the header, which have now been placed in CASINI at location 12, 13 (hex 0C,0D). Again the program can perform various functions, but you need to set DOSVEC at location 10, 11 (hex 0A,0B) before you return (RTS). This location should have the address of the application program, cartridge or disk, whichever needs to be executed after the initialization program. The system will jump (JMP) to the address specified in DOSVEC. That's how the system reads a boot file—now you have to create one.

## The IOCB

You'll need to use the IOCB blocks to perform I/O (input/output). (See Fig 2.) These are just tables or packets used to describe I/O functions. The only functions used will be the OPEN, PUT BYTE and CLOSE functions. Several other useful functions are documented in the Atari operating system user's manual. An IOCB is 16 bytes of contiguous memory. There are eight IOCBs starting at address 832 (hex 0340).

To specify a particular IOCB use the X register as an offset. Then load the IOCB and jump to the I/O routines (specifically CIOV location 58454 (hex E456)). Different information is required with different commands. In the OPEN command the IOCB points to a buffer containing

"C": carriage return [hex 9B]

so the I/O routines will know the cassette player is being addressed.

DEVICE HANDLER I.D.	HEX (0340)
DEVICE NUMBER	(0341)
COMMAND BYTE	(0342)
STATUS	(0343)
BUFFER ADDRESS LOW	(0344)
BUFFER ADDRESS HIGH	(0345)
PUT ADDRESS LOW	(0346)
PUT ADDRESS HIGH	(0347)
BUFFER LENGTH/BYTE COUNT (LOW)	(0348)
BUFFER LENGTH/BYTE COUNT (HIGH)	(0349)
AUXILIARY INFORMATION BYTE 1	(034A)
AUXILIARY INFORMATION BYTE 2	(034B)
AUXILIARY INFORMATION BYTE 3-6	(034C-F)

Fig. 2. Input/Output Control Blocks are used to perform I/O functions.

Circle 132 on Reader Service card.

## '68' MICRO JOURNAL™

6800-6809-68000

★ The only ALL 68XX Computer Magazine

USA

1 YR.—\$24.50 2 Yr.—\$42.50 3 Yr.—\$64.50

\* Foreign Surface Add \$12 Yr. to USA Price

Foreign Air Mail Add \$35 Yr. to USA Price

\* Canada & Mexico Add \$5.50 Yr. to USA Price

OK, PLEASE ENTER MY  
SUBSCRIPTION

Bill my: M/C ☐ — VISA ☐

Card # \_\_\_\_\_

Expiration Date \_\_\_\_\_

For ☐ 1-Yr. ☐ 2 Yrs. ☐ 3 Yrs.

Enclosed: \$ \_\_\_\_\_

Name \_\_\_\_\_


Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

68 Micro Journal  
5900 Cassandra Smith Rd.  
Hixson, TN 37343

## MICROCOMPUTING



**BINDERS  
& FILE  
CASES**

**order yours today**

Organize and protect your valuable issues of MICROCOMPUTING with these handsome dark blue magazine binders or file cases. Each holds 1 full year of MICROCOMPUTING and has the magazine logo stamped in gold. An all metal mechanism in the binders allows easy consultation of any issue without removal. Please state years 1977 through 1983.

Binders—\$7.50 3 for \$21.75 6 for \$42.00  
File Cases—\$5.95 ea. 3 for \$17.00 6 for \$30.00

Send check or money order only to:  
MICROCOMPUTING BINDERS  
P.O. Box 5120, Phila., PA 19141

Allow 6-8 weeks for delivery.

Please no C.O.D. orders, no phone orders.



## VOLUME 2 now available!

# NIBBLE EXPRESS

## TABLE OF CONTENTS

CHAMP .....	5
Working Out with CHAMP .....	8
Amper-Reader .....	10
Hex/Dec Codes Without Conversio .....	11
Auto Run and Tape Protection ...	12
MRS .....	14
Le Mans .....	17
Inputting Strings With Commas ...	19
Phantom Numeric Pad .....	21
Disk Snooping Part 1 .....	22
Apple Paintbox .....	25
Mad Mad Cube .....	28
Disk Snooping Part 2 .....	30
Applsoft Linefinder .....	34
Direct Keyboard Disk Commands .....	37
Converting Muffin to Demuffin ...	39
Apple STAR System .....	42
Disk Snooping part 3 .....	48
Intesoft Connection part 1 .....	52
Trap 'Em .....	57
Fast Data Format .....	60
Quick and Easy Hi-Res .....	62
Apple RAT .....	63
Binary Disk Copy .....	65
Disk Master .....	67
Trap/Step .....	76
Biorhythms .....	82
Intesoft Connection part 2 .....	88
Teleprocessing .....	93
Lo-Res Screen Dump .....	97
Apple Tricks ... Reset Trap .....	100
Mini-Amper Edit .....	103
How to Enter Assembler Listings ..	106
Free Cat for Apple DOS Users ...	108
M.A.P.S. ....	112
Amper Jump & TSort .....	118
Apple Artist .....	123
Pascal Lo-Res Graphics .....	127
Big CAT .....	131
Amper Store Recall .....	132
D.A.R.T. ....	134
Print Use .....	142
Intesoft connection III .....	148
Lazer Blaster .....	152
Auto Repeat Key .....	153
Poor Boy's LE .....	154
Catsup—Catalog Supervisor .....	155
TRAC Budget .....	157
TRAC Graphics .....	159
TRAC Plus .....	162
Archives .....	165
Intesoft connection IV .....	168
Command Changer • (missing the	171
DOS Remover .....	176

### NIBBLE EXPRESS VOLUME 2

#### NOW AVAILABLE!

The 1981 Anthology of the major articles and programs is underway! It contains *up-to-date enhancements and corrections to programs which appeared in Volume 2 of NIBBLE.*

Even if you have all 8 issues of NIBBLE in 1981, you'll want The Express to have updated program listings in one convenient package!

200 solidly packed pages with major programs and articles for your Apple! A MUST for your Library!

NIBBLE EXPRESS will be an invaluable reference for your Apple now and for years to come!

for only \$14.95 (plus shipping) you can make Nibble Express a permanent part of your library.

### ORDER YOUR COPY NOW!

#### NIBBLE

P.O. Box 325  
Lincoln, MA 01773

Yes! I want NIBBLE EXPRESS Vol. 2 in my library!

Here's my ☐ Check ☐ Money order

for \$14.95 plus \$1.75 postage/handling. (Outside U.S. add \$2.75 for postage/handling).

☐ Also send me NIBBLE EXPRESS Vol. 1 at \$12.95 plus \$1.75 postage/handling (outside U.S. add \$2.75 for postage/handling).

Master Card & Visa Accepted

Card # \_\_\_\_\_ Expires \_\_\_\_\_

Telephone \_\_\_\_\_

Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Your check or money order must accompany your order to qualify. Outside U.S.: Checks must be drawn on a U.S. Bank.

\*Apple is a registered trademark of Apple Computer Company.



# fullFORTH+ for APPLE/PET

## Full implementation of FIG FORTH PLUS

6502 CONDITIONAL ASSEMBLER  
INTEGER AND FLOATING POINT ARITHMETIC  
STRING MANIPULATION WORDS  
IF-DO (A form of CASE statement)  
CURSOR CONTROL SCREEN EDITOR  
SINGLE AND MULTI-DIMENSIONAL ARRAYS  
DISK VIRTUAL MEMORY  
ADDITIONAL UTILITIES INCLUDING:  
SCREEN TO SCREEN COPY  
CORE DUMP  
PRINTER CONTROL WORDS  
FORTH WORD DECOMPILER  
TARGET COMPILER NOW AVAILABLE  
COMPLETE DOCUMENTATION INCLUDES:  
INSTALLATION GUIDE (8 PAGES)  
GETTING STARTED (TUTORIAL)  
(28 PAGES)  
USERS GUIDE (86 PAGES)

Purchasers receive 1 year subscription to the fullFORTH+ Newsletter (Published bi-monthly)  
Price \$100.00—foreign \$110.00 (Add \$2.50 shipping) (PA residents add 6% sales tax)  
IDPC CO. — Box 11594, Phila., Pa. 19116  
or call — (215) 676-3235

Circle 252 on Reader Service card.

## VOLTAGE SURGE & TRANSIENT SUPPRESSOR



Protects  
Most  
Electronic  
Equipment

The SUPPRESSOR electronically removes or reduces sudden voltage changes. It simply plugs into a power receptacle on the same circuit as the equipment being protected.

END POWER LINE SPIKES, SURGES, HASH... Only \$29.95 ea. Dealer Inquiries Invited.



**CUESTA SYSTEMS, INC.**  
3440 Roberto Court  
San Luis Obispo, California 93401  
(805) 541-4160

Circle 231 on Reader Service card.

## SUPER SALE

EPROM's	1-7	8 up	50 up
2716 (5V, 450nS)	\$3.95	\$3.55	CALL
2732 (5V, 450nS)	7.85	6.95	CALL
2532 (5V, 450nS)	8.25	7.95	CALL
2764 (5V, 450nS)	23.90	CALL	CALL

### STATIC RAM

6116P-3 (150nS)	7.50	7.20	CALL
2114L-2 (200nS)	2.10	1.70	CALL

### DYNAMIC RAM

4164 (200nS)	7.90	7.49	CALL
--------------	------	------	------

### MISC

CPU Z80A	\$5.29 ea.
CDP-1854ACE (UART)	\$4.80 ea.
16K RAM Expansion Kit for TRS-80 Mod III	\$12.95/8



**SUNTRONICS CO., INC.**  
12621 CRENSHAW BOULEVARD  
HAWTHORNE, CALIFORNIA 90250

STORE HOURS: Mon-Fri 9:00am to 6:30pm — Sat 10am to 5pm  
IN CALIFORNIA OUTSIDE CALIFORNIA TOLL FREE  
(213) 644-1149 1-800-421-5775  
Min Order: \$10, P/H: \$2, Accept VISA, Mastercard, Check or M.O.

The direction of the I/O must also be specified (direct the I/O routines for outputting) as well as the desired inter-record gap. The PUT BYTE command tells the I/O routines where to get the data and how much to write. No extra information is needed on the close function because the command will close the IOCB that executes it.

## Comments on Listing 2

Listing 2 is essentially two programs—a program to write a boot file and an application program. The program to write a boot file starts at address \$600 (the first executable instruction is at \$61F). This will write from memory address \$0F00 for 256 bytes (two records). The boot file format and application program starts at address \$0F00. When the program at

\$61F is executed it will write out the program starting at address \$0F00. When this is complete, rewind the cassette tape and boot from the tape that has just been created—the tape will boot and automatically execute the application program.

## Conclusion

Remember two points when using Atari Basic sequential data files: write out your own header, and use semicolons rather than commas.

The Atari cassette boot file lets you run applications that cannot be created any other way. It can secure programs well enough to foil the most determined software pirate. And once the initial code is written, it is fairly easy to update for different applications. For me, it was worth the trouble. ■

Listing 2. Atari boot file and application program.

```

10 ; *****
20 ;
30 ; THIS PROGRAM WILL CREATE A CASSETTE BOOT TAPE.
40 ; THE APPLICATION ON THE BOOT WILL CAUSE THE
50 ; BACKGROUND TO CHANGE COLOR VERY RAPIDLY
60 ;
70 ; *****
80 ;
90 ;          CONSTANTS AND EQUATES
100 OPEN  = $03          ; COMMAND TO OPEN A FILE
110 CLOSE = $0C          ; COMMAND TO CLOSE A FILE
120 PUTCHR = $0B         ; COMMAND TO WRITE OUT CHARACTERS
130 STPMTR = $3C         ; COMMAND TO STOP THE CASSETTE MOTOR
140 ;
150 ICCOM  = $0342        ; IO COMMAND BYTE
160 ICBAL  = $0344        ; BUFFER ADDRESS (LOW BYTE)
170 ICBAH  = $0345        ; BUFFER ADDRESS (HIGH BYTE)
180 ICBLL  = $0348        ; BUFFER LENGTH (LOW BYTE)
190 ICBLLH = $0349        ; BUFFER LENGTH (HIGH BYTE)
200 ICAX1  = $034A        ; AUXILIARY INFORMATION BYTE 1
210 ICAX2  = $034B        ; AUXILIARY INFORMATION BYTE 2
220 ;
230 PACTL  = $D302        ; PORT CONTROL A
240 DOSVEC = $0A          ; DOS VECTOR ADDRESS
250 COLOR4 = $2C8         ; COLOR REGISTER 4 ADDRESS
255 EOL    = $9B
257 CIOV   = $E456        ; THE I/O ROUTINES ADDRESS
260 ;
270 ; *****
280 ; THE FIRST PART OF THIS WRITES THE CASSETTE
290 ; BOOT FILE. THE APPLICATION PROGRAM STARTS
300 ; AT ADDRESS $0F00. THE PROGRAM TO WRITE
310 ; THE BOOT FILE STARTS AT $61F.
300 ; *****
310 ;
320 *= $600
330 .BYTE "C:",EOL          ; FOR OPENING A CASSETTE FILE
340 CFILE .WORD $600        ;
360 *= $61F
370 CBOOT
380 LDX # $10              ; LOAD OFFSET TO USE IOCB 1
390 ; SET IOCB #1 FOR OPENING
400 ;
410 LDA #OPEN              ; LOAD OPEN COMMAND
420 STA #ICCOM,X           ; PUT IN COMMAND BYTE IOCB 1
430 LDA #$08              ; SET UP AS AN OUTPUT FILE
440 STA ICAX1,X            ; PUT IN AS AUXILIARY INFO
450 LDA #$80              ; SELECT SHORT INTER REC GAP

```

More →



Listing 2 continued.

```

460 STA ICAX2,X ; STORE IN SECOND AUX INFORMATION
470 LDA CFILE ; LOAD LOW BYTE OF ADDRS OF "C:"
480 STA ICBAL,X ; PUT IN AS BUFFER ADDRS LOW BYTE
490 LDA CFILE+1 ; GET HIGH BYTE OD ADDRS OF "C:"
500 STA ICBALH,X ; PUT IN AS HIGH BYTE IN BUF ADDRS
510 ; JUMP TO IO ROUTINE
520 JSR CIOV ; OPEN FILE OUTPUT
530 BMI ERR ; ERROR
540 ; NEXT WE WILL WRITE OUR APPLICATION PROGRAM OUT
550 LDA #PUTCHR ; LOAD COMMAND FOR PUT CHARACTERS
560 STA ICCOM,X ; PUT IN AS COMMAND IN IOCB
570 LDA #$80 ; LOAD LENGTH OF 128 BYTES
580 STA ICBLL,X ; PUT IN BUFFER LENGTH LOW
590 LDA #0 ; ZERO OUT BUFFER LENGTH HIGH
593 STA ICBLLH,X ; ZERO OUT BUFFER LENGTH HIGH
595 STA ICBAL,X ; ZERO OUT BUFFER ADDRESS LOW
597 LDA #$0F ; APPLICATION START ADDRESS IS $0F00
599 STA ICBALH,X ; PUT IN BUFFER ADDRESS HIGH
600 ; JUMP TO IO ROUTINE AND WRITE THE FILE
610 JSR CIOV ;
620 BMI ERR ; ERROR
630 ; NOW CLOSE THE FILE
640 LDA #CLOSE ; LOAD CLOSE COMMAND
650 STA ICCOM,X ; PUT IN AS COMMAND BYTE IN IOCB 1
660 ; JUMP TO IO ROUTINE AND CLOSE THE FILE
665 JSR CIOV ;
670 BMI ERR ; ERROR
675 BRK ; STOP PROGRAM
680 ; ERROR JUST MEANS STOP. THE DEBUGGER WILL
690 ; DISPLAY ALL THE REGISTERS SO YOU CAN
700 ; TELL AN ERROR FROM A REGULAR STOP
710 ERR
720 BRK ; STOP THE PROGRAM
730
740 ;*****
750 ; THIS IS THE APPLICATION PART OF THE PROGRAM
760 ; A SMALL ROUTINE THAT CHANGES THE BACKGROUND
770 ; ACTUALLY ANY APPLICATION CAN GO HERE
780 ;*****
790
800 *= $0F00
810 .BYTE 0 ; FIRST BYTE OF BOOT HEADER
820 .BYTE 2 ; READ 2 128 BYTE RECORDS
830 .WORD $0F00 ; WHEN RELOADING LOAD TO $0F00
840 .WORD $0F80 ; INITIALIZATION STARTS AT $0F80
850 ; NOW THE BOOT CONTINUATION PROGRAM
860 LDA #STPMTR ; LOAD BITS TO STOP CASSETTE MOTOR
870 STA PACTL ; PUT IN PORT CONTROL A
880 ;
890 ; PUT YOUR OWN STUFF HERE
900 ;
910 CLC ; CLEAR CARRY BIT TO SHOW GOOD RETURN
920 RTS ; RETURN FROM SUBROUTINE
930 *= $0F80 ; INITIALIZATION
940 ;*****
950 ; THE INITIALIZATION PROGRAM WILL PLACE THE APPLICATION
960 ; STARTING ADDRESS INTO DOSVEC (0A,0B). THE
APPLICATION
970 ; STARTING ADDRESS IS $0FA0
980 ;*****
990 LDA #A0 ; LOAD LOW BYTE OF ADDRESS FIRST
1000 STA DOSVEC ; PUT IN DOSVEC
1010 LDA #$0F ; LOAD HIGH BYTE AND PUT IN DOSVEC +1
1020 STA DOSVEC+1 ;
1030 ; NOW RETURN FROM SUBROUTINE AND JUMP TO DOSVEC
1040 RTS
1050 ;*****
1060 ; THE APPLICATION PROGRAM
1070 ;*****
1080 ;
1090 *= $0FA0
1100 APPROG
1110 LDA #0 ; REG A WILL CYCLE THROUGH THE
1120 CNGCLR ; COLOR 4 REGISTER WHICH WILL CHANGE
1130 CLC <THE BACKGROUND COLORS
1140 ADC #1 ; ADD ONE TO GET NEXT COLOR
1150 STA COLOR4 ; PUT A IN THE COLOR REGISTER
1160 JMP CNGCLR ; CYCLE BACK TO CHANGE COLOR
1170 ;
1180 .END

```

Circle 179 on Reader Service card.

# What do these Superior Programs have in common?

## Apple Graphics II Senior Analyst

Apple Computer Corp.

## VersaForm

Applied Software Techn

## Cascade II

Cascade Graphics Corp.

## Diff-E-Q

Sage Software

## DSS/F

## Financial Modeling

Addison Wesley

## Market Analyst

Anidata

## Ag-Pac

Wisconsin Software

## Visischedule

VisiCorp

## Accounting

## Management

Great Plains

## Job Control

High Technology

## THEY'RE EVEN MORE VALUABLE WITH THE PASCAL SPEEDUP SYSTEM!

IF YOU VALUE YOUR TIME, THE PSS Hardware/Software package will pay for itself within a few weeks!

System includes THE MILL 6809 COPROCESSOR BOARD + System software & Printer Spooler.

## PLUG IT IN & GO!

\*For Apple Hobbyists: THE ASSEMBLER DEVELOPMENT KIT; Create 6502-6809 DOS 3.3 compatible programs



The Lobero Building  
P.O. Box 2342  
Santa Barbara, CA 93120 (805) 966-1140

-M12



# Invest in Your Apple

*Nowadays, surrounded by all kinds of investment advice, you need to check on how your money is working for you. This Apple program keeps track of your invested dollars.*

By Gregory Glau

It's often comforting, and financially helpful, to have some method of forecasting what our investments will be worth in the future.

This is where the program Appreciation steps in. You simply tell your Apple II Plus a few details about your investment, and it will display a sum-

mary of what it will be worth for each of the next 20 years.

And, if you want, Appreciation will give you a hard copy of the same information based on your own data. Of course, before you request that printout, you can play with the information to see what might happen to your investment under different rates of appreciation.

The program will ask for a description of the investment and allow you two chances to input miscellaneous data, such as purchase information, address of a property, terms and so on.

You will then be asked to input the month and year you made, or plan to make, the investment.

Appreciation will also request the starting value of the item—what you paid, or plan to pay, for it.

Finally, you'll be asked the estimated rate of appreciation—what you think will happen to your investment. If you think it will increase in value, you'll answer with a positive figure. If you'd like to see what would happen to those dollars if they decreased in value, you can do that by answering with a negative response.

Appreciation displays all of your answers and gives you the opportunity to correct or change your data.

You can also ask for a display, which will show you the results of your investment for each of the next 20 years along with the cumulative percentage increase. If you request a hard copy of the results, Appreciation will print the same data as well

## ESTIMATED APPRECIATION SCHEDULE

PREPARED FOR AN INVESTMENT EXAMPLE  
FOR MICROCOMPUTING MAGAZINE

\*\*\* PURCHASED APRIL 1982 \*\*\*

STARTING VALUE 10,000.00

ESTIMATED RATE OF APPRECIATION 10.00 %

\*\*\*\*\*

YEAR	VALUE	75% LOAN AMT	% INCREASE
1 (APR 1983)	11,000.00	8250.00	10.00 %
2 (APR 1984)	12,100.00	9075.00	21.00 %
3 (APR 1985)	13,310.00	9982.50	33.10 %
4 (APR 1986)	14,641.00	10,980.75	46.41 %
5 (APR 1987)	16,105.10	12,078.83	61.05 %
6 (APR 1988)	17,715.61	13,286.71	77.16 %
7 (APR 1989)	19,487.17	14,615.38	94.87 %
8 (APR 1990)	21,435.89	16,076.92	114.36 %
9 (APR 1991)	23,579.48	17,684.61	135.79 %
10 (APR 1992)	25,937.42	19,453.07	159.37 %
11 (APR 1993)	28,531.17	21,398.38	185.31 %
12 (APR 1994)	31,384.28	23,538.21	213.84 %
13 (APR 1995)	34,522.71	25,892.03	245.23 %
14 (APR 1996)	37,974.98	28,481.24	279.75 %
15 (APR 1997)	41,772.48	31,329.36	317.72 %
16 (APR 1998)	45,949.73	34,462.30	359.50 %
17 (APR 1999)	50,544.70	37,908.52	405.45 %
18 (APR 2000)	55,599.17	41,699.38	455.99 %
19 (APR 2001)	61,159.09	45,869.32	511.59 %
20 (APR 2002)	67,275.00	50,456.25	572.75 %

\*\*\*\*\*

Sample run. Estimated schedule. Starting value \$10,000. Estimated rate of appreciation 10 percent.

Address correspondence to Gregory R. Glau, PO Box 1627, Prescott AZ 86302.



**NEW! TPM\* for TRS-80 Model II**  
**NEW! System/6 Package**  
**Computer Design Labs**

# Z80\* Disk Software

We have acquired the rights to all TDL software (& hardware). TDL software has long had the reputation of being the best in the industry. Computer Design Labs will continue to maintain, evolve and add to this superior line of quality software.

— Carl Galletti and Roger Amidon, owners.

Software with Manual/Manual Alone

All of the software below is available on any of the following media for operation with a Z80 CPU using the CP/M\* or similar type disk operating system (such as our own TPM\*).

for TRS-80\* CP/M (Model I or II)  
 for 8" CP/M (soft sectored single density)  
 for 5 1/4" CP/M (soft sectored single density)  
 for 5 1/4" North Star CP/M (single density)  
 for 5 1/4" North Star CP/M (double density)

## BASIC I

A powerful and fast Z80 Basic interpreter with EDIT, RENUMBER, TRACE, PRINT USING, assembly language subroutine CALL, LOADGO for "chaining", COPY to move text, EXCHANGE, KILL, LINE INPUT, error intercept, sequential file handling in both ASCII and binary formats, and much, much more. It runs in a little over 12 K. An excellent choice for games since the precision was limited to 7 digits in order to make it one of the fastest around. \$49.95/\$15.

## BASIC II

Basic I but with 12 digit precision to make its power available to the business world with only a slight sacrifice in speed. Still runs faster than most other Basics (even those with much less precision). \$99.95/\$15.

## BUSINESS BASIC

The most powerful Basic for business applications. It adds to Basic II with random or sequential disk files in either fixed or variable record lengths, simultaneous access to multiple disk files, PRIVACY command to prohibit user access to source code, global editing, added math functions, and disk file maintenance capability without leaving Basic (list, rename, or delete). \$179.95/\$25.

## ZEDIT

A character oriented text editor with 26 commands and "macro" capability for stringing multiple commands together. Included are a complete array of character move, add, delete, and display function. \$49.95/\$15.

## ZTEL

Z80 Text Editing Language - Not just a text editor. Actually a language which allows you to edit text and also write, save, and recall programs which manipulate text. Commands include conditional branching, subroutine calls, iteration, block move, expression evaluation, and much more. Contains 36 value registers and 10 text registers. Be creative! Manipulate text with commands you write using Ztel. \$79.95/\$25.

## TOP

A Z80 Text Output Processor which will do text formatting for manuals, documents, and other word processing jobs. Works with any text editor. Does justification, page numbering and headings, spacing, centering, and much more! \$79.95/\$25.

## MACRO I

A macro assembler which will generate relocatable or absolute code for the 8080 or Z80 using standard Intel mnemonics plus TDL/Z80 extensions. Functions include 14 conditionals, 16 listing controls, 54 pseudops, 11 arithmetic/logical operations, local and global symbols, chaining files, linking capability with optional linker, and recursive/reiterative macros. This assembler is so powerful you'll think it is doing all the work for you. It actually makes assembly language programming much less of an effort and more creative. \$79.95/\$20.

## MACRO II

Expands upon Macro I's linking capability (which is useful but somewhat limited) thereby being able to take full advantage of the optional Linker. Also a time and date function has been added and the listing capability improved. \$99.95/\$25.

## LINKER

How many times have you written the same subroutine in each new program? Top notch professional programmers compile a library of these subroutines and use a Linker to tie them together at assembly time. Development time is thus drastically reduced and becomes comparable to writing in a high level language but with all the speed of assembly language. So, get the new CDL Linker and start writing programs in a fraction of the time it took before. Linker is compatible with Macro I & II as well as TDL/Xitan assemblers version 2.0 or later. \$79.95/\$20.

## DEBUG I

Many programmers give up on writing in assembly language even though they know their programs would be faster and more powerful. To them assembly language seems difficult to understand and follow, as well as being a nightmare to debug. Well, not with proper tools like Debug I. With Debug I you can easily follow the flow of any Z80 or 8080 program. Trace the program one step at a time or 10 steps or whatever you like. At each step you will be able to see the instruction executed and what it did. If desired, modifications can then be made before continuing. It's all under your control. You can even skip displaying a subroutine call and up to seven breakpoints can be set during execution. Use of Debug I can pay for itself many times over by saving you valuable debugging time. \$79.95/\$20.

## DEBUG II

This is an expanded debugger which has all of the features of Debug I plus many more. You can "trap" (i.e. trace a program until a set of register, flag, and/or memory conditions occur). Also, instructions may be entered and executed immediately. This makes it easy to learn new instructions by examining registers/memory before and after. And a RADIX function allows changing between ASCII, binary, decimal, hex, octal, signed decimal, or split octal. All these features and more add up to give you a very powerful development tool. Both Debug I and II must run on a Z80 but will debug both Z80 and 8080 code. \$99.95/\$20.

## ZAPPLE

A Z80 executive and debug monitor. Capable of search, ASCII put and display, read and write to I/O ports, hex math, breakpoint, execute, move, fill, display, read and write in Intel or binary format tape, and more! on disk

## APPLE

8080 version of Zapple

## NEW! TPM now available for TRS-80 Model III

### TPM\*

A NEW Z80 disk operating system! This is not CP/M\*. It's better! You can still run any program which runs with CP/M\* but unlike CP/M\* this operating system was written specifically for the Z80\* and takes full advantage of its extra powerful instruction set. In other words it's not warmed over 8080 code! Available for TRS-80\* (Model I or II), Tarbell, Xitan DDDC, SD Sales "VERSALOPPY", North Star (SD&DD), and Digital (Micro) Systems. \$79.95/\$25.

## SYSTEM MONITOR BOARD (SMB II)

A complete I/O board for S-100 systems. 2 serial ports, 2 parallel ports, 1200/2400 baud cassette tape interface, sockets for 2K of RAM, 3-2708/2716 EPROM's or ROM, jump on reset circuitry. Bare board \$49.95/\$20.

## ROM FOR SMB II

2KX8 masked ROM of Zapple monitor. Includes source listing \$34.95/\$15.

## PAYROLL (source code only)

The Osborne package. Requires C Basic 2.  
 5" disks \$124.95 (manual not included)  
 8" disks \$ 99.95 (manual not included)  
 Manual \$20.00

## ACCOUNTS PAYABLE/RECEIVABLE (source code only)

By Osborne. Requires C Basic 2  
 5" disks \$124.95 (manual not included)  
 8" \$99.95 (manual not included)  
 Manual \$20.00

## GENERAL LEDGER (source code only)

By Osborne. Requires C Basic 2  
 5" disks \$99.95 (manual not included)  
 8" disks \$99.95 (manual not included)  
 Manual \$20.00

## C BASIC 2

Required for Osborne software. \$99.95/\$20.

## SYSTEM/6

TPM with utilities, Basic I interpreter, Basic E compiler, Macro I assembler, Debug I debugger, and ZEDIT text editor.

Above purchased separately costs \$339.75

Special introductory offer. Only \$179.75 with coupon!!

# \$160.

This Coupon is Worth One Hundred And Sixty Dollars Toward The Full Price Of The SYSTEM/6 Package

System/6 with this coupon is only \$179.95. This is a limited time offer.

## \$160.00

## ORDERING INFORMATION

Visa, Master Charge and C.O.D. O.K. To order call or write with the following information.

1. Name of Product (e.g. Macro I)
2. Media (e.g. 8" CP/M)
3. Price and method of payment (e.g. C.O.D.) include credit card info. if applicable.
4. Name, Address and Phone number.
5. For TPM orders only: Indicate if for TRS 80, Tarbell, Xitan DDDC, SD Sales (5 1/4" or 8"). ICOM (5 1/4" or 8"), North Star (single or double density) or Digital (Micro) Systems.
6. N.J. residents add 5% sales tax.

Manual cost applicable against price of subsequent software purchase in any item except for the Osborne software.

**For information and tech queries call 609-599-2146**

## These are NEW Toll Free numbers

For phone orders ONLY call toll free

**1-800-458-3491 Ext. 15**  
**In PA only 1-800-252-3567**

## OEMS

Many CDL products are available for licensing to OEMs. Write to Carl Galletti with your requirements.

- \* Z80 is a trademark of Zilog
  - \* TRS-80 is a trademark for Radio Shack
  - \* TPM is a trademark of Computer Design Labs. It is not CP/M\*
  - \* CP/M is a trademark of Digital Research
- Prices and specifications subject to change without notice.

**DEALER INQUIRIES INVITED.**

**COMPUTER  
DESIGN  
LABS**

342 Columbus Avenue  
 Trenton, N.J. 08629



## Best prices anywhere We beat 'em all!

### —COMPUTERS—

ALTOS—List,.....	Less 20%
NorthStar HORIZON HRZ-2-QD...	\$2685
ADVANTAGE.....	\$2985
TeleVideo Computer Systems....	Call
SUPERBRAIN 64K DD.....	1995
64K QD.....	2395
DSS-10 Meg. H.D.....	2895
CROMEMCO CS-1.....	3195
CS-2.....	3549
CS-3.....	5595
Z-2H.....	7995
ZENITH z-90 w/Drive.....	2299
Z-89.....	2099

### —TERMINALS—

TeleVideo 910C.....	569
912C.....	659
925.....	719
950.....	915
OKIDATA Microline 82A.....	469
Microline 83A.....	739
Microline 84 Par. or Ser....	Call

C.I.TOH..... Call for Prices

SOROC IQ-130.....	585
IQ-135.....	719
IQ-140.....	995

HAZELTINE 1420.....	589
1500.....	845
1510.....	1029
ESPIRIT.....	555
ESPIRIT-II.....	Call
ZENITH Z19.....	689

### —PRINTERS—

CENTRONICS 739-1 (parallel).....	499
739-3 (RS232C).....	599
704-11 (parallel).....	1569
704-9 (RS232C).....	1519
TI 810 Basic.....	1289
810 Full.....	1549
820 RO Basic.....	1545
NEC 7710 (RS 232).....	2295
3510.....	Call
QUME 9-45 Full Option.....	2125
9-45 Limited.....	2099
Diablo 630 RO.....	2049
PRISM 80.....	Call
132 w/color.....	Call
Epson MX-80 FT w/Graphics.....	548
MX-100 w/Graphics.....	745

### —DISK SYSTEMS—

MORROW Discus 2D.....	835
Dual Discus 2D.....	1385
Discus 2 + 2.....	1069
M5, 5Meg. Hard Disk.....	1949
M10, 10 Meg. H.D.....	2995
M26, 26 Meg. H.D.....	3349
Decision I.....	1339
CORVUS 5 Meg. Hard Disk.....	2555
10 Meg. Hard Disk.....	3955
20 Meg. Hard Disk.....	4755

Prices are for prepaid orders only, and reflect a cash discount. Charge card orders are slightly higher.

**Computers  
Wholesale**  
Box 91K Brewerton, N.Y. 13029  
**315-472-3055**

Most items in stock for immediate delivery. Factory sealed cartons, w/full factory warranty. NYS residents add appropriate sales tax. Prices do not include shipping. C.O.D. orders require 25% deposit. Prices subject to change without notice.

as a column showing a 75 percent loan value, or about what you might be able to borrow on the investment—something to give you an indication of another source of cash as the investment grows in value.

Once you get a hard copy, the program automatically stops. Until then you can revise the data on the screen as much as you want to.

### From a Programming Standpoint

Appreciation consists of five major areas.

Lines 10-345 set up the three arrays that are used, input all the data and handle the math involved.

Lines 350-495 provide the user with a display of the data and let you correct or change any of it; this section also allows you to ask for a display of the results based on your data, and/or a hard copy.

Lines 500-920 are the printing section. Lines 560-570 access the printer; you may have to adjust these lines to accept your own printer.

Lines 15000-16020 make up the print-using section. In this section numbers go in as the variable Z9 and come out as the string Z9\$.

Finally, lines 17000-18010 comprise the display section of the program and show you the results of your investment data.

Appreciation uses three single-dimension arrays: A, which will be the value of your investment each year; B, which is the 75 percent loan value of that investment (used only on the hard copy printout); and I, which is the cumulative percentage increase.

Here's a list of the main variables:

A\$—the description of the investment

M1\$—miscellaneous information #1

M2\$—miscellaneous information #2

Y—year you made your investment

N\$—month you made the investment

V—the starting value

P—the estimated rate in percent of appreciation

Z9—the variable used to add zeros in the right place for the print-using routine

Z9\$—the print-using value as a string

X—used as a counter

Q—used to answer program questions

C—used as a counter in the arrays

So use Appreciation to compare one investment with another; see what will happen to your dollars at various rates of appreciation; marvel at the effects of compounding your investment.

Ever wonder what happens to those dollars as inflation deflates them? This program will show you.

Be sure to keep those printouts handy so that you can "appreciate" your investments! ■

### Program listing. Appreciation program for the Apple II Plus.

```


10 DIM A(25): DIM B(25): DIM I(25)
100 HOME
105 PRINT
108 FOR X = 1 TO 5: GOSUB 11000: NEXT
126 PRINT
130 PRINT "<1> ENTER, DISPLAY AND/OR PRINT DATA."
135 PRINT
137 PRINT "<2> STOP NOW."
139 PRINT
140 GOSUB 11000
145 PRINT
150 PRINT
160 INPUT "PLEASE SELECT-----";Q
170 IF Q = 1 THEN 200
180 IF Q = 2 THEN PRINT "END OF PROGRAM": END
190 GOTO 100
200 HOME: PRINT
205 PRINT: GOSUB 11000: PRINT: PRINT
210 PRINT "DESCRIPTION OF THE ITEM ? "
212 PRINT: INPUT A$
215 PRINT: PRINT: GOSUB 11000: PRINT: PRINT
217 PRINT "MISC. INFORMATION IS ANY DATA YOU'D"
219 PRINT "LIKE PRINTED ON YOUR HARD COPY, SUCH"
220 PRINT "AS LOAN INFO, DATE OF PURCHASE, ETC."
222 PRINT: PRINT: INPUT "MISC. INFO <A> ";M1$
225 PRINT
230 INPUT "MISC. INFO <B> ";M2$
232 HOME: PRINT: GOSUB 11000: PRINT: PRINT
235 PRINT: INPUT "THIS YEAR (1982, ETC.) ";Y
237 HOME: PRINT: PRINT: GOSUB 11000
238 PRINT: PRINT: PRINT
240 PRINT "PLEASE INPUT THE MONTH IN WHICH"
246 PRINT "YOU BOUGHT THIS PROPERTY -- "
247 PRINT "3 LETTERS, PLEASE:" : PRINT: PRINT "JAN...FEB...MAR...APR...MA
Y...JUN"
248 PRINT "JUL...AUG...SEP...OCT...NOV...DEC"
249 PRINT: PRINT: INPUT N$: IF LEN (N$) > 3 THEN 237
250 HOME: PRINT: PRINT: GOSUB 11000: PRINT: PRINT
255 PRINT "PLEASE INPUT THE STARTING VALUE OF THE"
256 PRINT "PROPERTY -- WHAT YOU PAID FOR IT, OR"

```

More →



## Super Compuprism Color Graphics



For the S-100 Bus. 32K of on board memory allows a 288 H. x 192V. dot matrix, for a total of 55,296 pixels. Every pixel is programmable in any one of 16 colors or 16 grey levels completely independent of all other pixels in the matrix.

Compuprism Bare Board with documentation \$45, kit \$240, ass. and tested \$280. (16K Memory 144H. x 192V.)

Super Compuprism Bare Board with documentation \$50, kit \$350, ass. and tested \$395.

(32K Memory 288H. x 192V.)  
Add \$15 to A & T price for 16 level grey scale.  
Add \$15 to A & T price for memory management port.

Compuprism software package, includes alphanumerics, point plot, line draw, and TRS-80\* graphics simulation \$20 or FREE with A & T unit.

ALL COD ORDERS SHIPPED WITHIN 72 HOURS. 4MHz MOD FOR S.D. SYSTEMS. EXPANDORAM \$10.

**J.E.S. GRAPHICS, P.O. Box 2752  
Tulsa, OK 74101, (918) 742-7104**

TRS-80\* is a trademark of Tandy Corp.  
SARGON II\*\* is a trademark of Hayden Book Co.

## Z-80 Users You Can Use TRS-80\* Software

We offer an assembled hardware interface which we guarantee will load data from TRS-80\* cassettes into any Z-80 based system. (Except sealed units.) The documentation explains how to patch the TRS-80\* software to your system. In fact you can virtually change your Z-80 machine into a TRS-80\* without making a single hardware change. The documentation also includes an example of patching SARGON II\*\* into a Z-80 system.

The price is \$30 or FREE with the purchase of an assembled compuprism or super compuprism unit.

### A-D, D-A Board

S-100 board provides 16 channels of analog to digital input and 8 channels of digital to analog output. With on board kluge area. Total cost of board and parts less than \$120. Bare board with documentation \$45.

## MICROSTAT® - Release 3.0

### MICROSTAT® + baZic® = PERFORMANCE

The best just got better! MICROSTAT has been the leader in the statistics field for microcomputers since 1979, and the new release 3.0 outperforms and is noticeably faster than previous versions. Just a few of the features include:

#### GREATER ACCURACY

BCD with up to 14 digit precision;

#### PROGRAM ENHANCEMENTS

Missing data capabilities and many more;

#### FASTER EXECUTION

Calculation time greatly reduced;

#### DYNAMIC FILE ALLOCATION

Data can be inserted, added, or deleted;

#### SPECIAL PRICE:

For a limited time get MICROSTAT plus baZic complete with program disk and documentation for each for \$395.00, save \$50.00!

The MICROSTAT - baZic version requires: a Z80 CPU, CP/M™ and 48K of memory. Available formats: 8" SD disk or 5 1/4" North Star only. Check with your dealer for other formats. Also available for: Microsoft's Basic-80™, North Star DOS and IBM. For more information, call or write:


### ECOSOFT INC.

P.O. Box 68602  
Indianapolis, IN 46268-0602  
(317) 255-6476



MICROSTAT is a registered trademark of ECOSOFT, INC.  
baZic is a registered trademark of MICROMIKES, INC.  
CP/M is a registered trademark of DIGITAL RESEARCH  
Basic-80 is a registered trademark of MICROSOFT

## ✓ CHECK US FIRST! for DISCOUNT TRS-80® COMPUTERS



TRS-80  
CALL US FOR  
OUR PRICES  
and PRICE List

Kansas Residents:  
316-624-1919 (Collect)

## BUY DIRECT

- ✓ No Out-of-State - Taxes - Kansans Add 4%
- ✓ Large Inventory for Immediate Shipment
- ✓ 100% TRS-80® Equipment
- ✓ Convenient Order Number
- ✓ F-48 Form Provided

**1-800-835-9056**

- ✓ Visa, Mastercard
- ✓ Wire Transfers
- ✓ Bank Cashier's  
Checks & Money  
Orders.

## Jimscot, Inc.

1023 N. Kansas  
P.O. Box 607  
Liberal, Ks. 67901


TRS-80 is a registered Trademark of Tandy Corp.



# wabash®

**When it comes to  
Flexible Disks, nobody  
does it better than  
Wabash.**

MasterCard, Visa Accepted.  
Call Free: (800) 235-4137



**PACIFIC  
EXCHANGES**  
100 Foothill Blvd  
San Luis Obispo, CA  
93401 (In Cal call  
(805) 543-1037)

Circle 148 on Reader Service card.



**Double Your  
5¼" disk storage  
capacity without adding a drive.**

Get twice as much from your H88 or H89 microcomputer. Our FDC-880H floppy disk controller, in conjunction with your 5¼" drives, for example, expands memory capacity from 256 bytes to 512 bytes per sector.

And it handles single and double-sided, single and double-density, 8" and 5¼" drives — simultaneously.

Call 714/275-1272 today  
or write for details.



C.D.R. Systems Inc.

Controlled Data Recording Systems, Inc.  
7667 Vickers St., San Diego, CA 92111

## this publication is available in microform



**University Microfilms International**

300 North Zeeb Road  
Dept. P.R.  
Ann Arbor, MI 48106  
U.S.A.

18 Bedford Row  
Dept. P.R.  
London, WC1R 4EJ  
England

*Listing continued.*

```

257 PRINT "WHAT YOU PLAN TO SPEND ON IT."
258 PRINT : INPUT "AMOUNT ";V
259 IF V < 1 THEN 250
260 HOME : PRINT : PRINT : GOSUB 11000: PRINT : PRINT
265 PRINT "PLEASE ANSWER WHAT YOU THINK THE RATE"
267 PRINT "OF ";: INVERSE : PRINT "APPRECIATION ";: NORMAL : PRINT "WILL
    BE:"
268 PRINT : PRINT
270 PRINT "PLEASE ANSWER .10 FOR 10%, .05 FOR 5%,"
272 PRINT ".12 FOR 12%, AND SO ON.": PRINT
275 PRINT
276 PRINT "(YOU CAN ANSWER WITH A MINUS FIGURE,"
277 PRINT "IF YOU THINK THE VALUE WILL DECREASE"
278 PRINT "...LIKE -.05 OR -.12, ETC.).": PRINT : PRINT
280 PRINT : INPUT "EST % OF APPRECIATION ";P
282 IF P > 1 THEN 280
285 GOSUB 290
288 GOTO 350
290 P = P + 1
300 REM DO MATH
310 A(0) = V
320 FOR C = 1 TO 20
330 A(C) = A(C - 1) * P
340 NEXT C
342 P = P - 1
345 RETURN
350 HOME
360 GOSUB 11000: PRINT
370 PRINT "<1> ";A$
372 PRINT "<2> ";M1$
374 PRINT "<3> ";M2$
376 PRINT "<4> ";Y;" (YEAR PURCHASED)"
378 PRINT "<5> ";N$;" (MONTH PURCHASED)"
380 PRINT
382 PRINT "<6> ";V;" (STARTING VALUE)"
383 PRINT "<7> "; INT ((P) * 10 ^ 2 + .5) / 100;" (EST RATE OF APPRECIATI
    ON)"
386 PRINT
387 GOSUB 11000: PRINT
388 PRINT "TO CHANGE THE DATA, ANSWER THE"
390 PRINT "PROPER NUMBER FROM THE LIST ABOVE.": PRINT
391 PRINT "TO DISPLAY THE RESULTS, ANSWER 8."
392 PRINT "TO PRINT THE RESULTS, ANSWER 9."
393 PRINT : PRINT "TO STOP NOW, ANSWER 0."
394 PRINT : INPUT "PLEASE SELECT----->";Q
395 IF Q < 0 THEN 350
396 IF Q = 0 THEN PRINT "END OF PROGRAM": END
397 IF Q > 9 THEN 350
398 ON Q GOTO 420,430,440,450,460,470,480,490,500
420 INPUT "CORRECT DESCRIPTION ";A$
425 GOTO 350
430 INPUT "CORRECT MISC. INFO ";M1$
435 GOTO 350
440 INPUT "CORRECT MISC. INFO ";M2$
445 GOTO 350
450 INPUT "CORRECT YEAR ";Y
455 GOTO 350
460 PRINT "CORRECT MONTH..."
462 INPUT "(3 LETTERS, PLEASE) ";N$
463 IF LEN (N$) > 3 THEN 460
465 GOTO 350
470 INPUT "CORRECT STARTING VALUE ";V
471 IF V < 1 THEN 470
472 GOSUB 290: REM TO RE-DO MATH BASED ON NEW DATA
475 GOTO 350
480 PRINT "CORRECT ESTIMATED PERCENT OF "
482 INPUT "APPRECIATION ";P
483 IF P > 1 THEN 482
484 GOSUB 290: REM TO RE-DO MATH BASED ON NEW DATA
485 GOTO 350
490 GOSUB 17000: REM DISPLAY
495 GOTO 350
500 HOME : PRINT
505 GOSUB 11000: PRINT
510 FLASH : PRINT "TURN ON THE PRINTER": NORMAL : PRINT
520 PRINT "ANSWER 1 TO START PRINTING..."
525 PRINT "...2 TO EXIT NOW..."
530 PRINT
540 INPUT Q
545 IF Q = 1 THEN 550
547 GOTO 350
550 D$ = CHR$ (4)
560 PRINT D$;"PR#1"
570 PRINT ""
575 PRINT ""
576 FOR CO = 1 TO 1000: NEXT CO
580 PRINT TAB( 10)"ESTIMATED APPRECIATION SCHEDULE"
582 PRINT " ";: PRINT TAB( 10)"PREPARED FOR ";A$
583 PRINT TAB( 10)M1$
584 PRINT TAB( 10)M2$
585 PRINT TAB( 10)"STARTING VALUE ";
586 Z9 = V: GOSUB 15000
587 PRINT Z9$
588 PRINT TAB( 10)"ESTIMATED RATE OF APPRECIATION ";
589 Z9 = 100 * P: GOSUB 15000
590 PRINT Z9$;" %"
595 PRINT ""
596 PRINT "*****"
597 PRINT ""
600 PRINT TAB( 10)"YEAR";
610 PRINT TAB( 17)"VALUE";
620 PRINT TAB( 6)"75% LOAN AMT";
630 PRINT TAB( 4)"% INCREASE"
  
```

More →



Listing continued.

```

640 PRINT "
700 FOR C = 1 TO 20
705 A(C) = INT (A(C) * 10 ^ 2 + .5) / 100
710 Z9 = A(C): GOSUB 15000
720 PRINT TAB( 5):C;
722 PRINT " (";N$;" "
723 PRINT C + Y;
724 PRINT " "
730 C$ = STR$ (C)
740 Q8 = LEN (C$)
750 Q9 = LEN (Z9$)
760 PRINT TAB( 20 - Q9 - Q8)Z9$;
770 REM B IS 75% LOAN VALUE
780 B(C) = A(C) * .75
790 Z9 = B(C): GOSUB 15000
800 Q9 = LEN (Z9$)
810 PRINT TAB( 15 - Q9)Z9$;
820 REM I(C) = % INCREASE OVER ORIGINAL AMOUNT
830 I(C) = (A(C) - V) / V
835 I(C) = I(C) * 100: REM SO DECIMAL WILL BE RIGHT
840 Z9 = I(C): GOSUB 15000
850 Q9 = LEN (Z9$)
860 PRINT TAB( 15 - Q9)Z9$;" %"
870 PRINT "
875 FOR CO = 1 TO 500: NEXT
880 NEXT C
885 PRINT "*****
*****"
890 D$ = CHR$ (4)
900 PRINT D$;"PR#0"
910 PRINT "END OF PROGRAM....."
920 END

11000 INVERSE : PRINT TAB( 15)"APPRECIATION" ": NORMAL
11010 RETURN
15000 REM *****
15001 REM THIS PRINTUSING ROUTINE IS BASED
15002 REM ON A PROGRAM BY MICHAEL DONAHUE
15003 REM PUBLISHED IN MICROCOMPUTING MAGAZINE
15004 REM IN NOVEMBER 1979
15005 REM *****
15008 IF Z9 < 0 THEN 16000
15010 REM Z9= VARIABLE TO BE CHANGED
15020 IF (100 * Z9 - INT (100 * Z9)) < .5 THEN Z9 = INT (100 * Z9) / 10
0: GOTO 15030
15022 Z9 = ( INT (100 * Z9) + 1) / 100
15024 REM MOVE ALPHANUMERIC TO STRING VARIABLE
15030 Z9$ = STR$ (Z9)
15035 REM ADD DOLLAR SIGN
15045 REM ADJUST DECIMAL IF REQUIRED
15050 Z9 = LEN (Z9$): IF Z9 < = 2 THEN 15200
15055 Y9$ = RIGHT$ (Z9$,3)
15060 IF Y9$ < = "$99" THEN 15080
15070 IF Y9$ < = ".99" THEN 15220
15080 Y9$ = RIGHT$ (Z9$,2)
15090 IF Y9$ < = ".9" THEN Z9$ = Z9$ + "0": GOTO 15210
15200 Z9$ = Z9$ + ".00"
15205 REM NOW TO ADD A COMMA, IF REQUIRED
15210 Z9 = LEN (Z9$)
15220 IF Z9 < 8 THEN 15400
15230 Y9$ = RIGHT$ (Z9$,6)
15240 Y9$ = "," + Y9$
15250 Y9$ = LEFT$ (Z9$, (Z9 - 6)) + Y9$
15255 REM Z9$ IS THE EDITED FIELD
15260 Z9$ = Y9$
15262 IF LEN (Z9$) > 10 THEN 15500
15265 REM Z9 WILL CONTAIN THE LENGTH OF THE EDITED FIELD
15267 Z9 = Z9 + 1
15400 RETURN
15500 REM TO ADD A COMMA FOR MILLIONS
15505 Z9 = LEN (Z9$)
15510 Y9$ = RIGHT$ (Z9$,10)
15520 Y9$ = "," + Y9$
15530 Y9$ = LEFT$ (Z9$, (Z9 - 10)) + Y9$
15535 Z9$ = Y9$
15540 GOTO 15267
16000 Z9$ = STR$ (Z9)
16010 REM
16020 RETURN
16050 Z9$ = STR$ (Z9): RETURN
17000 HOME : REM DISPLAY SECTION
17010 PRINT "MONTH/YEAR","VALUE CUM % INCREASE"
17020 GOSUB 18000
17030 FOR C = 1 TO 20
17035 PRINT N$;" "
17040 PRINT C + Y;
17042 V$ = STR$ (C + Y)
17043 Q8 = LEN (V$)
17050 Z9 = A(C): GOSUB 15000
17055 Q9 = LEN (Z9$)
17060 PRINT TAB( 27 - Q8 - Q9)Z9$;
17065 Q8 = LEN (Z9$)
17070 I(C) = (A(C) - V) / V
17080 I(C) = I(C) * 100: REM SO DECIMAL WILL BE RIGHT
17090 Z9 = I(C): GOSUB 15000
17100 Q9 = LEN (Z9$)
17110 PRINT SPC( 16 - Q9)Z9$;
17200 NEXT C
17210 GOSUB 18000
17300 PRINT "HIT ANY KEY TO CONTINUE....": GET W$
17310 RETURN
18000 FOR X = 1 TO 40: PRINT "-": NEXT
18010 RETURN

```

★  
**We Have It!**  
*..at the best prices*  
 ★

**DISK SPECIAL**  
**MEMOREX 3401 5 1/4"**  
**SINGLE SIDED, SINGLE DENSITY**  
 1 Box 10 Boxes  
**\$22.95 \$20.95**  
 ea. ea.

We have a complete inventory including soft sector, hard sector and special formats. Even if your part number is not listed, **WE STOCK IT IF THEY MAKE IT.**

*Call for quantity pricing*

—MAXELL—

MD1 5 1/4" SINGLE SIDED \$32.95  
 MH1 SINGLE OR DBL. DENSITY

MD2 5 1/4" DOUBLE SIDED \$48.95  
 MH2 SINGLE OR DBL. DENSITY

MD1 DD-5 1/4" SS, QUAD DENSITY \$44.95  
 MD2 DD-5 1/4" DS, QUAD DENSITY \$54.95

FD1 8" SINGLE SIDED \$43.95  
 FH1 SINGLE OR DBL. DENSITY

FD2 8" DOUBLE SIDED \$56.95  
 FH2 SINGLE OR DBL. DENSITY

—MEMOREX—

3481 5 1/4" SINGLE SIDED  
 3483 SINGLE OR DBL. DENSITY \$28.95  
 3485 w/HUBRING

3491 5 1/4" DOUBLE SIDED  
 3493 SINGLE OR DBL. DENSITY \$36.95  
 w/HUBRING

3504 5 1/4" SS, QUAD DENSITY \$37.95  
 3501 5 1/4" DS, QUAD DENSITY \$51.95

3062 8" SINGLE SIDED \$26.95  
 3015 SINGLE DENSITY

3090 -8" SNG. SIDE, DBL. DENSITY \$35.95  
 3104 -8" DBL. SIDE, DBL. DENSITY \$41.95

—SCOTCH—

744 5 1/4" SINGLE SIDED,  
 SNG. DENS. w/HUBRING \$28.95

744D 5 1/4" SINGLE SIDED,  
 DBL. DENS. w/HUBRING \$33.95

745 5 1/4" DOUBLE SIDED,  
 DBL. DENS. w/HUBRING \$40.95

740-8" SNG. SIDE, SNG. DENSITY \$29.95

741-8" SNG. SIDE, DBL. DENSITY \$37.95


743-8" DBL. SIDE, DBL. DENSITY \$47.95

HEAD CLEANING KITS, 5 1/4" OR 8" .. \$22.95

Minimum shipping charge \$3.00 Shipped UPS. All offers subject to withdrawal without notice. advertised prices reflect a 2% cash discount (orders prepaid prior to shipment). C.O.D.'s and credit card orders are 2% higher.

 **Mini**   
**Micro**  
**Mart, Inc.**  
 Box 2992K Syracuse, N.Y. 13220  
 315-422-2056  
 TWX 710-541-0431  
 WRITE FOR FREE CATALOG



**COMPUCOVER®****COVER YOUR INVESTMENT**

• Cloth Backed Vinyl  
• Custom Fitted

• Anti-Static  
• Two Colors

OVER 300 DESIGNS

FROM ADES TO XYMEC

**1-800-874-6391**

ORDER LINE

Dealer Inquiries Invited.

CompuCover  
P.O. Box 324 Dept. A  
Mary Esther, FL 32569

Customer  
Service  
(904) 243-5793

**CALL TOLL FREE**

Circle 122 on Reader Service card.

FOLLOW THE STAR  
**NorthStar™**

**STOCK MANAGER**

Complete system for securities database and reporting system. Provides a variety of reports, including IRS schedule D, that permit selection of data on security name, dates, status of holding, or broker in any combination. Includes data on share price, commissions, taxes. Includes separate sort program.

Requires 40K. Written in NorthStar Basic. Also available in CBASIC 2. Please specify configuration.

Price \$49.95. First Class Postage Inc. CT Residents include 7.5% tax.

**WSR SOFTWARE ASSOCIATES**  
55 Lantern Road, Fairfield, CT 06430

Circle 102 on Reader Service card.

**Call Us  
Last For The  
Best Price**

ON TRS-80™ Computers  
**1-800-762-6661**

**RAND'S**

2185 E. FRY BLVD.

and

101 W. FRY BLVD.

SIERRA VISTA, AZ 85635

## Listing 1 continued from page 96

```

1090 IF Z$="F+F+F+F+" OR Z$="F-F-F-F-" THEN 1390
1100 IF Z$="Y+Y+Y+Y+" OR Z$="Y-Y-Y-Y-" THEN 1390
1110 IF Z$="C+C+C+C+" OR Z$="C-C-C-C-" THEN 1390
1120 IF Z$="B-B-B-B-" THEN 1390
1130 W=6 : Z$=MID$(A$,K,W)
1140 IF Z$="C+C+C+" THEN W$="C-" : GOTO 1400
1150 IF Z$="C-C-C-" THEN W$="C+" : GOTO 1400
1160 IF Z$="F+F+F+" THEN W$="F-" : GOTO 1400
1170 IF Z$="F-F-F-" THEN W$="F+" : GOTO 1400
1180 IF Z$="Y+Y+Y+" THEN W$="Y-" : GOTO 1400
1190 IF Z$="Y-Y-Y-" THEN W$="Y+" : GOTO 1400
1200 IF Z$="B-B-B-" THEN W$="B+" : GOTO 1400
1210 W=4 : Z$=MID$(A$,K,W)
1220 IF Z$="C2C2" OR Z$="F2F2" OR Z$="Y2Y2" THEN 1390
1230 IF Z$="F-F-" OR Z$="F-F+" OR Z$="Y+Y-" THEN 1390
1240 IF Z$="Y-Y+" OR Z$="C-C+" OR Z$="C+C-" THEN 1390
1250 IF Z$="F-F+" OR Z$="F-F-" THEN W$="F2" : GOTO 1400
1260 IF Z$="Y+Y+" OR Z$="Y-Y-" THEN W$="Y2" : GOTO 1400
1270 IF Z$="C+C+" OR Z$="C-C-" THEN W$="C2" : GOTO 1400
1280 IF Z$="C2C+" OR Z$="C+C2" THEN W$="C-" : GOTO 1400
1290 IF Z$="C2C-" OR Z$="C-C2" THEN W$="C+" : GOTO 1400
1300 IF Z$="B-B-" THEN W$="B2" : GOTO 1400
1310 NEXT K
1320 REM PRINT SOLUTION
1330 IF A$="" THEN RETURN
1340 FOR J=1 TO LEN(A$) STEP 2
1350 PRINT MID$(A$,J,2); " ";
1360 IF POS(K)>=31 THEN PRINT
1370 NEXT J : PRINT : A$="" : RETURN
1380 REM BUILD REDUCED ANSWER STRING
1390 W$=""
1400 IF K>1 THEN B$=LEFT$(A$,K-1)
1410 B=LEN(A$)-K-W+1 : IF B>0 THEN C$=RIGHT$(A$,B)
1420 A$=B$+W$+C$
1430 GOTO 1050
1440 REM ENTER CUBIE COLORS
1450 K$="FRONT TOP BACK BOTTOM RIGHT LEFT "
1460 FOR B=1 TO 6
1470 PRINT MID$(K$,7*B-6,7); : INPUT S$(B)
1480 IF S$(B)="X" THEN 1500
1490 IF LEN(S$(B))<>9 THEN PRINT "ERROR! LENGTH NOT 9" : GOTO 1470
1500 NEXT B
1510 W=0 : FOR Y=1 TO 3 : FOR X=1 TO 3 : W=W+1
1520 IF S$(1)<>"X" THEN F(X,Y)=ASC(MID$(S$(1),W,1))
1530 IF S$(2)<>"X" THEN U(X,Y)=ASC(MID$(S$(2),W,1))
1540 IF S$(3)<>"X" THEN B(X,Y)=ASC(MID$(S$(3),W,1))
1550 IF S$(4)<>"X" THEN D(X,Y)=ASC(MID$(S$(4),W,1))
1560 IF S$(5)<>"X" THEN R(4-X,4-Y)=ASC(MID$(S$(5),W,1))
1565 IF S$(6)<>"X" THEN L(X,Y)=ASC(MID$(S$(6),W,1))
1570 NEXT X : NEXT Y : GOSUB 1580 : RETURN
1580 J=0 : REM CHECKSUM TEST
1590 FOR X=1 TO 3 : FOR Y=1 TO 3
1600 K=F(X,Y)+U(X,Y)+B(X,Y)+D(X,Y)+R(X,Y)
1610 J=J+K : NEXT Y : NEXT X
1620 K=F(2,2)+U(2,2)+B(2,2)+D(2,2)+R(2,2)
1630 IF J=K*9 THEN RETURN
1640 PRINT "CHECKSUM ERROR!":EE=1:RETURN
1650 REM
1660 REM DRAW CUBE
1670 PRINT
1680 FOR Y=1 TO 3 : J=4-Y
1690 PRINT TAB(18);"! ";CHR$(U(1,J));" ";CHR$(U(2,J));" ";
1700 PRINT CHR$(U(3,J));" !" : NEXT Y
1710 PRINT TAB(11);"-----"
1720 FOR Y=1 TO 3 : J=4-Y
1730 PRINT TAB(10);"! ";CHR$(L(1,J));" ";CHR$(L(2,J));
1740 PRINT " ";CHR$(L(3,J));" !" :
1750 PRINT CHR$(F(1,J));" ";CHR$(F(2,J));" ";CHR$(F(3,J));" !" :
1760 PRINT CHR$(R(3,Y));" ";CHR$(R(2,Y));" ";CHR$(R(1,Y));" !" :
1770 PRINT TAB(38);"! ";CHR$(B(1,Y));" ";CHR$(B(2,Y));
1780 PRINT " ";CHR$(B(3,Y));" !" : NEXT Y
1790 PRINT TAB(11);"-----"
1800 FOR Y=1 TO 3 : J=4-Y
1810 PRINT TAB(18);"! ";CHR$(D(1,J));" ";CHR$(D(2,J));
1820 PRINT " ";CHR$(D(3,J));" !" : NEXT Y : PRINT : RETURN
1830 REM
1840 REM FIX L FOR CCW TURN
1850 IF L=3 THEN L=1:GOTO 1870
1860 IF L=1 THEN L=3
1870 W=W+1 : RETURN
1880 REM GET DATA FOR FACE TURNS
1890 RESTORE
1900 FOR J=1 TO 11 : READ G$,R,L
1910 IF G$=Q$ THEN RETURN
1920 NEXT J
1930 PRINT :PRINT TAB(W-1);"^ ERROR":EE=1:RETURN:
1940 DATA R,3,1,F,4,1,L,1,3,B,6,3,U,9,3,D,7,1
1950 DATA X,2,1,Z,8,1,Y,5,1,C,5,1,O,0,0
1960 REM ROTATE WHOLE CUBE
1970 IF G$="X" THEN W9=1 : GOTO 2020
1980 IF G$="Y" THEN W9=4 : GOTO 2020
1990 IF G$="C" THEN W9=4 : GOTO 2020
2000 IF G$="Z" THEN W9=7 : GOTO 2020
2010 GOTO 1930
2020 FOR R=W9 TO W9+2 : GOSUB 2390

```

More



Listing 1 continued.

```

2030 IF L1=1 THEN GOSUB 2390 : GOSUB 2390
2040 NEXT R : W=W+1 : RETURN
2050 REM FACE MOVE ROUTINES
2060 FOR Y=1 TO 2 : J=4-Y
2070 W(1,J)=F(1,J) : F(1,J)=F(Y,1)
2080 F(Y,1)=F(3,Y) : F(3,Y)=F(J,3)
2090 F(J,3)=W(1,J) : NEXT Y
2100 RETURN
2110 FOR Y=1 TO 2 : J=4-Y
2120 W(3,J)=U(3,J) : U(3,J)=U(J,1)
2130 U(J,1)=U(1,Y) : U(1,Y)=U(Y,3)
2140 U(Y,3)=W(3,J) : NEXT Y
2150 RETURN
2160 FOR Y=1 TO 2 : J=4-Y
2170 W(Y,3)=B(Y,3) : B(Y,3)=B(3,J)
2180 B(3,J)=B(J,1) : B(J,1)=B(1,Y)
2190 B(1,Y)=W(Y,3) : NEXT Y
2200 RETURN
2210 FOR Y=1 TO 2 : J=4-Y
2220 W(1,J)=D(1,J) : D(1,J)=D(Y,1)
2230 D(Y,1)=D(3,Y) : D(3,Y)=D(J,3)
2240 D(J,3)=W(1,J) : NEXT Y
2250 RETURN
2260 FOR Y=1 TO 2 : J=4-Y
2270 W(1,Y)=L(1,Y) : L(1,Y)=L(Y,3)
2280 L(Y,3)=L(3,J) : L(3,J)=L(J,1)
2290 L(J,1)=W(1,Y) : NEXT Y
2300 RETURN
2310 FOR Y=1 TO 2 : J=4-Y
2320 W(1,J)=R(1,J) : R(1,J)=R(Y,1)
2330 R(Y,1)=R(3,Y) : R(3,Y)=R(J,3)
2340 R(J,3)=W(1,J) : NEXT Y
2350 RETURN
2360 REM RELATION BETWEEN 'R' AND MOVES
2370 REM 1 L-, 2 X+, 3 R+, 4 F+, 5 Y+, 6 B-
2380 REM 7 D+, 8 Z+, AND 9 U-
2390 REM ROTATE R=1 THRU 9
2400 IF R > 3 THEN 2490
2410 FOR Y=1 TO 3
2420 W(R,Y)=D(R,Y) : D(R,Y)=B(R,Y)
2430 B(R,Y)=U(R,Y) : U(R,Y)=F(R,Y)
2440 F(R,Y)=W(R,Y) : NEXT Y
2450 IF R=1 THEN 2260
2460 IF R=3 THEN 2310
2470 RETURN
2480 REM
2490 REM R 4 THRU 6
2500 IF R > 6 THEN 2600
2510 J=7-R
2520 FOR Y=1 TO 3 : W(4-Y,J)=D(4-Y,J)
2530 D(4-Y,J)=R(J,Y) : R(J,Y)=U(Y,4-J)
2540 U(Y,4-J)=L(J,Y) : L(J,Y)=W(4-Y,J)
2550 NEXT Y
2560 IF R=4 THEN 2050
2570 IF R=6 THEN 2160
2580 RETURN
2590 REM
2600 REM R=7 THRU 7
2610 J=10-R
2620 FOR X=1 TO 3 : W(X,4-J)=L(X,4-J)
2630 L(X,4-J)=B(4-X,J) : B(4-X,J)=R(4-X,J)
2640 R(4-X,J)=F(X,4-J) : F(X,4-J)=W(X,4-J)
2650 NEXT X
2660 IF R=7 THEN 2210
2670 IF R=9 THEN 2110
2680 RETURN
2690 REM
2700 REM PUT FRONT CORNER CUBIES IN PLACE
2710 GOTO 2870
2720 B5=0
2730 IF L(3,3)=L(2,2) THEN B5=B5+1
2740 IF L(3,3)=U(2,2) THEN B5=B5+1
2750 IF F(1,3)=L(2,2) THEN B5=B5+1
2760 IF F(1,3)=U(2,2) THEN B5=B5+1
2770 IF U(1,1)=L(2,2) THEN B5=B5+1
2780 IF U(1,1)=U(2,2) THEN B5=B5+1
2790 IF R(3,1)=U(2,2) THEN B5=B5+1
2800 IF R(3,1)=R(2,2) THEN B5=B5+1
2810 IF U(3,1)=U(2,2) THEN B5=B5+1
2820 IF U(3,1)=R(2,2) THEN B5=B5+1
2830 IF F(3,3)=U(2,2) THEN B5=B5+1
2840 IF F(3,3)=R(2,2) THEN B5=B5+1
2850 RETURN
2860 REM
2870 B4=0
2880 GOSUB 2720
2890 B4=B4+1 : IF B4=4 THEN 2980
2900 IF B5<>4 THEN Z$="F+" : GOSUB 520 : GOTO 2880
2910 Z$="C+C+" : GOSUB 520 : GOSUB 2720
2920 IF B5<>4 THEN 2970
2930 Z$="C2" : GOSUB 520
2940 GOSUB 1040
2950 PRINT "FRONT FACE CORNER CUBIES IN CORRECT CUBICLES"
2960 RETURN
2970 Z$="C+C+P8" : GOSUB 520 : GOTO 2870


```

More

Circle 316 on Reader Service card.

# MODEM \$129<sup>95</sup>

No other acoustic modem gives you all these features at this low price.



The MFJ-1232 Acoustic Modem gives you a combination of features, quality and performance that others can't match at this price.

0-300 Baud, Bell 103 compatible. Originate/Answer. Half/full duplex. RS-232, TTL, CMOS level compatible. Use any computer. Cassette tape recorder ports save data for reloading or retransmission. 6 pole active filter handles weak signals. Carrier detect LED indicates adequate signal strength for data recognition. Quality "muffs" gives good acoustic coupling, isolates external noise for reliable data transfer. Crystal controlled. "ON" LED. Aluminum cabinet. 110 VAC or 9 volt batteries. 9x1 1/2x4 in.

Apple II, II Plus: software and cable for modem, MFJ-1231, \$39.95. Plugs into game port. No serial board needed.



It's like having an extra port **\$79<sup>95</sup>**

**MFJ-1240 RS-232 TRANSFER SWITCH.** Switches computer between 2 peripherals (printer, terminal, modem, etc.). Like having extra port. Push button switches 10 lines (pins 2,3,4,5,6,8, 11,15,17,20). Change plug or cable to substitute other lines. Push button reverses transmit-receive lines. LEDs monitor pins 2,3,4,5,6,8,20. PC board eliminates wiring, crosstalk, line interference. 3 RS-232 25 pin connectors. 7x2x6 in.

**\$99<sup>95</sup> MFJ-1108 AC POWER CENTER.**

Adds convenience, prevents data loss, head bounce, equipment damage. Relay latches power off during power transients. Multi-filters isolate equipment, eliminate interaction, noise, hash. Varistors suppress spikes. 3 isolated, switched socket pairs. One unswitched for clock, etc. Lighted power, reset switch. Pop-out fuse. 3 wire, 6 ft. cord. 15A, 125V, 1875 watts. Aluminum case. Black. 18x2 3/4x2 in. **MFJ-1107, \$79.95.** Like 1108 less relay. 8 sockets, 2 unswitched. Other models available, write for free specification sheet.

Order from MFJ and try it. If not delighted, return within 30 days for refund (less shipping).

One year unconditional guarantee.

Order yours today. Call toll free 800-647-1800.

Charge VISA, MC. Or mail check, money order. Add \$4.00 each for shipping and handling.

**CALL TOLL FREE ... 800-647-1800**

Call 601-323-5869 in MS, outside continental USA


**MFJ ENTERPRISES, INCORPORATED**

921 Louisville Road, Starkville, MS 39759



## More than just an Assembler/Editor!

It's a  
Professionally  
Designed  
Software  
Development  
System



**MAE**  
for  
PET  
APPLE  
ATARI  
\$169.95

Blast off with the software used on the space shuttle project!

- Designed to improve Programmer Productivity.
- Similar syntax and commands - No need to relearn peculiar syntaxes and commands when you go from PET to APPLE to ATARI.
- Coresident Assembler/Editor - No need to load the Editor then the Assembler then the Editor, etc.
- Also includes Word Processor, Relocating Loader, and much more.
- Options: EPROM Programmer, unimplemented opcode circuitry
- STILL NOT CONVINCED? Send for free spec sheet!

**Eastern House**

3239 Linda Dr  
Winston Salem, N.C. 27106  
(919) 924-2889 (919) 748-8446

Circle 120 on Reader Service card.

**TRS-80**  
Model 16 2 Drive  
128K \$4777.

by Radio Shack

Save over  
**\$1000.**



Also available new  
TRS-80 DMP-200,  
DMP-400, DWP-410  
and DMP-500.

**Call For  
Prices**

**Price** — We have the best price. Check the others, but call us.

**Selection** — ATARI • APPLE • TRS-80 • EPSON • OKIDATA • C. ITOH, etc.

**Service** — Most items in stock for immediate shipment. Call or write for Free 40 page catalog of over 600 items.

**Computer  
Discount  
of America**

15 Marshall Hill Road  
West Milford Mall  
West Milford, NJ  
07480-2198  
In New Jersey call  
201-728-8080

**CALL TOLL FREE: 800-526-5313**

Circle 80 on Reader Service card.

## PRICE BREAK

**EPSON  
MX-100**

ZIP BOX REFILLS DESIGNED TO FIT  
EPSON MX-100 CARTRIDGE

**\$995**  
EA.

**\$107.46 per dozen**  
Minimum Order 3 Ribbons  
Price Includes Shipping  
We accept Mastercard and Visa



**CHECK-MATE™**  
P.O. BOX 103, RANDOLPH, MA 02368  
Call Toll Free - 1-800-343-7706  
In Massachusetts - 617-963-7694

## Listing 1 continued.

```

2980 B5=0 : GOSUB 2790
2990 Z$="F+" : GOSUB 520
3000 IF B5=2 THEN Z$="P8" : GOSUB 520 : GOTO 2870
3010 GOTO 2980
3020 REM
3030 REM ALIGN FRONT CORNER CUBIES
3040 GOTO 3130
3050 IF F(3,3)=F(2,2) THEN B5=B5+1
3060 RETURN
3070 IF F(3,1)=F(2,2) THEN B5=B5+1
3080 RETURN
3090 IF F(1,1)=F(2,2) THEN B5=B5+1
3100 RETURN
3110 IF F(1,3)=F(2,2) THEN B5=B5+1
3120 RETURN
3130 B5=0 : GOSUB 3050 : GOSUB 3070 : GOSUB 3090 : GOSUB 3110
3140 Z$=""
3150 IF B5<>4 THEN 3190
3160 IF U(3,1)<>U(2,3) THEN Z$="F+" : GOSUB 520 : GOTO 3160
3170 GOSUB 1040
3180 PRINT "FRONT FACE CORNER CUBIES COLOR ALIGNED":RETURN
3190 IF B5=0 THEN 3420
3200 IF B5<>1 THEN 3240
3210 B5=0 : GOSUB 3050
3220 IF B5=1 THEN 3420
3230 Z$="F+" : GOSUB 520 : GOTO 3210
3240 IF B5<>2 THEN 3370
3250 B5=0 : GOSUB 3050 : GOSUB 3090
3260 IF B5=2 THEN 3420
3270 B5=0 : GOSUB 3070 : GOSUB 3110
3280 IF B5=2 THEN 3410
3290 B5=0 : GOSUB 3050 : GOSUB 3070
3300 IF B5=2 THEN 3410
3310 B5=0 : GOSUB 3070 : GOSUB 3090
3320 IF B5=2 THEN 3420
3330 B5=0 : GOSUB 3090 : GOSUB 3110
3340 IF B5=2 THEN 3410
3350 B5=0 : GOSUB 3110 : GOSUB 3050
3360 IF B5=2 THEN 3400
3370 IF B5<>3 THEN STOP : REM ERROR
3380 B5=0 GOSUB 3110
3390 IF B5=1 THEN Z$="F+" : GOSUB 520 : GOTO 3380
3400 Z$="F+F+P9":GOSUB 520:GOTO 3130
3410 Z$="F+P9":GOSUB 520:GOTO 3130
3420 Z$="P9":GOSUB 520:GOTO 3130
3430 REM
3440 REM COMPLETE FRONT FACE
3450 FOR W6=1 TO 4
3460 IF L(2,3)=F(2,2) THEN S=U(1,2) : GOTO 3570
3470 IF U(1,2)=F(2,2) THEN S=L(2,3) : GOTO 3580
3475 Z$="Y-":GOSUB 520
3480 NEXT W6
3490 FOR W6=1 TO 4
3500 IF F(3,2)<>F(2,2) THEN Z$="P5Y+" : GOSUB 520 : GOTO 3450
3510 IF R(3,1)<>R(3,2) THEN Z$="P5Y+" : GOSUB 520 : GOTO 3450
3520 Z$="F+" : GOSUB 520
3530 NEXT W6
3540 IF U(2,1)<>U(2,3) THEN Z$="F+" : GOSUB 520 : GOTO 3540
3545 IF U(2,2)<>U(2,3) THEN Z$="Y+":GOSUB 520:GOTO 3545
3550 GOSUB 1040
3560 PRINT "FRONT FACE FINISHED":RETURN
3570 GOSUB 3590 : Z$="Y-P5" : GOSUB 520 : GOTO 3450
3580 GOSUB 3590 : Z$="P5P5" : GOSUB 520 : GOTO 3450
3590 IF R(3,1)<>S THEN Z$="F+":GOSUB 520:GOTO 3590
3600 RETURN
3610 REM
3620 REM FINISH CENTER SLICE
3625 S=L(1,2)
3630 IF U(2,2)<>U(2,3) THEN Z$="Y+":GOSUB 520:GOTO 3630
3640 FOR W6=1 TO 4
3650 IF L(2,3)=L(1,2) AND U(1,2)=U(2,3) THEN 3710
3660 IF L(2,3)=U(2,3) AND U(1,2)=L(1,2) THEN 3700
3670 Z$="C+" : GOSUB 520
3680 NEXT W6
3690 Z$="P6" : GOSUB 520 : GOTO 3640
3700 Z$="P7" : GOSUB 520
3710 Z$="C-" : GOSUB 520
3720 FOR W6=1 TO 4
3730 IF L(2,3)=L(1,2) AND U(1,2)=U(2,3) THEN 3780
3740 IF L(2,3)=U(2,3) AND U(1,2)=L(1,2) THEN 3770
3750 Z$="P6" : GOSUB 520
3760 NEXT W6
3770 Z$="P7" : GOSUB 520
3780 Z$="C-" : GOSUB 520
3790 IF L(2,3)=L(1,2) AND U(1,2)=U(2,3) THEN 3825
3800 IF L(2,3)=U(2,3) AND U(1,2)=L(1,2) THEN 3820
3810 STOP
3820 Z$="P7" : GOSUB 520
3825 Z$="C2":GOSUB 520
3826 IF L(1,2)<>S THEN Z$="B-":GOSUB 520:GOTO 3825
3830 IF L(1,2)<>L(2,2) THEN Z$="Y+":GOSUB 520 : GOTO 3830
3840 IF L(3,2)<>L(1,2) THEN Z$="F+":GOSUB 520:GOTO 3840
3860 GOSUB 1040
3870 PRINT "CUBE FINISHED":PRINT:RETURN
3880 REM PLACE BACK EDGE CUBIES

```

More →



## Listing 1 continued.

```

3890 Q5=0:FOR Q6=1 TO 4
3900 IF B(2,1)=B(2,2) AND U(2,3)=U(2,2) THEN 3960
3910 Q5=1
3920 IF B(2,1)<>B(2,2) AND U(2,3)<>B(2,2) THEN 3960
3930 IF F(2,3)<>B(2,2) AND U(2,1)<>B(2,2) THEN 3950
3940 Z$="F+":GOSUB 520:GOTO 3930
3950 Z$="U2":GOSUB 520
3960 Z$="C+":GOSUB 520
3970 NEXT Q6
3980 IF Q5=0 THEN 4160:REM BACK SIDE DONE
3990 GOSUB 1040:PRINT "*"
4000 REM MOVE FROM CS TO FRONT
4010 FOR Q6=1 TO 4
4020 IF L(2,3)<>B(2,2) AND U(1,2)<>B(2,2) THEN 4060
4030 IF L(3,2)<>B(2,2) AND F(1,2)<>B(2,2) THEN 4050
4040 Z$="F+":GOSUB 520:GOTO 4030
4050 Z$="U-F+U+":GOSUB 520
4060 Z$="Y+":GOSUB 520:NEXT Q6
4070 GOSUB 1040:PRINT "*"
4080 REM
4090 FOR Q5=1 TO 4
4100 FOR Q6=1 TO 4
4110 IF L(3,2)<>B(2,2) AND F(1,2)<>B(2,2) THEN 4140
4120 IF F(1,2)=U(2,2) THEN Z$="P3":GOSUB 520:GOTO 4150
4130 IF L(3,2)=U(2,2) THEN Z$="P4":GOSUB 520:GOTO 4150
4140 Z$="F+":GOSUB 520:NEXT Q6
4150 Z$="C+":GOSUB 520:NEXT Q5
4160 GOSUB 1040
4170 PRINT "BACK FACE EDGE CUBIES IN PLACE":RETURN
4180 REM PLACE BACK CORNER CUBIES
4190 Q6=0
4200 FOR Q5=1 TO 4
4210 IF B(3,1)=B(2,2) AND U(3,3)=U(2,3) AND R(1,1)=R(1,2) THEN 4260
4215 FOR Q7=1 TO 4
4220 IF F(3,1)<>B(2,2) AND R(3,3)<>B(2,2) AND D(3,3)<>B(2,2) THEN 4240
4230 Z$="F+":GOSUB 520:NEXT Q7:GOTO 4275
4240 Z$="U-F-U-":GOSUB 520
4250 Q6=1
4260 Z$="B-":GOSUB 520:NEXT Q5
4270 IF Q6=0 THEN 4430
4275 GOSUB 1040:PRINT "*"
4280 REM
4290 FOR Q5=1 TO 4
4300 IF L(3,1)<>B(2,2) AND D(1,3)<>B(2,2) AND F(1,1)<>B(2,2) THEN 4390
4310 FOR Q6=1 TO 4
4320 IF L(3,1)<>U(2,3) AND F(1,1)<>U(2,3) AND D(1,3)<>U(2,3) THEN 4370
4330 IF L(3,1)<>R(1,2) AND F(1,1)<>R(1,2) AND D(1,3)<>R(1,2) THEN 4370
4340 IF L(3,1)=B(2,2) THEN Z$="P0":GOSUB 520:GOTO 4290
4350 IF D(1,3)=B(2,2) THEN Z$="P1":GOSUB 520:GOTO 4290
4360 IF F(1,1)=B(2,2) THEN Z$="P2":GOSUB 520:GOTO 4290
4370 Z$="B-":GOSUB 520
4380 NEXT Q6
4390 Z$="F+":GOSUB 520
4400 NEXT Q5
4410 IF U(2,2)<>U(2,3) THEN Z$="B-":GOSUB 520:GOTO 4410
4420 GOSUB 1040
4430 PRINT "BACK FACE FINISHED":RETURN
4440 END

```

Listing 2. Program modifications to use the Rubik's cube program on an Apple II with Applesoft. The only real changes involve the tab statements (in lines 1690, 1710, 1730, 1770, 1790 and 1810) so that cube representation fits on the Apple's 40-column display. If you use an 80-column board in your Apple, these changes can be ignored. Whether or not you have an 80-column display in your Apple, you will want to change line 1930 so that the error-indicating arrow lines up properly with an input error.

```

1690 PRINT TAB( 11);"! "; CHR$( U(1,J));" "; CHR$( U(2,J));" ";
1710 PRINT TAB( 4);"-----+-----+-----"
1730 PRINT TAB( 3);"! "; CHR$( L(1,J));" " CHR$( L(2,J));
1770 PRINT TAB( 31);"! "; CHR$( B(1,Y));" "; CHR$( B(2,Y));
1790 PRINT TAB( 4);"-----+-----+-----"
1810 PRINT TAB( 11);"! "; CHR$( D(1,J));" "; CHR$( D(2,J));
1930 PRINT : PRINT TAB( W);" ^ERROR":EE = 1: RETURN

```

# Best Prices

## Computers

Micro Decision - 1 Dr. + CPM	
Microsoft BASIC, BaZic, Wordstar,	
Calcstar, Spellstar.....	\$ 949
Micro Decision - 2 Drives .....	1199
Decision-1 Z-80 + 1 0 + 65K.....	1915
Decision-1 65K + 2 - 8" Drives.....	3403
Decision-1 65K + 2-5 1/4" Drives.....	2795
Decision-1 65K + 5 1/4" Drive	
+ 5 Mb Hard Disk.....	4235
Decision-1 4-User: 256 K + 5 1/4" +	
5Mb HD + Micronix.....	5830
CompuPro Super Sixteen	
8085/8088 128K Static .....	2873
Super Brain II.....	1894
North Star Advantage.....	2894
Horizon 2-64K Quad.....	2649
Horizon 1-64K Q-HD 5.....	3795
Seattle 16 Bit 8086 64K.....	2595
California Computer 2210A.....	1722
Tarbell Empire Free Software.....	3495
Franklin Ace Color.....	Call 1595
Zenith Z-89 48K.....	2099
Atari 400.....	289
Atari 800.....	655
AMD Super-Quad S-100-64K-Z80.....	777
Integrand Mainframes from.....	200

## Terminals

Televideo 910+.....	\$ 518
Televideo 925.....	718
Televideo 950.....	899
Zenith Z-19.....	638
8" Floppy Disk Systems S-100	
Discus 2D 600K CPM + M BASIC... \$	834
Discus 2 + 2, 1.2 Mb CPM &	
Microsoft BASIC.....	1068
Add Drive 2D.....	599
Add Drive 2 + 2.....	795
Discus 20 + Add Drive.....	1384
Hard Disk Systems S-100	
M-26 26 Mega Bytes.....	\$3333
M-20 20-Mb-8".....	3333
M-10 10 Mb 5 1/4" DMA.....	2235
M-5 Mb 5 1/4" DMA.....	1947
5 1/4" Floppy Drives - Traxx.....	249

## Printers (letter quality)

Smith Corona TP-1.....	\$ 665
NEC 3510.....	1689
F-10 by C. Itoh.....	1399

## Printers (dot matrix)

Anadex 9501A.....	\$1345
Epson MX-100.....	749
Prism, Color, Centronics, Okidata.....	Call

## Modems

DC Hayes, Potomac, Cat	
Novation, Signalman.....	Call

## Memory

CompuPro Static.....	Call Save \$
Memory Merchant 16K-Static.....	159
Morrow 65-K-Static.....	445


## Software

Fast Figure: Best Spread Sheet.....	\$ 99
Market Time: Investment Timer.....	69
High Yield: Portfolio Mgr.....	69
Word Star.....	278
All Micro Pro Software.....	Call Save \$

Call for Latest Price & Availability  
919-889-4577 - 919-883-1105

**American Square Computers**  
4167 Kivette Drive  
Jamestown, N. C. 27282






**A USER GUIDE TO THE UNIX SYSTEM** by Jean Yates and Rebecca Thomas. Here at last is a clearly written book that allows you to use the Unix operating system easily, and at a fraction of the time it previously took. If you're using, evaluating or simply curious about this system, this is your book. BK1242 \$15.99

**WORDSTAR MADE EASY** by Walter A. Ettlin. Now WordStar is as simple to learn as it is easy to use. This book teaches WordStar in 14 easy lessons, saving hours of hard work. It comes with a convenient pull-out Command Card. BK1239 \$11.95

**INTRODUCTION TO WORD PROCESSING** by Hal Glatzer. This book explains in plain language what a word processor can do, how to use one, how it improves productivity—especially in businesses that handle lots of words—and how to buy one wisely. No technical knowledge required, for all first-time users and those considering purchasing a word processor. BK1238 \$12.95

NEW NEW



**KILOBAUD KLASSTROOM**—by George Young and Peter Stark. Learning electronics theory without practice isn't easy. And it's no fun to build an electronics project that you can't use. *Kilobaud Klassroom* the popular series first published in *Kilobaud Microcomputing*, combines theory with practice. This is a *practical* course in digital electronics. It starts out with very simple electronics projects, and by the end of the course you'll construct your own working microcomputer!

Authors Young and Stark are experienced teachers, and their approach is simple and direct. Whether you're learning at home or in the classroom, this book provides you with a solid background in electronics—and you'll own a computer that you built yourself! BK7386 \$14.95

**TOOLS & TECHNIQUES FOR ELECTRONICS**—by A. A. Wicks. This is an easy-to-understand book written for the beginning kit-builder as well as the experienced hobbyist. It has numerous pictures and descriptions of the safe and correct ways to use basic and specialized tools for electronic projects, as well as specialized metal-working tools and the chemical aids which are used in repair shops. BK7348 \$4.95.\*

**MICROCOMPUTER DATA COMMUNICATIONS SYSTEMS** by Frank J. Derfler. This text has a lot of good information on message systems and information utilities; the fundamentals of data communications, modems, terminals, and software for specific microcomputers. Interesting and informative for the beginner, yet a good reference for the experienced data communications user. BK1243 \$12.95

## Special Interests

**THE CUSTOM TRS-80 AND OTHER MYSTERIES**—by Dennis Kitz. More than 300 pages of TRS-80 customizing information. With this book you'll be able to explore your computer like never before. Want to turn an 8 track into a mass storage unit? Individual reverse characters? Replace the BASIC ROMs? Make Music? High speed, reverse video, Level I and Level II? Fix it if it breaks down? All this and much, much more. Even if you have never used a soldering iron or read a circuit diagram, this book will teach you how! This is the definitive guide to customizing your 80! BK1218 \$29.95.\*

**BASIC FASTER AND BETTER AND OTHER MYSTERIES**—by Lewis Rosenfelder. You don't have to learn assembly language to make your programs run fast. With the dozens of programming tricks and techniques in this book you can sort at high speed, swap screens in the twinkling of an eye, write INKEY routines that people think are in assembly language and add your own commands to BASIC. Find out how to write elegant code that makes your BASIC really hum, and explore the power of USR calls. BK1221 \$29.95.\*

**THE CP/M HANDBOOK (with MP/M)**—by Rodney Zaks. A complete guide and reference handbook for CP/M—the industry standard in operating systems. Step-by-step instruction for everything from turning on the system and inserting the diskette to correct user discipline and remedial action for problem situations. This also includes a complete discussion of all versions of CP/M up to and including 2.2, MP/M and CDOS. BK1187 \$14.95.\*

**TRS-80 DISK AND OTHER MYSTERIES**—by Harvard C. Pennington. This is the definitive work on the TRS-80 disk system. It is full of detailed "How to use," information with examples, samples and in-depth explanations suitable for beginners and professionals alike. The recovery of one lost file is worth the price alone. BK1181 \$22.50.\*

**MICROSOFT BASIC DECODED AND OTHER MYSTERIES**—by James Farvour. From the company that brought you *TRS-80 DISK AND OTHER MYSTERIES*. Contains more than 6500 lines of comments for the disassembled Level II ROMs and six additional chapters describing every BASIC subroutine, with assembly language routines showing how to use them. Flowcharts for all major routines give the reader a real insight into how the interpreter works. BK1186 \$29.50.\*

## Introductory

**UNDERSTANDING AND PROGRAMMING MICROCOMPUTERS**—A valuable addition to your computing library. This two part text includes the best articles that have appeared in 73 and Kilobaud Microcomputing magazines on the hardware and software aspects of microcomputing. Well known authors and well structured text helps the reader get involved. BK7382 \$10.95.\*

**SOME OF THE BEST FROM KILOBAUD/MICROCOMPUTING**—A collection of the best articles that have recently appeared in Kilobaud/MICROCOMPUTING. Included is material on the TRS-80 and PET systems, CP/M, the 8080/8085/Z80 chips, the ASR-33 terminal. Data base management, word processing, text editors and file structures are covered too. Programming techniques and hardware construction projects for modems, high speed cassette interfaces and TVTs are also included in this large format, 200 plus page edition. BK7311 \$10.95.\*

**DON'T (or How to Care for Your Computer)**—by Rodney Zaks. In plain language, with numerous illustrations, this book tells all the do's and don't's of the care, preservation and correct operation of the small computer system. Specific chapters cover each piece of hardware and software, as well as safety and security precautions and help for problem situations. Have your computer work right the first time and keep it working. No technical background required. For all computer users. BK1237 \$11.95.

**YOUR FIRST COMPUTER**—by Rodney Zaks. Whether you are using a computer, thinking about using one or considering purchasing one, this book is indispensable. It explains what a computer system is, what it can do, how it works and how to select various components and peripheral units. It is written in everyday language and contains invaluable information for the novice and the experienced programmer. (The first edition of this book was published under the title "An Introduction to Personal and Business Computing.") BK1191 \$8.95\*

**MICROPROCESSOR INTERFACING TECHNIQUES**—by Austin Lesca & Rodney Zaks—will teach you how to interconnect a complete system and interface it to all the usual peripherals. It covers hardware and software skills and techniques, including the use and design of model buses such as the IEEE 488 or S-100. BK1037 \$17.95.\*

**AN INTRODUCTION TO MICROCOMPUTERS, VOL. 0**—The Beginner's Book—Written for readers who know nothing about computers—for those who have an interest in how to use computers—and for everyone else who must live with computers and should know a little about them. The first in a series of 4 volumes, this book will explain how computers work and what they can do. Computers have become an integral part of life and society. During any given day you are affected by computers, so start learning more about them with Volume 0. BK1130 \$12.50.\*



**AN INTRODUCTION TO MICROCOMPUTERS, VOL. 1**—2nd Edition completely revised. Dedicated to the basic concepts of microcomputers and hardware theory. The purpose of Volume 1 is to give you a thorough understanding of what microcomputers are. From basic concepts (which are covered in detail), Volume 1 builds the necessary components of a microcomputer system. This book highlights the difference between minicomputers and microcomputers. BK1030 \$15.95

**THE NEW HOBBY COMPUTERS**—This book takes it from where *Hobby Computers Are Here!* leaves off, with chapters on Large-Scale Integration, how to choose a microprocessor chip, an introduction to programming, low-cost I/O for a computer, computer arithmetic, checking memory boards... and much, much more! Don't miss this tremendous value! BK7340 Only \$4.95.\*

**AN INTRODUCTION TO MICROCOMPUTERS, VOL. 0**—The Beginner's Book—Written for readers who know nothing about computers—for those who have an interest in how to use computers—and for everyone else who must live with computers and should know a little about them. The first in a series of 4 volumes, this book will explain how computers work and what they can do. Computers have become an integral part of life and society. During any given day you are affected by computers, so start learning more about them with Volume 0. BK1130 \$7.95.\*

**HOBBY COMPUTERS ARE HERE!**—If you want to come up to speed on how computers work—hardware and software—this is an excellent book. It starts with fundamentals and explains the circuits and the basics of programming, along with a couple of TVT construction projects, ASCII, Baudot, etc. This book has the highest recommendations as a teaching aid. BK7322 \$4.95.\*

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

\*Use the order card in this magazine or itemize your order on a separate piece of paper and mail to Microcomputing Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign air-mail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at this address.

**FOR TOLL FREE ORDERING CALL 1-800-258-5473**



## Basic & Pascal

**INTRODUCTION TO TRS-80 LEVEL II BASIC AND COMPUTER PROGRAMMING**—by Michael P. Zabinski. Written by an experienced educator, this is the book for those beginners who want to learn about computers without having to become an expert. It has practical programs, useful line-by-line comments, excellent flowcharts accompanied by line numbers and over 200 exercises which help the reader assess progress, reinforce comprehension, and provide valuable practical experience. BK1219 \$10.95.\*

**LEARNING TRS-80 BASIC**—by David A. Lien. Dr. Lien, who is the author of THE BASIC HANDBOOK and the original Radio Shack LEVEL I USER'S MANUAL, has compiled a tutorial which includes portions of the original USER'S MANUAL, and most of LEARNING LEVEL II along with extensive additions. It will completely cover the TRS-80 Models I, II, III, and 16 (sorry, not the color or pocket computers). It is, of course, written in the easy learning style which readers of Dr. Lien's books have come to enjoy. BK1175 \$19.95.


**THE BASIC HANDBOOK—SECOND EDITION**—by David Lien. This book is unique. It is a virtual ENCYCLOPEDIA of BASIC. While not favoring one computer over another, it explains over 250 BASIC words, how to use them and alternate strategies. If a computer does not possess the capabilities of a needed or specified word, there are often ways to accomplish the same function by using another word or combination of words. That's where the HANDBOOK comes in. It helps you get the most from your computer, be it a "bottom-of-the-line" micro or an oversized monster. BK1174 \$19.95.\*

**BASIC BASIC (2ND EDITION)**—by James S. Coan. This is a textbook which incorporates the learning of computer programming using the BASIC language with the teaching of mathematics. Over 100 sample programs illustrate the techniques of the BASIC language and every section is followed by practical problems. This second edition covers character string handling and the use of data files. BK1026 \$10.50.\*

**ADVANCED BASIC**—Applications including strings and files, coordinate geometry, area, sequences and series, simulation and graphing and games. BK1000 \$10.75.\*

**INTRODUCTION TO PASCAL**—by Rodney Zaks. A step-by-step introduction for anyone wanting to learn the language quickly and completely. Each concept is explained simply and in a logical order. All features of the language are presented in a clear, easy-to-understand format with exercises to test the reader at the end of each chapter. It describes both standard PASCAL and UCSD PASCAL—the most widely used dialect for small computers. No computer or programming experience is necessary. BK1189 \$14.95.\*

**PROGRAMMING IN PASCAL**—by Peter Grogono. The computer programming language PASCAL was the first language to embody in a coherent way the concepts of structured programming, which has been defined by Edsger Dijkstra and C.A.R. Hoare. As such, it is a landmark in the development of programming languages. PASCAL was developed by Niklaus Wirth in Zurich; it is derived from the language ALGOL 60 but is more powerful and easier to use. PASCAL is now widely accepted as a useful language that can be efficiently implemented, and as an excellent teaching tool. It does not assume knowledge of any other programming language and therefore suitable for an introductory course. BK1140 \$12.95.\*



NEW


NEW

**ANNOTATED BASIC—A NEW TECHNIQUE FOR NEO-PHYTES.**—BASIC programming was supposed to be simple—a beginner's programming language which was so near to English that it could be easily understood. But, in recent years, BASIC has become much more powerful and therefore much more difficult to read and understand. BASIC simply isn't basic anymore.

*Annotated BASIC* explains the complexities of modern BASIC. It includes complete TRS-80® Level II BASIC programs that you can use. Each program is annotated to explain in step-by-step fashion the workings of the program. Programs are flowcharted to assist you in following the operational sequence. And—each chapter includes a description of the new concepts which have been introduced.

*Annotated BASIC* deals with the hows and whys of TRS-80 BASIC programming. How is a program put together? Why is it written that way? By observing the programs and following the annotation, you can develop new techniques to use in your own programs—or modify commercial programs for your specific use.

*Annotated BASIC* Volume 1 BK7384 \$10.95  
*Annotated BASIC* Volume 2 BK7385 \$10.95  
 Order Both Volumes and Save! BK738402 \$18.95




**50 BASIC EXERCISES**—by J. P. Lamoitier. This book is structured around the idea that the best way to learn a language is through actual practice. It contains 50 completely explained exercises: statement and analysis of the problem, flowcharts, programs and actual runs. Program subjects include mathematics, business, games, and operations research, and are presented in varying levels of difficulty. This format enables anyone to learn BASIC rapidly, checking their progress at each step. BK1192 \$12.95.\*

## Money making

**HOW TO MAKE MONEY WITH COMPUTERS**—In 10 information-packed chapters, Jerry Felsen describes more than 30 computer-related, money-making, high profit, low capital investment opportunities. BK1003 \$15.00.\*

**HOW TO SELL ANYTHING TO ANYBODY**—According to *The Guinness Book of World Records*, the author, Joe Girard, is "the world's greatest salesman." This book reveals how he made a fortune—and how you can, too. BK7306 \$2.25.\*

**THE INCREDIBLE SECRET MONEY MACHINE**—by Don Lancaster. A different kind of "cookbook" from Don Lancaster. Want to slash taxes? Get free vacations? Win at investments? Make money from something that you like to do? You'll find this book essential to give you the key insider details of what is really involved in starting up your own money machine. BK1178 \$5.95.\*



## Business


**THEORY Z—How American Business Can Meet the Japanese Challenge**—by William Ouchi. Why are the Japanese catching up and surpassing American industrial productivity? What allows Japanese industrialists to offer guaranteed lifetime employment to their workforce? This book will help you understand the Theory Z managerial philosophy and its implications for the American corporate future. Examples are given of the American industrial giants already operating under Z-style management, and the impact of this style on the quality of their executives and workers is explored. A must for the alert businessman, large or small. BK1226 \$12.95.\*

**SO YOU ARE THINKING ABOUT A SMALL BUSINESS COMPUTER**—by Richard G. Canning and Nancy C. Leeper. For a well-organized manual on the process of selecting the right computer system for your small business, this text can't be excelled. Designed to introduce the novice in data and word processing to the real benefits of computerization, the book is filled with money- and time-saving tips, photos of equipment, lists of suppliers, prices, explanations of computer terminology, and helpful references to additional sources of information. Everyone contemplating a first computer installation should have this book. BK1222 \$14.00.\*

**PAYROLL WITH COST ACCOUNTING—IN BASIC**—by L. Poole & M. Borchers, includes program listings with remarks, descriptions, discussions of the principle behind each program, file layouts, and a complete user's manual with step-by-step instructions, flowcharts, and simple reports and CRT displays. Payroll and cost accounting features include separate payrolls for up to 10 companies, time-tested interactive data entry, easy correction of data entry errors, job costing (labor of distribution), check printing with full deduction and pay detail, and 16 different printed reports, including W-2 and 941 (in CBASIC). BK1001 \$20.00.\*

**SOME COMMON BASIC PROGRAMS**—Published by Adam Osborne & Associates, Inc. Perfect for non-technical computerists requiring ready-to-use programs. Business programs, plus miscellaneous programs. Invaluable for the user who is not an experienced programmer. All will operate in the stand-alone mode. BK1053 \$14.99

**PIMS: PERSONAL INFORMATION MANAGEMENT SYSTEM**—Learn how to unleash the power of a personal computer for your own benefit in this ready-to-use data-base management program. BK1009 \$11.95.\*



GAMES

**40 COMPUTER GAMES FROM KILOBAUD MICROCOMPUTING**—Forty games in all in nine different categories. Games for large and small systems, and even a section on calculator games. Many versions of BASIC used and a wide variety of systems represented. A must for the serious computer gamesman. BK7381 \$7.95.\*

**BASIC COMPUTER GAMES**—Okay, so once you get your computer and are running in BASIC, then what? Then you need some programs in BASIC, that's what. This book has 101 games for you from very simple to real buggers. You get the games, a description of the games, the listing to put in your computer and a sample run to show you how they work. Fun. Any one game will be worth more than the price of the book for the fun you and your family will have with it. BK1074 \$7.50.\*

**MORE BASIC COMPUTER GAMES**—Edited by David H. Ahl. More fun in BASIC! 84 new games from the people who brought you *BASIC Computer Games*. Includes such favorites as Minotaur (battle the mythical beast) and Eliza (unload your troubles on the doctor at bargain rates). Complete with game description, listing and sample run. BK1182 \$7.50.\*

**WHAT TO DO AFTER YOU HIT RETURN**—PCC's first book of computer games... 48 different computer games you can play in BASIC... programs, descriptions and many illustrations. Lunar Landing, Hamurabi, King, Civel 2, Qubic 5, Taxman, Star Trek, Crash, Market, etc. BK1071 \$16.50.\*

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

\*Use the order card in this magazine or itemize your order on a separate piece of paper and mail to Microcomputing Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign air-mail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at this address.

**FOR TOLL FREE ORDERING CALL 1-800-258-5473**

MICROCOMPUTING BOOKS



# Programming



Z-80

6502

68000/6809

**TRS-80 ASSEMBLY LANGUAGE**—by Hubert S. Howe, Jr. This book incorporates into a single volume all the pertinent facts and information you need to know to program and enjoy the TRS-80. Included are clear presentations of all introductory concepts, completely tested practical programs and subroutines, details of ROM and RAM and disk operating systems, plus comprehensive tables, charts and appendices. Suitable for the first time user or more experienced users. BK1217 \$9.95.\*

**INSIDE LEVEL II**—For machine language programmers. This is a comprehensive reference guide to the Level II ROMs, allowing easy utilization of the sophisticated routines they contain. It concisely explains set-ups, calling sequences, variable passage and I/O routines. Part II presents an entirely new composite program structure which unloads under the SYSTEM command and executes in both BASIC and machine code with the speed and efficiency of a compiler. Special consideration is given to disk systems. BK1183 \$15.95.\*


**PROGRAMMING THE Z-80**—by Rodney Zaks. Here is assembly language programming for the Z-80 presented as a progressive, step-by-step course. This book is both an educational text and a self-contained reference book, useful to both the beginning and the experienced programmer who wish to learn about the Z-80. Exercises to test the reader are included. BK1122 \$15.95.\*

**Z-80 ASSEMBLY LANGUAGE PROGRAMMING**—by Lance A. Leventhal. This book thoroughly covers the Z-80 instruction set, abounding in simple programming examples illustrating software development concepts and actual assembly language usage. Features include Z-80 I/O devices and interfacing methods, assembler conventions, and comparisons with 8080A/8085 instruction sets and interrupt structure. BK1177 \$16.99.\*

**PROGRAMMING THE 6502 (Third Edition)**—Rodney Zaks has designed a self-contained text to learn programming, using the 6502. It can be used by a person who has never programmed before, and should be of value to anyone using the 6502. The many exercises will allow you to test yourself and practice the concepts presented. \$13.95.\* BK1105

**6502 APPLICATIONS BOOK**—Rodney Zaks presents practical application techniques for the 6502 microprocessor, assuming an elementary knowledge of microprocessor programming. You will build and design your own domestic-use systems and peripherals. Self-test exercises included. BK1006 \$12.95.\*

## Cook Books



**CMOS COOKBOOK**—by Don Lancaster. Details the application of CMOS, the low power logic family suitable for most applications presently dominated by TTL. Required reading for every serious digital experimenter! BK1011 \$10.50.\*

**TTL COOKBOOK**—by Don Lancaster. Explains what TTL is, how it works, and how to use it. Discusses practical applications, such as a digital counter and display system, events counter, electronic stopwatch, digital voltmeter and a digital tachometer. BK1063 \$9.50.\*

**TVT COOKBOOK**—by Don Lancaster. Describes the use of a standard television receiver as a microprocessor CRT terminal. Explains and describes character generation, cursor control and interface information in typical, easy-to-understand Lancaster style. BK1064 \$9.95.\*

## NANOS SYSTEM REFERENCE CARDS FOR APPLE II, APPLE II PLUS, MODELS I, II, III AND COLOR COMPUTER

At last! No more flipping through the pages of the Basic manual! No more working through the maze of machine language instructions! These cards completely summarize the Basic and Assembler

manuals! **FEATURES INCLUDE:** memory map, eyeball graphics, math instructions, basic commands, store instructions, basic functions, load instructions, basic statements, move instructions, special keys, exchange instructions, print using examples, shift instructions, basic special characters, compare instructions, basic and assembler messages and codes, branch instructions, basic facts, data alteration instructions, reserved words, I/O instructions, ROM routines, complete character chart with graphics and space-compression codes, hex-dec chart, control code cross-reference, assembler instructions commands and operators, screen line layout, editor commands & subcommands, condition code easy access. Designed as a fold-up, accordion-style card, fits in your pocket. Panels organized for optimum speed for reference.

<b>Model I:</b> Basic only FC1001	\$2.95
<b>Model I:</b> BASIC and Assembler FC1002	\$4.95
<b>Model II:</b> BASIC and Assembler FC1005	\$5.95
<b>Model III:</b> BASIC only FC1004	\$3.95
<b>Model III:</b> BASIC and Assembler FC1003	\$5.95
<b>Color:</b> BASIC and Extended FC1006	\$4.95
<b>Apple II:</b> BASIC only FC1007	\$3.95
<b>Apple II:</b> BASIC & 6502 FC1008	\$4.95

**PET/CBM PERSONAL COMPUTER GUIDE**—by Adam Osborne and Carol Donahue. **REVISED SECOND EDITION** This is the book that will show you what the Commodore PET or CBM can do and how to get your's up and running. Designed as a self-teaching BASIC tutorial, the book will teach you both BASIC and CBM BASIC, yet it assumes no knowledge of computers or programming. Included are: complete operating instructions, Description of all PET/CBM BASIC statements, optimal programming techniques and solutions to many programming problems. BK1231 \$15.00

**SOME COMMON BASIC PROGRAMS, APPLE II EDITION**—by Lon Poole et al. A powerful collection of financial, statistical, home management and mathematics programs—76 in all—Each program is presented with BASIC source code, operating instructions and descriptions. If you're a beginning programmer you can learn from this book what well designed and documented programs look like. BK1232 \$14.95

**UNDERSTANDING YOUR VIC VOL. 1: BASIC PROGRAMMING**—by David Schultz. For the beginning VIC programmer—this book is full of examples and exercises (with expected results included as immediate feedback) that will help you to quickly and easily learn about the VIC. Included are chapters on program design with the use of pseudo code and data dictionaries to refine programming problems, and on VIC color and sound features. A fine learn-by-doing programming guide. BK1234 \$11.95.

**6502 ASSEMBLY LANGUAGE PROGRAMMING**—by Lance A. Leventhal. This book provides comprehensive coverage of the 6502 microprocessor assembly language. Leventhal covers over 80 programming examples from simple memory load loops to complete design projects. Features include 6502 assembler conventions, input/output devices and interfacing methods and programming the 6502 interrupt system. BK1176 \$16.99.\*


**THE APPLE II USER'S GUIDE**—By Lon Poole, Martin McNiff, and Steven Cook This guide is the key to unlocking the full power of your Apple II or Apple II Plus. Topics include: "Applesoft and Integer BASIC Programming"—especially how to make the best use of Apple's sound, color and graphics capabilities. "Machine Level Programming," "Hardware Features"—which covers the disk drive and printer, and "Advanced Programming"—describing high resolution graphics techniques and other advanced applications. Well organized and easy to use. BK1220 \$16.95

**6809 MICROCOMPUTER PROGRAMMING AND INTERFACING**—by Andrew C. Staagaard, Jr. Getting involved with Tandy's new Color Computer? If so, this new book from the Blacksburg Group will allow you to exploit the awesome power of the machine's 6809 microprocessor. Detailed information on processor architecture, addressing modes, register operation, data movement, arithmetic logic operations, I/O and interfacing is provided, as well as a review section at the end of each chapter. Four appendices are included covering the 6809 instruction set, specification sheets of the 6809 family of processors, other 6800 series equipment and the 6809/6821 Peripheral Interface Adapter. This book is a must for the serious Color Computer owner. BK1215 \$13.95.\*

**68000 MICROPROCESSOR HANDBOOK**—By Gerry Kane. Whether you're currently using the 68000, planning to use it, or simply curious about one of the newest and most powerful microprocessors, this handbook has all the answers. A clear presentation of signal conversions, timing diagram conventions, functional logic, three different instruction set tables, exception processing, and family support devices provides more information about the 68000 than the manufacturer's data sheets. A stand alone reference book which can also be used as a supplement to *An Introduction to Microcomputers: Vol. 2—Some Real Microprocessors*. BK1216 \$9.95

**68000 ASSEMBLY LANGUAGE PROGRAMMING**—by Gerry Kane, et al. A straightforward self teaching text book on assembly language programming for the 68000 microprocessor. This book contains the entire instruction set, describes the function of assemblers and assembly instructions and discusses basic software development concepts. A large number of practical programming examples are included. BK1233 \$16.99

**MICROCOMPUTING CODING SHEETS** *Microcomputing's* dozen or so programmers wouldn't try to work without these handy scratch pads, which help prevent the little errors that can cost hours and hours of programming time. Available for programming in Assembly/Machine Language (PD1001), which has columns for address, instruction (3 bytes), source code (label, op code, operand) and comments; and for BASIC (PD1002) which is 72 columns wide, 50 sheets to a pad. \$2.39.\*



PRICES SUBJECT TO CHANGE WITHOUT NOTICE

\*Use the order card in this magazine or itemize your order on a separate piece of paper and mail to *Microcomputing* Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign air-mail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at this address.

**FOR TOLL FREE ORDERING CALL 1-800-258-5473**



# Disk Drive for Apple \$319.95

Circle 48 on Reader Service card.

## Diskettes

### PREMIUM DISKETTES - Jade

We proudly put our name on these high quality diskettes -

5 1/4" Diskettes, Box of Ten		
MMD-5110103	SS, SD, 01S	\$29.00
MMD-5111003	SS, SD, 10S	\$29.00
MMD-5111603	SS, SD, 16S	\$29.00
MMD-5120103	SS, DD, 01S	\$31.00
MMD-5121003	SS, DD, 010	\$31.00
MMD-5121603	SS, DD, 16S	\$31.00

8" Diskettes, Box of Ten		
MMD-8110103	SS, SD, 01S	\$31.00
MMD-8120103	SS, DD, 01S	\$39.00
MMD-8220103	DS, DD, 01S	\$48.00

### BARGAIN DISKETTES

MMD-5110105	5 1/4" SS, DD, 01S	\$19.95
MMD-5220105	5 1/4" DS, DD, 01S	\$32.95
MMD-8110105	8" SS, SD, 01S	\$24.95
MMD-8120105	8" SS, DD, 01S	\$32.95
MMD-8220105	8" SS, DD, 01S	\$35.95

## Video Monitors

### HI-RES 12" GREEN - Zenith

15 MHz bandwidth 700 lines/inch, P31 green phosphor, switchable 40 or 80 columns, small, light-weight & portable.  
VDM-201201 List price \$189.95 ..... \$129.95

### 12" GREEN SCREEN - NEC

20 MHz bandwidth, P31 phosphor ultra-high resolution video monitor with audio.  
VDM-561200 List price \$289.95 ..... \$199.95

### 12" COLOR MONITOR - NEC

High resolution color monitor with audio.  
VDC-651212 Color monitor ..... \$389.95  
NEC-1202D RGB color monitor ..... \$999.95

### 13" COLOR MONITORS - BMC

18 MHz RGB & composite video color monitors.  
VDC-421320 13" RGB Color ..... \$329.95  
VDC-421310 13" Composite video ..... \$299.95  
VDX-420090 RGB card for Apple ..... \$149.95

### COLOR MONITORS - Amdek

Reasonably priced color video monitors.  
VDC-80130 13" Color I ..... \$379.95  
VDC-801320 13" Color II ..... \$894.95  
IOV-2300A DVM board for Apple ..... \$199.95

### AMBER or GREEN MONITORS - Jade

High resolution 18 MHz compact video monitors.  
VDM-751210 12" Amber phosphor ..... \$149.95  
VDM-751220 12" Green phosphor ..... \$139.95  
VDM-750910 9" Amber phosphor ..... \$149.95  
VDM-750920 9" Green phosphor ..... \$139.95

## Modems

### SIGNALMAN - Anchor

Direct-connect automatic answer/originate selection, 300 Baud full duplex, Bell 103, includes RS-232 cable  
IOM-5600A Signalman ..... \$98.50

### SMARTMODEM - Hayes

Sophisticated direct-connect auto-answer/auto-dial modem, touch-tone or pulse dialing, RS-232C interface, programmable  
IOM-5400A Smartmodem ..... \$224.95  
IOM-1500A Hayes Chronograph ..... \$218.95  
IOM-2010A Micromodem II ..... \$328.95  
IOM-1100A Micromodem 100 ..... \$368.95

## EPROM Erasers

### ULTRA-VIOLET EPROM ERASERS

Inexpensive erasers for industry or home.  
XME-3100A Spectronics w/o timer ..... \$69.50  
XME-3101A Spectronics with timer ..... \$94.50  
XME-3200A Economy model ..... \$39.95

## Single User System

### THREE BOARD SET - SD Systems

4 MHz Z-80A CPU, 64K RAM (optional 256K), serial I/O port, parallel I/O port, double density disk controller, CP/M 2.2 & manual set, system monitor, control & diagnostic software. Includes SBC-200, 64K ExpandoRAM II, Versafloppy II, & CP/M 2.2 - all boards are assembled & tested.

Board set with 64K of RAM ..... \$1095.00  
Board set with 256K of RAM ..... \$1295.00

## Apple II Accessories

### APPLE DISK DRIVE - Fourth Dimension

Totally Apple compatible, 143,360 bytes per drive on DOS 3.3, half-track capability - reads all Apple software, plugs right in to Apple controller as second drive, DOS 3.3, 3.2.1, Pascal, & CP/M compatible.

MSM-123200 Add-on Apple Drive ..... \$319.95  
MSM-123100 Controller for above ..... \$89.95

### 16K RAM CARD - for Apple II

Expand your Apple II to 64K, use as language card, full 1 year warranty. Why spend \$175.00 ?  
MEX-16700A Save over \$100.00 ..... \$69.95

### Z-80 CPU CARD - for Apple II

Two computers in one, Z-80 & 6502, more than doubles the power and potential of your Apple, includes Z-80 CPU card CP/M and complete manual set.  
CPX-62800A A & T with software ..... \$249.95

### APPLE-CAT - Novation

Software selectable 1200 or 300 baud, direct connect, auto-answer/auto-dial, auxiliary 3-wire RS232C serial port for printer.  
IOM-5232A Save \$50.00!!! ..... \$325.95

### 8" DISK CONTROLLER - Vista

New from Vista Computer, single or double sided, single or double density, compatible with DOS 3.2/3.3, Pascal, & CP/M 2.2. Shugart & Qume compatible  
IOD-2700A A & T ..... \$499.95

### 2 MEGABYTES for Apple II

Complete package includes: Two 8" double-density disk drives, Vista double-density 8" disk controller, cabinet, power supply, & cables, DOS 3.2/3.3, CP/M 2.2, & Pascal compatible.

1 MegaByte Package Kit ..... \$1495.00  
1 MegaByte Package A & T ..... \$1695.00  
2 MegaByte Package Kit ..... \$1795.00  
2 MegaByte Package A & T ..... \$1995.95

### VISION 80 - Vista Computer

80 column x 24 line video card for Apple II, 128 ASCII characters, upper and lower case, 9 x 10 dot matrix with 3 dot descenders, standard data media terminal control codes, CP/M Pascal & Fortran compatible, 50/60 Hz  
IOV-2400A Vista Vision 80 ..... \$299.95

### CPS MULTICARD - Mtn. Computer

Three cards in one! Real time clock/calendar, serial interface, & parallel interface - all on one card.  
IOX-2300A A & T ..... \$179.95

### HI-RES GRAPHICS CARD - Genie

Intelligent printer interface and control card allows full high resolution graphics and screen dumps.

IOP-2405A Genie for Epson ..... \$119.95  
IOP-2410A Genie for Okidata ..... \$119.95  
IOP-2415A Genie for NEC/C. Itoh ..... \$119.95

## Power Strips

### ISOBAR - GSC

Isolates & protects your valuable equipment from high voltage spikes & AC line noise, inductive isolated ground, 15 amp circuit breaker, U.L. listed

EME-115103 3 socket ..... \$39.50  
EME-115105 4 socket ..... \$49.50  
EME-115100 8 socket ..... \$54.50  
EME-115110 9 socket rackmount ..... \$74.50

## Single Board Computer

### SUPERQUAD - Adv. Micro Digital

Single board, standard size S-100 computer system, 4 MHz Z-80A, single or double density disk controller for 5 1/4" or 8" drives, 64K RAM, extended addressing, up to 4K of EPROM, 2 serial & 2 parallel I/O ports, real time interrupt clock, CP/M compatible.

CPC-30800A A & T ..... \$724.95  
IOX-4232A Serial I/O adapter ..... \$29.95

### Z-80 STARTER KIT - SD Systems

Complete Z-80 microcomputer with RAM, ROM, I/O, keyboard, display, kludge area, manual, & workbook.

CPS-30100K Kit with workbook ..... \$299.95  
CPS-30100A A & T with workbook ..... \$469.95

### AIM-65 - Rockwell International

Complete 6502 microcomputer with alphanumeric display, printer, keyboard, & instruction manual.

CPK-50165A 1K AIM-65 ..... \$424.95  
CPK-50465A 4K AIM-65 ..... \$474.95  
SFK-74600008E 8K Basic ROM ..... \$64.95  
SFK-64600004E 4K assembler ROM ..... \$43.95  
SFK-74600002E PL/65 ROM ..... \$84.95  
SFK-74600010E Forth ROM ..... \$64.95  
SFK-74600030E Instant Pascal ..... \$99.95  
PSX-030A Power supply ..... \$64.95  
ENX-000002 Enclosure ..... \$54.95

### SPECIAL PACKAGE

4K AIM-65, 8K Basic, power supply, & enclosure  
Special Package Price ..... \$649.95

## S-100 EPROM Boards

### PROM-100 - SD Systems

2708, 2716, 2732 EPROM programmer with software.  
MEM-99520K Kit with software ..... \$189.95  
MEM-99520A A & T with software ..... \$249.95

### PB-1 - SSM Microcomputer

2708, 2716 EPROM board with on-board programmer.  
MEM-99510K Kit with manual ..... \$154.95  
MEM-99510A A & T with manual ..... \$219.95

### EPROM BOARD - Jade

16K or 32K uses 2708 or 2716 EPROMs, 1K boundary.  
MEM-16230K Kit w/o EPROMs ..... \$79.95  
MEM-16230A A & T w/o EPROMs ..... \$119.95

## S-100 Video Boards

### SPECTRUM COLOR - CompuPro

Full-function color graphics board, up to 8 colors, 256 x 192 graphics, parallel I/O port, 8K RAM.

IOV-1870A A & T ..... \$348.95  
IOV-1870C CSC ..... \$398.95

### MICROANGELO - Scion

Ultra-high-resolution 512 x 480, 256 color or black & white S-100 video board

IOV-1500A A & T ..... \$999.95

## S-100 MotherBoards

### ISO-BUS - Jade

Silent, simple, and on sale - a better motherboard

6 Slot (5 1/4" x 8 1/2")  
MBS-061B Bare board ..... \$19.95  
MBS-061K Kit ..... \$39.95  
MBS-061A A & T ..... \$59.95

12 Slot (9 3/4" x 8 1/2")  
MBS-121B Bare board ..... \$29.95  
MBS-121K Kit ..... \$69.95  
MBS-121A A & T ..... \$99.95

18 Slot (14 1/2" x 8 1/2")  
MBS-181B Bare board ..... \$49.95  
MBS-181K Kit ..... \$99.95  
MBS-181A A & T ..... \$139.95

### ACTIVE TERMINATOR - CompuPro

A true mother's helper.  
TSX-100A A & T ..... \$59.45

Prices may be slightly higher at our retail locations. Please call the store nearest you for local price and availability.



# CompuPro Boards on Sale

Circle 48 on Reader Service card.

## S-100 CPU Boards

### 8086/8087 - CompuPro

16 bit, 8 or 10 MHz 8086 CPU with provisions for 8087 & 80130.

CPU-70520A 8 MHz 8086 A & T	\$624.95
CPU-70520C 8 MHz 8086 CSC	\$764.95
CPU-70530A with 8087 A & T	\$1224.95
CPU-70530C with 8087 CSC	\$1455.95

### 8085/8086 - CompuPro

Both 8 & 16 bit CPUs, standard 8 bit S-100 bus, up to 8 MHz, accesses 16 Megabytes of memory.

CPU-20510A 6 MHz A & T	\$398.95
CPU-20510C 6/8 MHz CSC	\$497.95

### CPU-Z - CompuPro

2/4 MHz Z80A CPU, 24 bit addressing.

CPU-30500A 2/4 MHz A & T	\$279.95
CPU-30500C 3/6 MHz CSC	\$374.95

### SBC-200 - SD Systems

4 MHz Z-80A CPU with serial & parallel I/O, 1K RAM, 8K ROM space, monitor PROM included.

CPC-30200A A & T	\$399.95
------------------	----------

### THE BIG Z - Jade

2 or 4 MHz switchable Z-80 CPU board with serial I/O, accommodates 2708, 2716, or 2732 EPROM, baud rates from 75 to 9600.

CPU-30201B Bare board w/manual	\$35.00
CPU-30201K Kit with manual	\$149.95
CPU-30210A A & T with manual	\$199.95

### CB-2 - SSM Microcomputer

2 or 4 MHz Z-80 CPU board with provision for up to 8K of ROM or 4K of RAM on board, extended addressing, IEEE S-100, front panel compatible.

CPU-30300K Kit with manual	\$229.95
CPU-30300A A & T with manual	\$274.95

### 2810 Z-80 CPU - C.C.S.

2 or 4 MHz Z-80 CPU with serial I/O port & on-board monitor PROM, front panel compatible.

CPU-30400A A & T with PROM	\$289.95
----------------------------	----------

### 2820 Z-80 DMA CPU - C.C.S.

4 MHz Z-80 CPU board with 2 serial I/O ports & Centronics parallel I/O port, separate data & status ports, DMA daisy chain compatible.

CPU-30420A A & T with manual	\$569.95
------------------------------	----------

## S-100 Disk Controllers

### DISK 1 - CompuPro

8" or 5 1/4" DMA disk controller, single or double density, single or double sided, 10 MHz.

IOD-1810A A & T	\$449.95
IOD-1810C CSC	\$554.95
SFC-52506580F 8" CP/M 2.2 for Z-80	\$174.95
SFC-52506586F 8" CP/M 2.2 for 8086	\$299.95
SFO-54158000F Oasis single user	\$499.95
SFO-54158002F Oasis multi-user	\$849.95

### VERSAFLOPPY II - SD Systems

Double density disk controller for any combination of 5 1/4" and 8" single or double sided, analog phase-locked loop data separator, vectored interrupts, CP/M 2.2 & Oasis compatible, control/diagnostic software PROM included.

IOD-1160A A & T with PROM	\$359.95
SFC-55009047F CP/M 2.2 with VF II	\$99.95

### 2242 DISK CONTROLLER - C.C.S.

5 1/4" or 8" double density disk controller with on-board boot loader ROM, free CP/M 2.2 & manual set.

IOD-1300A A & T with CP/M 2.2	\$399.95
-------------------------------	----------

### DOUBLE D - Jade

High reliability double density disk controller with on-board Z-80A, auxiliary printer port, IEEE S-100, can function in multi-user interrupt driven bus.

IOD-1200B Bare board & hdwr man	\$59.95
IOD-1200K Kit w/hdwr & stwr man	\$299.95
IOD-1200A A & T w/hdwr & stwr man	\$325.95
SFC-59002001F CP/M 2.2 with Double D	\$99.95

## S-100 Memory Boards

### 256K RAMDISK - SD Systems

ExpandoRAM III expandable from 64K to 256K using 64K x 1 RAM chips, compatible with CP/M, MP/M, Oasis, Cromemco, & most other Z-80 based systems, functions as ultra-high speed disk drive when used with optional RAMDISK software.

MEM-65064A 64K A & T	\$474.95
MEM-65128A 128K A & T	\$574.95
MEM-65192A 192K A & T	\$674.95
MEM-65256A 256K A & T	\$774.95
SFC-55009000F RAMDISK stwr CP/M 2.2	\$44.95
SFC-55009000F RAMDISK with EXRAM III	\$24.95

### 128K RAM 21 - CompuPro

128K x 8 bit or 64K x 16 bit static RAM board, 12 MHz, 24 bit addressing.

MEM-12810A A & T	\$1609.95
MEM-12810C CSC	\$1794.95

### 64K RAM 17 - CompuPro

64K CMOS static RAM board, 10 MHz, low power less than 4 watts, DMA compatible, 24 bit addressing.

MEM-64180A 64K A & T	\$549.95
MEM-64180C 64K CSC	\$698.95

### 64K RAM 16 - CompuPro

32K x 16 bit or 64K x 8 bit low power static RAM board, 10 MHz, 24 bit addressing.

MEM-32180A RAM 16 A & T	\$598.95
MEM-32180C RAM 16 CSC	\$698.95

### 64K STATIC RAM - SSM

IEEE 6961S-100 standard, up to 6MHz/8 Bit, 12MHz/16 Bit, 24 Bit extended addressing, disable-able in 2K increments

MEM-64300A A & T	\$499.95
------------------	----------

### 64K STATIC RAM - Mem Merchant

64K static S-100 RAM card, 4 to 16K banks up to 8 MHz.

MEM-64400A 64K A & T	\$499.95
----------------------	----------

### 2065 64K RAM - C.C.S.

4 MHz bank port/bank byte selectable, extended addressing, 16K bank selectable, front panel compatible.

MEM-64565A 64K A & T	\$349.95
----------------------	----------

### 2066 64K RAM - C.C.S.

64K RAM board with bank and block select switching functions for Cromemco Cromix & Alpha Micro.

MEM-64566A 64K A & T	\$424.95
----------------------	----------

### 64K EXPANDORAM II - SD Systems

Expandable RAM board from 16K to 64K using 4116 RAM chips.

MEM-16630A 16K A & T	\$344.95
MEM-32631A 32K A & T	\$364.95
MEM-48632A 48K A & T	\$384.95
MEM-64633A 64K A & T	\$399.95

### MEMORY BANK - Jade

4 MHz S-100 bank selectable expandable to 64K.

MEM-99730B Bare board w/manual	\$49.95
MEM-99730K Kit with no RAM	\$179.95
MEM-32731K 32K kit	\$199.95
MEM-64733K 64K kit	\$249.95
Assembled & Tested	add \$50.00

### 32K RAM 20 - CompuPro

32K static RAM, up to 10 MHz, disable-able in 4K banks, bank select or 24 bit addressing.

MEM-16180A 16K A & T	\$259.95
MEM-16180C 16K CSC	\$324.95
MEM-24180A 24K A & T	\$324.95
MEM-24180C 24K CSC	\$384.95
MEM-32185A 32K A & T	\$384.95
MEM-32185C 32K CSC	\$449.95

### 16K STATIC RAM - Mem Merchant

4MHz lo-power static RAM board, IEEE S-100, bank selectable, addressable in 4K blocks, disable-able in 1K segments extended addressing.

MEM-16171A 16K A & T	\$149.95
----------------------	----------

## S-100 I/O Boards

### SYSTEM SUPPORT 1 - CompuPro

Real time clock, three 16 bit interval timers, dual interrupt controllers (15 levels), up to 4K EPROM/RAM, RS-232C serial channel, provision for 9511A/9512 math chip.

IOX-1850A SS1 A & T	\$359.95
IOX-1850C SS1 CSC	\$459.95
IOX-1855A with 9511 A & T	\$554.95
IOX-1855C with 9511 CSC	\$654.95
IOX-1860A with 9512 A & T	\$554.95
IOX-1860C with 9512 CSC	\$654.95

### INTERFACER 1 - CompuPro

2 serial I/O ports 50-19.2K baud.

IOI-1810A A & T	\$218.95
IOI-1810C CSC	\$288.95

### INTERFACER 2 - CompuPro

3 parallel, 1 serial, & interrupt timer.

IOI-1820A A & T	\$218.95
IOI-1820C CSC	\$288.95

### INTERFACER 3 - CompuPro

5 or 8 channel serial I/O board for interrupt driven multi-user systems up to 250K baud.

IOI-1835A 5 port A & T	\$558.95
IOI-1835C 5 port CSC	\$628.95
IOI-1838A 8 port A & T	\$628.95
IOI-1838C 8 port CSC	\$749.95

### INTERFACER 4 - CompuPro

3 serial, 1 parallel, 1 Centronics parallel.

IOI-1840A A & T	\$314.95
IOI-1840C CSC	\$414.95

### MPX - CompuPro

Multi-user I/O multiplexer & interrupt controller with on-board 8085A-2 CPU & 4K or 16K of RAM.

IOI-1875A 4K MPX A & T	\$444.95
IOI-1875C 4K MPX CSC	\$534.95
IOI-1880A 16K MPX A & T	\$584.95
IOI-1880C 16K MPX CSC	\$674.95

### I/O-8 - SSM Microcomputer

Eight software programmable serial I/O ports, 110-19.2K Baud, ideal for multi-user systems

IOI-1018A A & T	\$469.95
-----------------	----------

### I/O-5 - SSM Microcomputer

Two serial & 3 parallel I/O ports, 110-19.2K Baud

IOI-1015A A & T	\$289.95
-----------------	----------

### MPC-4 - SD Systems

Intelligent 4-port serial I/O card, on-board Z-80A, 2K RAM, 4K PROM area, on-board firmware, fully buffered, vectored interrupts, four CTC channels, add to SD Board set for powerful multi-user system

IOI-1504A A & T w/software	\$495.00
----------------------------	----------

### I/O-4 - SSM Microcomputer

2 serial I/O ports plus 2 parallel I/O ports.

IOI-1010B Bare board w/manual	\$35.00
IOI-1010K Kit with manual	\$179.95
IOI-1010A A & T with manual	\$249.95

### 2830 6 PORT SERIAL - C.C.S.

Six asynchronous RS-232C serial I/O ports with programmable baud rates.

IOI-1040A A & T with manual	\$529.95
-----------------------------	----------

### 2710 4 PORT SERIAL - C.C.S.

Four RS-232C serial I/O ports with full handshaking.

IOI-1060A A & T with manual	\$319.95
-----------------------------	----------

### 2719 2 SER & 2 PAR - C.C.S.

Two RS-232C serial I/O ports plus two 8 bit parallel I/O ports.

IOI-1080A A & T with manual	\$349.95
-----------------------------	----------

Prices may be slightly higher at our retail locations. Please call the store nearest you for local price and availability.



# Printer & Disk Drive Sale

Circle 48 on Reader Service card.

## Printers on Sale

### NEW EPSONS with GRAFTRAX-plus

**MX-80 with GRAFTRAX-plus** 80/132 column, 80 CPS, adjustable pin feed, parallel interface.

PRM-28080 MX-80 w/GRAFTRAX-plus ..... \$449.95

**MX-80FT with GRAFTRAX-plus** same as MX-80 with friction feed and pin feed.

PRM-28082 MX-80FT w/GRAFTRAX-plus ..... \$539.95

**MX-100 with GRAFTRAX-plus** 132/232 column, correspondence quality, up to 15" paper, friction feed & adjustable pin feed, 18 x 18 dot matrix, 80 CPS.

PRM-28100 MX-100 w/GRAFTRAX-plus ..... \$729.95

PRA-27084	Serial interface	\$54.95
PRA-27088	Serial intf & 2K buffer	\$99.95
PRA-27081	Apple card	\$39.95
PRA-27082	Apple cable	\$19.95
PRA-27086	IEEE 488 card	\$59.95
PRA-27087	TRS-80 cable	\$24.95
PRA-27097	GRAFTRAX-plus 80	\$59.95
PRA-27197	GRAFTRAX-plus 100	\$64.95
PRA-27090	MX-80, FT print head	\$44.95
PRA-27190	MX-100 print head	\$49.95
PRA-27083	MX-80 ribbon cart.	\$13.95
PRA-27101	MX-100 ribbon only	\$9.95

### BETTER THAN EPSON! - Okidata

**Microline 82A** 80/132 column, 120 CPS, 9 x 9 dot matrix, friction feed, pin feed, adjustable tractor feed (optional), handles 4 part forms up to 9.5" wide, rear & bottom feed, paper tear bar, 100% duty cycle/200,000,000 character print head, bi-directional/logic seeking, both serial & parallel interfaces included, front panel switch & program control of 10 different form lengths, uses inexpensive spool type ribbons, double width & condensed characters, true lower case descenders & graphics

PRM-43082 Friction & pin feed ..... \$479.95

**Microline 83A** 132/232 column, 120 CPS, forms up to 15" wide, removable tractor, plus all the features of the 82A.

PRM-43083 with FREE tractor ..... \$699.95

**Microline 84** 132/232 column, Hi-speed 200 CPS, full dot graphics built in, plus all the features of the 83A.

PRM-43084 Centronics parallel ..... \$1099.95

PRM-43085 Serial with 2K buffer ..... \$1149.95

PRA-27081	Apple card	\$39.95
PRA-27082	Apple cable	\$19.95
PRA-27087	TRS-80 cable	\$24.95
PRA-43081	2K hi speed serial card	\$99.95
PRA-43082	Hi-res graphics ROMs 82A	\$49.95
PRA-43083	Hi-res graphics ROMs 83A	\$49.95
PRA-43088	Tractor option for 82A	\$49.95
PRA-43080	Extra ribbons pkg. of 2	\$9.95

### 8023 DOT MATRIX - NEC

100 CPS, proportional spacing, hi-resolution graphics, correspondence quality printing, bi-directional tractor & friction feed.

NEC-8023A 8023 parallel ..... \$499.95

NEC-8023-01 8023 ribbon ..... \$11.95

### TP-1 LETTER QUALITY - SCM

12 CPS daisy wheel printer from Smith Corona.

PRD-45101 Centronics parallel ..... \$648.95

PRD-45102 RS-232C serial ..... \$648.95

### LETTER QUALITY PRINTER - Jade

Uses standard daisy wheels and ribbon cartridges, 16 CPS bi-directional printing, semi-automatic paper loader (single sheet or fan fold), 10/12/15 pitch, up to 16" paper, built-in noise suppression cover.

PRD-11001 Centronics parallel ..... \$899.95

PRD-11002 RS-232C serial model ..... \$969.95

PRA-11000 Tractor Option ..... \$169.95

### STARWRITER F-10 - C. Itoh

New 40 CPS daisy wheel printer with full 15" carriage, uses standard Diablo print wheels and ribbons, both parallel and serial interfaces included.

PRD-22010 Starwriter F-10 ..... \$1495.95

### PRINTER PALS - F.M.J. Inc.

Desk top printer stand and continuous form paper holder.

PRA-99080 for MX-80, MX-80FT, Oki 82A, NEC ..... \$29.95

PRA-99100 for MX-100, Oki 83A & 84 ..... \$34.95

PRA-99700 for letter quality printers ..... \$49.95

## 5 1/4" Disk Drives

**Tandon TM100-1** single-sided double-density 48 TPI  
MSM-551001 ..... \$219.95 ea 2 for \$199.95 ea

**Shugart SA400L** single-sided double-density 40 track  
MSM-104000 ..... \$234.95 ea 2 for \$224.95 ea

**Shugart SA455** half-size double-sided 48 TPI  
MSM-104550 ..... \$349.95 ea 2 for \$329.95 ea

**Shugart SA465** half-size double-sided 96 TPI  
MSM-104650 ..... \$399.95 ea 2 for \$379.95 ea

**Tandon TM100-2** double-sided double-density 48 TPI  
MSM-551002 ..... \$294.95 ea 2 for \$269.95 ea

**Shugart SA450** double-sided double-density 35 track  
MSM-104500 ..... \$349.95 ea 2 for \$329.95 ea

**Tandon TM100-3** single-sided double-density 96 TPI  
MSM-551003 ..... \$294.95 ea 2 for \$269.95 ea

**Tandon TM100-4** double-sided double-density 96 TPI  
MSM-551004 ..... \$394.95 ea 2 for \$374.95 ea

**MPI B-51** single-sided double-density 40 track  
MSM-155100 ..... \$234.95 ea 2 for \$224.95 ea

**MPI B-52** double-sided double-density 40 track  
MSM-155200 ..... \$344.95 ea 2 for \$334.95 ea

**MPI B-91** single-sided double-density 77 track  
MSM-155300 ..... \$369.95 ea 2 for \$359.95 ea

**MPI B-92** double-sided double-density 77 track  
MSM-155400 ..... \$469.95 ea 2 for \$459.95 ea

### 5 1/4" Cabinets with Power Supply

END-000216 Single cab w/power supply ..... \$69.95

END-000226 Dual cab w/power supply ..... \$94.95

## 8" Disk Drives

**Shugart SA810** half-size single-sided double-density  
MSF-108100 ..... \$424.95 ea 2 for \$394.95 ea

**Shugart SA860** half-size double-sided double-density  
MSF-108600 ..... \$574.95 ea 2 for \$549.95 ea

**Shugart SA801R** single-sided double-density  
MSF-10801R ..... \$394.95 ea 2 for \$389.95 ea

**Shugart SA851R** double-sided double-density  
MSF-10851R ..... \$554.95 ea 2 for \$529.95 ea

**Tandon TM848-1** single-sided double-den thin-line  
MSF-558481 ..... \$379.95 ea 2 for \$369.95 ea

**Tandon TM848-2** double-sided double-den thin-line  
MSF-558482 ..... \$494.95 ea 2 for \$484.95 ea

**Qume DT-8** double-sided double-density  
MSF-750080 ..... \$524.95 ea 2 for \$498.95 ea

**Mitsubishi M2894-63** double-sided double-density  
MSF-289463 ..... \$494.95 ea 2 for \$474.95 ea

**Siemens FDD 100-8** single-sided double-density  
MSF-201120 ..... \$384.95 ea 2 for \$349.95 ea

## Dual Disk Sub-Systems

### Disk Sub-Systems - Jade

Handsome metal cabinet with proportionally balanced air flow system, rugged dual drive power supply, power cable kit, power switch, line cord, fuse holder, cooling fan, never-mar rubber feet, all necessary hardware to mount 2-8" disk drives, power supply, and fan, does not include signal cable.

#### Dual 8" Sub-Assembly Cabinet

END-000420 Bare cabinet ..... \$59.95

END-000421 Cabinet kit ..... \$225.00

END-000431 A & T ..... \$359.95

#### 8" Sub-Systems - Single Sided, Double Density

END-000423 Kit w/2 FD100-8Ds ..... \$975.00

END-000424 A & T w/2 FD100-8Ds ..... \$1175.00

END-000433 Kit w/2 SA-801Rs ..... \$999.95

END-000434 A & T w/2 SA-801Rs ..... \$1195.00

#### 8" Sub-Systems - Double Sided, Double Density

END-000426 Kit w/2 DT-8s ..... \$1224.95

END-000427 A & T w/2 DT-8s ..... \$1424.95

END-000436 Kit w/2 SA-851Rs ..... \$1274.95

END-000437 A & T w/2 SA-851Rs ..... \$1474.95

Prices may be slightly higher at our retail locations. Please contact the store in your area for exact pricing.

## Hard Disk Drives

### 12 MEGABYTE SUB-SYSTEM - DayStar

12 Megabyte Winchester sub-system for most CP/M based microcomputers including Apple II, S-100, IBM PC, NEC, Xerox, TRS-80 II, Heath H-89, and others. Sub-system includes interface, controller, cabinet, power supply, CP/M software patch, & cables - ready to just plug in and run. A 1 Megabyte back-up drive is also available.

MSH-531010 S-100 sub-system ..... \$2095.00

MSH-531020 Apple II sub-system ..... \$2095.00

MSH-531030 NEC sub-system ..... \$2095.00

MSH-531040 Xerox sub-system ..... \$2095.00

MSH-531050 TRS-80 II sub-system ..... \$2095.00

MSH-531060 IBM PC sub-system ..... \$2095.00

MSH-531099 1 Megabyte back-up ..... \$699.95

### 12 MEGABYTE WINCHESTER - Tandon

5 1/4" hard disk drive for hi-speed mass storage.

MSH-550603 Bare 5 1/4" drive ..... \$1094.95

## Jade Bus Probe

### THE BUS PROBE - Jade

#### Inexpensive S-100 Diagnostic Analyzer

So your computer is down. And you don't have an oscilloscope. And you don't have a front panel... You're not alone - most computers have their occasional bad days. But without diagnostic equipment such as an oscilloscope (expensive!) or a front panel (expensive!), it can be very difficult to pinpoint the problem. Even if you have an extender board with a superfast logic probe, you can't see more than one signal at a time. You're stuck, right?

Not anymore; Jade is proud to offer our cost-effective solution to the problems mentioned above: **THE BUS PROBE.**

Whether you're a hobbyist with a cantankerous kluge or a field technician with an anxious computer owner breathing down your neck, you'll find THE BUS PROBE speeds your repair time remarkably. Just plug in THE BUS PROBE and you'll be able to see all the IEEE S-100 signals in action. THE BUS PROBE allows you to see inputs, outputs, memory reads and writes, instruction fetches, DMA channels, vectored interrupts, 8 or 16 bit wide data transfers, plus the three bus supply voltages.

An on-board pulse generator can provide repetitive resets, interrupts, or wait states, for trouble shooting.

TSX-200B Bare board ..... \$59.95

TSX-200K Kit ..... \$119.95

TSX-200A A&T ..... \$149.95

## Software

### PLANNER CALC - Target Software

Spread sheet (what if ?) program designed with the user in mind, user oriented (simple english) commands allow you to quickly master this powerful software package, supplied on disk for most CP/M based systems.

SFA-12251052M Apple II 5 1/4" CP/M ..... \$49.95

SFC-12251050F SS SD 8" CP/M ..... \$49.95

SFC-12251053F Xerox 8" CP/M ..... \$49.95

SFC-12251053M Xerox 5 1/4" CP/M ..... \$49.95

SFX-12251051M NEC 5 1/4" CP/M ..... \$49.95

## Pac Man

### PAC MAN - Atari

Atari's best selling game for your 800 or 400 computer.

SFI-31254022E Pac Man cartridge ..... \$37.95

## Place Orders Toll Free

Continental U.S. Inside California  
800-421-5500 800-262-1710

For Technical Inquiries or Customer Service call:

213-973-7707

**JADE**  
Computer Products

4901 W. Rosecrans, Hawthorne, Ca 90250

TERMS of SALE: Cash, checks, credit cards, or Purchase Orders from qualified firms and institutions.

Minimum Order \$15.00. California residents add 6% tax.

Minimum shipping & handling charge \$3.00.

Pricing & availability subject to change



# WE WILL NOT BE UNDERSOLD

## SOFTWARE

MICROPRO	
Wordstar	\$239.00
Mailmerge	89.00
Customization Notes	\$359.00
Spellstar	\$239.00
Datastar	\$199.00
Calcstar	\$199.00
MICROSOFT	
Basic Interpreter	\$349.00
Basic Compiler	\$389.00
Fortran 80	\$499.00
Cobol 80	\$695.00
DATA BASE	
FMS80	\$595.00
dBase II	\$599.00

## NEW! IBM PC SOFTWARE NEW!

INFORMATION UNLIMITED	
Easy Writer	\$289.00
Easy Speller	\$149.00
Easy Filer	\$319.00
VISICORP	
Visicalc 256K	\$199.00
VisiDex	\$199.00
VisiFile	\$229.00
VisiTrend/VisiPlot	\$229.00
MICROPRO	
Wordstar	\$239.00
MISCELLANEOUS	
Supercalc by Sorcim	\$229.00
Superwriter by Sorcim	\$289.00
Home Accountant Plus	\$139.00
ENTERTAINMENT	
Deadline	\$39.00
Temple of Apshai	\$29.00
Curse of Ra	\$15.99
Call For More IBM Software And Accessories	

## DISK DRIVES

CCI 100 for the TRS-80 Model 1	
5 1/4 40 track	\$299.00
CCI 189 for the Zenith Z-89	
5 1/4 40 track	\$379.00
CORVUS 5M with Mirror	\$3089.00
CORVUS 10M with Mirror	\$4489.00
CORVUS 20M with Mirror	\$5389.00
CORVUS Interfaces	CALL
RANA SYSTEMS add-on Disc Drive for the Apple II	
Elite One 40 Track	CALL
Elite Controller	CALL
Elite Two 80 Track	CALL
Elite Three 80 Track double-sided	CALL

## DISKETTES

Maxell 5 1/4 single side	\$39.00
Maxell 8 single side	\$49.00
Maxell 5 1/4 double side	\$45.00
Maxell 8 double side	\$55.00
BASF 5 1/4	\$26.95
BASF 8	\$36.00
Verbatim 5 1/4	\$26.95
Verbatim 8	\$36.00
Wabash 5 1/4	\$24.95
Wabash 8	\$29.95

## IBM PC ACCESSORIES

64K Card by Microsoft	\$435.00
Joystick by T & G	\$49.00
128K Card	\$579.00
192K Card	\$629.00
256K Card	\$699.00
Combo Card by Apparat	\$249.00
Call for more IBM PC add-ons	

For fast delivery, send certified checks, money orders, or call to arrange direct bank wire transfers. Personal or company checks require one to three weeks to clear. All prices are mail order only and are subject to change without notice. Call for shipping charges.

## APPLE SOFTWARE

MICROPRO	
Wordstar	\$199.00
MailMerge	\$89.00
Spellstar	\$149.00
DataStar	\$199.00
Calcstar	\$189.00
Supersort I	\$159.00
VISICORP	
VisiCalc	\$199.00
VisiTerm	\$79.00
VisiDex	\$199.00
VisiPlot	\$169.00
VisiFile	\$199.00
VisiSchedule	\$259.00
VisiTrend/Plot	\$239.00
VisiPac	\$539.00
MISCELLANEOUS	
Micro Courier	\$219.00
Screen Director	\$129.00
Executive Briefing System	\$169.00
Supercalc	\$99.00
Personal Filing System	\$115.00
PFS Report Writer	\$75.00
Word Handler	\$169.00
CP/M Power	\$59.00
ENTERTAINMENT	
Wizard and Princess	\$29.00
Twerps	\$28.00
Beer Run	\$28.00
Zork I, II	\$26.95
Deadline	\$39.00
Chop Lifter	\$24.95
Pinball	\$24.95
Cannonball Blitz	\$29.95
Knights of Diamonds	\$29.95
Midnight Magic	\$32.00
Wizardry	\$45.00
Time Zone	\$79.00
Tuesday Morning Quarterback	\$24.95
Crush, Crumble & Chomp	\$24.95
Datesones of Ryn	\$15.99
Morloc's Tower	\$15.99
Star Warrior	\$31.99
Snack Attack	\$23.95
Star Blazer	\$24.95
Kabul Spy	\$29.95
Cyclod	\$23.95

## APPLE ACCESSORIES

ADVANCED LOGIC	
Add-Ram 16K Card	\$99.00
Z-Card CP/M for the Apple II	\$225.00
Smarterm 80 Column Board w/Softswitch	\$249.00
The Synergizer	
All of the above plus "The CP/M Handbook"	\$545.00
Z-80 Card by Microsoft	\$319.00
16K Card by Microsoft	\$159.00
32K Card by Saturn	\$199.00
Keyboard Enhancer II by Videx	\$125.00
Videoterm by Videx	\$259.00
Game Paddles by TG	\$49.00
Joystick by TG	\$49.00
Numeric Keypad by Keyboard Co.	\$139.00
ALF 9 Voice Board	\$159.00
ALF 3 Voice Board	\$229.00
System Saver by Kensington	\$75.00
Versacard by Prometheus	\$229.00
8088 Card by Coprocessor	\$789.00
Microbuffer II 16K w/graphics	\$259.00
Microbuffer II 32K w/graphics	\$299.00
APPLE INTERFACE CARDS BY CCS	
Serial Asynch. #7710	\$139.00
Serial Synch. #7712	\$149.00
Call for other CCS cards	

## RAM

16K Ram Kit for Apple II; TRS80	\$17.50
200 nano seconds, 4116 chips	

## COMPUTERS

CALIFORNIA COMPUTER SYSTEM	
Mainframe 2200a	\$485.00
Z-80 CPU 2810a	\$265.00
64K RAM 2065	\$569.00
Floppy Controller 2422a	\$359.00
ZENITH	
Z-89 48K	CALL
Z-90 64K	CALL
Call For Prices On The Complete Zenith Line	
CASIO FX702P Pocket Computer	\$179.00
Sanyo MBC 1000 64K	CALL
Call For Prices On Complete Sanyo Computer Line	

## PRINTERS

NEC 7710 Serial	\$2395.00
NEC 7720 KSR	\$2749.00
NEC 7730 Parallel	\$2395.00
NEC 3510 Serial	\$1850.00
NEC 3530 Parallel	\$1850.00
NEC 8023 Dot Matrix 100cps	\$539.00
Olivetti DY211 Letter Quality	
Daisy Wheel Printer	\$1095.00
Parallel Only	\$995.00
Epson MX-80	CALL
Epson MX-80FT	CALL
Epson MX-100	CALL
IDS 560	CALL
IDS Prism 80	CALL
IDS Prism 132	CALL
Okidata Microline 80	CALL
Okidata Microline 82A	CALL
Okidata Microline 83A	CALL
Okidata Microline 84	CALL
Centronics 739	\$675.00
Datasouth 180 cps	CALL
Zenith Z-25 150 cps	CALL

## MONITORS

Amdek 12" B & W	\$109.00
Amdek 13" Color	\$329.00
Sayno 9" B&W	\$135.00
Sanyo 9" Green	\$140.00
Sayno 12" B&W	\$179.00
Sayno 12" Green	\$189.00
Sanyo 13" Color	\$359.00
Zenith 12" Green	\$95.00
Zenith 13" Color	\$339.00
Electrohome 13" HI-RES	
Color Monitor	\$829.00
Electrohome 13" Color	\$349.00
Electrohome 12" B&W	\$179.00
Electrohome 12" Green	\$189.00
Electrohome 9" B&W	\$149.00
Electrohome 9" Green	\$159.00

## SPECIAL OF THE MONTH

**RANA SYSTEMS**  
add-on disk drive for Apple II  
Elite One 40 track **CALL**

## TERMINALS

ADDS Viewpoint	\$495.00
Zenith Z-19	\$679.00
Televideo 910	\$595.00
Televideo 925	\$779.00
Televideo 950	\$969.00

## TELECOMMUNICATIONS

Prentice Star Modem	\$129.00
Novation Cat Modem	\$139.00
Novation D-CAT	\$149.00
Novation AUTO-CAT	\$199.00
Novation APPLE CAT	\$299.00
Hayes Smart Modem	\$249.00
Hayes Micro-Modem	\$295.00
Hayes Chronograph	\$225.00



# The CPU Shop

TO ORDER CALL TOLL FREE 1-800-343-6522

420-438 Rutherford Ave., Dept KM10, Charlestown, Massachusetts 02129



Hours 9 AM - 9 PM (EST) Mon.-Fri. (Sat. till 6)  
Technical information call 617/242-3361

TWX- 710-348-1796

Massachusetts Residents call 617/242-3361  
Massachusetts Residents add 5% Sales Tax



# FULL LINE ALL PARTS & COMPUTER PRODUCTS

P.O. Box 4430S  
Santa Clara, CA 95054  
Will calls: 2322 Walsh Ave.  
(408) 988-1640

## ELECTRONICS

Same day shipment. First line parts only. Factory tested. Guaranteed money back. Quality IC's and other components at factory prices.

### INTEGRATED CIRCUITS

Phone orders only (800) 538-8196

7400TTL	LM317T	1.65	CD4019	45	MOS-MEMORY RAM	UART/FIFO	DEPS	1.95
7400N	LM317K	3.75	CD4020	95	2101-1	1.95	AY5-1013	3.95
7402N	LM318	1.49	CD4021	95	2102-1	1.95	AY5-1014A/1012	6.95
7404N	LM320K-5	1.05	CD4022	110	2102A-1	1.25	3541	3.95
7409N	LM320K-12	1.35	CD4023	28	2102A-2L	1.85	Complete Set	5.50
7410N	LM320K-15	1.35	CD4024	75	2104A-4	4.50	Stopwatch Kit	26.95
7414N	LM320T-12	85	CD4025	25	2107B-1	3.75	Auto Clock Kit	17.95
7420N	LM320T-8	85	CD4026	1.65	2111-1	2.99	Digital Clock Kit	10.75
7420N	LM320T-12	85	CD4027	65	2112-2	2.99	FAN	\$7.75
7420N	LM320T-15	85	CD4028	80	2114	2.25	NE555T-10	5%
7420N	LM320T-15	45	CD4029	95	2114 300ms	2.50	10 per type	0.15
7420N	LM320T-15	85	CD4030	45	2114 60ms	2.50	100 per type	0.12
7420N	LM320T-15	85	CD4031	45	2114 150ms	2.50	5000 per type	0.085
7420N	LM320T-15	85	CD4032	45	2114 200ms	2.50	35¢ piece pack	
7420N	LM320T-15	85	CD4033	45	2114 250ms	2.50	5 per type	0.95
7420N	LM320T-15	85	CD4034	45	2114 300ms	2.25	12 GREEN	\$129.00
7420N	LM320T-15	85	CD4035	45	2114 350ms	2.25	12 B/W	\$77.00
7420N	LM320T-15	85	CD4036	45	2114 400ms	2.25		
7420N	LM320T-15	85	CD4037	45	2114 450ms	2.25		
7420N	LM320T-15	85	CD4038	45	2114 500ms	2.25		
7420N	LM320T-15	85	CD4039	45	2114 550ms	2.25		
7420N	LM320T-15	85	CD4040	45	2114 600ms	2.25		
7420N	LM320T-15	85	CD4041	45	2114 650ms	2.25		
7420N	LM320T-15	85	CD4042	45	2114 700ms	2.25		
7420N	LM320T-15	85	CD4043	45	2114 750ms	2.25		
7420N	LM320T-15	85	CD4044	45	2114 800ms	2.25		
7420N	LM320T-15	85	CD4045	45	2114 850ms	2.25		
7420N	LM320T-15	85	CD4046	45	2114 900ms	2.25		
7420N	LM320T-15	85	CD4047	45	2114 950ms	2.25		
7420N	LM320T-15	85	CD4048	45	2114 1000ms	2.25		
7420N	LM320T-15	85	CD4049	45	2114 1050ms	2.25		
7420N	LM320T-15	85	CD4050	45	2114 1100ms	2.25		
7420N	LM320T-15	85	CD4051	45	2114 1150ms	2.25		
7420N	LM320T-15	85	CD4052	45	2114 1200ms	2.25		
7420N	LM320T-15	85	CD4053	45	2114 1250ms	2.25		
7420N	LM320T-15	85	CD4054	45	2114 1300ms	2.25		
7420N	LM320T-15	85	CD4055	45	2114 1350ms	2.25		
7420N	LM320T-15	85	CD4056	45	2114 1400ms	2.25		
7420N	LM320T-15	85	CD4057	45	2114 1450ms	2.25		
7420N	LM320T-15	85	CD4058	45	2114 1500ms	2.25		
7420N	LM320T-15	85	CD4059	45	2114 1550ms	2.25		
7420N	LM320T-15	85	CD4060	45	2114 1600ms	2.25		
7420N	LM320T-15	85	CD4061	45	2114 1650ms	2.25		
7420N	LM320T-15	85	CD4062	45	2114 1700ms	2.25		
7420N	LM320T-15	85	CD4063	45	2114 1750ms	2.25		
7420N	LM320T-15	85	CD4064	45	2114 1800ms	2.25		
7420N	LM320T-15	85	CD4065	45	2114 1850ms	2.25		
7420N	LM320T-15	85	CD4066	45	2114 1900ms	2.25		
7420N	LM320T-15	85	CD4067	45	2114 1950ms	2.25		
7420N	LM320T-15	85	CD4068	45	2114 2000ms	2.25		
7420N	LM320T-15	85	CD4069	45	2114 2050ms	2.25		
7420N	LM320T-15	85	CD4070	45	2114 2100ms	2.25		
7420N	LM320T-15	85	CD4071	45	2114 2150ms	2.25		
7420N	LM320T-15	85	CD4072	45	2114 2200ms	2.25		
7420N	LM320T-15	85	CD4073	45	2114 2250ms	2.25		
7420N	LM320T-15	85	CD4074	45	2114 2300ms	2.25		
7420N	LM320T-15	85	CD4075	45	2114 2350ms	2.25		
7420N	LM320T-15	85	CD4076	45	2114 2400ms	2.25		
7420N	LM320T-15	85	CD4077	45	2114 2450ms	2.25		
7420N	LM320T-15	85	CD4078	45	2114 2500ms	2.25		
7420N	LM320T-15	85	CD4079	45	2114 2550ms	2.25		
7420N	LM320T-15	85	CD4080	45	2114 2600ms	2.25		
7420N	LM320T-15	85	CD4081	45	2114 2650ms	2.25		
7420N	LM320T-15	85	CD4082	45	2114 2700ms	2.25		
7420N	LM320T-15	85	CD4083	45	2114 2750ms	2.25		
7420N	LM320T-15	85	CD4084	45	2114 2800ms	2.25		
7420N	LM320T-15	85	CD4085	45	2114 2850ms	2.25		
7420N	LM320T-15	85	CD4086	45	2114 2900ms	2.25		
7420N	LM320T-15	85	CD4087	45	2114 2950ms	2.25		
7420N	LM320T-15	85	CD4088	45	2114 3000ms	2.25		
7420N	LM320T-15	85	CD4089	45	2114 3050ms	2.25		
7420N	LM320T-15	85	CD4090	45	2114 3100ms	2.25		
7420N	LM320T-15	85	CD4091	45	2114 3150ms	2.25		
7420N	LM320T-15	85	CD4092	45	2114 3200ms	2.25		
7420N	LM320T-15	85	CD4093	45	2114 3250ms	2.25		
7420N	LM320T-15	85	CD4094	45	2114 3300ms	2.25		
7420N	LM320T-15	85	CD4095	45	2114 3350ms	2.25		
7420N	LM320T-15	85	CD4096	45	2114 3400ms	2.25		
7420N	LM320T-15	85	CD4097	45	2114 3450ms	2.25		
7420N	LM320T-15	85	CD4098	45	2114 3500ms	2.25		
7420N	LM320T-15	85	CD4099	45	2114 3550ms	2.25		
7420N	LM320T-15	85	CD4100	45	2114 3600ms	2.25		
7420N	LM320T-15	85	CD4101	45	2114 3650ms	2.25		
7420N	LM320T-15	85	CD4102	45	2114 3700ms	2.25		
7420N	LM320T-15	85	CD4103	45	2114 3750ms	2.25		
7420N	LM320T-15	85	CD4104	45	2114 3800ms	2.25		
7420N	LM320T-15	85	CD4105	45	2114 3850ms	2.25		
7420N	LM320T-15	85	CD4106	45	2114 3900ms	2.25		
7420N	LM320T-15	85	CD4107	45	2114 3950ms	2.25		
7420N	LM320T-15	85	CD4108	45	2114 4000ms	2.25		
7420N	LM320T-15	85	CD4109	45	2114 4050ms	2.25		
7420N	LM320T-15	85	CD4110	45	2114 4100ms	2.25		
7420N	LM320T-15	85	CD4111	45	2114 4150ms	2.25		
7420N	LM320T-15	85	CD4112	45	2114 4200ms	2.25		
7420N	LM320T-15	85	CD4113	45	2114 4250ms	2.25		
7420N	LM320T-15	85	CD4114	45	2114 4300ms	2.25		
7420N	LM320T-15	85	CD4115	45	2114 4350ms	2.25		
7420N	LM320T-15	85	CD4116	45	2114 4400ms	2.25		
7420N	LM320T-15	85	CD4117	45	2114 4450ms	2.25		
7420N	LM320T-15	85	CD4118	45	2114 4500ms	2.25		
7420N	LM320T-15	85	CD4119	45	2114 4550ms	2.25		
7420N	LM320T-15	85	CD4120	45	2114 4600ms	2.25		
7420N	LM320T-15	85	CD4121	45	2114 4650ms	2.25		
7420N	LM320T-15	85	CD4122	45	2114 4700ms	2.25		
7420N	LM320T-15	85	CD4123	45	2114 4750ms	2.25		
7420N	LM320T-15	85	CD4124	45	2114 4800ms	2.25		
7420N	LM320T-15	85	CD4125	45	2114 4850ms	2.25		
7420N	LM320T-15	85	CD4126	45	2114 4900ms	2.25		
7420N	LM320T-15	85	CD4127	45	2114 4950ms	2.25		
7420N	LM320T-15	85	CD4128	45	2114 5000ms	2.25		
7420N	LM320T-15	85	CD4129	45	2114 5050ms	2.25		
7420N	LM320T-15	85	CD4130	45	2114 5100ms	2.25		
7420N	LM320T-15	85	CD4131	45	2114 5150ms	2.25		
7420N	LM320T-15	85	CD4132	45	2114 5200ms	2.25		
7420N	LM320T-15	85	CD4133	45	2114 5250ms	2.25		
7420N	LM320T-15	85	CD4134	45	2114 5300ms	2.25		
7420N	LM320T-15	85	CD4135	45	2114 5350ms	2.25		
7420N	LM320T-15	85	CD4136	45	2114 5400ms	2.25		
7420N	LM320T-15	85	CD4137	45	2114 5450ms	2.25		
7420N	LM320T-15	85	CD4138	45	2114 5500ms	2.25		
7420N	LM320T-15	85	CD4139	45	2114 5550ms	2.25		
7420N	LM320T-15	85	CD4140	45	2114 5600ms	2.25		
7420N	LM320T-15	85	CD4141	45	2114 5650ms	2.25		
7420N	LM320T-15	85	CD4142	45	2114 5700ms	2.25		
7420N	LM320T-15	85	CD4143	45	2114 5750ms	2.25		
7420N	LM320T-15	85	CD4144	45	2114 5800ms	2.25		
7420N	LM320T-15	85	CD4145	45	2114 5850ms	2.25		
7420N	LM320T-15	85	CD4146	45	2114 5900ms	2.25		
7420N	LM320T-15	85	CD4147	45	2114 5950ms	2.25		
7420N	LM320T-15	85	CD4148	45	2114 6000ms	2.25		
7420N	LM320T-15	85	CD4149	45	2114 6050ms	2.25		
7420N	LM320T-15	85	CD4150	45	2114 6100ms	2.25		
7420N	LM320T-15	85	CD4151	45	2114 6150ms	2.25		
7420N	LM320T-15	85	CD4152	45	2114 6200ms	2.25		
7420N	LM320T-15	85	CD4153	45	2114 6250ms	2.25		
7420N	LM320T-15	85	CD4154	45	2114 6300ms	2.25		
7420N	LM320T-15	85	CD4155	45	2114 6350ms	2.25		
7420N	LM320T-15	85	CD4156	45	2114 6400ms	2.25		
7420N	LM320T-15	85	CD4157	45	2114 6450ms	2.25		
7420N	LM320T-15	85	CD4158	45	2114 6500ms	2.25		
7420N	LM320T-15	85	CD4159	45	2114 6550ms	2.25		
7420N	LM320T-15	85	CD4160	45	2114 6600ms	2.25		
7420N	LM320T-15	85	CD4161	45	2114 6650ms	2.25		
7420N	LM320T-15	85	CD4162	45	2114 67			



# 4116

16K DYNAMIC 250NS

# 8/\$11<sup>95</sup>

SET

ALL MERCHANDISE 100% GUARANTEED!

# 2114

1KX4 STATIC

LOW POWER 200NS

# 8/\$15<sup>95</sup>

SET

CALL US FOR VOLUME QUOTES

## STATIC RAMS

2101	256 x 4 (450ns)	1.95
5101	256 x 4 (450ns) (cmos)	3.95
2102-1	1024 x 1 (450ns)	.89
2102L-4	1024 x 1 (450ns) (LP)	1.29
2102L-2	1024 x 1 (250ns) (LP)	1.69
2111	256 x 4 (450ns)	2.99
2112	256 x 4 (450ns)	2.99
2114	1024 x 4 (450ns)	8/14.95
2114L-4	1024 x 4 (450ns) (LP)	8/15.25
2114L-3	1024 x 4 (300ns) (LP)	8/15.45
2114L-2	1024 x 4 (200ns) (LP)	8/15.95
2147	4096 x 1 (55ns)	9.95
TMS4044-4	4096 x 1 (450ns)	3.49
TMS4044-3	4096 x 1 (300ns)	3.99
TMS4044-2	4096 x 1 (200ns)	4.49
MK4118	1024 x 8 (250ns)	9.95
TMM2016-200	2048 x 8 (200ns)	5.95
TMM2016-150	2048 x 8 (150ns)	6.95
TMM2016-100	2048 x 8 (100ns)	7.95
HM6116-4	2048 x 8 (200ns) (cmos)	6.95
HM6116-3	2048 x 8 (150ns) (cmos)	7.10
HM6116-2	2048 x 8 (120ns) (cmos)	9.95
HM6116LP-4	2048 x 8 (200ns) (cmos)(LP)	8.75
HM6116LP-3	2048 x 8 (150ns) (cmos)(LP)	8.95
HM6116LP-2	2048 x 8 (120ns) (cmos)(LP)	12.95
Z-6132	4096 x 8 (300ns) (Qstat)	34.95

LP - Low Power Qstat Quasi-Static

## DYNAMIC RAMS

TMS4027	4096 x 1 (250ns)	2.50
MK4108	8192 x 1 (200ns)	1.95
MM5298	8192 x 1 (250ns)	1.85
4116-300	16384 x 1 (300ns)	8/11.75
4116-250	16384 x 1 (250ns)	8/11.95
4116-200	16384 x 1 (200ns)	8/13.95
4116-150	16384 x 1 (150ns)	8/15.95
4116-120	16384 x 1 (120ns)	8/29.95
2118	16384 x 1 (150ns) (5v)	4.95
MK4816	2048 x 8 (300ns) (5v)	24.95
4164-200	65536 x 1 (200ns) (5v)	7.25
4164-150	65536 x 1 (150ns) (5v)	8.25

5V single 5 volt supply

## EPROMS

1702	256 x 8 (1us)	4.50
2708	1024 x 8 (450ns)	3.95
2758	1024 x 8 (450ns) (5v)	9.95
2716	2048 x 8 (450ns) (5v)	3.95
2716-1	2048 x 8 (350ns) (5v)	7.95
TMS2716	2048 x 8 (450ns)	9.95
TMS2532	4096 x 8 (450ns) (5v)	7.95
2732	4096 x 8 (450ns) (5v)	6.95
2732-250	4096 x 8 (250ns) (5v)	12.95
2732-200	4096 x 8 (200ns) (5v)	16.95
2764	8192 x 8 (450ns) (5v)	16.95
2764-250	8192 x 8 (250ns) (5v)	18.95
2764-200	8192 x 8 (200ns) (5v)	19.95
TMS2564	8192 x 8 (450ns) (5v)	24.95
MC68764	8192 x 8 (450ns) (5v)(24 pin)	call

5v Single 5 Volt Supply

## EPROM ERASERS

	Timer	Capacity Chip	Intensity (uW/Cm <sup>2</sup> )	
PE-14		6	5,200	83.00
PE-14T	X	6	5,200	119.00
PE-24T	X	9	6,700	175.00
PL-265T	X	20	6,700	255.00
PR-125T	X	16	15,000	349.00
PR-320	X	32	15,000	595.00

## DISC CONTROLLERS

1771	20.95
1791	29.95
1793	38.95
1795	54.95
1797	54.95
6843	34.95
8272	39.95
UPD765	39.95
1691	18.95
2143	18.95

## INTERFACE

8T26	1.69
8T28	2.49
8T95	.99
8T96	.99
8T97	.99
8T98	.99
DM8131	2.95
DP8304	2.29
DS8835	1.99
DS8836	.99

## MISC.

3242	7.95
3341	4.95
MC3470	4.95
MC3480	9.00
11C90	13.95
95H90	7.95
2513-001 UP	9.95
2513-002 LOW	9.95

## SOUND CHIPS

76477	3.95
76489	8.95
AY3-8910	12.95
MC3340	1.49

## CRT CONTROLLERS

6845	14.95
68B45	35.95
HD46505SP	15.95
6847	12.25
68047	24.95
8275	29.95
7220	99.95
CRT5027	39.95
CRT5037	49.95
TMS9918A	39.95

## BIT-RATE GENERATORS

MC14411	11.95
BR1941	11.95
4702	12.95
COM5016	16.95
COM8116	10.95
MM5307	10.95

## UARTS

AY3-1014	6.95
AY5-1013	3.95
PT1472	9.95
TR1602	3.95
2350	9.95
2651	18.95
TMS6011	5.95
IM6402	7.95
IM6403	8.95
INS8250	14.95

## KEYBOARD CHIPS

AY5-2376	11.95
AY5-3600	11.95
74C922	5.25
74C923	5.50

## CLOCK CIRCUITS

MM5314	4.95
MM5369	3.95
MM5375	4.95
MM58167	8.95
MM58174	11.95
MSM5832	6.95

## Z-80

### 2.5 Mhz

Z80-CPU	3.95
Z80-CTC	5.95
Z80-DART	15.25
Z80-DMA	17.50
Z80-PIO	5.75
Z80-SIO/0	18.50
Z80-SIO/1	18.50
Z80-SIO/2	18.50
Z80-SIO/9	16.95

### 4.0 Mhz

Z80A-CPU	6.00
Z80A-CTC	8.65
Z80A-DART	18.75
Z80A-DMA	27.50
Z80A-PIO	6.00
Z80A-SIO/0	22.50
Z80A-SIO/1	22.50
Z80A-SIO/2	22.50
Z80A-SIO/9	19.95

### 6.0 Mhz

Z80B-CPU	17.95
Z80B-CTC	15.50
Z80B-PIO	15.50

## ZILOG

Z6132	34.95
Z8671	39.95

## CRYSTALS

32.768 khz	1.95
1.0 mhz	4.95
1.8432	4.95
2.0	3.95
2.097152	3.95
2.4576	3.95
3.2768	3.95
3.579535	3.95
4.0	3.95
5.0	3.95
5.0688	3.95
5.185	3.95
5.7143	3.95
6.0	3.95
6.144	3.95
6.5536	3.95
8.0	3.95
10.0	3.95
14.31818	3.95
15.0	3.95
16.0	3.95
18.0	3.95
18.432	3.95
20.0	3.95
22.1184	3.95
32.0	3.95

## DATA ACQUISITION

ADC0800	15.55
ADC0804	4.95
ADC0809	5.25
ADC0817	10.95
DAC0800	4.95
DAC0806	2.25
DAC0808	4.95
DAC1020	8.25
DAC1022	8.25
MC1408L6	2.25
MC1408L8	4.95

## 8000

8035	7.25
8039	7.95
INS-8060	17.95
INS-8073	29.95
8080	3.95
8085	7.95
8085A-2	11.95
8086	29.95
8087	CALL
8088	39.95
8089	89.95
8155	7.95
8156	8.95
8185	29.95
8185-2	39.95
8741	39.95
8748	29.95
8755	32.00

## 8200

8202	29.95
8203	39.95
8205	3.50
8212	1.85
8214	3.85
8216	1.80
8224	2.50
8226	1.80
8228	4.90
8237	19.95
8238	4.95
8243	4.45
8250	14.95
8251	4.75
8253	9.25
8253-5	9.85
8255	4.75
8255-5	5.25
8257	8.50
8257-5	8.95
8259	6.90
8259-5	7.50
8271	39.95
8272	39.95
8275	29.95
8279	9.50
8279-5	10.00
8282	6.65
8283	6.65
8284	5.70
8286	6.65
8287	6.50
8288	25.00
8289	49.95

## FUNCTION GENERATORS

MC4024	3.95
LM566	1.49
XR2206	3.75
8038	3.95

## INTERSIL

ICL7103	9.50
ICL7106	9.95
ICL7107	12.95
ICL8038	3.95
ICM7107A	5.59
ICM7208	15.95

## 6800

68000	99.95
6800	4.95
6802	10.95
6808	13.90
6809E	19.95
6809	12.95
6810	2.95
6820	4.95
6821	4.95
6828	14.95
6840	12.95
6843	34.95
6844	25.95
6845	14.95
6847	12.25
6850	3.45
6852	5.75
6860	10.95
6862	11.95
6875	6.95
6880	2.95
6883	24.95
68047	24.95
68488	19.95

## 6800 1MHZ

68B00	10.95
68B02	22.25
68B09E	29.95
68B09	29.95
68B10	7.95
68B21	12.95
68B45	35.95
68B50	12.95

## 68B00 2 MHZ

## 6500

6502	5.95
6504	6.95
6505	8.95
6507	9.95
6520	4.35
6522	8.75
6532	11.25
6545	22.50
6551	11.85

## 2 MHZ


6502A	9.95
6522A	11.70
6532A	12.40
6545A	28.50
6551A	12.95

## 3 MHZ

6502B	14.95
-------	-------

## EXAR

XR 2206	3.75
XR 2207	3.85
XR 2208	3.90
XR 2211	5.25
XR 2240	3.25



## JDR MICRODEVICES, INC.

1224 S. Bascom Avenue

San Jose, CA 95128

800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110

## VISIT OUR RETAIL STORE

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles Counties add 6 1/2% Sales Tax. Other California residents add 6% Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or beat any competitor's price provided it is not below our cost.

HOURS:  
M-F, 9-5; Sat. 11-3



# 2716

16K EPROMS

# \$3<sup>95</sup>

EACH

ALL MERCHANDISE 100% GUARANTEED!

# 2732

32K EPROMS

# \$6<sup>95</sup>

EACH

CALL US FOR VOLUME QUOTES

## 74LS00

74LS00	.25	74LS86	.40	74LS169	1.75	74LS323	2.75
74LS01	.25	74LS90	.65	74LS170	1.75	74LS324	1.75
74LS02	.25	74LS91	.89	74LS173	.80	74LS352	1.55
74LS03	.25	74LS92	.70	74LS174	.95	74LS353	1.55
74LS04	.25	74LS93	.65	74LS175	.95	74LS363	1.35
74LS05	.25	74LS95	.85	74LS181	2.15	74LS364	1.95
74LS08	.35	74LS96	.95	74LS189	9.95	74LS365	.95
74LS09	.35	74LS107	.40	74LS190	1.00	74LS366	.95
74LS10	.25	74LS109	.40	74LS191	1.00	74LS367	.70
74LS11	.35	74LS112	.45	74LS192	.85	74LS368	.70
74LS12	.35	74LS113	.45	74LS193	.95	74LS373	1.75
74LS13	.45	74LS114	.50	74LS194	1.00	74LS374	1.75
74LS14	1.00	74LS122	.45	74LS195	.95	74LS377	1.45
74LS15	.35	74LS123	.95	74LS196	.85	74LS378	1.18
74LS20	.25	74LS124	2.99	74LS197	.85	74LS379	1.35
74LS21	.35	74LS125	.95	74LS221	1.20	74LS385	1.90
74LS22	.25	74LS126	.85	74LS240	1.29	74LS386	.65
74LS26	.35	74LS132	.75	74LS241	1.29	74LS390	1.90
74LS27	.35	74LS133	.89	74LS242	1.85	74LS393	1.90
74LS28	.35	74LS136	.55	74LS243	1.85	74LS395	1.65
74LS30	.25	74LS137	.99	74LS244	1.29	74LS399	1.70
74LS32	.35	74LS138	.75	74LS245	1.90	74LS424	2.95
74LS33	.55	74LS139	.75	74LS247	.75	74LS447	.37
74LS37	.55	74LS145	1.20	74LS248	1.25	74LS490	1.95
74LS38	.35	74LS147	2.49	74LS249	.99	74LS624	3.99
74LS40	.35	74LS148	1.35	74LS251	1.30	74LS668	1.69
74LS42	.55	74LS151	.75	74LS253	.85	74LS669	1.89
74LS47	.75	74LS153	.75	74LS257	.85	74LS670	2.20
74LS48	.75	74LS154	2.35	74LS258	.85	74LS674	9.65
74LS49	.75	74LS155	1.15	74LS259	2.85	74LS682	3.20
74LS51	.25	74LS156	.95	74LS260	.65	74LS683	3.20
74LS54	.35	74LS157	.75	74LS266	.55	74LS684	3.20
74LS55	.35	74LS158	.75	74LS273	1.65	74LS685	3.20
74LS63	1.25	74LS160	.90	74LS275	3.35	74LS688	2.40
74LS73	.40	74LS161	.95	74LS279	.55	74LS689	3.20
74LS74	.45	74LS162	.95	74LS280	1.98	74LS783	24.95
74LS75	.50	74LS163	.95	74LS283	1.00	81LS95	1.69
74LS76	.40	74LS164	.95	74LS290	1.25	81LS96	1.69
74LS78	.50	74LS165	.95	74LS293	1.85	81LS97	1.69
74LS83	.75	74LS166	2.40	74LS295	1.05	81LS98	1.69
74LS85	1.15	74LS168	1.75	74LS298	1.20	25LS2521	2.80
						25LS2569	4.25

## IC SOCKETS

8 pin ST	1.11
14 pin ST	.13
16 pin ST	.17
18 pin ST	.20
20 pin ST	.29
22 pin ST	.30
24 pin ST	.30
28 pin ST	.40
40 pin ST	.49
ST SOLDER TAIL	
8 pin WW	.59
14 pin WW	.69
16 pin WW	.69
18 pin WW	.99
20 pin WW	1.09
22 pin WW	1.39
24 pin WW	1.49
28 pin WW	1.69
40 pin WW	1.99
WW = WIREWRAP	
16 pin ZIF	6.75
24 pin ZIF	9.95
ZIF = TEXT TOOL	
(Zero Insertion Force)	

## CONNECTORS

RS232 MALE	3.25
RS232 FEMALE	3.75
RS232 FEMALE	
RIGHT ANGLE	5.25
RS232 HOOD	1.25
S-100 ST	3.95
S-100 WW	4.95

## DIP SWITCHES

4 POSITION	.85
5 POSITION	.90
6 POSITION	.90
7 POSITION	.95
8 POSITION	.95

## 7400

7400	.19	74132	.45
7401	.19	74136	.50
7402	.19	74141	.65
7403	.19	74142	2.95
7404	.19	74143	2.95
7405	.25	74145	.60
7406	.29	74147	1.75
7407	.29	74148	1.20
7408	.24	74150	1.35
7409	.19	74151	.65
7410	.19	74152	.65
7411	.25	74153	.55
7412	.30	74154	1.40
7413	.35	74155	.75
7414	.55	74156	.65
7416	.25	74157	.55
7417	.25	74159	1.65
7420	.19	74160	.85
7421	.35	74161	.70
7422	.29	74162	.85
7423	.29	74163	.85
7425	.29	74164	.85
7426	.29	74165	.85
7427	.29	74166	1.00
7428	.45	74167	2.95
7430	.19	74170	1.65
7432	.29	74172	5.95
7433	.45	74173	.75
7437	.29	74174	.89
7438	.29	74175	.89
7440	.19	74176	.89
7442	.49	74177	.75
7443	.65	74178	1.15
7444	.69	74179	1.75
7445	.69	74180	.75
7446	.59	74181	2.25
7447	.69	74182	.75
7448	.69	74184	2.00
7450	.19	74185	2.00
7451	.23	74186	18.50
7453	.23	74190	1.15
7454	.23	74191	1.15
7460	.23	74192	.79
7470	.35	74193	.79
7472	.29	74194	.85
7473	.34	74195	.85
7474	.35	74196	.79
7475	.49	74197	.75
7476	.35	74198	1.35
7480	.59	74199	1.35
7481	1.10	74221	1.35
7482	.95	74246	1.35
7483	.50	74247	1.25
7485	.65	74248	1.85
7486	.35	74249	1.95
7489	4.95	74251	.75
7490	.35	74259	2.25
7491	.40	74265	1.35
7492	.50	74273	1.95
7493	.49	74276	1.25
7494	.65	74279	.75
7495	.55	74283	2.00
7496	.70	74284	3.75
7497	2.75	74285	3.75
74100	1.75	74290	.95
74107	.30	74293	.75
74109	.45	74298	.85
74110	.45	74351	2.25
74111	.55	74365	.65
74116	1.55	74366	.65
74120	1.20	74367	.65
74121	.29	74368	.65
74122	.45	74376	2.20
74123	.55	74390	1.75
74125	.45	74393	1.35
74126	.45	74425	3.15
74128	.55	74426	.85
		74490	2.55

## CMOS

4000	.35	4528	1.25
4001	.35	4531	.95
4002	.25	4532	1.95
4006	.95	4538	1.95
4007	.29	4539	1.95
4008	.95	4543	2.70
4009	.45	4555	.95
4010	.45	4556	.95
4011	.35	4581	1.95
4012	.25	4582	1.95
4013	.45	4584	.95
4014	.95	4585	.95
4015	.95	4702	12.95
4016	.45	74C00	.35
4017	1.15	74C02	.35
4018	.95	74C04	.35
4019	.45	74C08	.35
4020	.95	74C10	.35
4021	.95	74C14	1.50
4022	1.15	74C20	.35
4023	.35	74C30	.35
4024	.75	74C32	.50
4025	.35	74C42	1.75
4026	1.65	74C48	1.20
4027	.65	74C73	.65
4028	.80	74C74	.85
4029	.95	74C76	.80
4030	.45	74C83	1.95
4034	2.95	74C85	1.95
4035	.85	74C86	.95
4040	.95	74C89	4.50
4041	1.25	74C90	1.75
4042	.75	74C93	1.75
4043	.85	74C95	1.75
4044	.85	74C107	1.00
4046	.95	74C150	5.75
4047	.95	74C151	2.25
4049	.55	74C154	3.25
4050	.55	74C157	1.75
4051	.95	74C160	2.00
4053	.95	74C161	2.00
4060	1.45	74C162	2.00
4066	.75	74C163	2.00
4068	.40	74C164	2.00
4069	.35	74C165	2.00
4070	.35	74C173	2.00
4071	.30	74C174	2.25
4072	.30	74C175	2.25
4073	.30	74C192	2.25
4075	.30	74C193	2.25
4076	.95	74C195	2.25
4078	.30	74C200	5.75
4081	.30	74C221	2.25
4082	.30	74C373	2.75
4085	.95	74C374	2.75
4086	.95	74C901	.80
4093	.95	74C902	.85
4098	2.49	74C903	.85
4099	1.95	74C905	10.95
14409	12.95	74C906	.95
14410	12.95	74C907	1.00
14411	11.95	74C908	2.00
14412	12.95	74C909	2.75
14419	4.95	74C910	9.95
4502	.95	74C911	10.00
4503	.65	74C912	10.00
4508	1.95	74C914	1.95
4510	.95	74C915	2.00
4511	.95	74C918	2.75
4512	.95	74C920	17.95
4514	1.25	74C921	15.95
4515	2.25	74C922	5.59
4516	1.55	74C923	5.95
4518	1.25	74C925	6.75
4519	1.25	74C926	7.95
4520	1.25	74C927	7.95
4522	1.25	74C928	7.95
4526	1.25	74C929	19.95
4527	1.95	74C930	19.95

## Prices Slashed!

### 74S00

74S00	.32	74S163	1.95
74S02	.35	74S168	3.95
74S03	.35	74S169	3.95
74S04	.35	74S174	1.09
74S05	.35	74S175	1.09
74S08	.35	74S181	3.95
74S09	.40	74S182	2.95
74S10	.35	74S188	1.95
74S11	.35	74S189	6.95
74S15	.35	74S194	1.49
74S20	.35	74S195	1.49
74S22	.35	74S196	1.49
74S30	.35	74S197	1.49
74S32	.40	74S201	6.95
74S37	.88	74S225	7.95
74S38	.85	74S240	2.20
74S40	.35	74S241	2.20
74S51	.35	74S244	2.20
74S64	.40	74S251	.95
74S65	.40	74S253	.95
74S74	.50	74S257	.95
74S85	1.99	74S258	.95
74S86	.50	74S260	.79
74S112	.50	74S274	19.95
74S113	.50	74S275	19.95
74S114	.55	74S280	2.25
74S124	2.75	74S287	1.90
74S132	1.24	74S288	1.90
74S133	.45	74S289	6.89
74S134	.50	74S301	6.95
74S135	.89	74S373	2.45
74S138	.95	74S374	2.45
74S139	.95	74S381	7.95
74S140	.55	74S387	1.95
74S151	.95	74S412	2.98
74S153	.95	74S471	5.45
74S157	.95	74S472	5.45
74S158	.95	74S474	7.95
74S161	1.95	74S482	15.25
74S162	1.95	74S570	4.25
		74S571	4.25



# FLOPPY DISK DRIVE

## LINEAR

LM301	.34	LM350K	5.60	NE570	4.75	LM1800	2.99
LM301H	.79	LM350T	4.60	NE571	3.95	LM1812	8.25
LM307	.45	LM358	.98	NE592	2.75	LM1815	5.20
LM308	.98	LM359	1.79	LM703	.89	LM1818	2.90
LM308H	1.15	LM376	3.75	LM709	.59	LM1820	3.50
LM309H	1.95	LM377	2.29	LM710	.75	LM1830	3.50
LM309K	1.49	LM378	2.50	LM711	.79	LM1871	5.49
LM310	1.75	LM379	4.50	LM723	.49	LM1872	5.49
LM311	.64	LM380	1.29	LM723H	.55	LM1877	3.25
LM311H	.89	LM380N-8	1.10	LM733	.98	LM1889	2.49
LM312H	1.75	LM381	1.60	LM741N-8	.35	LM1896	1.75
LM317K	3.95	LM382	1.60	LM741N-14	.35	LM2877	2.05
LM317T	1.95	LM383	1.95	LM741H	.40	LM2878	2.25
LM318	1.49	LM384	1.95	LM747	.79	LM2900	.85
LM318H	1.59	LM386	1.50	LM748	.59	LM2901	1.00
LM319H	1.25	LM387	1.40	LM1014	2.75	LM3900	.59
LM319	1.25	LM389	1.35	LM1303	1.95	LM3905	1.25
LM320 (see 7900)		LM390	1.95	LM1304	1.19	LM3909	.98
LM322	1.65	LM392	.69	LM1305	1.49	LM3911	2.25
LM323K	4.95	LM394H	4.60	LM1307	.85	LM3914	3.95
LM324	.59	LM399H	5.00	LM1310	2.90	LM3915	3.95
LM329	.69	NE531	3.75	MC1330	1.89	LM3916	3.95
LM331	3.95	NE536	6.00	MC1349	1.89	MC4024	3.95
LM334	1.30	NE555	.39	MC1350	1.29	MC4044	4.50
LM335	1.40	NE556	.69	MC1358	1.79	RC4136	1.25
LM336	1.75	NE558	1.50	LM1414	1.59	RC4151	3.95
LM337K	3.95	NE561	19.95	LM1458	.69	LM4250	1.75
LM337T	2.95	NE562	6.00	LM1488	.99	LM4500	3.25
LM338K	6.95	NE564	3.95	LM1489	.99	LM13080	1.29
LM339	.99	LM565	.99	LM1496	.85	LM13600	1.49
LM340 (see 7800)		LM566	1.49	LM1558H	3.10	LM13700	1.49
LM348	1.20	LM567	1.29				

H = TO-5 CAN

T = TO-220

K = TO-3

## RCA

CA 3010	.99	CA 3081	1.65
CA 3013	2.00	CA 3082	1.65
CA 3023	2.75	CA 3083	1.55
CA 3035	2.49	CA 3086	.80
CA 3039	1.29	CA 3089	2.99
CA 3046	1.25	CA 3096	3.49
CA 3053	1.45	CA 3130	1.30
CA 3059	2.90	CA 3140	1.15
CA 3060	2.90	CA 3146	1.85
CA 3065	1.75	CA 3160	1.19
CA 3080	1.10	CA 3401	.59
		CA 3600	3.45

## TI

TL494	4.20	75365	1.95
TL496	1.65	75450	.59
TL497	3.25	75451	.39
75107	1.49	75452	.39
75110	1.95	75453	.39
75150	1.95	75454	.39
75154	1.95	75491	.79
75188	1.25	75492	.79
75189	1.25	75493	.89
		75494	.89

## BI FET

TL071	.79	TL084	2.19
TL072	1.19	LF347	2.19
TL074	2.19	LF351	.60
TL081	.79	LF353	1.00
TL082	1.19	LF355	1.10
TL083	1.19	LF356	1.10
		LF357	1.40

## VOLTAGE REGULATORS

7805T	.89	7905T	.99
7808T	.89	7908T	.99
7812T	.89	7912T	.99
7815T	.89	7915T	.99
7824T	.89	7924T	.99
7805K	1.39	7905K	1.49
7812K	1.39	7912K	1.49
7815K	1.39	7915K	1.49
7824K	1.39	7924K	1.49
78L05	.69	79L05	.79
78L12	.69	79L12	.79
78L15	.69	79L15	.79
78H05K	9.95	LM323K	4.95
78H12K	9.95	UA78S40	1.95

T = TO-220

K = TO-3

L = TO-92

**STOP BY AND  
VISIT OUR  
RETAIL STORE**

HOURS:

MON.-FRI. 9-5, SAT. 11-3

## RESISTORS

1/4 WATT 5% CARBON FILM ALL  
STANDARD VALUES  
FROM 1 OHM TO 10 MEG OHM

50 PCS. SAME VALUE	.025
100 PCS. SAME VALUE	.02
1000 PCS. SAME VALUE	.015

**WE NOW STOCK A  
COMPLETE STOCK OF  
DISC, ELECTROLYTIC,  
MONOLITHIC AND  
TANTALUM CAPACITORS**

## MICROCOMPUTER HARDWARE HANDBOOK

FROM ELCOMP — \$14.95

Over 800 pages of manufacturers data sheets  
on most commonly used IC's.

Includes:

- \* TTL — 74/74LS and 74F
- \* CMOS
- \* Voltage Regulators
- \* Memory — RAM, ROM, EPROM
- \* CPU's — 6800, 6500, Z80, 8080, 8085, 8086/8
- \* MPU support & interface — 6800, 6500, Z80, 8200, etc.

## "JDR SUPER SPECIALS"

### MEMORY CLEARANCE

STATIC		DYNAMIC	
2k x 8	TMM2016-200NS	64k x 1	4164-200NS
1k x 1	2102L-450NS	4k x 1	4027-250NS
	\$5 <sup>95</sup> EA.		\$7 <sup>25</sup>
	100/\$75		\$1 <sup>95</sup>

## CPU SALE

### 8 BIT

Z-80 CPU 2MHZ	\$3 <sup>95</sup> (10/ 3.75 EA)
6502 1 MHZ	\$5 <sup>95</sup> (10/ 5.75 EA)
6809 INT. CLOCK	\$12 <sup>95</sup> (10/11.25 EA)

### 16 BIT

8086	\$29 <sup>95</sup>
68000 8MHZ	\$99 <sup>95</sup>

### BAUD-RATE GENERATORS

MC14411	7.95	10/7.25
1.8432 CRYSTAL	4.95	
4702	8.95	10/7.95
2.4576 CRYSTAL	4.95	

### TRANSISTORS


PN2222	1000/69.00
2N3904	1000/69.00
2N3906	1000/69.00

### IC SOCKETS LOW PROFILE SOLDER TAIL

HIGH RELIABILITY  
DUAL SIDE WIPE STYLE

	100 pcs	1000 pcs
8 pin	.08	.075
14 pin	.09	.085
16 pin	.09	.085
18 pin	.12	.110
24 pin	.20	.150
40 pin	.22	.190

SALE ENDS SEPTEMBER 30, 1982



## JDR MICRODEVICES, INC.

1224 S. Bascom Avenue

San Jose, CA 95128

800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110

**VISIT OUR  
RETAIL STORE**

HOURS:

M-F, 9-5; Sat. 11-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING


**TERMS:** For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles Counties add 6 1/2% Sales Tax. Other California residents add 6% Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or beat any competitor's price provided it is not below our cost.



# FOR YOUR APPLE\* \$299<sup>95</sup>

## APPLE\* II COMPUTER USERS DISK DRIVE \$299<sup>95</sup>

- ★ Includes metal cabinet
- ★ Color matches Apple
- ★ 35 Tracks/single side
- ★ Includes cable
- ★ Use with Apple II Controller




## 16K RAM CARD \$69<sup>95</sup>

- ★ Upgrade your 48K Apple II to full 64K of RAM.
- ★ Fully software and hardware compatible with the Apple language card and microsoft Z80 card.
- ★ Eliminates the need for the Applesoft or Integer Basic ROM card when used in conjunction with DOS 3.3.
- ★ Allows you to run Apple Fortran or Pascal with no difficulty.
- ★ Available as bare board, kit, or assembled and tested board.

BARE PC CARD — \$28.00      KIT — \$59.95

## COOLING FAN \$69<sup>95</sup>

- ★ Easy installation.
- ★ No modification of Apple required.
- ★ Color matches Apple.
- ★ Switch on front controls fan, computer and monitor.
- ★ Ultra-quiet, reliable fan.
- ★ Completely eliminates problems caused by overheating.



\*Apple is a trademark of APPLE COMPUTER, INC.

## BOOKS — BEST SELLERS

### OSBORNE/MC GRAW-HILL

Apple II User's Guide .....	14.95
CRT Controller's Handbook .....	6.99
68000 Assembly Language .....	16.99
Programming .....	15.00
CBASIC User Guide .....	15.00

### SYBEX

Your First Computer .....	8.95
The CP/M Handbook .....	14.95
The PASCAL Handbook .....	18.95
Microprocessor Interfacing .....	17.95
Techniques .....	17.95

## POWER SUPPLIES

### MODEL 1 \$29<sup>95</sup>

OPEN FRAME STYLE  
MANUFACTURED  
BY SIGMA  
+5 VOLT 4 AMP

### MODEL 2 \$39<sup>95</sup>

MOUNTED ON PC BOARD  
MANUFACTURED BY CONVER  
+5 VOLT 4 AMP  
+12 VOLT 1 AMP

FOR SHIPPING PLEASE INCLUDE \$4.00 FOR UPS GROUND; \$13.00 FOR UPS BLUE LABEL

## EPSON PRINTERS

MX-80  
MX-80FT  
MX-100

CALL FOR PRICE

WE HAVE APPLE AND TRS-80  
INTERFACE CARDS AND CABLES

## MONITORS

NEC JB-1201 M \$169<sup>00</sup>

ZENITH ZVM-121 \$119<sup>95</sup>



## ORDER TOLL FREE

800-538-5000

800-662-6279

(CALIFORNIA RESIDENTS)

IF YOU CAN FIND A PRICE LOWER  
ELSEWHERE, LET US KNOW AND  
WE'LL MEET OR BEAT THEIR PRICE!  
(SEE TERMS BELOW)

- ★ Computer managed inventory—  
virtually no back orders!
- ★ Very competitive prices!
- ★ Friendly staff!
- ★ Fast service — most orders  
shipped within 24 hours!

## 5 1/4" DISK DRIVES

### TANDON

TM100-1 (POR IBM PC) 229.00  
SHUGART

SA 400L 199.95

## CABINET FOR 5 1/4" DISK DRIVE

- ★ COLOR MATCHES APPLE
- ★ FITS SHUGART

**SPECIAL — \$29<sup>95</sup>**

**4116 16K DYNAMIC RAMS** 250 NS

**8/\$11<sup>95</sup>** SET



## COMPUTERS ATARI® 800™ COMPUTER SYSTEM



800w/16K \$699.00

★800 Computer w/48K

★BEST BUY \$790.00

### ATARI PERIPHERALS:

Printer '825' - 650<sup>00</sup> Asteroids  
Disk Dr. '810' - 485<sup>00</sup> Missile Com. → 32 50  
Record '410' - 82<sup>00</sup> Sup Brk Out  
Paddle (pr.) > 16.95 Assem. Edit - 49<sup>00</sup>  
Joystick (pr.) > 16.95 Star Raiders - 45<sup>00</sup>  
32k RAM - 115<sup>00</sup> Basketball - 28<sup>00</sup>  
Basic Cart - 49<sup>00</sup> Chess - 32<sup>00</sup>  
Pac-Man or Centipede → \$36.95 each

### MONITORS

#### ZENITH # ZVM-121

12in. 15MHz./GREEN Phos.

\$113.00

#### J.C.S. # KG-12

12in. 19MHz./GREEN Phos.

Non-Glare Screen

\$134.50

#### BMC # BM-12A

12in. 15MHz./GREEN Phos.

\$89.50

#### AMDEK # CM-13 (COLOR I)

13in./COLOR!!

\$375.00

### Diskette Storage BOX ➔ HARD PLASTIC ➔

5 1/4 inch → 2pcs./\$5.00

(SRW)

8 inch → \$4.75 ea. ☆ ☆

QTY. PRICE AVAIL.

## Bare Bones **APPLE II**

w/o Keyboard = 48K RAM =  
**\$450.**  
w/o Pwr. Supply

Microswitch: \$95.00  
Power Supply: \$124.00  
APPLE Reference Manl.: \$18.00

## CONCORD COMPUTER PRODUCTS

2910 'B' E. LA PALMA  
ANAHEIM, CA. 92806

(714) 937-0637

CHECK-M O  
NO C.O.D.!10 MIN ORDER/CA. RES. ADD 6% ALLOW 2 WKS. DEL'Y IF  
Freight: PERSONAL CHECK IS SENT.

\$10 - 49 → \$2.00 \$250 - 499 → \$9.00 send \$1.00  
50 - 99 → \$4.00 500 - 999 → \$19.00 for  
100 - 240 → \$8.00 1000 - UP → Call catalog

### Diskette SALE!!

"Wabash"

5 1/4 8inch  
SS/SD \$22.00 \$25.00

SS/DD 27.40 30.40

DS/SD 0 34.90

DS/DD 32.40 37.40

[QTY. PRICE AVAIL.]

Authorized Wabash Dist.

### \* SPECIALS \*

3inch Mini FAN → \$8.95

2111 → \$2.45

8155 → \$11.50

ER2501 → \$4.95

AY5 1013A → \$2.95

8202 → \$29.95

6522 → \$5.25

2716(+5V) → \$3.75

2732 → \$8.95

50pin Connectors → \$3.25

EPROM Eraser → \$69.95

APPLE Joystick → \$42.95

### REAL-TIME CLOCK CALENDAR (MSM 5832)

Description Mono Metal Gate CMOS I.C.

#### Features

• Time, Month, Date, Year, &amp;

• Day of Week

• Bus Oriented

• 4 Bit Data Bus

• 4 Bit Address

• R/W Hold Selec. +

• Inter. Signal

• 32 768KHz. xtal Control.

• 5v Pow. Sup.

• Low Power Dissipation

\$6.45

W/ SPEC'S

XTAL

\$1.50

NO P.O. BOX  
SHIPMENTS

8255 → \$4.50  
8748-8 → \$31.00  
3341PC → \$2.00  
MM5060 → 35¢  
MC6800 → \$7.75  
MC6802 → \$14.95  
MC6850 → \$4.50  
MC6821 → \$4.95

8 Pos. DIP  
SWITCH

\$1.35 ea.

10pcs./\$10.00

### CARDS

Z80 \$295.00

16K RAM \$105.00

VIDEOX  
VIDEOTERM  
80 column

\$295.00  
KEYBOARD  
ENHANCER

\$120.00

CALIF COMP SYS

APPLE  
CLOCK  
\$124.00

82S185 → \$7.95

AY3 8603 → \$4.95  
MM5 3108 → ea.

6331 → \$1.75

'1982'  
IC MASTER  
2 Vols.

\$59.95



NO Surges or Interference!!  
THE MPD 117  
turns an ordinary  
outlet into a controlled power source

\$79.50

"GLOBAL"  
LPK-1:

Logic Probe  
Kit - complete  
nothing extra  
to buy Min.  
pulse width  
300nsec.

\$18.95

### COMPONENTS

7400	18	7454	19
7402	18	7470	30
7404	20	7472	30
7406	20	7474	30
7408	20	7475	40
7409	18	7476	30
7410	18	7480	35
7411	22	7481	100
7413	20	7483	30
7414	20	7489	30
7415	45	7491	35
7416	45	7492	45
7417	24	7494	50
7420	18	7495	50
7421	30	74100	30
7422	30	74101	25
7427	35	74122	40
7430	18	74125	40
7432	18	74144	250
7433	25	74145	50
7438	25	74148	100
7440	18	74149	100
7442	45	74154	100
7443	60	74157	45
7444	60	74160	80
7445	60	74161	80
7447	60	74166	80
7448	60	74174	80
7450	18	74181	100
7451	18	74393	100
7453	19		

#### LS SERIES

74LS00	24	74LS125	90
74LS02	24	74LS132	90
74LS04	24	74LS138	90
74LS06	24	74LS148	90
74LS08	24	74LS151	100
74LS10	30	74LS153	100
74LS12	30	74LS154	100
74LS13	30	74LS155	100
74LS14	30	74LS156	100
74LS15	30	74LS157	100
74LS16	30	74LS158	100
74LS17	30	74LS159	100
74LS18	30	74LS160	100
74LS19	30	74LS161	100
74LS20	30	74LS162	100
74LS21	30	74LS163	100
74LS22	30	74LS164	100
74LS23	30		
74LS24	30		
74LS25	30		
74LS26	30		
74LS27	28	74LS165	95
74LS28	28	74LS166	95
74LS29	28	74LS167	95
74LS30	28	74LS168	95
74LS32	28	74LS169	95
74LS33	28	74LS170	95
74LS34	28	74LS171	95
74LS35	28	74LS172	95
74LS36	28	74LS173	95
74LS37	28	74LS174	95
74LS38	28	74LS175	95
74LS39	28	74LS176	95
74LS40	28	74LS177	95
74LS41	28	74LS178	95
74LS42	28	74LS179	95
74LS43	28	74LS180	95
74LS44	28	74LS181	95
74LS45	28	74LS182	95
74LS46	28	74LS183	95
74LS47	28	74LS184	95
74LS48	28	74LS185	95
74LS49	28	74LS186	95
74LS50	28	74LS187	95
74LS51	28	74LS188	95
74LS52	28	74LS189	95
74LS53	28	74LS190	95
74LS54	28	74LS191	95
74LS55	28	74LS192	95
74LS56	28	74LS193	95
74LS57	28	74LS194	95
74LS58	28	74LS195	95
74LS59	28	74LS196	95
74LS60	28	74LS197	95
74LS61	28	74LS198	95
74LS62	28	74LS199	95
74LS63	28	74LS200	95
74LS64	28	74LS201	95
74LS65	28	74LS202	95
74LS66	28	74LS203	95
74LS67	28	74LS204	95
74LS68	28	74LS205	95
74LS69	28	74LS206	95
74LS70	28	74LS207	95
74LS71	28	74LS208	95
74LS72	28	74LS209	95
74LS73	28	74LS210	95
74LS74	28	74LS211	95
74LS75	28	74LS212	95
74LS76	28	74LS213	95
74LS77	28	74LS214	95
74LS78	28	74LS215	95
74LS79	28	74LS216	95
74LS80	28	74LS217	95
74LS81	28	74LS218	95
74LS82	28	74LS219	95
74LS83	28	74LS220	95
74LS84	28	74LS221	95
74LS85	28	74LS222	95
74LS86	28	74LS223	95
74LS87	28	74LS224	95
74LS88	28	74LS225	95
74LS89	28	74LS226	95
74LS90	28	74LS227	95
74LS91	28	74LS228	95
74LS92	28	74LS229	95
74LS93	28	74LS230	95
74LS94	28	74LS231	95
74LS95	28	74LS232	95
74LS96	28	74LS233	95
74LS97	28	74LS234	95
74LS98	28	74LS235	95
74LS99	28	74LS236	95
74LS100	28	74LS237	95
74LS101	28	74LS238	95
74LS102	28	74LS239	95
74LS103	28	74LS240	95
74LS104	28	74LS241	95
74LS105	28	74LS242	95
74LS106	28	74LS243	95
74LS107	28	74LS244	95
74LS108	28	74LS245	95
74LS109	28	74LS246	95
74LS110	28	74LS247	95
74LS111	28	74LS248	95
74LS112	28	74LS249	95
74LS113	28	74LS250	95
74LS114	28	74LS251	95
74LS115	28	74LS252	95
74LS116	28	74LS253	95
74LS117	28	74LS254	95
74LS118	28	74LS255	95
74LS119	28	74LS256	95
74LS120	28	74LS257	95
74LS121	28	74LS258	95
74LS122	28	74LS259	95
74LS123	28	74LS260	95
74LS124	28	74LS261	95
74LS125	28	74LS262	95
74LS126	28	74LS263	95
74LS127	28	74LS264	95
74LS128	28	74LS265	95
74LS129	28	74LS266	95
74LS130	28	74LS267	95
74LS131	28	74LS268	95
74LS132	28	74LS269	95
74LS133	28	74LS270	95
74LS134	28	74LS271	95
74LS135	28	74LS272	95
74LS136	28	74LS273	95
74LS137	28	74LS274	95
74LS138	28	74LS275	95
74LS139	28	74LS276	95
74LS140	28	74LS277	95
74LS141	28	74LS278	95
74LS142	28	74LS279	95
74LS143	28	74LS280	95
74LS144	28	74LS281	95
74LS145	28	74LS282	95
74LS146	28	74LS283	95
74LS147	28	74LS284	95
74LS148	28	74LS285	95
74LS149	28	74LS286	95
74LS150	28	74LS287	95
74LS151	28	74LS288	95
74LS152	28	74LS289	95
74LS153	28	74LS290	95
74LS154	28	74LS291	95
74LS155	28	74LS292	95
74LS156	28	74LS293	95
74LS157	28	74LS294	95
74LS158	28	74LS295	95
74LS159	28	74LS296	95
74LS160	28	74LS297	95
74LS161	28	74LS298	95
74LS162	28	74LS299	95
74LS163	28	74LS300	95
74LS164	28	74LS301	95
74LS165	28	74LS302	95
74LS166	28	74LS303	95
74LS1			



# FOR ONLY \$129.95 Learn Computing From The Ground Up

Build a Computer kit that grows with you, and can expand to 64k RAM, Microsoft BASIC, Text Editor/Assembler, Word Processor, Floppy Disks and more.

## EXPLORER/85

Here's the low cost way to learn the fundamentals of computing, the all-important basics you'll need more and more as you advance in computer skills. For just \$129.95 you get the advanced-design Explorer/85 motherboard, with all the features you need to learn how to write and use programs. And it can grow into a system that is a match for any personal computer on the market. Look at these features: 8085 Central Processing Unit, the microprocessor "heart" of the Explorer/85. (Join the millions who will buy and use the 8085/8085 this year alone) ... Four 8-bit input/output ports from which you can input and output your programs, as well as control exterior switches, relays, lights, etc. ... a cassette interface that lets you store and reload programs you've learned to write ... deluxe 2,000 byte operating system/monitor that makes it easy to learn computing in several important ways: ... It allows simpler, faster writing and entering of programs ... It permits access by you to all parts of the system so you can check on the status of any point in the program ... It allows tracing each program step by step, with provision for displaying all the contents of the CPU (registers, flags, etc.) ... and it does much more!

You get all this in the starting level (Level A) of the Explorer/85 for only \$129.95. Incredible! To use, just plug in your 8VDC power supply and terminal or keyboard/display — if you don't have them, see our special offers below.

Level A computer kit (Terminal Version) ... \$129.95 plus \$3 P&I.\*  
Level A kit (Hex Keypad/Display Version) ... \$129.95 plus \$3 P&I.\*

LEVEL B — This "building block" converts the motherboard into a two-slot 510k bus (industry standard) computer. Now you can plug in any of the hundreds of 510k cards available.

Level B kit ... \$49.95 plus \$2 P&I.\*  
510k bus connectors (two required) ... \$4.85 each, postpaid.

LEVEL C — Add still more computing power, this "building block" mounts directly on the motherboard and expands the 510k bus to six slots.

Level C kit ... \$39.95 plus \$2 P&I.\*  
510k bus connectors (five required) ... \$4.85 each, postpaid.

LEVEL D — When you reach the point in learning that requires more memory, we offer two memory modules: one of 64k of memory directly on the motherboard, or add 16k to 64k of memory by means of a single 510k card, our famous "JAWS".

Level D kit (CHECK ONE) ... \$49.95 plus \$2 P&I.\*  
16k 510k "JAWS" ... \$14.95 plus \$2 P&I.\*  
32k 510k "JAWS" ... \$19.95 plus \$2 P&I.\*  
48k 510k "JAWS" ... \$24.95 plus \$2 P&I.\*  
64k 510k "JAWS" ... \$29.95 plus \$2 P&I.\*

LEVEL E — An important "building block," it activates the 8k ROM/EPROM space on the motherboard. Now just plug in our 8k Microsoft BASIC or your own custom programs.

Level E kit ... \$5.95 plus 50¢ P&I.\*  
Microsoft BASIC — It's the language that allows you to talk English to your computer! It is available three ways: ... 8k cassette version of Microsoft BASIC (requires Level B and 12k of RAM minimum; we suggest a 16k 510k "JAWS" — see above) ... \$64.95 postpaid.  
... 8k ROM version of Microsoft BASIC (requires Level B and 4k RAM; just plug into your Level E socket). We suggest either the 4k Level D RAM expansion or a 16k 510k "JAWS" ... \$99.95 plus \$2 P&I.\*  
... Disk version of Microsoft BASIC (requires Level B, 32k of RAM, floppy disk controller, 8" floppy disk drive) ... \$325 postpaid.

TEXT EDITOR/ASSEMBLER — The editor/assembler is a software tool (a program) designed to simplify the task of writing programs. As your programs become longer and more complex, the assembler can save you many hours of programming time. This software includes an editor program that enters the programs you write, makes changes, and saves the programs on cassettes. The assembler performs the clerical task of translating symbolic code into the computer-readable object code. The editor/assembler program is available either in cassette or a ROM version.

Editor/Assembler (Cassette version; requires Level B and 8k (min.) of RAM — we suggest 16k "JAWS" — see above) ... \$59.95 plus \$2 P&I.\*  
Editor/Assembler (ROM version; supplied on an S100 card; requires Level B and 4k RAM (min.) — we suggest either Level D or 16k "JAWS") ... \$99.95 plus \$2 P&I.\*

8" FLOPPY DISK — A remarkable "building block." Add our 8" floppy disk when you need faster operation: more convenient program storage, perhaps a business application, and access to the literally thousands of programs and program languages available today. You simply plug them into your Explorer/85 disk system — it accepts all IBM-formatted CP/M programs.

8" Floppy Disk Drive ... \$149.95 plus \$12 P&I.\*  
Floppy Controller Card ... \$199.95 plus \$2 P&I.\*  
Disk Drive Cabinet & Power Supply ... \$69.95 plus \$3 P&I.\*  
Drive Cables (set up for two drives) ... \$25.00 plus \$1.50 P&I.\*  
CP/M 2.2 Disk Operating System; includes Text Editor/Assembler, dynamic debugger, and other features that give your Explorer/85 access to thousands of existing CP/M-based programs ... \$150.00 postpaid.

NEED A POWER SUPPLY? Consider our AP-1. It can supply all the power you need for a fully expanded Explorer/85 (note: disk drives have their own power supply). Plus the AP-1 fits neatly into the attractive Explorer steel cabinet (see below).

AP-1 Power Supply kit (8V @ 5 amps) in deluxe steel cabinet ... \$99.95 plus \$2 P&I.\*  
NEED A TERMINAL? We offer you choices: the least expensive one is our Hex Keypad/Display kit that displays the information on a calculator-type screen. The other choice is our ASCII Keyboard/Computer Terminal kit, that can be used with either

1. Plug in Netronics's Hex Keypad/Display
2. Add Level B to convert to 8-bit
3. Add 4k RAM
4. Plug in Level E here; accepts Microsoft BASIC or Editor/Assembler in ROM
5. Add two 510k boards
6. Add Level B to convert to 8-bit
7. Connect terminal

a CRT monitor or a TV set (if you have an RF modulator).

Hex Keypad/Display kit ... \$69.95 plus \$2 P&I.\*

FASTERM-64 TERMINAL KIT — Featuring a 56 key ASCII Keyboard, 128 character set upper and lower case, 75 ohm output, 8 baud rates: 150 to 19,200 (switch selectable), RS232C or 20 MA output, 32 or 64 character by 16 line format, complete with Deluxe Steel Cabinet and Power Supply ... \$199.95 plus \$3 P&I.\*

RF Modulator kit (allows you to use your TV set as a monitor) ... \$4.95 postpaid

12" Video Monitor (10MHz bandwidth) ... \$139.95 plus \$5 P&I.\*  
Deluxe Steel Cabinet for the Explorer/85 ... \$49.95 plus \$3 P&I.\*  
Fan for cabinet ... \$15.00 plus \$1.50 P&I.\*

## ORDER A SPECIAL-PRICE EXPLORER/85 PAK — THERE'S ONE FOR EVERY NEED.

Beginner Pak (Save \$26.00) — You get Level A (Terminal Version) with Monitor Source Listing (\$25 value) AP-1, 5-amp. power supply, Intel 8085 User Manual ... (Reg. \$199.95) SPECIAL \$169.95 plus \$4 P&I.\*

Experimenter Pak (Save \$53.40) — You get Level A (Hex Keypad/Display Version) with Hex Keypad/Display, Intel 8085 User Manual, Level A Hex Monitor Source Listing, and AP-1, 5-amp. power supply ... (Reg. \$279.95) SPECIAL \$229.95 plus \$6 P&I.\*

Special Microsoft BASIC Pak (Save \$103.00) — You get Levels A (Terminal Version), B, D, 4k RAM, E, 8k Microsoft in ROM, Intel 8085 User Manual, Level A Hex Monitor Source Listing, and AP-1, 5-amp. power supply ... (Reg. \$439.70) SPECIAL \$329.95 plus \$7 P&I.\*

Add a Rom-Version Text Editor/Assembler (Requires levels B and D or 510k Memory) ... \$99.95 plus \$2 P&I.\*

Starter 8" Disk System — Includes Level A, B floppy disk controller, one CDC 8" disk-drive, two-drive cable two 510k connectors, just add your own power supplies, cabinets and hardware ... (Reg. \$1,065.00) SPECIAL \$999.95 plus \$13 P&I.\*  
32k Starter System, \$1,045.95 plus \$13 P&I.\*  
48k Starter System, \$1,085.95 plus \$13 P&I.\*  
64k Starter System, \$1,145.95 plus \$13 P&I.\*

Add to any of above Explorer steel cabinet, AP-1 5-amp. power supply, Level C with two 510k connectors, disk drive cabinet and power supply, two sub-D connectors for connecting your printer and terminal ... (Reg. \$225.95) SPECIAL \$199.95 plus \$13 P&I.\*

Complete 64K System, Wired & Tested ... \$1,650.00 plus \$26 P&I.\*

Special! Complete Business Software Pak (Save \$625.00) — Includes CP/M 2.2 Microsoft BASIC, General Ledger, Accounts Receivable, Accounts Payable, Payroll Package ... (Reg. \$1,325) SPECIAL \$699.95 postpaid.

\*P&I stands for "postage & insurance." For Canadian orders, double this amount.

Continental Credit Card Buyers Outside Connecticut:

**TO ORDER**  
**Call Toll Free:**  
**800-243-7428**

To Order From Connecticut, or For Technical Assistance, Call (203) 354-9375

CP/M is a reg. trademark of Digital Research

★ (Clip and mail entire ad) ★

SEND ME THE ITEMS CHECKED ABOVE

Total Enclosed (Conn. Residents add sales tax): \$  
Paid by:

☐ Personal Check ☐ Cashier's Check/Money Order

☐ VISA ☐ MASTER CARD (Bank No. \_\_\_\_\_)

Acct. No. \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_

Print Name \_\_\_\_\_

Address \_\_\_\_\_


City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

# ANNOUNCING TWO NEW TERMINALS

Smart • Fast • Graphics • Matching Modem and \$295 Printer

Netronics announces a state of the art breakthrough in terminals, now at prices you can afford, you can go on-line with data-bank and computer phone-line services. It's all yours: "electronic newspapers," educational services, Dow-Jones stock reports, games, recipes, personal computing with any level language, program exchanges, electronic bulletin boards ... and more every day!!!



Netronics offers two new terminals. Both feature a full 56 key/128 character typewriter-style keyboard, baud rates to 19.2 kilobaud, a rugged steel cabinet and power supply. The simplest one, FASTERM-64, is a 16 line by 64 or 32 character per line unit, with a serial printer port for making hard copy of all incoming data, and optional provisions for block and special character graphics. The "smart" version, SMARTERM-80, features either 24 line by 80 characters per line or 16 by 40 characters per line, it offers on-screen editing with page-at-a-time printing, 12,000 pixel graphics, line graphics, absolute cursor addressing, underlining, reverse video, one-half intensity and much more ... simply plug them into your computer or your phone modem and be on-line instantly. Use your TV set (RF modulator required) or our deluxe green-phosphor monitor pictured above. For hard copy just add our matched printer.

Price breakthrough!!! Own the FASTERM-64, a complete terminal kit, ready to plug in for just \$199.95 or order the SMARTERM-80 kit for just \$299.95, (both available wired and tested.) Be on-line with the million-dollar computers and data services today ... we even supply the necessary subscription forms.


More good news: All the components in our terminals are available separately (see coupon), so you buy only what you need!!!

FASTERM-64 ... DISPLAY FORMAT: 64 or 32 characters/line by 16 lines ... 96 displayable ASCII characters (upper & lower case) ... 8 baud rates: 150, 300, 600, 1200, 2400, 4800, 9600, 19,200 (switch sel.) ... LINE OUTPUT: RS232C or 20 ma current loop ... VIDEO OUTPUT: 1V P/P (EIA RS-170) ... CURSOR MODES: home & clear screen, erase to end of line, erase cursor line, cursor up & down, auto carriage return/line feed at end of line & auto scrolling ... REVERSE VIDEO ... BLINKING CURSOR ... PARITY: off, even or odd ... STOP BITS: 1, 1.5, 2 ... DATA BITS PER CHARACTER: 5, 6, 7 or 8 ... CHARACTER OUTPUT: 5 by 7 dot matrix in a 7 by 12 cell ... PRINTER OUTPUT: prints all incoming data ... 1K ON BOARD RAM ... 2K ON BOARD ROM ... CRYSTAL CONTROLLED ... COMPLETE WITH POWER SUPPLY ... OPTIONAL GRAPHICS MODE: includes 34 Greek & math characters plus 30 special graphics characters ... ASCII ENCODED KEYBOARD: 56 key/128 characters.

SMARTERM-80 ... DISPLAY FORMAT: 80 characters by 24 lines or 40 characters by 16 lines 128 displayable ASCII characters (upper & lower case) 8 baud rates: 110, 300, 600, 1200, 2400, 4800, 9600, 19,200 ... LINE OUTPUT: RS232C or 20 ma current loop ... VIDEO OUTPUT: 1V P/P (EIA RS-170) ... CURSOR MODES: insert/delete line, insert/delete character, forward/backward tab ... LINE or PAGE TRANSMIT ... PAGE PRINT FUNCTION ... CURSOR POSITIONING: up, down, right, left, plus absolute cursor positioning with read back ... VISUAL ATTRIBUTES: underline, blink, reverse video, half intensity, & blank ... GRAPHICS: 12,000 pixel resolution block plus line graphics ... ON-SCREEN PARITY INDICATOR ... PARITY: off, even or odd ... STOP BITS: 110 baud 2, all others 1 ... CHAR. OUTPUT: 7 by 11 character in a 9 by 12 block ... PRINTER OUTPUT: 60 or 50 Hz VERTICAL REFRESH ... BLINKING BLOCK CURSOR ... CRYSTAL CONTROLLED ... 2K ON BOARD RAM ... ASCII ENCODED KEYBOARD: 56 key/128 character ... 4K ON BOARD ROM ... COMPLETE WITH POWER SUPPLY.

TELEPHONE MODEM 103 O/A ... FULL DUPLEX, FCC APPROVED ... DATA RATE: 300 baud ... INTERFACE: RS232C and TTY ... CONTROLS: talk/data switch (no need to connect and disconnect phone), originate/answer switch on rear panel ... NO POWER SUPPLY REQUIRED.

ASCII KEYBOARD ASCII-3 ... 56 KEY/128 CHARACTER ASCII ENCODED ... UPPER & LOWER CASE ... FULLY DEBOUNCED ... 2 KEY ROLL-OVER ... POS OR NEG LOGIC WITH POS STROBE ... REQUIRE +5 & -12V DC (SUPPLIED FROM VIDEO BOARDS) ... PRINTER COMET I ... SERIAL I/O TO 9600 BAUD ... 80 CHARACTER COLUMN (132 COMPRESSED) ... 10" TRACTOR FEED UPPER/LOWER CASE ... INDUSTRY STANDARD RIBBONS ... 4 CHARACTER SIZES ... 9 BY 7 DOT MATRIX ... BI-DIRECTIONAL PRINTING



Continental U.S.A. Credit Card Buyers Outside Connecticut  
**CALL TOLL FREE 800-243-7428**

To Order From Connecticut Or For Tech. Assist. Call (203) 354-9375

**NETRONICS R&D LTD. Dept.**  
**333 Litchfield Road, New Milford, CT 06776**

Please send the items checked below:

☐ COMPLETE FASTERM-64 TERMINAL (includes FASTVID-64 video board ASCII-3 keyboard, steel cabinet and power supply) ... kit \$199.95 plus \$3 P&I ... wired & tested \$249.95 plus \$3 P&I ... graphics option: add \$19.95 to each of above

☐ COMPLETE SMARTERM-80 TERMINAL (includes SMARTVID-80 video board, ASCII-3 keyboard, steel cabinet and power supply) ... kit \$299.95 plus \$3 P&I ... wired & tested \$369.95 plus \$3 P&I

☐ FASTVID-64 VIDEO BOARD (requires +5 & -12V DC) ... kit \$99.95 plus \$3 P&I ... graphics option add \$19.95 ... wired & tested \$129.95 plus \$3 P&I ... graphics option add \$19.95

☐ SMARTVID-80 VIDEO BOARD (requires +5 & +/-12V DC) ... kit \$199.95 plus \$3 P&I ... wired & tested \$249.95 plus \$3 P&I

☐ DELUXE STEEL TERMINAL CABINET ... \$19.95 plus \$3 P&I

☐ ASCII-3 KEYBOARD (requires +5 & -12VDC) ... kit \$69.95 plus \$3 P&I ... wired & tested \$89.95 plus \$3 P&I

☐ POWER SUPPLY (powers ASCII-3 keyboard & video boards) ... kit only \$19.95 plus \$2 P&I

☐ ZENITH VIDEO MONITOR (high resolution green phosphor) ... wired & tested \$149.95 plus \$6 P&I

☐ TELEPHONE MODEM MODEL 103 O/A ... wired & tested \$189.95 plus \$3 P&I

☐ DOT MATRIX PRINTER Comet I ... wired & tested \$299.95 plus \$10 P&I

☐ RF MODULATOR MOD RF-1 ... kit only \$8.95 plus \$1 P&I

☐ 3FT-25 LEAD MODEM/TERMINAL OR PRINTER/TERMINAL CONNECTOR CABLE ... \$14.95 ea plus \$2 P&I

For Canadian orders, double the postage. Conn. res. add sales tax.

Total Enclosed \$

☐ Personal Check ☐ Cashier's Check/Money Order

☐ VISA ☐ MasterCard (Bank No. \_\_\_\_\_)

Acct. No. \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_  
Print Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

**NETRONICS Research & Development Ltd.**  
**333 Litchfield Road, New Milford, CT 06776**



7400			**Number of Pins of each I.C. for easy Socket purchase		
Part No.	*Pins	Price	Part No.	*Pins	Price
7400	14	19	74150N	14	59
7401	14	19	74151N	14	59
7402	14	19	74152N	14	59
7403	14	19	74153N	14	59
7404	14	19	74154N	14	59
7405	14	19	74155N	14	59
7406	14	19	74156N	14	59
7407	14	19	74157N	14	59
7408	14	19	74158N	14	59
7409	14	19	74159N	14	59
7410	14	19	74160N	14	59
7411	14	19	74161N	14	59
7412	14	19	74162N	14	59
7413	14	19	74163N	14	59
7414	14	19	74164N	14	59
7415	14	19	74165N	14	59
7416	14	19	74166N	14	59
7417	14	19	74167N	14	59
7418	14	19	74168N	14	59
7419	14	19	74169N	14	59
7420	14	19	74170N	14	59
7421	14	19	74171N	14	59
7422	14	19	74172N	14	59
7423	14	19	74173N	14	59
7424	14	19	74174N	14	59
7425	14	19	74175N	14	59
7426	14	19	74176N	14	59
7427	14	19	74177N	14	59
7428	14	19	74178N	14	59
7429	14	19	74179N	14	59
7430	14	19	74180N	14	59
7431	14	19	74181N	14	59
7432	14	19	74182N	14	59
7433	14	19	74183N	14	59
7434	14	19	74184N	14	59
7435	14	19	74185N	14	59
7436	14	19	74186N	14	59
7437	14	19	74187N	14	59
7438	14	19	74188N	14	59
7439	14	19	74189N	14	59
7440	14	19	74190N	14	59
7441	14	19	74191N	14	59
7442	14	19	74192N	14	59
7443	14	19	74193N	14	59
7444	14	19	74194N	14	59
7445	14	19	74195N	14	59
7446	14	19	74196N	14	59
7447	14	19	74197N	14	59
7448	14	19	74198N	14	59
7449	14	19	74199N	14	59
7450	14	19	74200N	14	59

74LS			74LS192		
Part No.	*Pins	Price	Part No.	*Pins	Price
74LS00	14	25	74LS192	16	79
74LS01	14	25	74LS193	16	79
74LS02	14	25	74LS194	16	79
74LS03	14	25	74LS195	16	79
74LS04	14	25	74LS196	16	79
74LS05	14	25	74LS197	16	79
74LS06	14	25	74LS198	16	79
74LS07	14	25	74LS199	16	79
74LS08	14	25	74LS200	16	79
74LS09	14	25	74LS201	16	79
74LS10	14	25	74LS202	16	79
74LS11	14	25	74LS203	16	79
74LS12	14	25	74LS204	16	79
74LS13	14	25	74LS205	16	79
74LS14	14	25	74LS206	16	79
74LS15	14	25	74LS207	16	79
74LS16	14	25	74LS208	16	79
74LS17	14	25	74LS209	16	79
74LS18	14	25	74LS210	16	79
74LS19	14	25	74LS211	16	79
74LS20	14	25	74LS212	16	79
74LS21	14	25	74LS213	16	79
74LS22	14	25	74LS214	16	79
74LS23	14	25	74LS215	16	79
74LS24	14	25	74LS216	16	79
74LS25	14	25	74LS217	16	79
74LS26	14	25	74LS218	16	79
74LS27	14	25	74LS219	16	79
74LS28	14	25	74LS220	16	79
74LS29	14	25	74LS221	16	79
74LS30	14	25	74LS222	16	79
74LS31	14	25	74LS223	16	79
74LS32	14	25	74LS224	16	79
74LS33	14	25	74LS225	16	79
74LS34	14	25	74LS226	16	79
74LS35	14	25	74LS227	16	79
74LS36	14	25	74LS228	16	79
74LS37	14	25	74LS229	16	79
74LS38	14	25	74LS230	16	79
74LS39	14	25	74LS231	16	79
74LS40	14	25	74LS232	16	79
74LS41	14	25	74LS233	16	79
74LS42	14	25	74LS234	16	79
74LS43	14	25	74LS235	16	79
74LS44	14	25	74LS236	16	79
74LS45	14	25	74LS237	16	79
74LS46	14	25	74LS238	16	79
74LS47	14	25	74LS239	16	79
74LS48	14	25	74LS240	16	79
74LS49	14	25	74LS241	16	79
74LS50	14	25	74LS242	16	79

74S/PROMS*			74S243		
Part No.	*Pins	Price	Part No.	*Pins	Price
74S00	14	35	74S243	14	2.49
74S01	14	35	74S244	20	2.49
74S02	14	35	74S245	16	1.19
74S03	14	35	74S246	16	1.19
74S04	14	35	74S247	16	1.19
74S05	14	35	74S248	16	1.19
74S06	14	35	74S249	16	1.19
74S07	14	35	74S250	16	1.19
74S08	14	35	74S251	16	1.19
74S09	14	35	74S252	16	1.19
74S10	14	35	74S253	16	1.19
74S11	14	35	74S254	16	1.19
74S12	14	35	74S255	16	1.19
74S13	14	35	74S256	16	1.19
74S14	14	35	74S257	16	1.19
74S15	14	35	74S258	16	1.19
74S16	14	35	74S259	16	1.19
74S17	14	35	74S260	16	1.19
74S18	14	35	74S261	16	1.19
74S19	14	35	74S262	16	1.19
74S20	14	35	74S263	16	1.19
74S21	14	35	74S264	16	1.19
74S22	14	35	74S265	16	1.19
74S23	14	35	74S266	16	1.19
74S24	14	35	74S267	16	1.19
74S25	14	35	74S268	16	1.19
74S26	14	35	74S269	16	1.19
74S27	14	35	74S270	16	1.19
74S28	14	35	74S271	16	1.19
74S29	14	35	74S272	16	1.19
74S30	14	35	74S273	16	1.19
74S31	14	35	74S274	16	1.19
74S32	14	35	74S275	16	1.19
74S33	14	35	74S276	16	1.19
74S34	14	35	74S277	16	1.19
74S35	14	35	74S278	16	1.19
74S36	14	35	74S279	16	1.19
74S37	14	35	74S280	16	1.19
74S38	14	35	74S281	16	1.19
74S39	14	35	74S282	16	1.19
74S40	14	35	74S283	16	1.19
74S41	14	35	74S284	16	1.19
74S42	14	35	74S285	16	1.19
74S43	14	35	74S286	16	1.19
74S44	14	35	74S287	16	1.19
74S45	14	35	74S288	16	1.19
74S46	14	35	74S289	16	1.19
74S47	14	35	74S290	16	1.19
74S48	14	35	74S291	16	1.19
74S49	14	35	74S292	16	1.19
74S50	14	35	74S293	16	1.19

CA—LINEAR			CD—CMOS		
Part No.	*Pins	Price	Part No.	*Pins	Price
CA3010H	2.15	1.99	CD4000	14	29
CA3011H	2.15	1.99	CD4001	14	29
CA3012H	2.15	1.99	CD4002	14	29
CA3013H	2.15	1.99	CD4003	14	29
CA3014H	2.15	1.99	CD4004	14	29
CA3015H	2.15	1.99	CD4005	14	29
CA3016H	2.15	1.99	CD4006	14	29
CA3017H	2.15	1.99	CD4007	14	29
CA3018H	2.15	1.99	CD4008	14	29
CA3019H	2.15	1.99	CD4009	14	29
CA3020H	2.15	1.99	CD4010	14	29
CA3021H	2.15	1.99	CD4011	14	29
CA3022H	2.15	1.99	CD4012	14	29
CA3023H	2.15	1.99	CD4013	14	29
CA3024H	2.15	1.99	CD4014	14	29
CA3025H	2.15	1.99	CD4015	14	29
CA3026H	2.15	1.99	CD4016	14	29
CA3027H	2.15	1.99	CD4017	14	29
CA3028H	2.15	1.99	CD4018	14	29
CA3029H	2.15	1.99	CD4019	14	29
CA3030H	2.15	1.99	CD4020	14	29
CA3031H	2.15	1.99	CD4021	14	29
CA3032H	2.15	1.99	CD4022	14	29
CA3033H	2.15	1.99	CD4023	14	29
CA3034H	2.15	1.99	CD4024	14	29
CA3035H	2.15	1.99	CD4025	14	29
CA3036H	2.15	1.99	CD4026	14	29
CA3037H	2.15	1.99	CD4027	14	29
CA3038H	2.15	1.99	CD4028	14	29
CA3039H	2.15	1.99	CD4029	14	29
CA3040H	2.15	1.99	CD4030	14	29
CA3041H	2.15	1.99	CD4031	14	29
CA3042H	2.15	1.99	CD4032	14	29
CA3043H	2.15	1.99	CD4033	14	29
CA3044H	2.15	1.99	CD4034	14	29
CA3045H	2.15	1.99	CD4035	14	29

# MICROPROCESSOR COMPONENTS

STATIC RAMS			DYNAMIC RAMS		
Part No.	*Pins	Price	Part No.	*Pins	Price
1101	16	256k1 (650ns)	1103	16	1024k1 (300ns)
2101	22	512k1 (650ns) 8101	1104	16	4096k1 (250ns)
3101	28	1024k1 (650ns)	1105	16	16384k1 (250ns)
4101	34	2048k1 (450ns) L.P.	1106	16	65536k1 (250ns)
5111	40	4096k1 (450ns) 8111	1107	16	262144k1 (250ns)
6111	46	8192k1 (450ns) 8111	1108	16	1048576k1 (250ns)
7111	52	16384k1 (450ns)	1109	16	4194304k1 (250ns)
8111	58	32768k1 (450ns)	1110	16	16777216k1 (250ns)
9111	64	65536k1 (450ns)	1111	16	67108864k1 (250ns)
10111	70	131072k1 (450ns)	1112	16	26843392k1 (250ns)
11111	76	262144k1 (450ns)	1113	16	107373824k1 (250ns)
12111	82	524288k1 (450ns)	1114	16	42949536k1 (250ns)
13111	88	1048576k1 (450ns)	1115	16	173799936k1 (250ns)
14111	94	2097152k1 (450ns)	1116	16	6951936k1 (250ns)
15111	100	4194304k1 (450ns)	1117	16	27807872k1 (250ns)
16111	106	8388608k1 (450ns)	1118	16	111231488k1 (250ns)
17111	112	16777216k1 (450ns)	1119	16	44492800k1 (250ns)
18111	118	33554432k1 (450ns)	1120	16	177970048k1 (250ns)
19111	124	67108864k1 (450ns)	1121	16	71190016k1 (250ns)
20111	130	134217728k1 (450ns)	1122	16	28476032k1 (250ns)
21111	136	268435456k1 (450ns)	1123	16	113824128k1 (250ns)
22111	142	536870912k1 (450ns)	1124	16	45529600k1 (250ns)
23111	148	1073741824k1 (450ns)	1125	16	18211840k1 (250ns)
24111	154	4294967488k1 (450ns)	1126	16	72870400k1 (250ns)
25111	160	8589934976k1 (450ns)	1127	16	29148160k1 (250ns)
26111	166	1717986976k1 (450ns)	1128	16	11679360k1 (250ns)
27111	172	3435973952k1 (450ns)	1129	16	4671840k1 (250ns)
28111	178	6871947904k1 (450ns)	1130	16	1868736k1 (250ns)
29111	184	13743895808k1 (450ns)	1131	16	747392k1 (250ns)
30111	190	27487791616k1 (450ns)	1132	16	298944k1 (250ns)
31111	196	54975583232k1 (450ns)	1133	16	119576k1 (250ns)
32111	202	109951166464k1 (450ns)	1134	16	47840k1 (250ns)
33111	208	219902332928k1 (450ns)	1135	16	19136k1 (250ns)
34111	214	439804665856k1 (450ns)	1136	16	7654k1 (250ns)
35111	220	879609331712k1 (450ns)	1137	16	3062k1 (250ns)
36111	226	1759218663424k1 (450ns)	1138	16	1225k1 (250ns)
37111	232	3518437326848k1 (450ns)	1139	16	488k1 (250ns)
38111	238	7036874653696k1 (450ns)	1140	16	195k1 (250ns)
39111	244	14073749307392k1 (450ns)	1141	16	78k1 (250ns)
40111	250	28147498614784k1 (450ns)	1142	16	31k1 (250ns)
41111	256	56294997229568k1 (450ns)	1143	16	12k1 (250ns)
42111	262	112589994459136k1 (450ns)	1144	16	5k1 (250ns)
43111	268	225179988918272k1 (450ns)	1145	16	2k1 (250ns)
44111	274	450359977836544k1 (450ns)	1146	16	1k1 (250ns)
45111	280	900719955673088k1 (450ns)	1147	16	512b1 (250ns)
46111	286	1801439911346176k1 (450ns)	1148	16	256b1 (250ns)
47111	292	3602879822692352k1 (450ns)	1149	16	128b1 (250ns)
48111	298	7205759645384704k1 (450ns)	1150	16	64b1 (250ns)
49111	304	14411519290769408k1 (450ns)	1151	16	32b1 (250ns)
50111	310	28823038581538816k1 (450ns)	1152	16	16b1 (250ns)
51111	316	57646077163077632k1 (450ns)	1153	16	8b1 (250ns)
52111	322	115292154326155264k1 (450ns)	1154	16	4b1 (250ns)
53111	328	230584308652310528k1 (450ns)	1155	16	2b1 (250ns)
54111	334	461168617304621056k1 (450ns)	1156	16	1b1 (250ns)
55111	340	922337234609242112k1 (450ns)	1157	16	512b2 (250ns)
56111	346	1844674469218484224k1 (450ns)	1158	16	256b2 (250ns)
57111	352	3689348938436968448k1 (450ns)	1159	16	128b2 (250ns)
58111	358	7378697876873936896k1 (450ns)	1160	16	64b2 (250ns)
59111	364	14757395753747873792k1 (450ns)	1161	16	32b2 (250ns)
60111	370	29514791507495747584k1 (450ns)	1162	16	16b2 (250ns)
61111	376	59029583014991495168k1 (450ns)	1163	16	8b2 (250ns)
62111	382	118059166029982990336k1 (450ns)	1164	16	4b2 (250ns)
63111	388	236118332059965980672k1 (450ns)	1165	16	2b2 (250ns)
64111	394	472236664119931961344k1 (450ns)	1166	16	1b2 (250ns)
65111	400	944473328239863922688k1 (450ns)	1167	16	512b3 (250ns)
66111	406	1888946656479727845376k1 (450ns)	1168	16	256b3 (250ns)
67111	412	3777893312959455690752k1 (450ns)	1169	16	128b3 (250ns)
68111	418	7555786625918911381504k1 (450ns)	1170	16	64b3 (250ns)
69111	424	15111573251837822763008k1 (450ns)	1171	16	32b3 (250ns)
70111	430	30223146503675645526016k1 (450ns)	1172	16	16b3 (250ns)
71111	436	60446293007351291052032k1 (450ns)	1173	16	8b3 (250ns)
72111	442	120892586014702582104064k1 (450ns)	1174	16	4b3 (250ns)
73111	448	241785172029405164208128k1 (450ns)	1175	16	2b3 (250ns)
74111	454	483570344058810328416256k1 (450ns)	1176	16	1b3 (250ns)
75111	460	967140688117620656832512k1 (450ns)	1177	16	512b4 (250ns)
76111	466	1934281376235241313665224k1 (450ns)	1178	16	256b4 (250ns)
77111	472	3868562752470482627330448k1 (450ns)	1179	16	128b4 (250ns)
78111	478	7737125504940965254660896k1 (450ns)	1180	16	64b4 (250ns)
79111	484	15474251009881931009321792k1 (450ns)	1181	16	32b4 (250ns)
80111	490	30948502019763862018643584k1 (450ns)	1182	16	16b4 (250ns)
81111	496	61897004039527724037287168k1 (450ns)	1183	16	8b4 (250ns)
82111	502	123794008079055448074574336k1 (450ns)	1184	16	4b4 (250ns)
83111	508	247588016158110896149148672k1 (450ns)	1185	16	2b4 (250ns)
84111	514	49517603231622179229829344k1 (450ns)	1186	16	1b4 (250ns)
85111	520	99035206463244358459658688k1 (450ns)	1187	16	512b5 (250ns)
86111	526	198070412926488716919317376k1 (450ns)	1188	16	256b5 (250ns)
87111	532	39614082585297743383863552k1 (450ns)	1189	16	128b5 (250ns)
88111	538	79228165170595486767727104k1 (450ns)	1190	16	64b5 (250ns)
89111	544	158456330341190973535454208k1 (450ns)	1191	16	32b5 (250ns)
90111	550	316912660682381947070908416k1 (450ns)	1192	16	16b5 (250ns)
91111	556	633825321364763894141816832k1 (450ns)	1193	16	8b5 (250ns)
92111	562	12676506427295277882836336k1 (450ns)	1194	16	4b5 (250ns)
93111	568	25353012854590555765672672k1 (450ns)	1195	16	2b5 (250ns)
94111	574	50706025709181111531134444k1 (450ns)	1196	16	1b5 (250ns)
95111	580	10141205141836222266266888k1 (450ns)	1197	16	512b6 (250ns)
96111	586	20282410283672444532533776k1 (450ns)	1198	16	256b6 (250ns)
97111	592	40564820567344889065067552k1 (450ns)	1199	16	128b6 (250ns)
98111	598	81129641134689778130135104k1 (450ns)	1200	16	64b6 (250ns)
99111	604	162259282269379556260270208k1 (450ns)	1201	16	32b6 (250ns)
100111	610	324518564538759112520240416k1 (450ns)	1202	16	16b6 (250ns)
101111	616	649037129077518225040480832k1 (450ns)	1203	16	8b6 (250ns)
102111	622	12980742581550364500809616k1 (450ns)	1204	16	4b6 (250ns)
103111	628	25961485163000729001619328k1 (450ns)	1205	16	2b6 (250ns)
104111	634	51922970326001458003238656k1 (450ns)	1206	16	1b6 (250ns)
105111	640	103845940652002916006477312k1 (450ns)	1207	16	512b7 (250ns)
106111	646	2076918813040058320128154624k1 (450ns)	1208	16	256b7 (250ns)
107111	652	4153837626080116640256309248k1 (450ns)	1209	16	128b7 (250ns)
108111	658	8307675252160233280512618596k1 (450ns)	1210	16	64b7 (250ns)
109111	664	16615350504320466561024123912k1 (450ns)	1211	16	32b7 (250ns)
110111	670	33230701008640933122048247824k1 (450ns)	1212	16	16b7 (250ns)
111111	676	6646140201728186624096496464k1 (450ns)	1213	16	8b7 (250ns)
112111	682	132922804034563724481921992928k1 (450ns)	1214	16	4b7 (250ns)
113111	688	26584560806912744896384395584k1 (450ns)	1215	16	2b7 (250ns)
114111	694	5316912161382548979276879166k1 (450ns)	1216	16	1b7 (250ns)
115111	700	1063382432276509795855375832k1 (450ns)	1217	16	512b8 (250ns)
116111	706	2126764864553019591710751664k1 (450ns)	1218	16	256b8 (250ns)
117111	712	4253529729106039183421503328k1 (450ns)	1219	16	128b8 (250ns)
118111	718	8507059458212078366843006656k1 (450ns)	1220	16	64b8 (250ns)
119111	724	17014118916424156732886013312k1 (450ns)	1221	16	32b8 (250ns)
120111	730	34028237832848313465772026624k1 (450ns)	1222	16	16b8 (250ns)
121111	736	68056475665696626931544053248k1 (450ns)	1223	16	8b8 (250ns)
122111	742	13611295133139325386308810656k1 (450ns)	1224	16	4b8 (250ns)
123111	748	27222590266278650772617621312k1 (450ns)	1225	16	2b8 (250ns)
124111	754	54445180532557301545235242624k1 (450ns)	1226	16	1b8 (250ns)
125111	760	10889036106511460309046485248k1 (450ns)	1227	16	512b9 (250ns)
126111	766	21778072213022920618089610496k1 (450ns)	1228	16	256b9 (250ns)
127111	772	43556144426045841236179220992k1 (450ns)	1229	16	128b9 (250ns)
128111	778	87112288852091682472358441984k1 (450ns)	1230	16	64b9 (250ns)
129111	784	174224577704183364944716883968k1 (450ns)	1231	16	32b9 (250ns)
130111	790	348449155408366729888133767936k1 (450ns)	1232	16	16b9 (250ns)
131111	796	69689831081673345977626755984k1 (450ns)	1233	16	8b9 (250ns)
132111	802	139379662163346691955253511968k1 (450ns)	1234	16	4b9 (250ns)
133111	808	278759324326693383910410703936k1 (450ns)	1235	16	2b9 (250ns)
134111	814	557518648653386767820821407872k1 (450ns)	1236	16	1b9 (250ns)
135111	820	111503729730677353564162281564k1 (450ns)	1237	16	512b10 (250ns)
136111	826	223007459461354707128324553112k1 (450ns)	1238	16	256b10 (250ns)
137111	832	446014918922709414256491062224k1 (450ns)	1239	16	128b10 (250ns)
138111	838	892029837845418828512982124448k1 (450ns)	1240	16	64b10 (250ns)
139111	844	178405967569083765702596424896k1 (450ns)	1241	16	32b10 (250ns)
140111	850	356811935138167531405192849792k1 (450ns)	1242	16	16b10 (250ns)
141111	856	713623870276335062810385699584k1 (450ns)	1243	16	8b10 (250ns)
142111	862	1427247740552670125620771399168k1 (450ns)	1244	16	4b10 (250ns)
143111	868	2854495481105340251241542798336k1 (450ns)	1245	16	2b10 (250ns)
144111	874	570			



## JE600 Hexadecimal Encoder Kit

FULL 8-BIT LATCHED OUTPUT 19-KEY KEYBOARD

The JE600 Encoder Keyboard Kit provides two separate hexadecimal digits produced from sequential key entries to allow direct programming for 8-bit microprocessor or 8-bit memory circuits. Three additional keys are provided for user operations with one having a bistable output available. The outputs are latched and monitored with 9 LED readouts. Also included is a key entry strobe. Features: Full 8-bit latched output for microprocessor use. Three user-defined keys with one being bistable operation. Debounce circuit provided for all 19 keys. 9 LED readouts to verify entries. Easy interfacing with standard 16-pin IC connector. Only +5VDC required for operation. Size: 3 1/2" H x 8 1/4" W x 8 3/4" D.


JE600/DTE-HK (As pictured above) ... \$99.95

JE600 Kit 19-Key Hexadecimal Keyboard, PC Board & Components (no case) ... \$59.95

K19 19-Key Keyboard (Keyboard only) ... \$14.95

DTE-HK (case only - 3 1/2" H x 8 1/4" W x 8 3/4" D) ... \$44.95

## JE610 ASCII Encoded Keyboard Kit



The JE610 ASCII Keyboard Kit can be interfaced into most any computer system. The kit comes complete with an industrial grade keyboard switch assembly (62-keys), ICs, sockets, connector, electronic components and a double-sided printed wiring board. The keyboard assembly requires +5V @ 150mA and -12V @ 10 mA for operation. Features: 60 keys generate the 126 characters, upper and lower case ASCII set. Fully buffered. Two user-defined keys provided for custom applications. Caps lock for upper-case-only alpha characters. Utilizes a 2376 (40-pin) encoder read-only memory chip. Outputs directly compatible with TTL/DTL or MOS logic arrays. Easy interfacing with a 16-pin dip or 18-pin edge connector. Size: 3 1/2" H x 14 1/4" W x 8 3/4" D.

JE610/DTE-AK (As pictured above) ... \$124.95

JE610 Kit 62-Key Keyboard, PC Board, & Components (no case) ... \$79.95

K62 62-Key Keyboard (Keyboard only) ... \$34.95

DTE-AK (case only - 3 1/2" H x 14 1/4" W x 8 3/4" D) ... \$49.95

## JE121 - Negative 12VDC Adapter Board Kit

For JE610 ASCII KEYBOARD KIT Kit/Provides -12VDC from incoming 5VDC ... \$9.95

## JE215 Adjustable Dual Power Supply

General Description: The JE215 is a Dual Power Supply with independent adjustable positive and negative output voltages. A separate adjustment for each of the supplies provides the user unlimited applications for IC current voltage requirements. The supply can also be used as a general all-purpose variable power supply.

- FEATURES:
- Adjustable regulated power supplies, pos. and neg. 1.2VDC to 15VDC.
  - Power Output (each supply): 5VDC @ 500mA, 10VDC @ 750mA, 12VDC @ 500mA, and 15VDC @ 175mA.
  - Two, 3-terminal adj. IC regulators with thermal overload protection.
  - Heat sink regulator cooling.
  - LED "on" indicator.
  - Printed Board Construction.
  - 120VAC input.
  - Size: 3 1/2" w x 5 1/16" h x 2" D.

JE215 Adj. Dual Power Supply Kit (as shown) ... \$24.95

(Picture not shown but similar in construction to above)

JE200 Reg. Power Supply Kit (5VDC, 1 amp) ... \$14.95

JE205 Adapter Bld. (to JE200) \$5.19 & 12V ... \$12.95

JE210 Var. Pwr. Supply Kit, 5-15VDC, to 1.5amp ... \$19.95

## HP-Display Sale-National 5082 Series - 0.43 Inch - 7-Segment

Part Number	Color	Description	1-3 Price	SALE PRICE
5082-7650	Hi Eff Red	CA - LHD	99	4/\$2.49
5082-7651	Hi Eff Red	CA - RHD	99	4/\$2.49
5082-7652	Hi Eff Red	CC - RHD	99	4/\$2.49
5082-7656	Hi Eff Red	Overflow to 1RHD	99	4/\$2.49
5082-7660	Yellow	CA - LHD	99	4/\$2.49
5082-7661	Yellow	CA - RHD	99	4/\$2.49
5082-7663	Yellow	CC - RHD	99	4/\$2.49
5082-7670	Green	CA - LHD	99	4/\$2.49
5082-7671	Green	CA - RHD	99	4/\$2.49
5082-7673	Green	CC - RHD	99	4/\$2.49
5082-7676	Green	Overflow to 1RHD	99	4/\$2.49
5082-7750	Red	CA - LHD	99	4/\$2.49
5082-7751	Red	CA - RHD	99	4/\$2.49
5082-7756	Red	Overflow to 1RHD	99	4/\$2.49
5082-7760	Red	CC - RHD	99	4/\$2.49

CA-Comm. Anode CC-Comm. Cathode LHD/RHD-Left/Right hand dec.



UTIC Mini Stereo AM/FM Receiver

CLOSE-OUT!

FEATURES: Lightweight headphones. Left/right balance control. Full fidelity stereo sound. Additional black soft carrying case & shoulder strap. Belt clip (hands free). Operates on 3 AA cell batteries (not incl.). Compact size: 3 1/4" x 4 1/4" x 1". Wt. 6 oz.

Model 2830 ... \$29.95

## KEYBOARDS — POWER SUPPLIES

**ALPS 26-KEY CALCULATOR KEYBOARD**  
Features: 7 Position, 2 Position Switching (ON/OFF). These are from Olivetti's Top of the Line. Mechanical SPST Switching; 22-pin Edge Card Connection.  
Part No. KB26 ... \$1.95 each or 2/\$3.49

**MICRO SWITCH 69-KEY KEYBOARD**  
Data Entry Keyboard, Encoded Output: 8-bit Parallel EBC DIC. Switching: Hall Effect, 24-pin Edge Card Connection. Complete with Pin Connector.  
Part No. KB69SD12-2 (Fits into DTE-20 Enclosure) ... \$19.95 each

**DATANETICS 74-KEY KEYBOARD**  
ASCII Encoded Keyboard, Output: Even Parity ASCII. Supply voltage +5, -12 volt. Switching: Mechanical SPST - 50-pin Connection. Complete with Pin Connector.  
Part No. KB354 (Fits into DTE-20 Enclosure) ... \$29.95 each

**MICRO SWITCH 85-KEY KEYBOARD**  
Word Processing Keyboard, 28 Pin Edge Card Connection. Supply Voltage +5VDC. Main Keyboard is QWERTY. Additional Key Pads for Cursor and word processing functions.  
Part No. 85SD18-1 ... \$29.95 each

**MICRO SWITCH 88-KEY KEYBOARD (PARALLEL ASCII)**  
Data Entry Keyboard used in a Diablo 1640 Terminal. Supply Voltage +5V, -12V. Switching: Hall Effect - 18-pin Edge Card Connection. Schematic Included. Uses 8048 Encoder Chip.  
Part No. 88SD22 (Fits into DTE-20 Enclosure) ... \$69.95 each

**POWER SUPPLY - 5VDC @ 1 AMP REGULATED**  
Transaction Tech Output +5VDC @ 1 amp (also +30VDC) reg. input 115VAC 60Hz. Two-tone (black/beige) self-enclosed case. 6 in. x 3 in. black power cord. Size: 6 1/2" W x 7 1/2" D x 2 1/4" H. Wt. 3 lbs.  
Part No. PS51194 ... \$19.95 each

**POWER SUPPLY - 5VDC @ 1 AMP REGULATED**  
B Industries Output +5VDC @ 1 amp, +36-42VDC adj. 400mA or less, 30VAC (isol.) @ 1.5 amp. Input 115VAC 60Hz. Circ. brkr. re-set button. Bk. self-enc. case w/4 rubber feet. 6 in. x 3 in. black pow. cord. On/off switch. 6 1/2" W x 7 1/2" D x 3 7/8" H - w/ 7 lbs.  
Part No. PS407D ... \$24.95 each

**POWER SUPPLY - 5VDC @ 7.5 AMP, 12VDC @ 1.5 AMP SWITCHING**  
Input: 115VAC, 50-60Hz @ 3 amp/230VAC, 50Hz @ 1.5 amp. Fan vol./power supply select switch (115/230VAC). Output: 5VDC @ 7.5 amp, 12VDC @ 1.5 amp. 8 in. blk. pow. cord. 11 1/2" W x 13 1/4" D x 3 1/2" H. Wt. 6 lbs.  
Part No. PS94V0 ... \$49.95 each

**POWER PAC - Heavy Duty Multi-Voltage Power Supply - 5VDC, 12VDC, 24VDC**  
Output: +5VDC @ 3A, +12VDC @ 2A, +24VDC @ 1A & +24VDC @ 3A. Input: 115VAC, 7A, 220VAC, 3.5A. Reg. @ 15% line & load cond. Ripple: 10mV peak to peak (3MV RMS). Overvolt. protect. 5V, +12V, -12V. Overcurr. protect. incl. 15 1/2" L x 11 1/8" D. Wt. 40 lbs.  
Part No. 285-016 ... \$89.95 each

## SORENSEN Regulated Power Supplies

Sorensen's open construction (SOC) power supplies are series-regulated solid-state systems, designed to provide reg. DC voltages at 6 levels (2-28 Vrange). These units are open-framed on sturdy black anodized aluminum for excellent mounting.

FEATURES: 115/208/230VAC input @ 50-60Hz. Low Ripple: 1.5mVrms, 5mV P-P maximum. Adjustable current limit. Voltage adjustment control. All schematics and specifications supplied with unit. Series A,B,C,E have three mounting surfaces (Series F, bottom mounting only).

Part No.	Series	Output Voltage Adjustment Range	Output Current AMPs (Amps)	Size (inches)	Weight	Price
SOC 24	A	1.5 - 2.5	4.0	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 26	B	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 28	C	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 30	D	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 32	E	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 34	F	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 36	A	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 38	B	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 40	C	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 42	D	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 44	E	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 46	F	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 48	A	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 50	B	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 52	C	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 54	D	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 56	E	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95
SOC 58	F	1.5 - 2.5	2.5	5.62 x 4.88 x 3.50	4.3 lbs.	\$19.95

## Powertec Sub-Modular DC Power Supplies

SM Series power supplies include rectifying, filtering, regulating, overload and overvoltage protection functions. You need only connect the sub-module to the appropriate secondary transformer tap and bolt the unit to a heatsink.

REGULATION: LINE: 10% for a change from -10% to +10% input voltage. LOAD: 15% for a 0-100% load change (units below 5V output maintain 5% regulation). OUTPUT RIPPLE: 1mV RMS, 3mV P-P typical. 5mV P-P maximum. INPUT CHARACTERISTICS: Requires low-level AC input. Derate output current 15% for operations at 50Hz.

Part Number	Output Voltage		Output Current		Power Transformer Requirements (Transformers Not Included)	Size (inches)	Wt.	Price	
	+180V +7.8V to 7.9V	+200V +7.8V to 10.9V	+300V +10.9V to 15.7V	+500V +22.0V to 36.9V					
22A300				0.22A	115-120VAC	17VAC 5A c/w CT	2.50 x 3.00 x .98	2 oz.	\$14.95
22B200		2.2A			115-120VAC	27VAC 3A w/CT	3.00 x 5.75 x 1.18	8 oz.	14.95
22B300			1.7A		115-120VAC	28VAC 2.5A w/CT	2.75 x 5.75 x 1.18	8 oz.	14.95
22C100	6.0A				115-120VAC	18VAC 6A w/CT	2.80 x 7.50 x 1.18	8 oz.	24.95
22C500				2.5A	115-120VAC	48VAC 3A w/CT	2.80 x 7.50 x 1.18	8 oz.	24.95
22D300			6.8A		115-120VAC	28VAC 10A w/CT	3.00 x 7.00 x 3.30	2 lbs.	24.95

\*Voltage Adjustment Range - Current ratings apply over entire voltage range.

## SHIPMENT IN 24 HOURS

7:00AM to 5:00PM (PST)

Call: (415) 592-8097

## JUMPER AND CABLE ASSEMBLIES

STANDARD DIP JUMPERS  
All jumpers use low profile dip plugs with heavy duty pins for repeated disconnect applications.

Part No.	Series	No. Pins	Description	Length	Price
J41-1	1	14	single end 12"	12"	\$1.79
J41-2	2	14	double end 24"	24"	2.05
J41-3	3	14	single end 12"	12"	2.35
J41-4	4	14	double end 24"	24"	2.60
J41-5	5	14	single end 12"	12"	2.85
J41-6	6	14	double end 24"	24"	3.10
J41-7	7	14	single end 12"	12"	3.35
J41-8	8	14	double end 24"	24"	3.60
J41-9	9	14	single end 12"	12"	3.85
J41-10	10	14	double end 24"	24"	4.10
J41-11	11	14	single end 12"	12"	4.35
J41-12	12	14	double end 24"	24"	4.60
J41-13	13	14	single end 12"	12"	4.85
J41-14	14	14	double end 24"	24"	5.10
J41-15	15	14	single end 12"	12"	5.35
J41-16	16	14	double end 24"	24"	5.60
J41-17	17	14	single end 12"	12"	5.85
J41-18	18	14	double end 24"	24"	6.10
J41-19	19	14	single end 12"	12"	6.35
J41-20	20	14	double end 24"	24"	6.60
J41-21	21	14	single end 12"	12"	6.85
J41-22	22	14	double end 24"	24"	7.10
J41-23	23	14	single end 12"	12"	7.35
J41-24	24	14	double end 24"	24"	7.60
J41-25	25	14	single end 12"	12"	7.85
J41-26	26	14	double end 24"	24"	8.10
J41-27	27	14	single end 12"	12"	8.35
J41-28	28	14	double end 24"	24"	8.60
J41-29	29	14	single end 12"	12"	8.85
J41-30	30	14	double end 24"	24"	9.10

## STANDARD DB25 SERIES CABLES

Now you can order DB25 P or S connectors with the cable necessary to fit your application. Choose from our standard flat cable in 4-foot lengths. Call today.

Part No.	Cable Length	Connectors	Price
DB25P-4	4 feet	1-DB25P	\$ 9.95 ea.
DB25S-4	4 feet	1-DB25S	10.95 ea.
DB25P-8	8 feet	2-DB25P	16.95 ea.
DB25S-8	8 feet	2-DB25S	17.95 ea.
DB25P-16	16 feet	4-DB25P	32.95 ea.
DB25S-16	16 feet	4-DB25S	33.95 ea.

\$10.00 Minimum Order - U.S. Funds Only  
California Residents Add 6 1/2% Sales Tax  
Postage - Add 5% plus \$1.50 Insurance  
Send S.A.S.E. for Monthly Sales Flyer!

Spec Sheets - 30c each  
Send \$1.00 Postage for your  
FREE 1983 JAMECO CATALOG  
Prices Subject to Change

Call for Quantity Discounts

Mail Order Electronics - Worldwide

Jameco ELECTRONICS

1355 SHOREWAY ROAD, BELMONT, CA 94002  
PHONE ORDERS WELCOME - (415) 592-8097

## 5 1/4" Mini-Floppy Disc Drive

FOR TRS-80 MODEL I, III (Industry Standard)  
Features single or double density. Recording mode: FM single, MFM double density. Power: +12VDC (±0.0V) 1.6 amp max. +5VDC (±0.25V) 0.8 amp max. Unit as pictured at left (does not incl. case, power supply or cables). 30-page data book included. Weighs 3 1/2 pounds. Size: 5 1/4" W x 8 1/4" D x 3 1/4" H.  
Limited Quantity!  
Price  
FD200 ... \$179.95  
Single-sided, 40 tracks, 250K bytes capacity  
FD250 ... \$199.95  
Double-sided, 35 tracks, 438K bytes capacity



## EXPAND YOUR TRS-80

to 16K, 32K, or 48K  
\*\*Model 1 = From 4K to 16K Requires (1) One Kit  
Model 3 = From 4K to 48K Requires (3) Three Kits  
Color = From 4K to 16K Requires (1) One Kit  
\*\*Model 1 equipped with Expansion Board up to 48K Two Kits Required - One Kit Required for each 16K of Expansion -

## TRS-80 16K Conversion Kit

Kit comes complete with 8 ea. MM5290 (UPD416/4116) 16K Dynamic RAM (\*ns) and documentation for conversion.  
TRS-16K2 \*150ns ... \$16.95  
TRS-16K3 \*200ns ... \$14.95  
TRS-16K4 \*250ns ... \$10.95

## TRS-80 Color 32K Conversion Kit

Kit comes complete with 8 ea. 4164-2 (200ns), 64K Dyn. RAMs & conversion documentation. Converts TRS-80 color computers with E-Revision Boards from 16K to 32K.  
TRS-64K2 (200ns) ... \$69.95

## Computer Keyboard Enclosure

"DTE" Blank Desk-Top Enclosures are designed for easy modification. High strength epoxy molded and pieces in mod. brown finish. Sliding rear/bottom panel for service/component access. Top/bottom panels (color) thick alum. extr. 1200 finish (gold tint color) for best paint adhesion after modification. Vent top & bottom panels for cooling efficiency.  
DTE-20 Panel width 20" ... \$39.95



## Pee Wee Boxer Fan

36cm free air delivery  
3 1/2" sq. x 1 1/8" depth  
10 yrs. cont. duty at 20°C  
115V 50/60Hz  
For Apple users  
PWS2107U Cleaned & tested (used) ... \$ 7.95 ea.  
PWS2107F New ... \$12.95 ea.



## Muffin Fan



# WAMECO

## THE COMPLETE PC BOARD HOUSE EVERYTHING FOR THE S-100 BUSS

### TWO NEW BOARDS

#### CRT-1 VIDEO BOARD

- \* SIMULATES INTELLIGENT TERMINAL
- \* SEPARATE & COMPOSITE VIDEO
- \* LT.PEN INTERFACE
- \* 4K X 8 DISPLAY RAM
- \* APL PROM LOCATION
- \* 4K X 4 ATTRIBUTE RAM
- \* 2K OR 4K OF PROGRAM LOCATION
- \* KEYBOARD INTERFACE

PCBD.....	\$40.95
KIT.....	\$259.95
A & T.....	\$319.95

#### MEM-4, RAM/ROM 65K X 8

- \* USES TMN 2016 - TMS 4016 RAMS OR 2716 EPROM IN ANY LOCATION
- \* EXTENDED ADDRESSING
- \* EXPANDABLE IN 2K BLOCKS
- \* HCMOS COMPATIBLE FOR ALL SUPPORT
- \* BI - DIRECTIONAL BUSSING AVAILABLE ON DI OR DO LINES (SAME MEM-3)
- \* BANK SELECTABLE USING EXTENDED ADDRESSING ON UPPER PORTION OF MEMORY

PCBD.....	\$40.95
KIT (LESS RAM).....	\$109.95
A & T LESS RAM.....	\$139.95

NOW DISTRIBUTING FOR EXTEK. EXTEK-64 EXPANSION FOR SSM'S PB-1. PROGRAMS 2732, 2732A AND 2764. ON THE PB-1 BANK DISABLE FOR PROGRAMMING SOCKET, SOCKETS EXTENDS ABOVE THE PB-1 SO NO EXTENDER IS REQUIRED. CP/M COMPATIBLE SOFTWARE DISC IS INCLUDED.  
KIT.....\$115.95, A & T.....\$129.95

**FOR 24 X 80 OR 36 X 80 INITIALIZATION FIRMWARE CHANGES FOR CRT-1  
PLEASE SEND SELF ADDRESSED STAMPED ENVELOPE.**

**wmc inc.**

WAMECO, INC., P. O. BOX 877 • EL GRANADA, CA 94018 • (415) 728-9114



#### CALIFORNIA COMPUTER SYSTEMS

##### \$100

2032 32K STATIC RAM A & T 200 NSEC	\$468.00
2116 16K STATIC RAM A & T 200 NSEC	\$279.50
2065 64K DYNAMIC RAM A & T	\$351.00
2200 S-100 MAIN FRAM A & T	\$500.00
2422A FLOPPY DISC WITH CP/M 2.2	\$372.50
2831A ARITHMETIC PROCESSOR A & T	\$552.50
2810A Z80 CPU A & T	\$281.25
2710A 4 SERIAL I/O A & T	\$291.95
2501A 12 SLOT MOTHER BOARD	\$180.00
2720A 4 PARALLEL A & T	\$214.95
PROTO BOARDS WW	\$39.95

##### APPLE PRODUCTS

7114A 12K ROM/PROM	\$99.95
7424A CALENDAR/CLOCK	\$106.95
7440A PROGRAMMABLE TIMER	\$106.95
7470A A TO D CONVERTER	\$105.95
7490A GPIB (IE 488) INTERFACE	\$182.00
7710A ASYNC SERIAL	\$125.95
7712A SYNC SERIAL	\$148.50
7720A PARALLEL STANDARD	\$105.00
7720B PARALLEL CENTRONICS	\$105.00
7811B ARITHMETIC PROCESSOR W/DISC	\$325.00
7811C ARITHMETIC PROCESSOR W/ROM	\$325.00
7520A EXTENDER	\$23.50
7300A APPLE CLIP	\$8.00

##### SOFTWARE

23-01 CP/M™ MACRO ASSEMBLER ON DISK	\$76.95
24-01 CP/M™ SYMBOLIC INSTRUCTION DEBUGGER	\$64.25
25-01 CP/M™ TEXT FORMATER	\$64.25
26-01 CP/M™ BACKGROUND PRINT UTILITY	\$42.95

OTHER CCS PRODUCTS ARE AVAILABLE.  
CALL FOR PRICE.



#### MICROCOMPUTER PRODUCTS

##### \$100 PRODUCTS

CB1A 8080 PROCESSOR PCBD KIT	\$36.95 \$155.95 A & T
CB-2 280 PROCESSOR BOARD KIT	\$269.95 \$198.95 A & T
VB1C 64 x 16 VIDEO. PCBD KIT	\$36.95 \$153.95 A & T
VB2 64 x 16 VIDEO. PCBD KIT	\$32.95 \$175.95 A & T
VB3 80 CHARACTER VIDEO 4MHZ KIT	\$425.95 \$345.95 A & T
UPGRADE RAMS FOR VB-3	\$42.00
IO4 2 PARALLEL 2 SERIAL PCBD KIT	\$36.95 \$160.95 A & T
PB-1 2708. 2716 PROGRAMMER BOARD KIT	\$189.95 \$140.95 A & T
MB-10 16K STATIC RAM KIT	\$339.95 \$299.95 A & T

##### APPLE PRODUCTS

A488 IEEE 488 INTERFACE	\$399.95
A10 - II SERIAL/PARALLEL INTERFACE A & T	\$178.00
AS10 SERIAL I/O A & T	\$115.95
AP10 PARALLEL I/O W/O CABLES A & T	\$87.95

OTHER SSM PRODUCTS ARE AVAILABLE.  
CALL FOR PRICES.

**MIKOS**

MONDAY-FRIDAY 8:00 TO 12:00 \* 1:00 TO 5:30  
THURSDAYS 8:00 TO 9:00 P.M.

(415) 728-9121

P.O. BOX 955 • EL GRANADA, CA 94018

PLEASE SEND FOR IC, XISTOR AND COMPUTER PARTS LIST

#### OCT. SPECIAL SALE ON PREPAID ORDERS

(CHARGE CARDS C.O.D. OR P.O.'S NOT AVAILABLE)  
MUST MENTION AD FOR SPECIAL PRICES

EXTEK XB-64 ADAPTER FOR PROGRAMING 2732, 2732A AND 2764. KIT	\$95.00
WAMECO MEM - 4 KIT LESS RAM	\$95.95

#### wmc inc. WAMECO INC. BOARDS WITH MIKOS PARTS

MEM-3 32K STATIC RAM. PCBD KIT LESS RAM	\$36.95 \$95.95 A & T
CPU-2 Z80 PROCESSOR. PCBD KIT LESS ROM	\$32.95 \$109.95 A & T
EPM-2 16K/32K EPROM. PCBD KIT LESS ROM	\$32.95 \$65.95 A & T
FPB-1 FRONT PANEL. PCBD KIT	\$48.50 \$144.95 A & T
CRT-1 36 OR 24 x 80 VIDEO BOARD. PCBD KIT	\$38.95 \$249.95 A & T

MEM-4 65K RAM/ROM BOARD. PCBD KIT LESS MEMORY	\$38.95 \$99.95 A & T
LESS MEMORY	\$129.95

OTHER WAMECO PRODUCTS ARE AVAILABLE.  
CALL FOR PRICES.

MIKOS PARTS ASSORTMENTS ARE ALL FACTORY MARKED PARTS. KITS INCLUDE ALL PARTS LISTED AS REQUIRED FOR THE COMPLETE KIT LESS PARTS LISTED ALL SOCKETS INCLUDED

**LARGE SELECTION OF LS TTL AVAILABLE.**  
PURCHASE \$50.00 WORTH OF LS TTL AND GET 10% CREDIT TOWARD ADDITIONAL PURCHASES. PREPAID ORDERS ONLY.

VISA or MASTERCARD: Send account number, interbank number, expiration date and sign your order. Approx. postage will be added. Orders with check or money order will be sent post paid in U.S. If you are not a regular customer, please use charge cashier's check or postal money order. Otherwise there will be a two-week delay for checks to clear. Calif. residents add 6.5% tax. Money back 30-day guarantee. We cannot accept returned IC's that have been soldered to. Prices subject to change without notice. \$20 minimum order. \$2.00 service charge on orders less than \$20.00.



# B. G. MICRO

P. O. Box 280298 Dallas, Texas 75228

(214) 271-5546

Visa • MasterCard • American Express

## STATIC RAM

21L02-1KX1 250 n.s.  
Low Power ..... .75

2114L-3 1KX4 300 n.s.  
Low Power ..... 2.75 8/17.95

HM6116P-4-2KX8 + 5v-200 n.s.  
CMOS Low Power 2716

Style Pin Out ..... 8/56.00

TMM2016-2KX8 + 5v-NMOS  
200 n.s. - 2716 Style Pin

Out ..... 8/56.00

6501-5 256X4 - CMOS - Data  
Retention 2 Volts - 22 Pin - 200 n.s.

Typ. - 5V - Very Low Power .. 1.50

6514-J-5 1KX4-CMOS Super Low  
Power 350 n.s. Similar to 2114

Same Pin Out ..... 2.00

8108-5 1KX8 NMOS 5V 500 NS  
22 Pin ..... 2.00

## 4K STATIC RAMS LESS THAN 94¢ EACH

MK4104J-4 - 250 N.S. 18 Pin Ceramic  
Computer Mfg. Surplus. PRIME. Fully  
Static. Easy to Use. Has Same Pin Out  
as TMS4044, but slightly different  
timing. With Specs. (Mostek)

8 for 8.95 32 for 29.95

VERY LOW POWER!

## DYNAMIC RAM

5280N-5 (2107B-4 • TMS4060)

4KX1 22 Pin ..... 8/3.95

4027-4KX1-250 n.s. .... 1.75

4116-16KX1-250 n.s. .... 8/10.00

4116-16KX1-200 n.s. .... 8/11.50

4164- +5v 64K ..... 8/64.00

## CRYSTALS

262.144 Khz 1.10 5.000000 2.49

300.000 1.25 5.616 1.59

2.000000 Mhz 2.49 9.90000 1.25

3.579545 1.00 10.69425 2.49

4.433618 1.00 10.695000 1.59

4.444000 1.25 11.088 1.59

4.916 14.31818 2.49

Baud Rate 1.99

## CPU

8080A 2.50 8085 5.95

8035 5.95 8748 15.95

8039 6.95

## 8080 SUPPORT

8212 1.50 8228 3.00

8214 2.00 8251 3.95

8216 1.95 8253 2.95

8224 1.50 8255 3.25

Send for free brochure on Linears, BI Fets,  
Tone Decoders, Transistors, L.E.D.s,  
Power Supplies, Modems, Crystal  
Oscillators and many more bargains.

## 74LS

LS00 .24	LS32 .36	LS138 .79	LS174 .89	LS243 1.49	LS367 .79
LS02 .24	LS42 .49	LS139 .79	LS175 .89	LS244 .99	LS368 .79
LS04 .24	LS74 .44	LS151 .79	LS181 1.99	LS245 1.95	LS373 .99
LS05 .24	LS85 .95	LS153 .79	LS192 .89	LS257 .79	LS374 1.49
LS08 .24	LS86 .39	LS154 1.75	LS193 .89	LS266 .59	LS375 1.19
LS10 .24	LS90 .69	LS157 .79	LS221 1.10	LS283 .99	LS377 1.49
LS14 .89	LS109 .39	LS161 .99	LS240 .99	LS290 .99	LS390 1.19
LS20 .24	LS123 .99	LS164 .99	LS241 .99	LS293 1.75	LS393 1.19
LS27 .24	LS125 .95	LS166 .99	LS242 1.49	LS298 .89	LS399 .99
LS30 .24					

## VOLTAGE REGULATOR

78M05 - +5v - 500 MA

TO 220 ..... 3/1.10

7805 .99 7905 .99

7808 .99 7912 .99

7812 .99 7915 .99

7815 .99 7924 .99

7824 .99

LM317T - TO 220 ..... 1.60

LM323K-+5v-3A.

TO-3 ..... 3.95 3/10.00

LAS 1412-+12v-3A

TO-3 ..... 3.95 3/10.00

7905-TO-3 -5v 1A ..... 1.00

## MISCELLANEOUS

AY3-8910-Sound Chip with 60

page data manual ..... 12.95

DM8131 6 Bit Unified Bus

Comparator ..... 2.99

TR1602-UART same as

AY5-1013 ..... 1.99

IM6402-+5v High speed

UART-AY5-1013 pin out ..... 2.00

MC1408L6 D to A Converter

8 Bit ..... 1.79

AD561J D to A Converter

10 Bit ..... 1.79

1771 Single Density FDC .... 22.50

1791 Double Density FDC ... 29.95

5027-CRT Controller -

Programmable - 24 x 80 .... 14.95

68B45 - Motorola (HD46505SP)

CRT Controller ..... 17.50

## TTL

7400 .19 7410 .19 74109 .45

7402 .19 7438 .22 74125 .49

7404 .19 7440 .19 74154 1.19

7406 .19 7474 .29 74175 .79

7408 .19 7486 .29 74367 .59

## PROMS

82S123 ..... 1.99

82S129 ..... 1.99

74S571 Special ..... 2.75

## 74S

74S04 .39 74S240 1.99

74S138 .95 74S244 1.99

## Z80

Z80 2.5 MHZ CPU ..... 4.50

Z80DMA-DMA Controller ..... 9.95

Z80PIO - Parallel ..... 5.95

Z80SIO/O Chan. Ser. .... 16.95

Z80A-4MHZ CPU ..... 7.95

Z80A SIO/O ..... 19.95

## BIT SLICE

AMD2901-4 Bit Slice ..... 7.95

AMD2903-4 Bit Super

Slice ..... 12.95

AMD2911 Sequencer ..... 3.95

AMD29705-16 Register

Files ..... 4.95

## EPROM

1702A 256X8 1 us ..... 2.50

2708 1KX8 450 n.s. .... 2.95

27A08 1KX8 350 n.s. .... 3.95

2716 2KX8+5v 450 n.s. .... 5.95

(Buy 2 get 1 Free)

2716-1 2KX8+5v 350 n.s. .... 7.95

2732 4KX8 450 n.s. Intel P. O. ... 7.95

2732A-3 4K x 8 350 n.s.

Intel Pin Out Low Power ..... 9.95

2532 4KX8 450 n.s. T.I. P. O. .... 9.95

## SOCKETS

## Low Profile SOLDER TAIL

8 Pin 13/1.00

14 Pin 10/1.00

16 Pin 8/1.00

18 Pin 8/1.00

20 Pin 7/1.00

24 Pin 6/1.00

28 Pin 6/1.00

40 Pin 5/1.00

## BUY \$10

## GET \$1.00 - FREE CHOICE

## DIP SWITCHES

4 Position ..... .60

5 Position ..... .65

6 Position ..... .70

7 Position ..... .80

8 Position ..... .90

TERMS: Add \$1.50 postage, we pay balance. Orders over \$50.00 add 85¢ for insurance. No C.O.D. Texas Res. add 5% Tax. 90 Day Money Back Guarantee on all items. All items subject to prior sale. Prices subject to change without notice. Foreign order - U.S. funds only. We cannot ship to Mexico. Countries other than Canada, add \$3.50 shipping and handling.




## THERE ARE NO BETTER BOARDS — THERE ARE NO BETTER PRICES!

# CompuPro FROM

SYSTEMS

## PRIORITY ONE ELECTRONICS



**CPU BOARDS**  
**CO-PROCESSOR 8086/8087**  
16 bit 8 or 10 MHz 8086 CPU with sockets  
for 8087 and 80130

Part No.	Description	List Price	Our Price
KJGBT186A	A&T 8MHz 8086 only	\$695.00	\$ 495.00
KJGBT186C	CSC 10MHz 8086 only	\$850.00	\$765.00
KJGBT186A87	A&T with 8087 option	\$995.00	\$795.00
KJGBT186C87	CSC with 8087 option*	\$1150.00	\$1065.00

\*8087 Limits clock speed to 5MHz

### SAVE \$200.00!!

#### DUAL PROCESSOR 8085-8088

6 or 8 MHz Provides true 16 Bit Power with a standard  
8 bit S-100 bus

KJGBT1612A	A&T 6MHz	\$425.00	\$325.00
KJGBT1612C	CSC 6/8 MHz	\$525.00	\$425.00

### SAVE \$100.00!!

TURN PAGE FOR COMPLETE COMPUPRO SYSTEMS

#### CPUZ - Z80B CPU NOW 6MHz!

3/6 MHz Z80B CPU with 24 Bit Addressing.  
FASTEST Z80 CPU AVAILABLE!

KJGBT160A	3/6 MHz A&T	\$295.00	\$225.00
KJGBT160C	3/6 MHz CSC	\$395.00	\$375.00



#### DISK CONTROLLERS

##### DISK 1 FLOPPY CONTROLLER

Fast DMA, Soft Sector, Controls 8" or 5 1/4" Single or  
Double Density. OUR BEST!

KJPBGT171ACPM	A&T w/CP/M2.2 & BIOS	\$670.00	\$450.00
KJGBT171C	CSC	\$595.00	\$555.00
KJGBTCPM80*	CP/M 2.2 for Z80/8085	\$175.00	
	with manuals & BIOS 8" S/D disk		
KJGBTCPM86	CP/M for 8086 with manuals & BIOS 8" S/D disk		\$300.00


### SAVE \$220.00!!

#### DISK 2/SELECTOR CHANNEL HARD DISK CONTROLLER

Fast DMA 2 board set. Controls 4 Shugart 4000 series  
or Fujitsu 2300 type drives. Includes CP/M 2.2\*

KJGBT177A	Assembled & Tested	\$795.00	\$595.00
KJGBT177C	CSC	\$895.00	\$850.00

### SAVE \$200.00!!



#### CMOS RAM SALE!

##### RAM 17 - 64K CMOS STATIC RAM

RAM 17, 12 MHz, 2 Watt, DMA Compatible 24 Bit Addressing

Part No.	Description	List Price	Our Price
KJGBT175A64	64K A&T	\$599.00	\$369.00
KJGBT175C64	64K CSC	\$750.00	\$699.00

### SAVE \$236.00!!

##### RAM 16 - 32K x 16 BIT CMOS STATIC RAM

8 and/or 16 Bit

816 RAM 16 12 MHz, 32K x 16 or 64K x 8

IEEE/696 16 Bit 2 Watt, 24 Bit Addressing

KJGBT180A	64K A&T	\$650.00	\$429.00
KJGBT180C	64K CSC	\$750.00	\$699.00

### SAVE \$221.00!

##### NEW! RAM 21 - 128K STATIC RAM

816 RAM 21 12MHz, 128K x 8 or 64K x 16

IEEE/696 8 or 16 Bit 1.2 Amps, 24 Bit Addressing

KJGBT190A	128K A&T	\$1695.00	\$ 995.00
KJGBT190C	128K CSC	\$1895.00	\$1795.00

### SAVE \$700.00!!!

#### M-DRIVE SOLID STATE DISK DRIVE, 3500% FASTER!

Not Really, But the Next Best Thing for CompuPro 8085/88 Users. Call for  
Detail on M-Drive.

M-Drive requires a 6MHz CPU 8085/88 dual processor, Disk 1 DMA disk  
controller and System Support 1 Multifunction Board


KJGBTMD128KA	128K of A&T memory & M-Drive Software	\$1198.00
KJGBTMD128KC	128K of CSC memory & M-Drive Software	\$1398.00
KJGBTMD256KA	256K of A&T memory & M-Drive Software	\$2395.00
KJGBTMD256KC	256K of CSC memory & M-Drive Software	\$2795.00

#### STATIC MEMORY BOARDS

##### RAM 20 - 32K STATIC RAM

RAM 20 10 MHz, 4K byte block disable, bank select  
or 24 bit addressing available 8, 16, 24 or 32K

KJGBT164A8	8K A&T	\$210.00	\$190.00
KJGBT164A8C	8K CSC	\$280.00	\$260.00
KJGBT164A16	16K A&T	\$285.00	\$260.00
KJGBT164A16C	16K CSC	\$355.00	\$325.00
KJGBT164A24	24K A&T	\$355.00	\$325.00
KJGBT164A24C	24K CSC	\$425.00	\$385.00
KJGBT164A32	32K A&T	\$425.00	\$295.00
KJGBT164A32C	32K CSC	\$495.00	\$450.00




#### S-100 MAINFRAME

110V 60Hz CVT Mainframe uses famous 20 slot

COMPUPRO Motherboard. (55 lbs.)

KJGBTENC20RM	20 Slot Rackmount	\$895.00	\$760.00
KJGBTENC20DK	20 Slot Desk Top	\$825.00	\$699.00



#### I/O BOARDS

##### SYSTEM SUPPORT 1 MULTIFUNCTION BOARD

Serial port (software prog. baud), 4K EPROM or RAM  
provision, 15 levels of interrupt, real time clock,  
optional math processor

Part No.	Description	List Price	Our Price
KJGBT162A	Assembled & Tested	\$399.00	\$295.00
KJGBT162C	CSC	\$495.00	\$460.00
KJGBT8231	Math Chip		\$195.00
KJGBT8232	Math Chip		\$195.00
KJGBT162AM1	A&T with 8231 Math Chip		\$490.00
KJGBT162CM1	CSC w/8231 Math Chip		\$655.00
KJGBT162AM2	A&T w/8232 Math Chip		\$490.00
KJGBT162CM2	CSC w/8232 Math Chip		\$655.00

### SAVE \$100.00!!

#### MPX CHANNEL BOARD

I/O Multiplexer, using 8085A-2 CPU on board with 4K RAM

KJGBT166A4	Assembled & Tested	\$495.00	\$395.00
KJGBT166C4	CSC	\$595.00	\$475.00

With 16K RAM

KJGBT166A16	Assembled & Tested	\$649.00	\$525.00
KJGBT166C16	CSC	\$749.00	\$649.00

#### INTERFACER 1

Two Serial I/O

KJGBT133A	Assembled & Tested	\$249.00	\$199.95
KJGBT133C	CSC	\$324.00	\$298.00

#### INTERFACER 2

Three parallel, one serial I/O board

KJGBT150A	Assembled & Tested	\$249.00	\$199.95
KJGBT150C	CSC	\$324.00	\$289.00

#### INTERFACER 3

Eight channel multi-use serial I/O board

KJGBT1748A	Assembled & Tested	\$699.00	\$469.00
KJGBT1748C	CSC 200 hr. 8 Port	\$849.00	\$750.00
KJGBT1745A	Assembled & Tested	\$599.00	\$399.00
KJGBT1745C	CSC 200hr. 5 port	\$699.00	\$629.00

#### INTERFACER 4

Three Serial, 1 Parallel, 1 Centronics Parallel

KJGBT187A	Assembled & Tested	\$350.00	\$315.00
KJGBT187C	CSC	\$450.00	\$415.00

#### SPECTRUM COLOR GRAPHICS

Color Graphics board with Parallel I/O

KJGBT144A	Assembled & Tested	\$399.00	\$249.00
KJGBT144C	CSC	\$449.00	\$339.00
KJGBT2D	Sublogic Universal Graphics Interpreter Software		\$35.00

### SAVE \$150.00!

#### S-100 MOTHERBOARDS

Active termination, 6-12-20 Slot

KJGBT153A	A&T 6 slot, 2 lbs.	\$140.00	\$125.00
KJGBT153C	CSC 6 slot, 2 lbs.	\$190.00	\$175.00
KJGBT154A	A&T 12 slot, 3 lbs.	\$175.00	\$155.00
KJGBT154C	CSC 12 slot, 3 lbs.	\$240.00	\$220.00
KJGBT155A	A&T 20 slot, 4 lbs.	\$265.00	\$235.00
KJGBT155C	CSC 20 slot, 4 lbs.	\$340.00	\$310.00

### SAVE!




## SPECIAL PURCHASE!

Circle 277 on Reader Service card.



California  
Computer  
Systems

### 64K IEEE-S100 DYNAMIC MEMORY CARD



- 2 or 4 MHz operation
- Designed to IEEE proposed S-100 bus standards
- Supports IMSAI-type front panels
- Operates with either an 8080 or Z-80 based S-100 system providing processor-transparent refreshes with both
- Bank-select system allows system memory expansion
- Bank-select port-s address is jumper selectable
- Any 16K block can be made bank-independent

- All 64K can be made bank-enabled on power-on & reset
- Fully buffered address and data lines
- Configuration as a 16K, 32K, or 48K board without the removal of RAMs
- Fail-safe refresh circuitry for extended Wait States
- Board configuration with reliable easy-to-configure Berg jumpers
- Supports DMA
- Jumper-selectable Phantom input

- Uses Popular 4116 RAMs
- Assembled & tested
- All ICs in sockets
- Full Factory Warranty

**KJCCS20653**

SHIPPING WEIGHT 2 lbs.


LIST PRICE: \$350.00

SAVE \$130.00!!

**\$249.00 ea or 4/\$880.00**

**SAVE  
\$130.00!!**

## 5Mb S-100 HARD DISK SUB-SYSTEM \$1495.00 5Mb S-100 HARD DISK BACK-UP \$1100.00\*





**MORROW  
DESIGNS**



Winchester speed, 5Mb capacity and reliability for only \$1495.00! The DISCUS M5 from Morrow Designs includes a 5Mb Seagate ST506 Winchester drive installed in a cabinet with cables and power supply, a DMA hard disk controller, CP/M® 2.2 operating system and Microsoft's BASIC programming language. Sounds too good to be true? There's more... a 5Mb add-on drive for additional storage or back-up is only \$1100.00. It's faster and more reliable than tape and costs less!

#### KEY FEATURES:

- Storage capacity of 6.38Mb unformatted; 5.0Mb formatted
- Band actuator and stepper motor head positioning
- 5.0 megabit/second transfer rate
- Same track capacity as a double density 8 inch floppy
- 170 millisecond random average access time, reducible to 95 ms via a simple software algorithm
- The only single S-100 DMA Hard disk controller board on the market today
- Fully compatible with high speed 6MHz and 8MHz CPUs of today and tomorrow
- DMA bus arbitration as outlined by the IEEE 696 standard
- Controls 1 to 4 soft sectored Winchester drives
- ST506 or SA 1000 interface compatible
- Variable sector length (256,512,1024, or 2048 byte sectors)
- Automatic CRC generation and checking
- Addresses 1 to 16 heads
- Addresses an infinite number of tracks
- Contains its own on-board microprocessor — Signetics 8X300
- 24-bit address burst DMA transfers
- Channel driven for enhanced speed
- All disk driver routines resident on the controller
- Variable format
- No buffering required
- Maximum transfer rate 5,000,000 bits per second
- Due to this high transfer rate, a minimum CPU speed of 2.5MHz is required



The DMAHDC has been designed for expansion. One to four drives can be attached directly and controlled. One to sixteen drive heads may be addressed. Any number of tracks may be specified during the seek routine by specifying one to two hundred and fifty-six tracks or more times. Each of the expansion abilities prepare the user to upgrade his system as technology advances to additional platters and tracks.

#### DISCUS M5 WITH DMA HARD DISK CONTROLLER KJMSDMM5

Software supplied on 8" IBM3740 disk with blank I/O and INSTALL program

KJMSDMM5B2B Software configured for Morrow DJ/2B controller and Mult I/O as console

KJMSDMM5DMA Software configured for Morrow DJ/DMA controller and Mult I/O as console

KJMSDMM55S Software supplied on 5 1/4" soft sector (IBM/Cromemco disk w/blank I/O and INSTALL program  
KJMSDMM5NS Software supplied on 5 1/4" 10 sector North Star disk with blank I/O and INSTALL program  
DISCUS M5 5Mb Subsystem List Price \$2195.00

**SALE PRICE \$1495.00**

(order by part numbers listed above; shipping weight 17 lbs.)

#### DISCUS M5 ADD-ON DRIVE

M5ADM5 5Mb Add-On Drive List Price \$1845.00

**SALE PRICE \$1100.00\***

\*With purchase of above M5 subsystem or with previous purchase of M5 subsystem from Priority One Electronics. Proof of prior M5 purchase required with order.

**CIRCLE OUR READER  
SERVICE NUMBER!!**



**PRIORITY ONE ELECTRONICS**



9161 DEERING AVE • CHATSWORTH, CA 91311

**ORDER TOLL FREE (800) 423-5922 - CA, AK, HI CALL (213) 709-5464**

Terms: U.S. VISA, MC, BAC, Check, Money Order, U.S. Funds Only. CA residents add 6 1/2% Sales Tax. MINIMUM PREPAID ORDER \$15.00. Include MINIMUM SHIPPING & HANDLING of \$3.00 for the first 3 lbs. plus 40¢ for each additional pound. Orders over 50 lbs. sent freight collect. Just in case, please include your phone number. Prices subject to change without notice. We will do our best to maintain prices through September, 1982. Credit Card orders will be charged appropriate freight. If you haven't received your Spring '82 Engineering Selection Guide, send \$1.00 for your copy today! Sale prices are for prepaid orders only.






# DIGITAL RESEARCH COMPUTERS

(214) 271-3538

## 32K S-100 EPROM CARD NEW!



**\$79.95**  
KIT

USES 2716's  
Blank PC Board - \$34  
ASSEMBLED & TESTED  
ADD \$30

SPECIAL: 2716 EPROM's (450 NS) Are \$9.95 Ea. With Above Kit.

### KIT FEATURES:

1. Uses +5V only 2716 (2Kx8) EPROM's.
2. Allows up to 32K of software on line!
3. IEEE S-100 Compatible.
4. Addressable as two independent 16K blocks.
5. Cromemco extended or Northstar bank select.
6. On board wait state circuitry if needed.
7. Any or all EPROM locations can be disabled.
8. Double sided PC board, solder-masked, silk-screened.
9. Gold plated contact fingers
10. Unselected EPROM's automatically powered down for low power.
11. Fully buffered and bypassed.
12. Easy and quick to assemble.

## 64K S100 STATIC RAM

**\$349<sup>00</sup>**  
KIT

NEW!

LOW POWER!

RAM OR EPROM!


BLANK PC BOARD  
WITH DOCUMENTATION  
\$55

SUPPORT ICs + CAPS  
\$17.50

FULL SOCKET SET  
\$14.50

FULLY SUPPORTS THE  
NEW IEEE 696 S100  
STANDARD  
(AS PROPOSED)

FOR 56K KIT \$299  
ASSEMBLED AND  
TESTED ADD \$40



### FEATURES:


- \* Uses new 2K x 8 (TMM 2016 or HM 6116) RAMs.
- \* Fully supports IEEE 696 24 BIT Extended Addressing.
- \* 64K draws only approximately 500 MA.
- \* 200 NS RAMs are standard. (TOSHIBA makes TMM 2016s as fast as 100 NS. FOR YOUR HIGH SPEED APPLICATIONS.)
- \* SUPPORTS PHANTOM (BOTH LOWER 32K AND ENTIRE BOARD).
- \* 2716 EPROMs may be installed in any of top 48K.
- \* Any of the top 8K (E000 H AND ABOVE) may be disabled to provide windows to eliminate any possible conflicts with your system monitor, disk controller, etc.
- \* Perfect for small systems since BOTH RAM and EPROM may co-exist on the same board.
- \* BOARD may be partially populated as 56K.

## 16K STATIC RAM KIT-S 100 BUSS

PRICE CUT!

**\$149<sup>95</sup>**  
KIT

FOR 4MHZ  
ADD \$10



### KIT FEATURES:

1. Addressable as four separate 4K Blocks.
2. ON BOARD BANK SELECT circuitry. (Cromemco Standard!). Allows up to 512K on line!
3. Uses 2114 (450NS) 4K Static Rams.
4. ON BOARD SELECTABLE WAIT STATES.
5. Double sided PC Board, with solder mask and silk screened layout. Gold plated contact fingers
6. All address and data lines fully buffered.
7. Kit includes ALL parts and sockets.
8. PHANTOM is jumpered to PIN 67.
9. LOW POWER: under 1.5 amps TYPICAL from the +8 Volt Buss.
10. Blank PC Board can be populated as any multiple of 4K.

BLANK PC BOARD W/DATA-\$33  
LOW PROFILE SOCKET SET-\$12  
SUPPORT IC'S & CAPS-\$19.95  
ASSEMBLED & TESTED-ADD \$35

OUR #1 SELLING  
RAM BOARD!

## 64K SS-50 STATIC RAM

**\$259<sup>00</sup>**  
(48K KIT)

NEW!

LOW POWER!

RAM OR EPROM!

BLANK PC BOARD  
WITH  
DOCUMENTATION  
\$52


SUPPORT ICs + CAPS  
\$18.00

FULL SOCKET SET  
\$15.00

56K Kit \$309

64K Kit \$359

ASSEMBLED AND  
TESTED ADD \$40



### FEATURES:

- \* Uses new 2K x 8 (TMM 2016 or HM 6116) RAMs.
- \* Fully supports Extended Addressing.
- \* 64K draws only approximately 500 MA.
- \* 200 NS RAMs are standard. (TOSHIBA makes TMM 2016s as fast as 100 NS. FOR YOUR HIGH SPEED APPLICATIONS.)
- \* Board is configured as 3-16K blocks and 8-2K blocks (within any 64K block) for maximum flexibility.
- \* 2716 EPROMs may be installed anywhere on Board.
- \* Top 16K may be disabled in 2K blocks to avoid any I/O conflicts.
- \* One Board supports both RAM and EPROM.
- \* RAM supports 2MHZ operation at no extra charge!
- \* Board may be partially populated in 16K increments.

## STEREO! S-100 SOUND COMPUTER BOARD

NEW!

At last, an S-100 Board that unleashes the full power of two unbelievable General Instruments AY3-8910 NMOS computer sound IC's. Allows you under total computer control to generate an infinite number of special sound effects for games or any other program. Sounds can be called in BASIC, ASSEMBLY LANGUAGE, etc.

### KIT FEATURES:

- \* TWO GI SOUND COMPUTER IC'S.
- \* FOUR PARALLEL I/O PORTS ON BOARD.
- \* USES ON BOARD AUDIO AMPS OR YOUR STEREO.
- \* ON BOARD PROTO TYPING AREA.
- \* ALL SOCKETS, PARTS AND HARDWARE ARE INCLUDED.
- \* PC BOARD IS SOLDERMASKED, SILK SCREENED, WITH GOLD CONTACTS.
- \* EASY, QUICK, AND FUN TO BUILD. WITH FULL INSTRUCTIONS.
- \* USES PROGRAMMED I/O FOR MAXIMUM SYSTEM FLEXIBILITY.

Both Basic and Assembly Language Programming examples are included.

### SOFTWARE:

SCL™ is now available! Our Sound Command Language makes writing Sound Effects programs a SNAP! SCL™ also includes routines for Register-Examine-Modify, Memory-Examine-Modify, and Play-Memory. SCL™ is available on CP/M\* compatible diskette or 2708 or 2716. Diskette- \$24.95 2708 - \$19.95 2716 - \$29.95. Diskette includes the source. EPROM'S are ORG at E000H. (Diskette is 8 Inch Soft Sector)

### COMPLETE KIT!

**\$84<sup>95</sup>**

(WITH DATA MANUAL)

BLANK PC  
BOARD W/DATA  
\$31

## SPECIAL PURCHASE!

## UART SALE!

TR1602B - SAME AS TMS6011,  
AY5-1013, ETC. 40 PIN DIP

**TR1602B**

**\$2<sup>95</sup>**  
EACH

**4 For \$10<sup>00</sup>**

### CRT CONTROLLER CHIP

SMC #CRT 5037. PROGRAMMABLE FOR 80 x 24, ETC. VERY RARE  
SURPLUS FIND. WITH PIN OUT. \$12.95 EACH.

## NEW! G.I. COMPUTER SOUND CHIP

AY3-8910. As featured in July, 1979 BYTE! A fantastically powerful Sound & Music Generator. Perfect for use with any 8 Bit Microprocessor. Contains: 3 Tone Channels, Noise Generator, 3 Channels of Amplitude Control, 16 bit Envelope Period Control, 2-8 Bit Parallel I/O, 3 D to A Converters, plus much more! All in one 40 Pin DIP. Super easy interface to the S-100 or other busses. **\$11.95** PRICE CUT!

SPECIAL OFFER: ~~\$14.95~~ each Add \$3 for 60 page Data Manual.

## Digital Research Computers

(OF TEXAS)

P.O. BOX 401565 • GARLAND, TEXAS 75040 • (214) 271-3538

\*TRADEMARK OF DIGITAL RESEARCH.

WE ARE NOT ASSOCIATED WITH DIGITAL RESEARCH OF CALIFORNIA, THE SUPPLIERS OF CPM SOFTWARE.

ALL SALES ARE MADE SUBJECT TO THE TERMS OF OUR 90 DAY LIMITED WARRANTY. A COPY OF THIS WARRANTY IS AVAILABLE FREE. ON REQUEST.



# Microcomputing<sup>®</sup> • List of Advertisers

Reader Service Number	Page	Reader Service Number	Page	Reader Service Number	Page
55 A.M. Electronics	CIII	377 Financial Consultants	73	478 Omnibyte Corp.	162
91 Aardvark-80	67	206 Fort Worth Computers	101	408 On-Line Systems	78
487 Acquis Data, Inc.	168	330 GSB Electronics Dist.	22	429 On-Line Systems	30
495 Addison-Wesley Publishing Company	170	* General Ledger	171-172	424 PBL Corporation	29
171 Addmaster Corp.	21	434 Geegery Software Words	29	172 Pacific Exchanges	41, 96, 120, 157
109 Alcor Systems	51	22 Gimix, Inc.	164	488 Pear Systems Corp.	168
249 Alien Group, The	93	104 Gosub International	161	* Percom Data Company, Inc.	CII
470 Alspa Computer, Inc.	167	494 Gradan Consulting Company	169	19 Peripherals Unlimited	39
56 American Square Computers	125	6 H&E Computronics	55	266 Perry Oil & Gas, Inc.	75
393 Andra Tech	21	420 H&H Scientific	28	370 Personal Computer Age	12
193 Apple Computer, Inc.	4	177 H-Scoop	109	499 Phillip L. Emerson	170
166 Answer in Computers, The	69	10 Happy Computer, The	170	401 Phoenix Software	79
492 Anthro-Digital, Inc.	168	243 Happy Hands	110	103 Pion, Inc.	69
9 Applied Analytics	31	491 Hayes Microcomputer Products, Inc.	168	430 Polyglot	29
466 Arfon Microelectronics Ltd.	167	475 Hewlett-Packard	166	277 Priority One Electronics	144, 145
319 Artcom Data Services	86, 110	279 IDPC Company	114	417 Program Designs, Inc.	30
403 Artic Computing	78	493 INI, Inc.	169	419 Quark Engineering	29
413 Atari Program Exchange, The	79	409 Innovative Design Software, Inc.	28	137 Quasar Electronics	44
220 Austin Computer Technology	157	432 Innovative Software, Inc.	28	394 Que, Inc.	91
87 B&B Electronics	154	128 Innovative Technology	47	44 Quest Electronics	133
* Back Issues	35	77 Integrand Research Corp	85	390 R.W. Electronics	40
467 Basic Inc.	167	38 International Software	43	74 R.W. Electronics	41
131 Bay Technical Associates	161	183 Introl	67	101 Racet Computes Ltd.	161
269 B.G. Micro	143	84 JDR Microdevices	134, 135, 136, 137	61 Radix Technologies	151
326 Bourbon Street Press	152	180 J.E.S. Graphics	119	188 Rainbow P&P Co.	165
404 Broderbund	79	92 JPC Products	50	102 Rand's, Inc.	122
423 Business & Professional Software	28	284 JRT Systems	15	71 Realty Software Company	47
416 Business Solutions, Inc.	30	406 JV Software	80	111 S.Z. Software Systems	157
346 C.S.C.S.	157	48 Jade Computer Products	129, 130, 131	473 Santa Clara Systems, Inc.	165
148 CDR Systems, Inc.	120	41 Jameco Electronics	140, 141	117 Saturn Systems	49
283 CGRS Microtech	100	295 Jim Quinn Computer Division	92	484 Scientific Software	168
481 CGRS Microtech	162	164 Jimscot, Inc.	119	386 Scientific Software	154
428 Canadian Micro Distributors	29	426 Jini Microsystems	29	471 Segull Enterprises	165
80 Check-Mate	124	472 Jonos Ltd.		375 Semi Disk Systems	9
86 Check-Mate	154	397 Journal of Pascal & Ada	26	162 Seneca Electronics	37
332 Check-Mate	157	474 Keybrook Business Systems, Inc.	167	402 Sentient Software, Inc.	78
170 Chips & Dale	94	372 Krell Software	156	359 Simliway Products Co.	72
105 Colonial Data Services Corp.	19	482 Leading Edge Products, Inc.	162	385 Sim Sim, Inc.	22, 109
133 Colonial Data Services Corp.	169	355 Leading Edge Products, Inc.	CIV	497 Sinclair Research Ltd.	169
90 CompuCover	122	198 LNW Research	80	* Sinclair Research Ltd.	81, 82, 83
371 CompuServe	89	373 Logical Devices, Inc.	151	405 Sirius Software	78
320 Computer Case Company	46	476 M. Reinhart Engineering Co.	165	411 Sirius Software	79
435 Computer Data Services	30	335 Macrotech International Corp.	100	132 68 Micro Journal	112
18 Computer Design Labs	117	234 Magnolia Microsystems	96	* Snappware, Inc.	95
120 Computer Disc of America	124	95 Manx Software Systems	109	463 SoftArt Software	170
271 Computer Peripherals-Materials	157	72 Master Electronics, Inc.	102	462 SoftTech Microsystems, Inc.	170
395 Computer Peripherals Resources	42	165 Med Systems Software	102	302 Software Connection, The	54
362 Computer Plus	96	316 MFJ Enterprises, Inc.	123	294 Software Support	97
410 Computer Programs Unlimited	79	308 Micro-80, Inc.	34	213 Sonics Microsystems	76
36 Computer Shopper	165	309 Micro-Grip Ltd.	166	208 Southwestern Data Systems	17
227 Computers Wholesale	118	* Micro Ink, Inc.	159	374 Standard & Poor's Corp.	7
297 Concord Computer Products	138	* Micro Instructional, Inc.	3	179 Stellation Two	115
292 Coosol, Inc.	103	486 Micro-Spec Ltd.	168	358 Stoneware Micro Products	23
197 Cornucopia Software	166	* Micro Technical Products	175	489 Stoneware, Inc.	489
477 Corvus Systems, Inc.	165	* Microcomputing Anniversary	155	427 Sunrise Software	30
256 CPU Shop	132	* Microcomputing Back Issues	157	231 Suntronics Company, Inc.	21, 114
483 Creative Computers	162	* Microcomputing Binders	112	181 Supersoft, Inc.	167
418 Cross Educational Software	29	* Microcomputing Books	126-128	407 Synapse Software	78
252 Cuesta Systems	114	* Microcomputing Dealers	155	412 Synapse Software	79
293 D & N Micro Products	27	* Microcomputing Foreign Dealers	156	422 Synapse Software	29
63 D/Punch Company	157	* Microcomputing Moving	59	189 Tab Sales Co.	47
490 Dakin 5 Corp.	168	* Microcomputing Shelf Boxes	155	139 Tech Data Corp.	157
35 Daman	72	* Microcomputing Subscriptions	156	496 Techno Software Corp.	169
24 Data Systems	73	216 Microflash Inc.	120	328 Texas Computer Systems	73
* Dealer Sell	73	255 Miller Microcomputer	62	118 Three G Company, Inc.	175
498 Digital Marketing Corp.	169	226 Mini Micro Mart	121	318 TNW Corp.	37
* Digital Research Computers	65, 146	238 Mini Micro Mart	63	* Univ. Microfilms Int'l.	
250 Discount Software Group	163	485 Morgan Fairfield Graphics	168	425 Vagabond Enterprises	28
421 Eastern House Software	28	37 Mountain Computer, Inc.	11	285 Vespa Computer/outlet	8
60 Eastern House Software	124	186 N/F Systems	50	469 Video Marketing, Inc.	165
82 Ecosoft	119	378 Nanos Systems	52	158 Vynet Corp.	114
169 Elcomp Publishing, Inc.	30	* National Computer Shows	87	* Wameco, Inc.	142
272 Electronic Protection Devices	105	480 NJN Integrated Systems	162	* Wayne Green Books	153
93 Electronic Specialists, Inc.	161	* NEC	57	* Wayne Green Int'l.	175
* Encyclopedia for TRS-80	177	* Netronics R & D Ltd.	139	* Wayne Green Sales	75
479 Epson America, Inc.	162	* Netronics R&D Ltd.	112	415 Westico	28
78 Expotek	36	286 Nibble	113	45 Winchendon Group, The	
468 FBE Research Company, Inc.	167	* NRI	111	433 Winner's Circle	30
70 Faxscan, Inc.	56	431 Oasis Systems	29	163 Wintek Corp.	86
				122 WSR Software Associates	122
				414 Zeta Systems	80

\* This advertiser prefers to be contacted directly.

For further information from our advertisers, please use the Reader Service card.



# CLUB NOTES

## Berkshire User's Group

Berkshire User's Group (Atari) meets the second Saturday of each month in Great Barrington, MA. The organization now has a support group for owners of Atari 400 and 800 personal computers.

For further information, contact J. J. Brown, Coordinator, BUG (A), PO Box 593, Great Barrington, MA 01230. 413-528-0744.

## Pomona Heath User's Group

Heath User's Group (H.U.G.) meets the fourth Thursday of every month at the Heathkit Electronic Center, Pomona, CA, at 7:30 PM. For more information, write to H. Friedman, H.U.G., 1555 N. Orange Grove Ave., Pomona, CA 91767.

## Big Red Apple Club

Twenty-five states are represented in the Big Red Apple Club, a national organization for people who live too far from an Apple club to participate. Club business is conducted through "The Scarlet Letter," a monthly newsletter.

For more information, contact John Wrenholt, B.R.A.C., 1301 North 19th St., Norfolk, NE 68701. 402-379-3531.

## VIC-20 User's Club

The VIC-20 User's Club, recently formed in Wichita, KS, meets once a month to exchange news and public domain programs. For information on meeting times and a copy of the club's newsletter, contact Walter Lounsbury, 739 Litchfield, Wichita, KS 67203. 316-262-4861.

## InterCalc

InterCalc is a group focusing on the uses of VisiCalc-type programs. The organization also publishes "Spreadsheet," a bimonthly newsletter. Information is available by writing to InterCalc, PO Box 254, Scarsdale, NY 10583.

## Central Ohio Osborne User's Group

The Central Ohio Osborne User's Group meets the second Monday of every month at the Ohio Institute of Technology in Columbus. Correspondence should be addressed to Newton Brokaw, Secretary, C.O.O.U.G., 2695 Donna Drive, Columbus, OH 43220. 614-457-5716.

## Original Apple III

The Original Apple III club meets on the third Wednesday of every month at the Board Room of the California Bar Association, 555 Franklin St., San Francisco. The group publishes the "Open Apple Gazette," a newsletter devoted to Apple III users.

For more information, contact Original Apple III, PO Box 813, San Francisco, CA 94101.

## Philadelphia Area Computer Society

Users of Apple, Atari, CP/M, IBM, Ohio Scientific, Pascal, PET and TRS-80 are invited to Philadelphia Area Computer Society meetings, which take place on the third Saturday of every month. Memberships include a subscription to the "Data Bus" monthly newsletter.

For further information, write to P.A.C.S., PO Box 1954, Philadelphia, PA 19105.

## Association for Computer-Chip Experimenters

A one-hour tutorial precedes each monthly meeting of the Association for Computer-Chip Experimenters. The meetings take place on the second Tuesday of every month (September through June) at Sheridan College in Oakville, Ontario.

For more information, write to A.C.E., c/o M. E. Franklin, 690 Laurier Ave., Milton, Ontario L9T 4R5.

## The Aurora Computer Society

The Aurora Computer Society, a non-profit computer club not geared toward any specific computer system or processor, meets on the second Wednesday of each month. The club concentrates on developing an understanding of the uses of computers in society.

For further information, contact T.A.C.S., PO Box 9558, South Edmonton, Alberta T6E 5X2.

## The Long Island Computer Association

The Long Island Computer Association meets the third Friday of each month at 8 PM in room 508, building 500, The New York Institute of Technology, Old Westbury Campus, Hicksville, NY.

For more information, write to L.I.C.A., PO Box 71, Hicksville, NY 11802.

# CLASSIFIEDS

Classified advertisements are intended for use by persons desiring to buy, sell or trade used computer equipment. No commercial ads are accepted.

Two sizes of ads are available. The \$5 box allows up to 5 lines of about 35 characters per line, including spaces and punctuation. The \$10 box allows up to 10 lines. Minimize use of capital letters to save space. No special layouts allowed. Payment is required in advance with ad copy. We cannot bill or accept credit.

Advertising text and payment must reach us 60 days in advance of publication (i.e., copy for March issue, mailed in February, must be here by Jan. 1). The publisher reserves the right to refuse questionable or inapplicable advertisements. Mail copy with payment to **Classifieds, Microcomputing, Peterborough, NH 03458**. Do not include any other material with your ad as it may be delayed.

Used Heath H-8 memory board, I/O card, terminal, software and complete H-8 system. Ten to 50 percent off list price. Send for free listing. D. Wong, Box 406, Groton Fall, NY 10519.

Digital Group Boards: 1 standard motherboard @ \$50; 3 8K memory boards @ \$85 each; 1 Z-80 CPU board @ \$80; 1 TV 64 cassette/CRT board @ \$80; 1 keyboard and enclosure @ \$40; 1 phi-deck controller @ \$80; 1 parallel I/O board @ \$30; 1 I/O prototype board @ \$5. Software on cassettes with manuals @ \$15 each; Expander Printer 10 C.P.S., with parallel interface @ \$150; or \$800 for everything. All items assembled and in good working condition, with manuals. Must sell. Paul Teseny, 17 DeKalb Place, Morristown, NJ 07960. 201-539-6876.

For sale: CCS S100 boards. Disk cont. (2422) \$225. 64K 5MHZ (2065) \$250. Z80 (2810) \$180. 32K static 5 MHZ (2032) \$250. Shahr 408-238-2969, 2666 Paganini Ave., S.J. CA 95122.

Drastically reduced: Heath H-19, Gimix 6800/6809 full business and development system, 80K RAM, 5 disks, SSB cont., 8K PROM RDR, 2-PROM PGMR, all I/O slots, special cabinets, lots of bus. and dev. software. Over \$10K invested, less than 100 hrs. on. First \$3500 takes all. Call Tom, 313-471-2810.

For sale: genuine Radio Shack Level II ROMs, \$100. Signalman modem \$90, 16K Level II computer, \$500. Contact Frank Weatherford, Rt. 12, Hidayay Hill #36, Gray, TN 37615. 615-477-7202.

Complete 68000 system with 32K RAM, 16K monitor, parallel printer port, timer, cassette tape I/O, and auxiliary RS-232 port contained in an H-19 professional terminal. Monitor includes a single-line assembler-disassembler along with a host of normal commands including a help command. Can operate the H-19 and aux. port in transparent mode. Excellent condition with all manuals only \$1750. R. L. Riggs, 2865 Akron, East Point, GA 30344.

For sale: SWTPC MF-68 dual mini-floppy, \$500; MP-16A, MP-16X, PR-40, \$150 each; MP-A2, \$60; MP-A, Universal bare MB, \$40 each; MP-M 4K (5), MP-R, Newtech music board, \$30 each; MP-S (3), MP-C, MP-LA, AC-30, CIS-30+, \$25 each; Elektra cabinet w/ power supply, \$300; CREI 6802 microcomputer, \$200; *Microcomputing* issues 1-68, \$120. Dick Efnor, 4446 Chase Park, Annandale, VA 22003; 703-256-1197.

ZX-81 USERS: "Z-WEST" is offering free software in our special mini-issue newsletter. Write now to get your complimentary copy. P.O. Box 2411, Vista, CA 92083.

For sale: Heath H-89 w/single 5 1/4" floppy & H-14 printer, best offer. Xerox dual 8" SS disk drives, new, \$1395. Sencore CB-42 analyst, best offer. Sams CB-1 through CB-125, best offer. Heathkit SB-300 and SB-401 complete w/manuals, best offer. Stan Stevens, RR4, Box 26, Iowa City, IA 52240. 319-354-9726.



# CONVERSIONS "I"


Fred J. Gunther (9464 Wandering Way, Columbia, MD 21045) has translated into Applesoft Basic and Apple II graphics the Atari Lissajous curve plotting program published in the June 1982 issue of *Microcomputing* (see "Atari Gets Serious," p. 118). The author notes that the translation uses the Apple II hi-res page 1, so that the input parameters are displayed with the figure. Original line numbers and variable names were retained to aid comparisons. The author reset the keyboard strobe (POKE-16368,0) after checking to see if any key had been depressed (line 120). Minor changes involve initialization of variable "t" (line 30), combining print and input statements (lines 40, 60, 80 and 100), a change in the screen limits (line 84) and changes in the color selection and plotting statements (lines 120, 130 and 150).

## LIST

```

1 REM LISSAJ.PLOTTER BY TED MC FADDEN T.Q.R.
4 REM
5 REM TRANSLATED TO APPLESOFT BY DR. FRED J. GUNTHER
6 REM
20 HGR : VTAB 24
30 LET T = 0
40 INPUT "X:AMP, OMEGA, PHASE ";AX,WX,PX
60 INPUT "Y:AMP, OMEGA, PHASE ";AY,WY,PY
72 LET CX = 140:CY = 80: REM SCREEN CENTER
80 INPUT "SCALE = ";S
82 IF S * AX > CX THEN LET S = CX / AX
84 IF S * AX + CX > 279 THEN LET S = (279 - CX) / AX
86 IF S * AY > CY THEN LET S = CY / AY
88 IF S * AY + CY > 159 THEN LET S = (159 - CY) / AY
100 INPUT "STEP = ";T1
110 POKE - 16368,0
120 HCOLOR= 3
130 HPLLOT S * AX * COS (PX) + CX,CY - S * AY * COS (PY)
140 LET T = T + T1
150 HPLLOT TO S * AX * COS (WX * T + PX) + CX,CY - S * AY * COS (WY * T
+ PY)
160 LET IX = PEEK ( - 16384): POKE - 16368,0: IF IX < 127 THEN GOTO 14
0
180 INPUT "READY FOR NEXT ONE? ";A$
190 IF A$ = "" THEN GOTO 40
200 IF A$ = "Y" OR A$ = "YES" THEN GOTO 20
210 END
    
```

this publication  
is available in  
microform



## University Microfilms International

300 North Zeeb Road  
Dept. P.R.  
Ann Arbor, MI 48106  
U.S.A.

18 Bedford Row  
Dept. P.R.  
London, WC1R 4EJ  
England

## MICRO QUIZ

(from page 15)

Answer: 30

J	K	2 <sup>k</sup> + J	X
1	1	3	3
1	2	5	8
2	1	4	12
2	2	6	18
3	1	5	23
3	2	7	30

### El Monte, CA

Altos, Eagle and M/ACOM-OSI business computer specialist. Serving greater Los Angeles area with all your business computer needs. In-house service, custom programming, terminals, printers, etc. Open 9 AM-6 PM. **Computer Challenge Corp., 3380 Flair Drive, El Monte, CA 91731. 572-7292.**

### N. Hollywood, CA

Wholesale prices to dealers and computer club members! Anadex, Centronics, Corvus, Delta, Diablo, Epson, Godbout, Hayes, IDS, C. Itoh, Micro Pro, Mountain Computer, NEC, Novation, Okidata, Qume, TI, Televideo, Vector Graphic, Vista, Zenith and others. **Patio Computer Sales Co., Suite 204, 5451 Laurel Canyon Blvd., N. Hollywood, CA 91607. 762-0020.**

## DEALER DIRECTORY

### Nokomis, FL

We are the leading area computer store. We carry Cromemco, Apple, Vector Graphic; printers and terminals. We offer full software support including G/L, A/R, payroll and word processing. **Computer Centre, 909 S. Tamiami Trail, PO Box 130, Nokomis, FL 33555. 484-1028.**

### Orange Park, FL

VIC-20 software—games, finance, home use, educational, utility and amateur radio. Software for your expanded VIC! Write for our free catalog. **RAK Electronics, PO Box 1585, Orange Park, FL 32073.**

### Aurora, IL

Microcomputer systems for home or business; peripherals, software, books and magazines. Apple, Hewlett-Packard Series 80 Systems, HP calculators, IDS, Qume, Starwriter printers. **Farnsworth Computer Center, 1891 N. Farnsworth Ave., Aurora, IL 60505. 851-3888.**

### Glenview, IL

Software only! Chicagoland's first software store carries software for most major brands of computers. Business, educational, programming aids, entertainment. Special orders our specialty. **The Software Store, Inc., 1767 Glenview Rd., Glenview, IL 60025. 724-7730.**

### Freehold, NJ

We specialize in computer software covering your business, education and recreation requirements. A large price discount and courteous service await you. Write today for our catalog. **American Computer Stores, 177 South St. No. M7, Freehold, NJ 07728.**

### Akron, OH

Atari video game authorized independent servicer. Games serviced by factory trained technicians. Fast turnaround. Dealer inquiries invited. We stock genuine Atari game and joystick parts. **Greensburg Electronics, 2618 Massillon Road, Akron, OH 44312. 644-3178.**



## Fall Conference of Classroom Applications

Computer-Using Educators' third annual Fall Conference of Classroom Application of Computers is scheduled for October 1 and 2 in San Jose, CA.

The schedule includes exhibits as well as workshops and six hour-long sessions covering computer-related classroom activities. Curriculum topics will include all levels of education from preschool through post-secondary.

For more information concerning membership in Computer-Using Educators or the conference, contact Don McKell, Conference Coordinator, Computer-Using Educators, PO Box 18547, San Jose, CA 95158.

## ACM-IEEE Fifteenth Annual Workshop on Microprogramming

The Fifteenth Annual Workshop on Microprogramming (MICRO-15), jointly sponsored by ACM, SIGMICRO and IEEE TC-MICRO, is planned for October 5-7 in Palo Alto, CA.

A tutorial covering current issues in firmware engineering will be presented on the preceding day (October 4) by Dr. Ted Lewis.

For more information, contact Dr. Joseph Fisher, MICRO-15 Program Chairman, Yale University, Box 2158, Yale Station, New Haven, CT 06520.

## Computer Show, Electronics Flea Market

A Computer Show and Electronics Flea Market will take place October 8 and 9 in Virginia Beach, VA. The two-day event is in conjunction with the Virginia State ARRL Amateur Radio Convention and Hamfest. It will include a large indoor flea market for the selling of computer and electronics parts. In addition, dealers, forums and displays will be featured.

Information, tickets and reservations for flea market tables or commercial booths are available from Jim Harrison, 1234 Little Bay Ave., Norfolk, VA 23503. 804-587-1695.

## NECOM 82

NECOM 82, a single source computer show featuring the industry's newest developments, is planned for October 12 in Newton, MA.

The one-day, regional format show will take place from 1-7 PM at the Boston Marriott Hotel on Commonwealth Avenue in Newton.

For more information on NECOM 82, contact Norm DeNardi Enterprises, 289 S. San Antonio Road, Suite 204, Los Altos, CA 94022. 415-941-8440.

## ARE Meeting and ICAP Workshop

The nineteenth Annual Review of Electronics (ARE) and the Illinois Computer Affiliates Program (ICAP) workshop are scheduled for October 13 and 14 at the University of Illinois at Urbana-Champaign.

The ARE meeting and ICAP workshop will be devoted to highlights in physical electronics and computer-related research conducted by the University of Illinois at Urbana-Champaign in the departments of electrical engineering, computer science and the coordinated science laboratory.

For more information, contact Dr. M. E. Krasnow, University of Illinois, College of Engineering, 1308 West Green St., Urbana, IL 61801. 217-333-3836.

## Small Computers in the Arts

The second Symposium on Small Computers in the Arts will feature tutorials, hands-on workshops and demonstrations from October 15-17 in Philadelphia, PA. The three-day event will also include films and paper presentations dealing with the use of small computers as tools in arts such as music, graphics and animation. A computer art gallery and store, a video bar reception and several exhibits are also planned.

The Fifth Annual Philadelphia Computer Music Concert will headline the October 16 events.

The symposium is sponsored by the IEEE Computer Society and the IEEE Philadelphia Section, and is being organized by the Personal Computer Arts Group.

For further information, contact Symposium on Small Computers in the Arts, Box 1954, Philadelphia, PA 19105, or call the IEEE office at 215-243-8106.

## PerCompAsia 82

The first Southeast Asian personal computer hardware and software show will be held October 20-23 at the Hyatt Convention Center in Singapore.

For further information, contact Overseas Exhibition Services Ltd., 11 Manchester Square, London, W1M5AB, England. Telephone: 01-486 1951, Telex: 24591 Mondtex.

## EdCom 82

The National Computer Conference and Expo for Educators will take place October 21-24 at the L.A. Convention Center.

EdCom 82 will feature more than 200 seminars, workshops, demonstrations and exhibits, and computers for in-depth tutorials and hands-on sessions.

For more information, contact Jayne LaFountain, EdCom 82, 2629 N. Scottsdale Road, Scottsdale, AZ 85257.

## Pacific Northwest Computer Graphics Conference

The University of Oregon will sponsor its first Pacific Northwest Computer Graphics Conference on October 25 and 26. The conference will provide a multi-disciplinary view of computer graphics through presentations addressing research and development applications, exhibitions of prepared works and vendor displays.

Disciplines and professions that will be represented include landscape architecture, land planning, architecture, the sciences, medicine, business, graphic design and communications and education.

Researchers and practitioners are invited to exhibit drawings, slides, photos and video selections.

For further information, contact Pacific Northwest Computer Graphics Conference, Office of University Relations, 111 Susan Campbell Hall, University of Oregon, Eugene, OR 97403-1204. 503-686-5555.



## Alberta Computer Show

The Calgary and Edmonton sections of the Canadian Information Processing Society (CIPA) will pool resources with Toronto-based Whitsed Publishing Ltd. to stage Canada's first province-wide technology conference—the Alberta Computer Show.

The conference, slated for October 27 and 28 at the Calgary Convention Centre, will focus on microcomputers and graphics. For more information, contact Marilyn Harris at 403-261-5903.

## UCSD Pascal Users

The UCSD Pascal System User's Society has planned its semi-annual national meeting for October 29–31 at the Harvey House Hotel in Dallas, TX.

The meeting will feature technical presentations, an expert user panel, software exchange, hardware and software demonstrations and special interest group meetings. In addition, two tutorials will be offered free to the public.

Advance registration is \$25, payable to U.S.U.S. Meeting Committee, PO Box 1148, La Jolla, CA 92038. For further information, contact Tom Siep, U.S.U.S. Program Chairman, Texas Instruments, Dallas, TX. 214-995-0618.

## Enterprise Information Systems, Inc.

The fall forum of Enterprise Information Systems, Inc. is scheduled for November 1–3 in Palm Springs, FL. The program will focus on planning for integration of personal microcomputers, large-scale systems, data base management, office systems and telecommunications.

For more information, write to E.I.S., PO Box 1154, Greenwich, CT 06830.


Circle 373 on Reader Service card.

## UV EPROM ERASER

- \* Erases over 15 EPROMS - 15 minutes erase time
- \* Element life 7700 hours
- \* Intensity: 12Ws 1/2cm<sup>2</sup> at 1"
- \* Erases all UV EPROMS (2716, 2732, 2516, 2532, etc.)

# \$49.95\*

\*HOBBY MODEL



**INDUSTRIAL  
MODEL**  
QUV-T8/2N  
**\$68.95**

**WITH TIMER &  
SAFETY SWITCH**  
QUV-T8/2T  
**\$97.50**

**ABOVE 220VAC  
50HZ**  
QUV-T8/2TE  
**\$109.50**

PRICE INCLUDES ALL PERSONALITY MODULES

## STAND ALONE RS-232 INTELLIGENT PROGRAMMER \$489.00

PROGRAMS: 2508, 2516, 2532, 2716, 2732, 2732A, 2758, 8748, 8749

- \* STAND ALONE, CRT, OR COMPUTER CONTROL
- \* UPLOAD/DOWNLOAD IN MOTOROLA OR INTEL HEX FORMAT
- \* MICROPROCESSOR BASED \* 4 K INTERNAL RAM
- \* 90 DAY PARTS & LABOR WARRANTY ON ALL PRODUCTS

- \* GANG PROGRAMMER
- \* 2564, 2764 PERSONALITY MODULES

Soon to be released

PHONE ORDERS (305) 776-5870

TWX: 510-955-9496 • WE ACCEPT VISA, MC, CHECKS, C.O.D., MONEY ORDER

### LOGICAL DEVICES INC.

781 W. OAKLAND PARK BLVD. • FT. LAUDERDALE, FL 33311

ADD: \$4.00 SHIPPING \$2.00 C.O.D. CHARGES

# CENTRONICS 779 / RS LINE PRINTER I

## MAKE YOUR PRINTER A REAL WORKHORSE WITH OUR NEW PRINTER CONTROLLER BOARD

Remove the controller board in your printer and plug ours in to add the following capabilities:

- Bidirectional printing
- Full UPPER/lower case ASCII *plus* TRS-80 graphics or DSE scientifics character sets in 9 x 7 dot matrix format (9 x 9 available as option — requires print head change)
- Motor control — turns off the motor when the printer is not in use
- 2048 character buffer
- Software selectable features
  - transfer protocol (XON/XOFF or none)
  - character densities (10, 12, 15, 16.5 cpi *plus* double width in each size)
  - self-test
  - forms, length, control

## \$350 assembled and tested

# Radix Technologies

Suite 400 Carolyn Building

10400 Eaton Place

Fairfax, VA 22030

(703) 385-0900

VISA, MasterCard, check, COD accepted



Enjoy The

## SEXPLOSION

Bonus  
For Charter  
Subscribers!  
10% Off On  
All Dirty Book  
Software



**Subscribe Today** Take a break from the space wars and shoot 'em ups. The Dirty Book will bring you the latest collection of bedroom programs and games geared to creative, joyful living and loving. Here's a great opportunity to chart your own course to greater intimacy and satisfaction in the months to come.



# The Dirty Book

Read how your fellow computerists enjoy these zesty programs.

- French Post Cards • Bedtime Stories
- Dirty Old Man • Animated Comics
- Encounter • Interlude • Pornopoly
- Sex Disk • Softporn • Whatzee
- Wanna Play Footsie? • Zesty Zodiacs.
- Street Life • Love Quotient #9

**Here's A New Contest You'll Love To Enter!** Submit your favorite micro-computer game program to the "Dirty Book" contest. You can win an expense-paid trip to fabulous New Orleans and enjoy the exciting French Quarter and all that jazz. The "Dirty Book" will expose your bedtime games and programs to thousands of prospective buyers. Write for full details.

Bourbon Street Press  
3225 Danny Park, New Orleans  
(Metairie), LA 70002 (504) 455-5330  
(You must be of legal age to enter subscription)

Name \_\_\_\_\_

Company (if any) \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Charter Subscription ☐ Check enclosed  
1 yr. 4 issues @ \$9.95 ☐ COD — Company Only  
Single issue @ \$9.95 ☐ PO# \_\_\_\_\_  
Dealer Inquiries or Call in Orders: Visa or \_\_\_\_\_  
Bourbon St. Press (504) 455-5330 MC# \_\_\_\_\_  
Signature \_\_\_\_\_ Expiration Date \_\_\_\_\_

## CONVERSIONS "II"

## Color Code Combo for the PET

In the February 1982 issue of *Microcomputing* (p. 108), R. Daniel Bishop presented an excellent game for the Apple and TRS-80 computers; unfortunately, we PET owners weren't represented. Herewith, then, I present Color Code Combo for the PET. The program will run on any 8K or larger PET, and is insensitive to the Basic ROM version in use.

Bishop's Color Code Combo was a well thought-out program. My changes were, for the most part, limited to those needed to make the program run on the PET; the basic logic and display format of the program were unchanged.

Walter Novinger  
33 Ray St.  
Schenectady, NY 12309

*Program listing. Color Code Combo converted for the PET. Microcomputing welcomes and encourages such conversions (for the Apple, Atari, Commodore, Heath, IBM, Sinclair...) of programs that appear in the magazine.*

```
50 rem ADAPTED FOR PET BY W. NOVINGER
60 rem
70 rem 33 RAY ST. SCHENECTADY, NY 12309
80 rem
90 goto 520
100 rem
110 rem *** DELAY LOOP SUBROUTINE ***
120 for i=1 to 999:next i: return
130 rem
140 rem *** FLASHING CURSOR ROUTINE ***
150 rem
160 if CR$=B$ then CR$="": goto 180
170 CR$=B$
180 CC$=CR$: goto 1270
190 for i=1 to 15
200 : set A$: if A$="" then 250
210 : if asc(A$)=13 then 250
220 : if (TF=0) and ((A$<"0") or (A$>"9")) then 250
230 : if (TF=1) and ((A$<"A") or (A$>"Z")) then 250
240 : A=val(A$): I=15: F1=1
250 : next
260 if F1<>1 then 160
270 F1=0: return
280 rem
290 rem *** DISPLAY FORMATTING ROUTINE ***
300 rem
310 print "[clr]"
320 print " CHOICES" spc(15) "----CORRECT-----"
330 print spc(23) "COLORS PLACEMENT"
340 print " [rvs]R[loff] RED [G] [5]"
350 print " [rvs]O[loff] ORANGE [G] [5]"
360 print " [rvs]Y[loff] YELLOW [G] [5]"
370 print " [rvs]G[loff] GREEN [G] [5]"
380 print " [rvs]B[loff] BLUE [G] [5]"
390 print " [rvs]P[loff] PURPLE [G] [5]"
400 print " [rvs]W[loff] WHITE [G] [5]"
410 print " [rvs]V[loff] VIOLET [G] [5]"
420 for i=1 to 4: print spc(13) "[G] [5]": next
430 return
440 rem
450 rem *** OPTIONS LISTING ROUTINE ***
460 rem
470 CC$="PRESS [rvs]X[loff] FOR CORRECTION": X=3: Y=18: goto 1270
480 CC$=" OR [rvs]E[loff] TO ENTER GUESS": X=3: Y=20: goto 1270: B$="": X=28: goto 1
60
490 rem
500 rem *** MAIN PROGRAM LISTING ***
510 rem
520 X=rnd(-TI): print "[clr]": print spc(8) "[rvs]** COLOR CODE COMBO **[loff]": print
: print: print
530 print spc(8) "(C) 1981 BY D.BISHOP": print
540 print " (PET VERSION BY W. NOVINGER)"
550 TF=0
560 print: print: print "HOW MANY COLORS (3-8)? ";
570 X=25: Y=11: B$="": goto 160: CC$=A$: goto 1270: C=A
580 if (C<3) or (C>8) then print "[up][up]": goto 560
590 print: print: print "HOW LARGE A TABLEAU (3-8)? ";
600 X=29: Y=13: goto 160: CC$=A$: goto 1270: T=A
610 if (T<3) or (T>8) then print "[up][up]": goto 590
620 print: print: print "HOW MANY GUESSES (4-12)? ";
630 X=27: Y=15: goto 160: CC$=A$: goto 1270: G1=A: if G1>1 then G=G1: goto 650
640 X=28: goto 160: CC$=A$: goto 1270: G2=A: G=10*G1+G2
650 if (G<4) or (G>12) then print "[up][up]": goto 620
660 TF=1
670 rem
680 rem *** RANDOM PROBLEM GENERATOR ***
690 rem
700 data "R","O","Y","G","B","P","W","U"
710 for i=1 to 8: read A$(i): next
720 restore
730 R$="": for i=1 to T
740 J=int(rnd(TI)*100): if (J>C) or (J<1) then 740
```

More



# Wayne Green Books


NEW  
ARRIVALS

## TEXTEDIT

a complete  
wordprocessing  
system in kit  
form.

by  
Irwin Rappaport

A WAYNE GREEN  
PUBLICATION



Learn Digital  
Electronics While  
Building Your Own  
Computer!

By George Young  
and Peter Stark



## TEXTEDIT—A Complete Word Processing System in kit form

by Irwin Rappaport

TEXTEDIT is an inexpensive word processor that you can adapt to suit your needs, from writing form letters to large texts. It is written in modules, so you can load and use only those portions that you need. Included are modules that perform:

- right justification
- ASCII upper/lowercase conversion
- one-key phrase entering
- complete editorial functions
- and much more!

TEXTEDIT is written in TRS-80\* Disk BASIC, and the modules are documented in the author's admirably clear tutorial writing style. Not only does Irwin Rappaport explain how to use TEXTEDIT; he also explains programming techniques implemented in the system.

TEXTEDIT is an inexpensive word processor that helps you learn about BASIC programming. It is written for TRS-80 Models I and III with TRSDOS 2.2/2.3 and 32K.

**BK7387 \$9.97 Disk Available DS7387 \$19.97**

0-88006-050-6

## Annotated BASIC—A New Technique for Neophytes.

BASIC programming was supposed to be simple—a beginner's programming language which was so near to English that it could be easily understood. But, in recent years, BASIC has become much more powerful and therefore much more difficult to read and understand. BASIC simply isn't basic anymore.

Annotated BASIC explains the complexities of modern BASIC. It includes complete TRS-80\* Level II BASIC programs that you can use. Each program is annotated to explain in step-by-step fashion the workings of the program. Programs are flowcharted to assist you in following the operational sequence. And—each chapter includes a description of the new concepts which have been introduced.

Annotated BASIC deals with the hows and whys of TRS-80 BASIC programming. How is a program put together? Why is it written that way? By observing the programs and following the annotation, you can develop new techniques to use in your own programs—or modify commercial programs for your specific use.

Annotated BASIC Volume 1 contains Projecting Profits, Surveyor, Things to Do, Tax Shelter, Introduction to Digital Logic, Camelot, The Soundex Code, Deduction, Op Amp, Contractor Cost Estimating.

**BK7384 \$10.95** ISBN 0-88006-028-X

**AVAILABLE NOW!**

Annotated BASIC Volume 2 contains Rough Lumber List, Trip Mileage, Flight Plan, OSCAR Data, SWR/Antenna Design, Supermaze, Petals Around the Rose, Numeric Analysis, Demons, Air Raid, Geography Test, Plumbing System Design.

**BK7385 \$10.95** ISBN 0-88006-037-9

Order Both Volumes and Save! **BK738402 \$18.95**

## KILOBAUD KLASROOM—

A practical course in digital electronics

By George Young and Peter Stark

Learning electronics theory without practice isn't easy. And it's no fun to build an electronics project that you can't use. Kilobaud Klassroom the popular series first published in Kilobaud Microcomputing, combines theory with practice. This is a practical course in digital electronics. It starts out with very simple electronics projects, and by the end of the course you'll construct your own working microcomputer!

Authors Young and Stark are experienced teachers, and their approach is simple and direct. Whether you're learning at home or in the classroom, this book provides you with a solid background in electronics—and you'll own a computer that you built yourself!

Kilobaud Klassroom contains Getting the Ball Rolling, Gates and Flip-Flops Explained, J.K. Flip-Flops and Clocked Logic, PC Boards and Power Supplies, Hardware Logical Functions, Voltage, Current and Power Supplies, Transistors, Diodes and OP Amps, Pulses and More Pulses, Counters and Registers, Bus Traffic Control, ROM and RAM Memories, I/O Circuitry, Parallel and Serial I/O Ports, Computer I/O III, Computer I/O IV, Computer I/O V, Processor Connections, Finally... The Kilobaud Krescendo, Eproms and Troubleshooting, Expansions and Programming, Machine-Language Programming, Assembly-Language Programming, Connecting to the Outside World.

ISBN: 0-88006-027-1 **AVAILABLE NOW! BK7386 \$14.95**

## THE NEW WEATHER SATELLITE HANDBOOK—

By Dr. Ralph E. Taggart WB8DQT—

Here is the completely updated and revised edition of the best-selling Weather Satellite Handbook—containing all the information on the most sophisticated spacecraft now in orbit. Dr. Taggart has written this book to serve both the experienced amateur satellite enthusiast and the newcomer. This book is an introduction to satellite watching, that tells you how to construct a complete and highly effective ground station. Not just ideas, but solid hardware designs and all the instructions necessary to operate the equipment are included. An entire chapter is devoted to microcomputers and the Weather Satellite Station, and for the thousands of experimenters who are operating stations, The New Weather Satellite Handbook details all the procedures necessary to follow the current spacecraft.

Weather Satellite contains Operational Satellite Systems, Antenna Systems, Weather Satellite Receivers, A Cathode Ray Tube (CRT) Monitor for Satellite Picture Display, A Direct-Printing Facsimile System for Weather Satellite Display, How to Find the Satellite, Test Equipment, Microcomputers and the Weather Satellite Station, Station Operations.

ISBN 0-88006-015-8 available now! **BK7383 \$8.95**

\*TRS-80 and TRSDOS are trademarks of the Radio Shack Division of Tandy Corporation.

FOR TOLL-FREE ORDERING CALL 1-800-258-5473  
WAYNE GREEN BOOKS • PETERBOROUGH NH 03458

Use the order card or itemize your order on a separate piece of paper and mail to Wayne Green Books Attn: Sales • Peterborough NH 03458. Be sure to include check or detailed credit card information. (Visa, Master Charge or American Express accepted.)

No C.O.D. orders accepted. All orders add \$1.50 for the first book, postage and handling; \$1.00 each additional book; \$10.00 per book foreign air mail. Please allow 4-6 weeks after publication for delivery. Questions regarding your order? Please write to Customer Service at the above address.



**LABELS****299**  
perM15/16"x3 1/2" white pressure  
1 up - pin feed sensitive**PRICE INCLUDES SHIPPING**Packed 5M per box - Min. order 1 box - \$14.95  
Check with order - Mass Residents add 5% Sales Tax**CHECK-MATE**

P.O. Box 103, Randolph, MA 02368

Telephone: 617-963-7694

CALL TOLL FREE 1-800-343-7706

Circle 386 on Reader Service card.


**SCIENTIFIC SOFTWARE** **\$25**  
and up**SOFTWARE UNDER CP/M<sup>®</sup>  
FOR SOLVING PROBLEMS IN**

- CHEMICAL KINETICS
- SEMIEMPIRICAL MOLECULAR QUANTUM MECHANICS
- GROUP THEORY
- SPECIAL FUNCTIONS

SUITABLE FOR THE MOST ADVANCED APPLICATIONS. ESTIMATES FOR CUSTOM PRODUCTS AVAILABLE.

For descriptions and prices, write or call  
(402) 435-6823 (after 6:00 p.m.)**SCIENTIFIC SOFTWARE**232 W. Lakeshore Dr.  
Lincoln, Nebraska, 68528\*CP/M<sup>®</sup> is a trademark of Digital Research.

Circle 87 on Reader Service card.

**RS-232 PROBLEMS?**

LET THE RS-232 TESTER HELP YOU SOLVE YOUR COMPUTER INTERFACE PROBLEMS. DESIGNED TO CONNECT IN SERIES WITH ANY RS-232 INTERFACE, IT DISPLAYS THE STATUS OF SEVEN OF THE MOST IMPORTANT LINES: TRANSMIT DATA, RECEIVE DATA, REQUEST TO SEND, CLEAR TO SEND, DATA SET READY, CARRIER DETECT, AND DATA TERMINAL READY. THE RS-232 TESTER REQUIRES NO POWER AND MAY BE LEFT IN THE LINE PERMANENTLY.

**\$39.95 POST PAID****B & B ELECTRONICS**

Box 475 / MC, Mendota, IL 61342

*Listing continued.*

```

750 R$=R$+A$(J):next
760 rem
770 rem *** SETUP DISPLAY ***
780 rem
790 gosub 310
800 X=2:if C<>8 then Y=1:CC$="":for J=1 to 8-C:gosub 1270:Y=Y+1:next
810 X=1:Y=4:for J=1 to G:CC$="#" + right$(str$(J),2):gosub 1270:Y=Y+1:next
820 rem
830 rem *** OBTAIN PLAYER'S GUESS ***
840 rem
850 for K=1 to G
860 :G$=""
870 :for L=1 to T
880 :X=14+L:Y=3+K:gosub 160:CC$=A$:gosub 1270
890 :G$=G$+A$
900 :next L
910 :gosub 470
920 :CC$="":gosub 1270
930 :if A$="X" then 860
940 :if A$<>"E" then 910
950 :gosub 1030
960 :CC$=right$(str$(CC),2)+" +right$(str$(CP),2):X=26:Y=K+3:gosub 1270
970 :if CP=T then 1190
980 :next K
990 goto 1200
1000 rem
1010 rem *** SUBROUTINE TO EVALUATE GUESS ***
1020 rem
1030 RT$=R$:G$=left$(G$,T):CP=0
1040 for I=1 to T
1050 :if mid$(G$,I,1)=mid$(R$,I,1) then CP=CP+1
1060 :next
1070 J=0:CC=0
1080 for I=1 to T
1090 :J=J+1
1100 :if mid$(G$,I,1)<>mid$(R$,J,1) then 1120
1110 :CC=CC+1:R$=left$(R$,J-1)+" +right$(R$,T-J):goto 1130
1120 :if J<T then 1090
1130 :J=0
1140 :next I
1150 RS$=R$:R$=RT$:return
1160 rem
1170 rem *** CONCLUDING MESSAGE ***
1180 rem
1190 X=2:Y=22:CC$="CONGRATULATIONS! THAT'S IT!":gosub 1270:goto 1220
1200 X=2:Y=22:CC$="SORRY, YOU'RE OUT OF TURNS!":gosub 1270
1210 X=4:Y=23:CC$="THE CODE WAS: [rvs]" + R$ + "[off]":gosub 1270
1220 TF=2:X=4:Y=24:CC$="PRESS ANY KEY TO GO ON":gosub 1270:X=27:gosub 160
1230 goto 520
1240 rem
1250 rem *** PRINT CC$ AT X,Y COORDINATES ***
1260 rem
1270 print "[home]";
1280 if X=1 then 1300
1290 for I=1 to X-1:print "[rt]";:next
1300 if Y=1 then 1320
1310 for I=1 to Y-1:print "[dn]";:next
1320 print CC$:return
1330 end

```

**Notes on TRS-80 to PET Conversions**

The TRS-80 statement PRINT@nn (where nn is a screen cell) has no analog in PET Basic; my subroutine in lines 1270 through 1320 is used to emulate this function. Upon entry to the routine, the character (or string) to be printed is expected to be contained in the variable CC\$, and the screen location for the (first) character to be printed is contained in variables X and Y. Y is the row number (1 is the top row, 24 the bottom row) and X is the character position within the Y row (1 at the left, 40 at the right).

Because PET's For . . . Next loops are always at least one trip, the tests in lines 1280 and 1300 are necessary; other than these tests, no range testing is done in the interest of speed.

A word of warning is in order: Printing a character at location 40,25 (lower rightmost) will cause scrolling of the screen. To print at 40,25 use "POKE ASC(char),33767" instead.

Another TRS-80 function emulated is associated with the random number generator. RANDOMIZE is emulated on the PET by the statement X=RND(-TI) in line 520; this seeds the generator with the current value of the PET's jiffy counter.

In addition, since the PET's RND function always returns a number in the range 0<RND(n)<=1 (the TRS-80 returns 1<RND(n)<=n), the iterative procedure of line 740 is necessary to avoid a SUBSCRIPT OUT OF RANGE error on array A\$. Personally, I think the TRS-80 approach makes more sense!

The final TRS-80 feature to be emulated is the INKEY\$ function used to fetch a single character without a return. Since the PET has the GET function, this is not too difficult; this has been done in lines 160 through 270. As those



# Dealers SELL

Selling *Microcomputing* will make money for you.

Consider the facts:

**Fact #1:** Selling *Microcomputing* increases store traffic—our dealers tell us that *Microcomputing* is the hottest-selling computer magazine on the newsstands.

**Fact #2:** There is a direct correlation between store traffic and sales—increase the number of people coming through your door and you'll increase sales.

**Fact #3:** Fact #1 + Fact #2 = INCREASED SALES, which means more money for you. And that's a fact.

For information on selling *Microcomputing*, call 800-343-0728 and speak with Ginnie Boudrieau, our bulk sales manager. Or write to her at *Microcomputing*, 80 Pine St., Peterborough, NH 03458.


## MICROCOMPUTING

80 Pine Street Peterborough, NH 03458

800-343-0728

## is HARD COPY STORAGE a problem?

*MICROCOMPUTING*, as thick as it is, is more like a floppy when it comes to standing on the bookshelf. Try the *MICROCOMPUTING* Library Shelf Boxes... sturdy corrugated white dirt-resistant cardboard boxes which will keep them from flopping around. We have self-sticking labels for the boxes, too, not only for *MICROCOMPUTING*, but also for *73 Magazine*, *80 MICRO*... and for *CQ*, *QST*, *Ham Radio*, *Personal Computing*, *Radio Electronics*, *Interface Age*, and *Byte*. Ask for whatever stickers you want with your box order. They hold a full year of *MICROCOMPUTING*, *80 MICRO*... or *73 Magazine*. Your magazine library is your prime reference; keep it handy and keep it neat with these strong library shelf boxes. One box (BX-1000) is \$2.00, 2-7 boxes (BX-1001) are \$1.50 each, and eight or more boxes (BX-1002) are \$1.25 each. Be sure to specify which labels we should send. Have your credit card handy and call our toll-free order number 800-258-5473, or use the order card in the back of the magazine and mail to:



## MICROCOMPUTING

peterborough nh 03458

Att: Book Sales. Shipping & Handling: \$2.00 per order \$10.00 foreign airmail

## 80's 3 in 83!

80 MICRO magazine will be three years old in January of 1983.

And to celebrate, we're publishing a special limited edition ANNIVERSARY ISSUE!

- \*all new articles and programs.
- \*over 500 pages of the same 80 MICRO quality.
- \*dozens of games and programs for your TRS-80\*.
- \*exclusive articles by well-known authors.

- \*tutorials on buying peripherals and software.
- \*a 3-year 80 MICRO index—annotated and cross-referenced.
- \*page after page of Christmas specials in colorful holiday ads.
- \*the most in-depth coverage of the Color Computer yet.

PLUS—In every Anniversary Issue of 80 MICRO, you'll find a FREE SURPRISE! What is it? If we told you, it wouldn't be a surprise. (See Nov. Issue for details)

You can also get the amazing Special Edition LOAD 80 Companion to the Anniversary Issue. All those games and programs just waiting for you to load. No more keyboarding. No more debugging. No more hassles.

You'd expect all new Special Editions of this quality to cost you hundreds of dollars. (Well, maybe tens.) But for a limited time only you can get the 80 MICRO Anniversary Issue for only \$5.95. That's right—\$5.95. The LOAD 80 Companion is just \$9.95 for cassette, \$19.95 for floppy disk. So order your very own copy of the Anniversary Issue and LOAD 80 Companion. Give them as gifts. Call toll free 1-800-258-5473. And hurry! Supplies are limited! Operators are standing by (during business hours).

\*TRS-80 is a trademark of the Radio Shack division of Tandy Corp.

\* 80 MICRO (a Wayne Green publication) \* 80 PINE STREET \* PETERBOROUGH, NH \* 03458 \*

☐ Yes, I want to celebrate 80 Micro's anniversary!

☐ check enclosed for \$5.95

☐ MC

☐ Visa

☐ Amex

KM-10/82

Card# \_\_\_\_\_ Interbank# \_\_\_\_\_

Signature \_\_\_\_\_ exp. date \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Attn: Pat Ferrante • 80 Micro • 80 Pine St. • Peterborough, NH 03458



Please allow 6-8 weeks delivery



## Krell's College Board SAT\* Preparation Series NEW FOR 82

A COMPREHENSIVE PREPARATION  
PACKAGE / 30 PROGRAMS / \$299.95

1. Diagnostic analysis
2. Prescription of individual study plans
3. Coverage of all SAT\* skills
4. Unlimited drill and practice
5. SAT\* Exam Question simulator
6. All questions in SAT\* format and at SAT\* difficulty level
7. Instantaneous answers, explanations and scoring for problems
8. Worksheet generation and performance monitoring - (optional)
9. A complete record management system - (optional)
10. Systematic instruction in pertinent math, verbal & test taking skills - (optional)

Krell's unique logical design provides personalized instruction for each student according to individual needs.

APPLE, ATARI, COMMODORE, CBM/PET, CP/M, I.B.M., RADIO SHACK TRS-80.

## LOGO \$99 NO FRILLS PAK

1. Two copies of Krell's LOGO for Apple II\*
  2. Utility Disk with M.I.T.'s valuable demo programs including Dynatrack
  3. The official M.I.T. technical manual LOGO FOR APPLE II by H. Abelson & L. Klotz
- No Frills Turtle Price **\$99.00**

## FRILLS FOR LOGO

FRILLS FOR LOGO / Support Pak for:  
M.I.T. LOGO, KRELL & TERRAPIN INC.

1. Krell utility disk
2. Alice in LOGOLAND
3. LOGO for Apple II - by H. Abelson
4. Alice in Logoland Primer
5. Comprehensive wall chart
6. LOGO & Educational Computing Journal

**\$89.95**

**NO FRILLS LOGO AND  
ALL THE FRILLS COMBO  
FOR APPLE II\* \$149.95**

## SPRITES NOW AVAILABLE FOR LOGO

Call for information

### ALSO AVAILABLE

Time Traveler / Odyssey in Time  
Competency/Proficiency Series  
Pythagoras and the Dragon  
Isaac and F. G. Newton / Micro Deutsch  
Super Star Baseball / Sword of Zedek  
Krell Game Pack

CALL FOR DETAILS AND PRICES

# KRELL®

## SOFTWARE CORP.

The state of the art in educational computing  
1320 Stony Brook Road / Stony Brook NY 11790  
Telephone 516-751-5139

Krell Software Corp. has no official ties with the College Entrance Examination Board or the Educational Testing Service. Krell is, however, a supplier of products to the E.T.S.

\*Trademarks of Apple Comp. Corp., Tandy Corp., Commodore Corp., Digital Research Corp., I.B.M., Atari Corp., Terrapin Inc.

PROGRAMS AVAILABLE FOR THE TRS-80, APPLE II, PET & ATARI

MSA N.Y.S. residents add sales tax



who are familiar with the PET will remember, the GET function returns regardless of whether or not a key was pressed (hence the test for a null string in line 200).

While the replacement of INKEY\$\$ with GET was all that was necessary to duplicate the functionality of Mr. Bishop's program, I took the liberty of making some enhancements to the user interface.

In the event of invalid input, you should be immediately notified of the error and new input requested. The types of input Color Code Combo requires fall into three classes—numeric (the initial setup screen), alphabetic (the body of the program) and "anything goes" (line 1220). The input routine, therefore, accepts only one of these classes of characters based upon the current value of variable TF (Type\_Flag).

TF = 0 allows numeric data only. TF = 1 allows alphabetic data only and TF = 2 (actually any other value) allows all characters (except return). TF is set appropriately in lines 550, 660 and 1220. If you wanted to really restrict input to only those characters representing the colors in the chosen set, a more restrictive test could have been made in line 230 at the cost of reduced speed.

The other user-oriented change made was done to avoid a problem common to many menu-driven programs. If there is one thing I resent, it is being sent clear back to the beginning of a menu due to simple finger problems near the end of the menu. The computer is good at making decisions and taking appropriate actions if you tell it to: lines 580, 610 and 650 reflect this philosophy.

Rather than making you repeat otherwise valid input, the PET program merely erases the bad input line, on-the-spot, and re-prompts for the desired input, repeating the process until valid input is obtained. Using this approach requires only a small incremental effort on the programmer's part.

I have used a pretty printer program I wrote to prepare Basic listings. My printer won't print the PET graphics and cursor control characters, so Pretty Printer substitutes bracket abbreviations for the cursor controls (e.g., [up] for cursor-up). Shifted characters (graphics) are shown as the unshifted character enclosed in brackets. For instance the symbol [6] in line 340 is read as shift-6. While this approach may not be as elegant as the Commodore printer, at least all the characters are shown.

As a readability enhancement, Pretty Printer also lists all Basic keywords in lowercase. Doing this makes listings clearer, especially when an expression such as FORI=STOPSTEPS is entered without spaces to speed typing and conserve memory. Pretty Printer lists this expression as "forI=StoPstepS", clearly differentiating between keywords and variable names.

Pretty Printer is appended to the program to be listed using either the TOOLKIT APPEND command or the method outlined in the Nov. 1979 *Microcomputing* "PET-pourri" (p. 191). Pretty Print is small (1400 bytes, 40 lines) and may be left permanently attached to the host program through the development process.

Interested readers can send \$2 for an annotated listing with directions (sorry, I can't make cassettes or disks). ■ W. Novinger

## Subscription Problem?

Microcomputing does not keep subscription records on the premises, therefore calling us only adds time and doesn't solve the problem.

Please send a description of the problem and your most recent address label to:

**Microcomputing  
Subscription Dept.  
PO Box 981  
Farmingdale, NY 11737**

## ATTENTION !!

**Foreign Computer  
Stores/Magazine Dealers**

You have a large technical audience that speaks English and is in need of the kind of microcomputer information the Wayne Green Publications group provides.

Provide your audience with the magazines they need and make money at the same time. For details on selling *Microcomputing*, *80 Micro*, *Desktop Computing* and Wayne Green Books contact:

**Sandra Joseph  
World Wide Media  
386 Park Ave. South  
New York, N.Y. 10016  
Phone—(212) 686-1520  
Telex—620430**



Circle 139 on Reader Service card.

## Maxell Diskettes



The floppy disks that meet or exceed every standard of quality. Dealer inquiries invited.

**Call Toll Free  
1-800-237-8931.**

**In Florida, call  
813-577-2794.**



**Tech Data Corporation**  
3251 Tech Drive North  
St. Petersburg, FL 33702

Circle 346 on Reader Service card.

## DATA COMMUNICATIONS Specialists for IBM PC & SEATTLE COMPUTERS

Teleprocessing software available for above computers to time-sharing hosts or between two users (send binary files, also). Version 2 software, \$60; Version 3, \$160. Write for details or \$3.00 for manuals.

SEATTLE computer hardware and Microsoft MS-DOS\*, Pascal, BASIC, FORTRAN, COBOL. SPECIAL PRICE for SEATTLE SYSTEM 2 + 4-port serial board + cables + choice of Microsoft BASIC (both interpreter & compiler), Pascal, or FORTRAN. Write or call for quote.

MITS disk owners, don't throw away your drives. Try out the 8086 world with SEATTLE 8086 CPU board set. Special offer of \$750 for two-board CPU set + MS-DOS\* + Microsoft MACRO-86 and utilities. (Mits I/O drivers included and ready to boot). Write for spec sheet.

**OCSCSO** COMPUTER & STATISTICAL  
CONSULTING SERVICES  
P.O. BOX 5351  
TERRE HAUTE, IN 47805  
(812) 466-4111

\*TRADEMARK OF MICROSOFT, INC.

Circle 271 on Reader Service card.

## DISK DOUBLER PROGRAM NOW AVAILABLE

"DOUBLE THE STORAGE CAPACITY OF YOUR 5 1/4" DISKETTES." NOW YOU CAN INCREASE THE SIZE OF USABLE SPACE ON YOUR SS/SD OR SS/DD 5 1/4" DISKETTES.

THIS PROGRAM IS DESIGNED TO DOUBLE THE STANDARD STORAGE CAPACITY ON YOUR SS/SD OR SS/DD 5 1/4" DISKS. ALL YOU PAY IS A ONE TIME FEE OF \$12.95. USE THE PROGRAM OVER AND OVER, AS OFTEN AS YOU LIKE, NO EXTRA FEES. THIS PROGRAM WILL WORK WITH ALMOST ALL SS/SD OR SS/DD DISKETTES.

HURRY, SEND \$12.95 U.S., CASH, CHECK OR MONEY ORDER TO:

**DISK DOUBLE PROGRAM  
CP-M Co.**

**P.O. Box 1045**

**WOODLAND HILLS CA 91365**

**Nationwide: 1-800-428-7825 ext. 43**

**California only: 1-800-428-7824 ext. 43**

California residents add 6% sales tax, Los Angeles residents add 6.5% sales tax. Please include \$1.00 Postage and Handling, all orders shipped within 10 days. Disk Doubler Program Copyright 1982

**Computer Peripheral-Materials Company.**

Circle 63 on Reader Service card.



## D/Punch?

HOW WOULD YOU LIKE A 500% RETURN ON INVESTMENT IN 10 MINUTES? IN ACTUALITY, YOUR ROI INCREASES EACH TIME YOU USE D/PUNCH. D/PUNCH IS SPECIALLY ENGINEERED TO MAKE IT EASY FOR YOU TO PUNCH A CUTOUT ON YOUR FLOPPY DISKS—THEREBY ALLOWING YOU TO WRITE (SAVE) ONTO THE OTHER SIDE. WHEN YOU SEND US YOUR ORDER, BE SURE TO TELL US YOUR SYSTEM CONFIGURATION.

- |                                 |       |
|---------------------------------|-------|
| a) D/PUNCH                      | 6.95  |
| b) LABELS (100)                 | 3.00  |
| c) WRITE-PROTECT STICKERS (105) | 2.65  |
| d) DISK SAVER 5 1/4"            | 10.99 |
| e) DISK SAVER RINGS (50)        | 5.25  |

ADD: \$2.00 FOR SHIPPING & HANDLING.  
MA RESIDENTS ADD 5% TAX  
SEND CHECK OR MONEY ORDER TO:

**D/Punch Co.**

P.O. BOX 201  
NEWTON HIGHLANDS, MA 02161  
(617) 964-2126

ALLOW 4-6 WEEKS FOR DELIVERY.

Circle 332 on Reader Service card.

## PRICE BREAK

## EPSON MX-80 CARTRIDGE RIBBONS

# \$9.95

EA.

**\$107.46 per dozen  
Minimum Order 3 Ribbons  
Price Includes Shipping  
We accept Mastercard and Visa**



**CHECK-MATE™**  
P.O. BOX 103, RANDOLPH, MA 02368  
Call Toll Free - 1-800-343-7706  
In Massachusetts - 617-963-7694

Circle 220 on Reader Service card.

## IBM PC® ← MX-80® OSBORNE I® ← MX-80® PARALLEL PRINTER CABLES

MX-80/Centronics® type parallel printer cables:

- #11 — IBM PC compatible — \$35.00.
- #01 — OSBORNE I IEEE 488 port compatible — \$35.00.

VERBATIM 5" SSDD soft sector diskettes — \$33.00/Box of 10.

—FREE SHIPPING, 10 DAY FREE TRIAL—

VISA, MASTERCARD, COD (ADD \$2.00).  
TX res add 5%.

**AUSTIN COMPUTER  
TECHNOLOGIES**  
Dept. M P.O. Box 26595  
Austin TX 78755  
512-835-6136

## BACK ISSUES

- KM3006—Single back issue before July 1980. . . . . \$3.00
- KM3507—Single back issue July 1980 on. . . . . \$3.50
- KM0005—5 your choice. . . \$10.75  
Add \$1.00 per magazine for shipping.

- KM0010-10 your choice. . . \$16.00
- KM0025-25 your choice. . . \$27.00
- KM1025-25 our choice. . . \$14.00  
Add \$7.50 per order for shipping.

●FREE BACK ISSUE CATALOGS are yours for the asking. . . specify 73 Magazine, and/or Microcomputing, back issue catalog when you send your name and address to us on a postcard.

Back Issues ● Attn. Pauline Johnstone  
80 Pine St. ● Peterborough, NH 03458

Circle 111 on Reader Service card.

## North Star BASIC UTILITY SET

- EDITOR — Create & edit a Basic program using 26 commands, including GLOBAL locate & change.
- BPRT — Print & cross reference a Basic program.
- BPAK — Pack a Basic program.
- RE — Rename a disk file.

**\$69** plus \$1.50 shipping.  
Calif. Res. add 6%.  
Check. VISA. M C

**SZ Software Systems**

1269 Rubio Vista Road, Altadena, Calif. 91001  
(213) 791-3202

Circle 172 on Reader Service card.


## Maxell Floppy Disks

The Mini-Disks  
with maximum quality.



Dealer inquiries invited. C.O.D.'s accepted. Call

FREE (800) 235-4137.



**PACIFIC EXCHANGES**  
100 Foothill Blvd., San Luis  
San Luis Obispo, CA 93401.  
In Cal. call (800) 592-5935 or  
(805) 543-1037.



# Standard 16-Bit Operating System Ideas for Using VisiCalc All About Your Atari An Alternative to Micros

## Using the Unix System

Richard Gauthier  
Reston Publishing Company, Inc., 1981  
11480 Sunset Hills Rd.  
Reston, VA 22090  
Paperback or cloth cover, 200 pp., \$18.95

*Using the Unix System* is one of what I expect to be hundreds of books that will be written about Unix in the next few years.

Unix is an operating system developed at Bell Laboratories as a personal project, but because it offered capabilities that were needed in the software development environment it grew into a product. It is sold both directly by Bell Labs and by companies licensed by Bell Labs to sell executable copies to end users. Both Venix, by Venturcom, Inc., and Xenix, by Microsoft Corporation, are examples of Unix systems that have been modified and then resold.

The reason all this matters is that it's very likely that Unix and its derivatives will become the standard operating system for 16-bit micros. It can offer a substantial base of commercially developed and debugged software now, whereas any new operating system would start out with no applications software. Because of this it would take many years and millions of dollars for a new operating system to offer all that Unix can offer today.

*Using the Unix System* is written for someone who has no knowledge of Unix or other computer operating systems. It deals with the basics of logging onto the system, using ED, the line-oriented text editor, to create, edit and search through files. It presents the basics of the Unix file system and covers the utility commands that are essential in order to look at the file system and manipulate files. The book also deals with some of the capabilities of the shell, which is the command interpreter for Unix.

The book also talks about the responsibility of the system administrator (the person responsible for ensuring that the file system has not been corrupted) and

shows how to perform most of the administrative tasks. Most of the Unix commands, along with brief descriptions of the syntax required to use them, are listed in an appendix.

I have two criticisms of the book. The first is that *Using the Unix System* probably will have a short useful life for the purchaser. Even though the information that's presented is detailed, showing every possible error and what to do about it, you may have hundreds of other questions the book doesn't address.

If you have the same experience learning to use Unix that I had, then you'll probably bumble around with a problem for months before you discover a direct solution.

For example, "grep" is a sophisticated pattern-matching program. It gets only two pages of description in Gauthier's book, so its usefulness is not obvious; you'll need a guide to get you involved with its capabilities.

My second criticism is that Gauthier makes some statements that cause you to develop the wrong idea about how Unix actually works. Some of the things that are simply conventional are stated as absolute. Other statements are actually incorrect.

For example, Gauthier writes "mv is like cp except the old file is deleted." Well, mv is the move (or rename) utility and cp is the copy utility. Cp always copies the file. Mv only changes the file name in the directory if both the source and destination file are on the same physical device.

This difference could mislead a serious user and cause him to implement a system in an inefficient manner. The author may have been better off not even mentioning the similarity of the two programs.

Still, *Using the Unix System* offers a worthwhile introduction to Unix for someone inexperienced in computer use. If you want to know the basics of Unix, or find yourself in a position where you have access to Unix but no documentation, then this book will get you started. But once you know the basics, plan on get-

ting some further documentation.

Phil Hughes  
Mercer Island, WA

## VisiCalc Home and Office Companion

David M. Castlewitz,  
Lawrence Chisauksy  
and Patricia Kronberg  
Osborne/McGraw-Hill, 1982  
630 Bancroft Way  
Berkeley, CA  
Paperback, 182 pp., \$15.99

Once you've used a microcomputer enough to feel comfortable with disk operating systems and elementary Basic programming, a tool like VisiCalc is easy to master and a fascinating implementation of computer technology. Creating worksheets, or templates as they are commonly called, is a simple matter after your second or third VisiCalc work session.

What may be a little more difficult is coming up with good ideas for which templates can then be created. Or, coming up with the correct mathematical formulation to implement that good idea.

When you reach such an impasse, a book like *VisiCalc Home and Office Companion* comes in handy. Here, in just 182 pages, are 50 VisiCalc templates to do things like figure the start-up costs for a new business, maintain a stock portfolio, produce survey results or even figure out how much paint you'd need to paint a room.

These templates are presented with both a sample printout, including data, and a listing of the contents of each individual grid location. All listings were generated with an Epson MX-80 dot matrix printer. The grid location listing is provided in column order—all the A column entries first, then the B column entries and so on.

You can type in the templates from the grid location list, save them on a disk and then use them with your own data. Or, you can make modifications to suit your own needs once the initial form has been



# Announcing

## ....A New, Authoritative Guide to

# The Most Important Book Ever Published for the Apple.


## What's Where in the APPLE...Plus...the All New Guide to What's Where

is William F. Luebbert's Revised Edition of the famous Apple Atlas. The original *What's Where in the APPLE?* provided more information on the Apple's memory than was available anywhere else. Now the *Revised Edition* shows you how to use this valuable data.

# What's Where in the APPLE...Plus... the All New Guide to What's Where

- Guides you — with a numerical Atlas and an alphabetical Gazetteer — to over 2,000 memory locations of PEEKs, POKEs, and CALLs.
- Gives names and locations of various Monitor, DOS, Integer BASIC, and Apple-soft routines — and tells you what they're used for.
- Explains how effectively to use the information contained in the original *What's Where in the Apple?*
- Enables you to move easily between BASIC and Machine Language.
- Guides you through the inner workings and hidden mechanisms of the Apple.

**All Apple users will find this book helpful in understanding their machine, and essential for mastering it!**



**The Atlas and The ALL NEW GUIDE** are available in one, 256-page Wire-O-Bound

Please send me: M982

What's Where in the APPLE...Plus...  
the All-New Guide to What's Where @ \$24.95

THE GUIDE @ \$ 9.95

Add \$2.00 surface shipping for each copy,  
Massachusetts residents add 5% sales tax.

Total Enclosed \$ \_\_\_\_\_

☐ Check    ☐ VISA    ☐ Master Card    Acct # \_\_\_\_\_

Expires \_\_\_\_\_

Name \_\_\_\_\_

Address

City	State	Zip
------	-------	-----

**MICRO INK 34 Chelmsford St., P.O. Box 6502, Chelmsford, MA 01824**

book for only **\$24.95**

If you own the original *What's Where in the Apple?* you will want **THE GUIDE** to complement your edition. This 128-page, Wire-O-Bound version contains all new material to be used with the memory map and atlas for **\$9.95**

*Ask for it at your computer store*

Use the Coupon to Order Direct from MICRO  
or

Call Toll Free Today 1-800-345-8112  
(In PA 1-800-662-2444)



entered into your machine.

Each template is accompanied by a one- to seven-paragraph explanation of the methodology behind the template and any special instructions on how to use it. Often, the authors provide an example or two of how the template can be most useful.

The 50 templates in the book are divided into seven categories: Loans and Investments, General Business, Inventory Control, Advertising and Sales, Personnel and Departments, Personal Finance and Household Aids. The templates will work with versions of VisiCalc designed to run on Apple, TRS-80, Commodore and IBM microcomputers. With some modification, the templates will also be usable with the SuperCalc program.

Few people will use every one of the 50 programs in this book. Everyone, however, will likely find anywhere from five to 15 of the templates to be directly applicable to their situation and another two or three that will give them a good idea for the creation of a hybrid template.

For example, I found the Professional Services Fee Analysis and Time Sheet templates to be useful in consulting work. I used the Home Inventory and Personal Possessions Evaluation to catalog my household goods and the Business Start-up Worksheet to help me evaluate the feasibility of going into business for myself. (I'm wavering.) There are several other templates that I may use as my needs change.

The target audience for a book like this more than likely is that group of VisiCalc users who are not really good at coming up with their own template ideas but can use an idea that they've seen implemented elsewhere. For this group, *VisiCalc Home and Office Companion* effectively targets that need.

**G. Michael Vose**  
**Technical Editor**  
**Microcomputing**

### **Your Atari Computer (A Guide to Atari 400/800 Personal Computers)**

Lon Poole with Martin McNiff  
and Steven Cook  
Osborne/McGraw-Hill, 1982  
630 Bancroft Way  
Berkeley, CA 94710  
Softcover, 458 pp., \$15.

Up until now, one of the biggest problems with Atari has been its lack of a really comprehensive "training manual." The operator's manual furnished with the machine is laid out in dictionary fashion, consisting of rather terse explanations of Basic keywords and functions. As a result, the owner of a new Atari is forced into spending endless hours of experimentation and, after months of effort, may succeed in "reinventing the wheel."

Fortunately, this problem has been

largely eliminated by the publication of *Your Atari Computer*, a fast-moving and well-written book from Osborne/McGraw-Hill (with more than a little technical assistance from Atari, we suspect).

The book starts out assuming you know nothing about computers; the first two chapters are of the "this is the on-off switch, this is the cartridge slot" variety. The next chapter is a brief but well-executed introduction to Basic, and by chapter 4 (surprisingly) we get into such advanced programming techniques as right-justified and decimal-aligned output, input masks, cursor control and an excellent error-handling routine. Instead of using unrelated examples for each topic, the material is presented in such a manner that the sample programs build on each other. The end product is a library of useful subroutines.

Chapters 5, 6 and 7 cover peripheral devices extensively and include first-rate explanations of cassette data files, a subject that has been completely overlooked by Atari and almost everyone else. (I am beginning to suspect that Atari has a mental block against cassettes. Their *Technical User's Notes* contains only one or two sentences on the program recorder and the *Assembler/Editor* manual scarcely more.)

Chapters 8 and 9 do a good job of covering the various Atari graphic methods, building up to an explanation of player/missile graphics. Chapter 10 covers sound, and the final chapter is a dictionary/summary of Basic keywords, operators and functions that I find much easier to use than the operator's manual. The book is rounded out with the obligatory appendices of error statements, ATASCII codes and memory organization, including some rather arcane addresses (did you know that poking a 6 or 7 into 755 causes every character on the screen to be printed upside down?).

*Your Atari Computer* is well thought-out and easy to follow, but the real surprise is that it is of almost equal value whether you are a rank novice or a veteran of innumerable midnight campaigns. It serves equally well as a textbook or a reference work, and should be standard equipment with every new Atari. Other than being overpriced (a problem endemic to computer books), the only serious criticism I have is that it does move rather quickly through beginning Basic. A supplementary text (such as the programmed *Atari Basic*, supplied by Atari as standard equipment) might be of considerable use here.

One other improvement I would like to see: detailed explanations of the Atari error codes, including a list of all the things you could have done wrong. My experience has been that some of the error messages are triggered by errors completely unrelated to what the code actually says (error 9 is the prime offender). Contrary to what most books (including this one)

say, errors 138, 140 and 143 are rarely caused by faulty cassettes or machinery, but instead are almost always due to starting at the wrong spot on the tape.

**Bill Lukerth**  
**Martinez, CA**

### **Using Programmable Calculators for Business**

C. Louis Hohenstein  
John Wiley & Sons, Inc., 1981  
605 Third Ave.  
New York, NY 10158  
Paperback, 256 pp., \$9.95

Maybe your business doesn't need a microcomputer.

At the risk of being branded as a heretic, I'd like to propose an alternative. If your business is saddled with repetitive tasks that require a number of sequential arithmetic steps, then you should consider the message delivered in *Using Programmable Calculators for Business*.

C. Louis Hohenstein makes a good case for programmables in this softbound book from John Wiley & Sons, Inc. After all, calculators like Hewlett-Packard's HP-38C or Texas Instruments' TI-59 cost less than most microcomputers and they're compact and can be mastered quickly.

No, you can't do your mailing list on one, nor will a programmable calculator allow you to play Asteroids or Space Invaders in four colors. But what about making depreciation calculations or adding up time card totals? These are two of the book's 17 annotated examples. In many cases you can complete chores with a programmable calculator in less time than it takes to turn on your microcomputer and load in the appropriate software.

Still not convinced? Consider the fact that *Using Programmable Calculators for Business* includes a collection of software for the TI-59. If these listings don't satisfy your needs then you can avail yourself of the book's easy-to-understand tutorial on universal programming techniques. And if that option fails you can consult the tips for finding outside suppliers of calculator software.


The author approaches his subject with the attitude, "I assume you are simply interested in doing a better job in less time and at a lower cost, thereby increasing your income and profit..." This practical orientation makes the strongest argument for using a programmable calculator.

Maybe you really do need a microcomputer. But you may need a programmable calculator too. If so, the basic, everyday approach of *Using Programmable Calculators for Business* should prove helpful.

**Timothy Daniel**  
**Oxford, OH**



## Model 953A EPROM PROGRAMMER



- Programs 2508, 2758, 2516, 2716, 2532 and 2732 five volt EPROMS.
- Complete - no personality modules to buy.
- Intelligent - microprocessor based, programs and verifies any or all bytes.
- RS-232 serial interface - use with computer or terminal.
- Verify erasure command - verifies that EPROM is erased.
- Extended diagnostics - error output distinguishes between a bad EPROM and one which needs erasing.
- May be used for extremely reliable data or program storage.
- All power on programming socket under processor control. LED warning light indicates when power is applied.
- Complete with Textool zero insertion force socket.
- High performance/cost ratio.
- Standard DB-25 I/O connector.

PRICE \$289



BAY TECHNICAL ASSOCIATES, inc.

HWY. 603, P.O. BOX 387  
BAY ST. LOUIS, MISSISSIPPI 39520  
(601) 467-8231

Circle 104 on Reader Service card.

## GOSUB International, Inc. presents

The **CARDBOARD** for the VIC 20! The **CARDBOARD** is an expansion motherboard for use with Commodore's VIC 20 series computers. It has six slots that will accept any VIC-compatible cartridge in any configuration.

Increase RAM up to 40K and use several utility ROMs plus have several games online, all switch selectable!

The **CARDBOARD** can be daisy-chained, giving the user an almost unlimited number of available expansion slots.

A system reset switch has also been added to the **CARDBOARD** allowing the user to select and/or restart games on ROM without turning off the computer.

*All this for only \$119.95 plus \$1.50 S/H*

To order send check or money order to:

**GOSUB International, Inc.**  
501 E. Pawnee, Suite 430  
Wichita, Kansas 67211  
(316) 265-9858

VISA and MasterCard phone orders also accepted

Circle 101 on Reader Service card.

## Give Your TRS-80\* a Tremendous Boost with RACET COMPUTES Software

**RACET COMPUTES Utility Software makes the TRS faster, more efficient, and easier to use. Our programming aids improve your productivity. Our reputation is for products that are professional in design and work as advertised!!!**

### FIELD PROVEN HARD DISK DRIVES AND OPERATING SYSTEM

Now you can use RACET's Hard/Soft Disk Operating System (HSDS) with the ARM Winchester Disk Drive on the Model II. This cost effective combination provides 15 Megabytes per drive including **ECC Error Correction Code** and an advanced sequencer to further ensure data integrity. An incremental backup to floppy is provided so that only those sectors that were changed from the last backup are saved. A full monthly service contract is available at \$30 per month per drive.

The HSDS Software has more than One Year's FIELD Experience. The latest HSDS version adds several enhancements including maintenance of system files on the hard drive, files as large as the disk, the ability to segment the disk as logical drives, definable directory size, and many utilities including bulk copies between floppy and hard drives, multiple purge, Superzap, and Directory Catalog System. Full program compatibility with TRSDOS 2.0a is maintained. Mixed floppy and hard drive operation is supported.

HSDS is available for the Cameo, Cynthia Bull, Corvus, Data Peripherals, and Santa Clara Systems hard disk systems as well as the ARM Winchester Drive.

**ARM 15 Megabyte Drive Subsystem \$3895. HSDS Software \$400.**  
**Cameo 5/5 Cartridge Drive \$5995. Cynthia Bull 10/10 Drive \$7995**

### NEW PRODUCT ★ Model II Fast Backup Utility ★ \$75

5 to 10 times faster backups!!! Full disk backup (including verify) **55 seconds!!!** on two drive system — 2:15 on single drive system. In business, time is money, and one BACKUP is worth 1000 tears!!

### NEW PRODUCT ★ INTEGRATED BUSINESS SYSTEM ★

ISAM File Structure — Multi-Company Capability. Modular structure. Each module includes complete user documentation which guides the user through installation and allows "practice" using a sample data base. When ready, the user simply names his data base and begins. The Integrated Business System program set includes General Ledger, Accounts Receivable, Accounts Payable, Payroll, Inventory, General Journal, Asset Management and more.

Business Programs \$250/module Mod III, \$300/module Mod II, \$795 for all four Mod III, \$995 for all four Mod II. General Ledger and Accounts Receivable available now. Accounts Payable and Payroll 1st Quarter 1982.

**RACET COMPUTES LTD.**  
1330 N. GLASSELL, SUITE M, ORANGE, CA 92667

CIRCLE READER RESPONSE BELOW FOR FREE CATALOG

CHECK VISA, M/C, C O D. PURCHASE ORDER  
TELEPHONE ORDERS ACCEPTED (714) 997 4950

\*TRS-80 IS A REGISTERED TRADEMARK OF TANDY CORPORATION

Circle 93 on Reader Service card.

**DISK DRIVE WOES?  
PRINTER INTERACTION?  
MEMORY LOSS?  
ERRATIC OPERATION?**

## Don't Blame The Software!



Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our patented ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash. **MONEY BACK GUARANTEE!**

- **ISOLATOR (ISO-1)** 3 filter isolated 3-prong sockets; Integral Surge/Spike Suppression; 1875 W Maximum load, 1 KW load any socket ..... \$69.95
- **ISOLATOR (ISO-2)** 2 filter isolated 3-prong socket banks; (6 sockets total); Integral Spike/Surge Suppression; 1875 W Max load, 1 KW either bank ..... \$69.95
- **SUPER ISOLATOR (ISO-3)** similar to ISO-1 except double Isolation & Suppression ..... \$104.95
- **SUPER ISOLATOR (ISO-11)** similar to ISO-2 except double Isolation & Suppression ..... \$104.95
- **MAGNUM ISOLATOR (ISO-17)** 4 Quad isolated sockets; For ULTRA-SENSITIVE Systems ..... \$181.95
- **CIRCUIT BREAKER**, any model (Add-CB) ..... Add \$9.00
- **REMOTE SWITCH**, any model (Add-RS) ..... Add \$16.00

AT YOUR DEALERS

MasterCard, Visa, American Express  
ORDER TOLL FREE 1-800-225-4876  
(except AK, HI, PR & Canada)

**ESP Electronic Specialists, Inc.**

171 South Main Street, Box 389, Natick, Mass. 01760  
(617) 655-1532




## Data Transfer

Read and write IBM standard floppy disk files on a Commodore PET/CBM with a new system from CGRS Microtech, PO Box 102, Langhorne, PA 19047. The Exchange system comprises an eight-inch Pedisk II floppy disk drive, a controller and a special software package called Filex. The system transfers data files and information between large computers and the CBM. Remote data entry and processing can be set up using this system. The Exchange system costs \$1295 in single drive version and \$1795 in dual drive version. The Filex software is available to Pedisk II owners for \$250. Reader Service number 481.

## VisiCalc Keyboard

Key Wiz is an Apple II-compatible keyboard comprising 20 VisiCalc function keys and a 19-key numeric keypad. The function keys are used with the shift key to produce 30 VisiCalc commands. Each command key representing a particular VisiCalc code causes Key Wiz to transmit from one to four characters to the Apple. Also included are four arrow keys to position the cursor. Installation is simple, and will not interfere with



Creative Computers' Key Wiz Apple-compatible keyboard for use with VisiCalc.

other peripherals. Price is \$299.

Creative Computers, 1044 Lacey Road, Forked River, NJ 08731. Reader Service number 483.

## Mean Green Screen

Leading Edge Products, Inc., 225 Turnpike St., Canton, MA 02021, offers a 12-inch green-screen monitor for \$99. The Mean Green monitor boasts a composite video signal and display format of 1920 characters (80 char. x 24 lines). Reader Service number 482.

## An Electronic Notebook

A notebook-size computer that runs on internal batteries for up to 50 hours, with power and features comparable to many desk-top computers, has been introduced by Epson America, Inc., 3415 Kashiwa St., Torrance, CA 90505. The HX-20's programmable random-access memory is 16K bytes standard, expandable to 32K; ROM is 32K standard, expandable to 64K with an optional expansion unit. The computer includes RS-232 and serial interfaces, full-size keyboard, built-in printer with bit-addressable

graphics, liquid-crystal display screen and tone generation. The HX-20 uses a complete extended version of Microsoft Basic and has internal time, date and alarm string functions. Optional interfaces include a bar code reader, audio cassette and systems bus for further expansion. Price is \$795. Reader Service number 479.


## High-Density I/O and Timer Board

The OB68K230 is a high-capacity parallel input/output and timer board with a large on-board prototyping area. It is compatible with most eight-bit and 16-bit microprocessors operating on the Multibus/IEEE 796 bus, and features four Motorola PI/T chips. The OB68K230's user-definable prototyping area will accommodate customer front-end circuits; once a wire-wrapped prototype is verified in operation, the design can be sent to Omnibyte for incorporation into the customer's production boards. Price for the OB68K230 is \$450.

Omnibyte Corp., 245 W. Roosevelt Road, Building 1, Unit 5, West Chicago, IL 60185. Reader Service number 478.



Epson's new HX-20 portable computer.



The CVA-1 video adapter from NJN Integrated Systems.


## Adapter for Osborne

If you replace the Osborne-1's external video plug with a CVA-1 composite-video adapter, you can use any standard monitor with the computer. Half-intensity display enhancement (as used with WordStar) is retained, and the integral Osborne monitor remains operational. The CVA-1 can be used with more than one monitor simultaneously. Price for the adapter is \$34.95.

NJN Integrated Systems, Inc., 125 Sharon Ave., Houghton, MI 49931. Reader Service number 480.

## Computer Listener

The Computer Listener adds a new dimension to your programs—now you can hear your Apple's internal activity. The Computer Listener adds sound effects to machine code games, math calculations, graphics, print statements, plotting, poking, listing, etc. All activity within the computer can be amplified and



The Computer Listener from M. Reinhart Engineering plugs into your Apple's inner activities.





# LOWER PRICES, COME HELL OR HIGH WATER.

“ I'll match any advertised price on any item you want to buy from us. And if—Heaven forbid!—you find a lower price on what you bought within 30 days, just show me the ad and I'll refund the difference. ”

—Old Nick for  
DISCOUNT SOFTWARE

## CP/M®

DISK WITH / MANUAL  
ONLY

**ARTIFICIAL INTELLIGENCE\***  
Medical (PAS-3) ..... \$849/\$40  
Dental (PAS-3) ..... \$849/\$40

**ASYST DESIGN\*/FRONTIER**  
Prof Time Accounting ..... \$549/\$40  
General Subroutine ..... \$269/\$40  
Application Utilities ..... \$439/\$40

**DIGITAL RESEARCH\***  
CP/M 2.2  
NorthStar ..... \$149/\$25  
TRS-80 Model II  
(P+T) ..... \$159/\$35  
Micropolis ..... \$175/\$25  
✓ CP/M-Intel MDS ..... \$135  
PL-180 ..... \$459/\$35  
BT-80 ..... \$179/\$30  
MAC ..... \$ 85/\$15  
RMAC ..... \$179/\$25  
Sid ..... \$ 65/\$15  
Z-Sid ..... \$ 90/\$15  
Tex ..... \$ 90/\$15  
DeSpool ..... \$ 49/\$10  
CB-80 ..... \$459/\$35  
CBasic-2 ..... \$119/\$20  
Link-80 ..... \$ 90/\$10

**FOX & GELLER**  
✓ Quickscreen ..... \$135/\$na  
✓ Quickcode ..... \$265/\$na  
✓ dutil ..... \$ 65/\$na

**MICRO-AP\***  
S-Basic ..... \$269/\$25  
Selector IV ..... \$295/\$35  
Selector V ..... \$495/\$50

**MICRO DATA BASE SYSTEMS\***  
HDBS ..... \$269/\$35  
MDBS ..... \$795/\$40  
DRS or QRS or RTL ..... \$269/\$10  
MDBS PKG ..... \$1999/\$60

**MICROPRO\***  
WordStar ..... \$289/\$60  
Customization Notes ..... \$449/\$na  
Mail-Merge ..... \$ 99/\$25  
WordStar/Mail-Merge ..... \$369/\$85  
DataStar ..... \$249/\$60  
WordMaster ..... \$119/\$40  
SuperSort I ..... \$199/\$40  
Spell Star ..... \$175/\$40  
CalcStar ..... \$259/\$na

**MICROSOFT\***  
Basic-80 ..... \$298  
Basic Compiler ..... \$329  
Fortran-80 ..... \$349  
Cobol-80 ..... \$589  
M-Sort ..... \$175  
Macro-80 ..... \$144  
Edit-80 ..... \$ 84  
MuSimp/MuMath ..... \$224  
MuLisp-80 ..... \$174

Multi Plan ..... Call  
Manager Series ..... Call  
**ORGANIC SOFTWARE\***  
TextWriter III ..... \$111/\$25  
DateBook II ..... \$269/\$25  
Milestone ..... \$269/\$30

**OSBORNE\***  
General Ledger ..... \$ 59/\$20  
Acct Rec/Acct Pay ..... \$ 59/\$20  
Payroll w/Cost ..... \$ 59/\$20  
All 3 ..... \$129/\$60  
All 3 + CBASIC-2 ..... \$199/\$75  
✓ Enhanced Osborne  
(Includes CBasic) ..... \$269/\$60

**PEACHTREE\***  
General Ledger ..... \$399/\$40  
Acct Receivable ..... \$399/\$40  
Acct Payable ..... \$399/\$40  
Payroll ..... \$399/\$40  
Inventory ..... \$399/\$40  
Surveyor ..... \$399/\$40  
Property Mgt ..... \$799/\$40  
CPA Client Write-up ..... \$799/\$40  
PB Version ..... Add \$129  
MagiCalc ..... \$269/\$25  
✓ "Peach Pak" Series 4 ..... \$1195/\$na  
Other ..... less 10%

**STAR COMPUTER SYSTEMS**  
G/L, A/R, A/P Pay ..... \$ 359  
All 4 ..... \$1129  
Legal Time Billing ..... \$ 849  
Property Mgmt. .... \$ 849

**STRUCTURED SYSTEMS\***  
Business Packages,  
Call for Price

**SORCIM\***  
SuperCalc ..... \$269/\$na  
Trans 86 ..... \$115  
Act ..... \$157

**SUPERSOFT\***  
Ada ..... \$270/\$na  
Diagnostic I ..... \$ 49/\$20  
Diagnostic II ..... \$ 84/\$20  
Disk Doctor ..... \$ 89/\$20  
Forth (8080 or Z80) ..... \$149/\$25  
Fortran ..... \$219/\$30  
Fortran w/Ratfor ..... \$289/\$35  
C Compiler ..... \$225/\$20  
Star Edit ..... \$189/\$30  
Scratch Pad ..... \$174/\$15  
StatsGraph ..... \$174/\$15  
Analyze It ..... \$ 45/\$na  
Dataview ..... \$174/\$15  
Disk Edit ..... \$ 89/\$15  
Encode/Decode II ..... \$ 84/\$15  
Optimizer ..... \$174/\$15  
Super M List ..... \$ 68/\$15  
Term II ..... \$179/\$15  
Zap Z-8000 ..... \$450/\$15  
Utilities I ..... \$ 54/\$na  
Utilities II ..... \$ 54/\$na

## ACCOUNTING PLUS

1 Module ..... \$385/\$na  
4 Modules ..... \$1255/\$na  
All 8 ..... \$4500/\$na

**TCS\***  
GL or AR or AP or Pay ..... \$ 79/\$25  
All 4 ..... \$269/\$99  
Inventory ..... \$ 79/\$25  
Compiled each ..... \$ 99/\$25

**UNICORN\***  
Mince ..... \$149/\$25  
Scribble ..... \$149/\$25  
Both ..... \$249/\$50  
The Final Word ..... \$270/\$25

**WHITESMITHS\***  
"C" Compiler ..... \$600/\$30  
Pascal (incl "C") ..... \$850/\$45

**"PASCAL"**  
Pascal/MT+ Pkg ..... \$449/\$30  
Compiler ..... \$315  
Sp Prog ..... \$175  
Pascal/Z ..... \$349/\$30  
Pascal/UCSD 4.0 ..... \$670/\$50  
Pascal/M ..... \$355/\$20  
Tiny Pascal ..... \$ 76/\$15

**"DATA BASE"**  
FMS-80 ..... \$894/\$45  
dBASE II ..... \$585/\$50  
Condor II ..... \$899/\$50  
FMS-81 ..... \$445/\$na

**"WORD PROCESSING"**  
WordSearch ..... \$179/\$50  
SpellGuard ..... \$229/\$25  
VTS/80 ..... \$259/\$65  
Peachtext ..... \$289/\$45  
Magic Spell ..... \$269/\$25  
Spell Binder ..... \$349/\$45  
Select ..... \$495/\$na  
The Word Plus ..... \$ 65/\$na  
✓ The Word Plus ..... \$145/\$na  
✓ Palantier-I (WP) ..... \$385/\$na

**"COMMUNICATIONS"**  
✓ Ascot ..... \$149/\$15  
✓ BSTAM ..... \$149/\$na  
✓ BSTMS ..... \$149/\$na  
✓ Crosstalk ..... \$139/\$na  
✓ Move-It ..... \$ 89/\$na

## "OTHER GOODIES"

Micro Plan ..... \$419/\$na  
Plan 80 ..... \$269/\$30  
Target (Interchange) ..... \$125/\$30  
Target (Planner) ..... \$189/\$30  
Target (Task) ..... \$299/\$30  
PlannerCalc ..... \$ 50  
Tiny "C" ..... \$ 89/\$50  
Tiny "C" Compiler ..... \$229/\$50  
Nevada Cobol ..... \$179/\$25  
MicroStat ..... \$224/\$25  
Vedit ..... \$130/\$15  
MiniModel ..... \$449/\$50  
StatPak ..... \$449/\$40

Micro B+ ..... \$229/\$20  
Raid ..... \$224/\$35  
String/80 ..... \$ 84/\$20  
String/80 (source) ..... \$279/\$na  
ISIS CP/M Utility ..... \$199/\$50  
Lynx ..... \$199/\$20  
Supervyz ..... \$ 95/\$na  
CP/M Power ..... \$ 75/\$na  
Mathe Magic ..... \$ 95/\$na  
✓ CIS COBOL ..... \$765/\$na  
✓ ZIP ..... \$129/\$12  
Real Estate Analysis ..... \$116/\$na

## APPLE II®

**BRODERBUND**  
G/L (with A/P) ..... \$444  
Payroll ..... \$355

**INFO UNLIMITED\***  
EasyWriter (Prof) ..... \$155  
DataLex ..... \$129  
EasyMail (Prof) ..... \$134/\$75  
Other ..... less 15%

**MICROSOFT\***  
Softcard (Z-80 CP/M) ..... \$298  
Fortran ..... \$179  
Cobol ..... \$499  
Tasc ..... \$139  
Premium Package ..... \$699

**MICROPRO\***  
Wordstar ..... \$269/\$60  
MailMerge ..... \$ 99/\$25  
Wordstar/MailMerge ..... \$349/\$85  
SuperSort I ..... \$159/\$40  
Spellstar ..... \$129/\$40  
CalcStar ..... \$175/\$40  
DataStar ..... \$265/\$60

**PERSONAL SOFTWARE/**  
**VISICORP\***  
G/L, A/R, A/P Pay ..... \$219  
Inventory (each) ..... \$219  
Desktop/Plan II ..... \$219  
Visiterm ..... \$ 90  
Visidex ..... \$219  
Visiplot ..... \$180  
Visitrend/Visiplot ..... \$258  
Visifile ..... \$219  
✓ Visischedule ..... \$259

**PEACHTREE\***  
G/L, A/R, A/P Pay or  
Inventory (each) ..... \$224/\$40  
✓ Peach Pack ..... \$795

**SYSTEMS PLUS**  
Accounting Plus II,  
G/L, A/R, A/P or  
Inventory (each) ..... \$385/\$na  
(Needs G/L to run)

**"OTHER GOODIES"**  
Micro Courier ..... \$219  
Super-Text II ..... \$127  
Data Factory ..... \$134  
DB Master ..... \$184  
Versafom VS1 ..... \$350  
VH1 ..... \$445

## 16-BIT SOFTWARE

### WORD PROCESSING

IBM PC  
Wordstar ..... \$289  
Mailmerge ..... \$109  
Easywriter ..... \$314  
Easyspeller ..... \$159  
Select/Superspell ..... \$535  
Write On ..... \$116  
Spellguard  
(also available for  
8" 8086 systems) ..... \$229  
SP Law  
(for Spellguard) ..... \$115  
Textwriter III ..... \$189  
Spellbinder ..... \$349  
Final Word ..... \$270

### LANGUAGE UTILITIES

**IBM PC**  
Crosstalk ..... \$174  
BSTAM ..... \$149  
BSTMS ..... \$149

**8" 16-BIT SYSTEMS**  
Pascal MT+/86 SSP ..... \$429  
CBasic 86 ..... \$294  
Pascal M/86 ..... \$445  
Act 86 ..... \$157  
Trans 86 ..... \$115  
XLT 86 ..... \$135

**16-BIT 8" AND DISPLAYWRITER**  
CP/M 86 ..... \$294  
MP/M 86 ..... \$585

### OTHERS

**IBM PC**  
SuperCalc ..... \$269  
VisiCalc ..... \$219  
Easyfiler ..... \$359  
Mathemagic ..... \$ 89  
CP/M Power ..... \$ 65  
Condor 21 ..... \$265/\$35  
Condor 22 ..... \$535/\$35  
Condor 23 ..... \$895/\$35  
Condor 20Q ..... \$175/\$na  
Condor 20R ..... \$265/\$na  
Statpak ..... \$449/\$40  
Optimizer ..... \$174/\$na  
Desktop Plan II ..... \$219  
Desktop Plan III ..... \$259  
Visidex ..... \$219  
Visitrend Plus II ..... \$259

TCS G/L, A/R, A/P  
(requires 128K  
RAM) each ..... \$129  
Entire Package ..... \$450  
Many others available for use  
with the "Baby Blue Board"™  
**8" 16-BIT SOFTWARE**  
SuperCalc ..... \$269  
CP/M Power ..... \$ 65

ORDERS ONLY—CALL TOLL FREE—VISA—MASTERCARD

1-800-854-2003 ext. 823 • Calif. 1-800-522-1500 ext. 823

Outside Continental U.S.—add \$10 plus Air Parcel Post • Add \$3.50 postage and handling per each item • California residents add 6% sales tax • Allow 2 weeks on checks, C.O.D. \$3.00 extra • Prices subject to change without notice • All items subject to availability  
• ®—Mfr. trademark—Blue Label \$3.00 additional per item.

# DISCOUNT SOFTWARE

THE ULTIMATE SOFTWARE PLAN

GOT A QUESTION?  
CALL OUR HOT LINE: 213-837-5141.  
**THE DISCOUNT SOFTWARE GROUP**  
6520 Selma Ave., Suite 309 • Los Angeles, CA 90028  
• (213) 837-5141 • In't TELEX 499-0446 DISCOST LSA  
• USA TELEX 194-634 (Attn: 499-0446)  
• TWX 910-321-3597 (Attn: 499-0446)






# FLEX - OS-9 LEVEL ONE - UNIFLEX - OS-9 LEVEL TWO

## ONLY GIMIX Systems can be configured to run any of these.

GIMIX systems utilize the most powerful 6809 operating systems: FLEX, UniFLEX, OS-9 LEVEL ONE and TWO -- the systems the PROs use. This means a wide selection of software to choose from as well the ability to develop sophisticated, multi-user/multi-tasking programs on your GIMIX System.



**The GIMIX CLASSY CHASSIS™** consists of a heavy-weight aluminum mainframe cabinet which provides more than ample protection for the electronics and 1 or 2 optional 5 1/4" drives.

Backpanel connectors can be added for convenient connection of terminals, printers, drives and other peripherals.

A 3 position locking keyswitch enables users to disable the front panel reset button to prevent accidental or unauthorized tampering with the system.

The GIMIX system mother board provides fifteen 50 pin slots and eight 30 pin I/O slots -- the most room for expansion of any SS50 system available. The on board baud rate generator features 11 standard baud rates, 75 to 38.4K, for maximum versatility and compatibility with other systems. Extended address decoding allows the I/O block to be addressed anywhere in the 1 megabyte address space. All components feature Gold plated connectors for a lifetime of solid connections. All boards are fully buffered for maximum system expansion.

Each GIMIX Mainframe System is equipped with an industrial quality power supply featuring a **ferro-resonant constant voltage transformer** to insure against problems caused by adverse power input conditions such as A.C. line voltage fluctuations etc. The supply provides 8 volts at 30 amps and plus or minus 16 volts at 5 amps, more than enough capacity to power a fully loaded system and two internal drives.

**The 2MHz GIMIX 6809 PLUS CPU board** includes a time of day clock with battery back-up and 6840 programmable timer to provide the programmer with convenient, accurate time reference. Later addition of 9511 or 9512 arithmetic processors is provided for on the board. The unique GIMIX design enables software selection of either OS-9 or FLEX, both included in many complete GIMIX systems.

**GIMIX STATIC RAM boards** require no complicated refresh timing cycles or clocks for data retention. GIMIX memory boards are guaranteed for 2 MHz operation with no wait state or clock stretching required.

Our low power NMOS RAM requires less than 3/4 amp at 8V for a fully populated 64K board. For critical situations, our non-volatile 64K byte CMOS static RAM boards with built in battery back-up retain data even with system power removed. A fully charged battery will power this board for a minimum of 21 days. A write protect switch permits CMOS boards to be used for PROM/ROM emulation and software debugging.

**The GIMIX DMA controller** leaves the processor free to perform other tasks during disk transfers - an important feature for multi-user/multi-tasking systems where processor time allocation is critical. The DMA board will accommodate up to 4 drives 5 1/4" or 8" in any combination running single or double density single or double headed. Programmed I/O Disk Controllers are also available.

**GIMIX systems** are designed with ultimate **RELIABILITY** in mind. You can choose from the below featured systems or select from our wide variety of components to build a custom package to suit your needs.


**GIMIX 2MHz 6809 System** including: CLASSY CHASSIS, 6809 PLUS CPU BOARD, 56KB STATIC RAM, 2 SERIAL PORTS W/CABLES, GMXBUG MONITOR, FLEX, and OS-9 LEVEL 1 ..... **\$3248.49**  
FOR TWO 5 1/4" 40 TRACK DSDD DRIVES ADD ..... **\$ 900.00**

**GIMIX 128KB WINCHESTER SYSTEM** including: CLASSY CHASSIS, 6809 PLUS CPU BOARD, 128KB STATIC RAM, 4 SERIAL PORTS W/CABLES, 5 1/4" 80 TRACK DSDD FLOPPY DISK DRIVE, 19MB 5 1/4" WINCHESTER HARD DISK, OS9 LEVEL 2, EDITOR AND ASSEMBLER ..... **\$8998.09**

*50HZ Versions Available, 8" Drives Available — Contact GIMIX for Prices and Information.*

### **The Sun Never Sets On A GIMIX!**

GIMIX users are found on every continent, including Antarctica. A representative group of GIMIX users includes: **Government Research and Scientific Organizations** in Australia, Canada, U.K. and in the U.S.; NASA, Oak Ridge, White Plains, Fermilab, Argonne, Scripps, Sloan Kettering, Los Alamos National Labs, AURA. **Universities:** Carleton, Waterloo, Royal Military College, in Canada; Trier in Germany; and in the U.S.; Stanford, SUNY, Harvard, UCSD, Mississippi, Georgia Tech. **Industrial users** in Hong Kong, Malaysia, South Africa, Germany, Sweden, and in the U.S.; GTE, Becton Dickinson, American Hoechst, Monsanto, Allied, Honeywell, Perkin Elmer, Johnson Controls, Associated Press, Aydin, Newkirk Electric, Revere Sugar, HI-G/AMS Controls, Chevron. **Computer mainframe and peripheral manufacturers,** IBM, OKI, Computer Peripherals Inc., Qume, Floating Point Systems. **Software houses;** Microware, T.S.C., Lucidata, Norpak, Talbot, Stylo Systems, AAA, HHH, Frank Hogg Labs, Epstein Associates, Softwest, Dynasoft, Research Resources U.K., Microworks, Meta Lab, Computerized Business Systems.



GIMIX Inc. reserves the right to change pricing and product specifications at any time without further notice.

GIMIX® and GHOST® are registered trademarks of GIMIX Inc.  
FLEX and UniFLEX are trademarks of Technical Systems Consultants Inc.  
OS-9 is a trademark of Microware Inc.

1337 WEST 37th PLACE  
CHICAGO, ILLINOIS 60609  
(312) 927-5510  
TWX 910-221-4055

# GIMIX inc.

**The Company that delivers**  
Quality Electronic products since 1975.  
© 1982 GIMIX Inc.



played through the Apple's built-in speaker. The device can be used as a diagnostic tool to debug software and hardware problems; as a teaching aid to enable students to envision the internal activity; or as a novelty to give arcade-like sound to your programs. It plugs into any slot. Price is \$79.

M. Reinhart Engineering Co., 4730 W. Addison, Chicago, IL 60641. Reader Service number 476.

## RGB for Apple II


Video Marketing, Inc., 780 Lorraine Drive, Box 339, Warrenton, PA 18976, offers a video board for the Apple II computer that provides red, green, blue and composite sync signals for use with an RGB video monitor. Displays of color graphics or text are improved with this board, according to the company. The board can be used with an 80-column Videx card. It plugs into slot 7; modifications are not required. Price is \$179. Reader Service number 469.

## Atari Mass Storage

Corvus Systems, Inc., 2029 O'Toole Ave., San Jose, CA 95131, has announced Winchester disk systems and the Corvus Multiplexer local area network for Atari 800 microcomputers. Corvus will also offer its Mirror backup system. Prices of Corvus disk systems start at \$3195. The Corvus Multiplexer allows up to 64 Atari computers to share disk storage and peripherals at a cost of about \$250 per computer. Reader Service number 477.



Corvus Multiplexer, hard disk and backup system for Atari 800 computers.



The Pro-Tech locking stand from Segull Enterprises.

## Apple Security

The quick removal of Apple peripheral cards from I/O slots makes them an easy target for thieves. Pro-Tech locking stand secures the Apple, up to three disk drives and any type or size monitor. Made of 16 gauge steel, the unit is a functional organizer and bookcase. Model BH is compatible with the Bell & Howell Apple. Price for Pro-Tech locking stand is \$145.

Segull Enterprises, 11 Cove Avenue, Berkley, MA 02780. Reader Service number 471.

## Low-End Disk

The Hobbyist 5 1/4-inch hard disk subsystem provides 5 megabytes of storage capacity for your Apple or IBM Personal Computer. The Hobbyist's \$1995 price also includes a controller, host adapter, operating software, cable, cabinet and operating instructions.


Santa Clara Systems, Inc., 560 Division St., Campbell, CA 95008. Reader Service number 473.

## Briefcase Computer

A new personal computer, designed for portability and

Circle 36 on Reader Service card.

# YOU'VE JUST FOUND THE MISSING LINK!



Computer Shopper is your link to individuals who buy, sell and trade computer equipment and software among themselves nationwide. No other magazine fills this void in the marketplace chain.

Thousands of cost-conscious computer enthusiasts save by shopping in Computer Shopper every month through hundreds of classified ads. And new equipment advertisers offer some of the lowest prices in the nation.

Computer Shopper's unbiased articles make for some unique reading among magazines and there's a "help" column to answer difficult problems you may have with interfacing, etc.

For a limited time you can subscribe to Computer Shopper with a 6 month trial for only \$6 or 12 months for only \$10. MasterCard & VISA accepted.

**6 month trial, \$6 or 12 months for only \$10**

**COMPUTER SHOPPER**

P.O. Box F-331 • Titusville, FL 32780  
305-269-3211

Circle 188 on Reader Service card.

# DAISY WHEEL

By SMITH-CORONA

**SAVE \$500<sup>00</sup>**

...and more over all other popular Daisy Wheel Printers.

- 120 WORDS PER MINUTE • FRICTION FEED
- CHANGEABLE DAISY WHEEL TYPE FONTS
- CENTRONICS PARALLEL or RS232 INTERFACE


—CALL \$—

TOLL-FREE

**800-257-6170**

in New Jersey

609-428-3900



**Rainbow**

TM

P & P CORPORATION  
P.O. BOX 362 • HADDONFIELD, N.J. 08033



First came MICROPROOF™.

"There is simply no finer program available..."  
(Creative Computing, March 1982)

Now:

# Electric Webster SPELLING CHECKER

The Ultimate:

**FAST**—Can proof ten pages in a minute  
**EASY**—Operates at the stroke of a key  
**COMPLETE**—50,000 word literal dictionary  
**COMPACT**—Fits on 5¼" double density disk  
**VERSATILE**—Use with all W P programs  
**CORRECTS**—(Optional, add \$60.00)  
**AFFORDABLE**—\$89.50 (TRS-80®),  
\$149.50 (CP M®)

**CORNUCOPIA  
SOFTWARE, INC.**

1625 Beverly Place  
Berkeley, CA 94707

Contact your local dealer, or order direct — (415) 524-8098

Circle 309 on Reader Service card.


## Micro-Grip™

FRICION FEED FOR YOUR EPSON

# MX-70\* or MX-80\*

\*MX-70 and MX-80 are Trademarks of EPSON, Inc.

- Converts your printer for friction feed of SINGLE SHEETS or ROLL PAPER.
- SIMPLE Installation (all you need is a screwdriver, no soldering).
- Tractor feed remains undisturbed.
- Only **\$39<sup>95</sup>**  
(add \$1.50 for postage)



SATISFACTION GUARANTEED OR YOUR MONEY BACK



VISA & Master Card Accepted  
**(714) 864-6643**

**MICRO-GRIP, Ltd.**  
P. O. Box 4278  
Norton AFB, CA 92409



HP-75 portable gives you computer power in a briefcase.


desk-top use, has been introduced by Hewlett-Packard, 1820 Embarcadero Road, Palo Alto, CA 94303. The HP-75 features Basic language programmability and software such as electronic spreadsheet analysis and graphics presentations. Its small size and battery-powered nonvolatile memory make it truly portable.

Three plug-in ports accept 8K or 16K ROM modules to customize the computer for specific applications. With three 16K plug-in modules, the 48K built-in operating system and 24K bytes of user memory, the HP-75's maximum memory is 120K bytes. A 32-character liquid-crystal display serves as a movable

window on a 96-character line. The HP-75 comes with a built-in Hewlett-Packard Interface Loop (HP-IL), which lets it communicate with other computers and peripherals. Price is \$995. Reader Service number 475.

### Portable Computer

The Courier Z-80 computer features 64K bytes RAM, a nine-inch CRT, detachable sculptured keyboard, 3½-inch Sony MicroFloppy disks and the CP/M operating system. An eight-slot card cage permits full expansion of this portable; compatibility with STD bus enables you to add a modem, more memory, graphics or even new CPU cards as they become avail-



The Courier computer from Jonos, Ltd.



able. Cost is \$3995.

Jonos, Ltd., 920-C E. Orangethorpe, Anaheim, CA 92801. Reader Service number 472.

### Personal Computer Network

FileServer is a Z-80A-based microprocessor through which up to 32 CP/M-oriented computer systems can access up to 80M bytes of data from any one of eight Winchester disk drives. The FileServer includes 64K bytes of RAM and 4K of ROM, its own operating system using parts of CP/M, dual Winchester drives and four network connections. Price is \$6500.


Keybrook Business Systems, Inc., 2035 National Ave., Hayward, CA 94545. Reader Service number 474.

### H/Z-89 Utility Board

A multifunction utility board for the Heath H-89, Zenith Z-89/Z-90 or Magnolia Microsystems Z-89 is offered by FBE Research Company, Inc., PO Box 68234, Seattle, WA 98168. The H89UTI Utility Card adds capability to your H/Z-89 by replacing the standard serial I/O board. It includes a quartz crystal controlled clock/calendar, bidirectional eight-bit parallel I/O and HDOS and CP/M support software; price is \$159.95. Additional options include a high-speed math processor, your choice of battery backup systems and two serial ports (chips and cable for modem and printer). Reader Service number 468.

### Networking Computer

A multiuser hard disk system for small and medium-size businesses is available from Alspa Computer, Inc., 300 Harvey West Blvd., Santa Cruz, CA 95060. The ACI Constellation system is based on the Corvus hard disk. Alspa's implementation reduces disk accesses by up to 75 percent, thus increasing overall operating speed. From one to eight users can share storage on a common disk. To configure a system, the user must purchase a Corvus multiplexer, cables and a Corvus hard disk drive; the hardware interface is standard in Alspa computers. Required



The basic ACI-1 multiuser computer from Alspa.

Constellation software is available from Alspa. Prices start at \$1995 for a basic, single-sided, double-density drive unit. Reader Service number 470.

### VIC-20 Upgrade

The Arfon Micro VIC-20 Expansion Chassis lets you expand your VIC-20 microcomputer to its full potential. The aluminum chassis includes seven expansion slots, a large power supply and a detachable cover to protect cartridges. Computer memory can be fully implemented, and a variety of peripherals can be interfaced through the chassis. All VIC-20 cartridges are supported.

Arfon Microelectronics, Ltd., 111 Rena Drive, Lafayette, LA 70503. Reader Service number 466.

### Apple-Compatible

Basic, Inc., 5435 Scotts Valley Drive, Scotts Valley, CA 95066, announces availability of their Basis 108 microcomputer in the U.S. This system features both 6502 and Z-80 microprocessors and 64K bytes of RAM (expandable to 128K). The 108 is compatible with software and peripherals developed for use with the Apple II system.

Basis 108 is equipped with a detached keyboard and provision for two 5¼-inch floppy drives in the CPU housing. The keyboard has a full-function typewriter key set, numeric keypad, cursor block and user-definable special-function keys. The unit can generate 40- or 80-column display, color graphics and separate outputs for black-and-white, NTSC composite color and analog RGB video. Both parallel and RS-232C serial I/O are standard. Base price is \$1949. Reader Service number 467.

# Disk-Edit

## The most powerful tool available for disk data manipulation.

```
0 0000 54 68 69 73 20 69 73 20 74 68 65 20 41 53 43 49 This is th ASCII
0010 49 20 73 69 64 65 20 6F 66 20 53 75 70 65 72 53 I side of SuperS
0020 6F 66 74 27 73 20 44 49 53 4B 20 45 44 49 54 3A oft's DISK-EDIT
0030 20 20 61 20 64 69 73 6B 20 64 61 74 61 20 60 61 a disk data ma
0040 6E 69 70 75 6C 61 74 69 6F 6E 20 00 0A 75 74 69 nipulation uti
0050 60 69 74 79 2E 20 20 44 49 53 4B 20 45 44 49 54 lity. DISK-EDIT
0060 20 63 61 6E 20 73 65 61 72 63 68 20 66 6F 72 20 can search for
0070 65 69 74 68 65 72 20 41 53 43 49 49 20 6F 72 20 either ASCII or
1 0080 48 45 50 20 73 74 72 69 6E 67 73 20 20 69 74 20 HEX strings, it
0090 63 61 6E 20 72 65 61 64 80 0A 61 6E 64 20 64 69 can read, and di
00A0 73 70 60 61 79 20 74 68 65 20 73 79 73 74 65 60 splay the system
00B0 20 61 6E 64 20 64 69 72 65 63 74 6F 72 79 20 74 and directory t
00C0 72 61 63 68 73 20 6F 6E 20 61 6E 79 20 64 69 73 racks on any dis
00D0 68 20 20 61 6E 64 20 69 74 20 63 61 6E 20 65 64 k, and it can ed
00E0 69 74 0A 0A 61 6E 79 20 66 69 60 65 20 20 69 6E it, any file, in
00F0 63 60 75 64 69 6E 67 20 27 43 4F 40 27 20 66 69 cluding 'COM' fi
2 0100 60 65 73 2E 20 20 57 69 74 68 20 44 49 53 40 20 les With DISK-
0110 45 44 49 54 20 79 6F 75 20 63 61 6E 20 74 6F 67 EDIT you can tog
0120 67 60 65 20 62 61 63 68 20 61 6E 64 20 66 6F 72 gie back and for
0130 74 68 0A 0A 62 65 74 77 65 65 6E 20 74 68 65 20 th, between the
0140 48 45 50 20 61 6E 64 20 41 53 43 49 49 20 77 69 HEX and ASCII wi
0150 6E 64 6F 77 73 20 20 61 6E 64 20 79 6F 75 20 63 ndows, and you c
0160 61 6E 20 73 63 72 6F 60 60 20 74 68 72 6F 75 67 an scroll throug
```

Disk-Edit provides you with ALL the raw information on your disk in both HEX and ASCII. You can scroll through that information and alter it using a set of text editing commands. You can move back and forth between HEX and ASCII windows. You can alter either the HEX or the ASCII representations of data or text. You can search for strings in either HEX or ASCII, and you have access to every bit of information on your disk.

**Available for virtually all CP/M-80, CP/M-86, and IBM PC DOS compatible systems.**

Disk-Edit: \$100.00  
Manual Only: \$ 15.00

Japanese distribution:  
ASR Corporation International 3-23-8, Nishi-Shimbashi, Minato-Ku,  
Tokyo 105, Japan • Tel. (03) 437-5371 • Telex. 0242-2723  
Disclaimer: CP/M is a registered trademark of Digital Research.

# SuperSoft®

FIRST IN SOFTWARE TECHNOLOGY P.O. Box 1628 Champaign, IL 61820 (217) 359-2112 Telex 270365

Circle 181 on Reader Service card.



## Osborne-1 Data Communications

Ozmosis is a software program designed to transfer both text and binary files to or from the Osborne and another CP/M-based computer. It includes full menu prompting, autostart/stop, error recovery and troubleshooting guidelines. Ozmosis also works with modems and includes a remote terminal routine for using the Osborne as a stand-in terminal for the other computer. The Ozmosis data comm program includes two disks, an operations manual and a communications cable. Price is \$150.

Acquis Data, Inc., 17192 Gillette, Irvine, CA 92714. Reader Service number 487.

## VisiCalc Templates

The Pearformance Measurement System is a set of VisiCalc templates for measuring the rate of return of investment portfolios. The central feature of the new system is that it calculates the true internal rate of return of a portfolio for short periods of time. These returns are then used to calculate the portfolio's total time-weighted rate of return. Monthly market values and daily contributions and withdrawals for a full year can be entered on a single VisiCalc spreadsheet; users can then print out rates of return from the same spreadsheet, with popular market indices and report titles added as appropriate. Pearformance is available for a 48K Apple with a single disk drive; the user must have the VisiCalc program. Price is \$100.

Pear Systems Corp., 27 Briar Brae Road, Stamford, CT 06903. Reader Service number 488.

## VIC-20 Database

An inexpensive database manager for the VIC-20 computer is available from Micro-

Spec Ltd., 2905 Ports O'Call Court, Plano, TX 75075. The Data Manager lets the user define and manage a comprehensive system of files. The system menu includes create, add, delete, change, browse, search and print options. It stores up to 1200 records on a disk. A minimum of 8K bytes free memory is required to operate. Data Manager costs \$59.95. Reader Service number 486.

## Micros Make Maps

Now microcomputer users can have access to cartographic functions that were previously available only on mainframe systems. Micromap II makes colored and textured area maps, contour maps, 3-D polyhedron or proportional circle maps, as well as statistical charts and graphs and perspective views of digital terrain models. Micromap II allows the generation of Thiessen polygons, Bezier and triangular contouring and trilateration. The program's menu-driven format is combined with dynamic user interaction to involve the user in the creation of a map or graph.

Micromap II is written in Applesoft; it requires 48K bytes of memory, Apple DOS 3.3 and one disk drive. Data can be entered from game paddles or from a digitizing tablet. Price is \$650.

Morgan-Fairfield Graphics, PO Box 5457, Seattle, WA 98105. Reader Service number 485.

## Business Bookkeeping

A new cash-basis accounting system, perfect for the small business, is offered by Dakin 5 Corp., PO Box 21187, Denver, CO 80221. The Business Bookkeeping System provides three activity ledgers, a general ledger and special reports. The system includes a security password

feature for accessing employee information, as well as a special sort key that lets you group customers, vendors and employees by specified categories. Business Bookkeeping is for Apple II computers; price is \$395. Reader Service number 490.

## Micros Do Science

It doesn't take a big mainframe to do big things. New on the software market are programs running under CP/M to crunch numbers in the worlds of physics, chemistry and engineering. Programs implementing semi-empirical quantum chemistry schemes allow professionals or students to eliminate the tedious hand calculations of the Heuckel or Grundle methods.

Chemical engineers can solve rate equations for coupled chemical reactions. In the area of group theory applications, a symmetry function generation program (Symgen) gives an analysis for the allowed states of atoms and molecules arising from one or more electronic configurations. Here, instead of Pacman, it's Pauli-man who eats up non-Fermion states.

Scientific Software, 232 W. Lakeshore Drive, Lincoln, NE 68528. Reader Service number 484.

## DB Master for Hard Disk

A new hard disk version of DB Master for Apple II is available from Stoneware, Inc., 50 Belvedere St., San Rafael, CA 94901. DB Master Special Edition uses a 16K RAM card to increase file access speed. Because separate sort files are no longer needed with the hard disk version, sorting procedures are significantly accelerated. While the DB Master program itself remains on a single copy-protected disk, all data files can be stored on the hard disk, eliminating all disk swapping.

Price is \$499. Reader Service number 489.

## Versatile Terminal Software

The Terminal Program for the Hayes Micromodem II and Apple II simplifies data communication over telephone lines. The program originates and answers calls; creates, lists, sends and receives files; and manages communications parameters—as directed by commands selected from a menu or list of options. Hayes Terminal Program for the Micromodem II is distinguished by its compatibility with Apple DOS 3.3, Pascal and CP/M. It costs \$79.

Hayes Microcomputer Products, Inc., 5835 Peachtree Corners East, Norcross, GA 30092. Reader Service number 491.

## The Agricultural Apple

F.A.R.M. software, from Anthro-Digital, Inc., 103 Bartlett Ave., Pittsfield, MA 01201, handles a cash operation and allows for crops and livestock, enterprising, checkbook balancing and Schedule F printout. The package interfaces with VisiCalc so the farmer can test "what if" situations using actual data.

The On Farm program is intended for use by a single farm for its daily operation, the Educational program is for use by schools teaching agricultural finances, and the Commercial program is for accountants and farm associations to use for an unlimited number of farms. All programs require an Apple II Plus, 48K, two disk drives with DOS 3.3 and an 80-column printer. On Farm costs \$395; Educational costs \$250; and Commercial is \$995. Reader Service number 492.



## WordPro Interface

Most programs that interface with WordPro do so by creating sequential files, which WordPro can then merge into its own text files when outputting (such as when you print form letters). But WordPro cannot read these sequential files into its text area.

Swift, from Ini, Inc., 4013 Chestnut St., Philadelphia, PA 19104, translates sequential files into WordPro-readable text files. Once the conversion is made, files created by other packages can be read into WordPro, edited, and printed or saved as specified. Swift can also be used to convert text files created by other word processors into WordPro text files. Swift runs on the Commodore 8032 CBM computer with 8050 disk drives. Reader Service number 493.

## Write Track

If you've ever tried to juggle even a few different manuscripts, you know how hard it

is to keep track of them. Write Track is a computerized manuscript tracking system for writers. It tracks when you sent what to whom, the postage involved, and potential markets for each piece. The program runs under CP/M and requires 48K bytes of memory and two disk drives. It costs \$100.

Gradan Consulting Company, PO Box 3594, Thousand Oaks, CA 91359. Reader Service number 494.

## CP/M Buffer

Cache/Q can be installed in any standard CP/M 2.2 operating system; it automatically buffers data from the mass storage devices attached to the computer system. Cache/Q is invisible to all user applications and system programs, and requires no program modification. The buffer preserves data integrity on mass storage devices by updating modified sectors automatically. All data is on the storage devices and not just in memory, so it is immune from pow-

er failures and other malfunctions. Price is \$195.

Techne Software Corp., 3685 Mt. Diablo Blvd., Suite 130, Lafayette, CA 94549. Reader Service number 496.

## ZX-81 Software

A new range of cassette-based software for the Sinclair ZX-81 personal computer is available. Business applications include the Vu-Calc spreadsheet program for \$14.95, and Vu-File, priced at \$17.95, for general filing and retrieval. The Collectors Pack enables collectors to hold 400 records on hobby items such as stamps or coins. The Club Record Controller holds the personal records of 100 people. Eight cassettes for the "Fun to Learn" series are each available at \$12.95: English Literature I and II, Geography, History, Mathematics, Inventions and Music. The "Super Programs" series features game, quiz, conversion and household programs. The game applications include Backgammon,

Chess, Flight Simulation, Space Raiders and Bombers, and Fantasy Games. Bio-rhythms, available for \$13.95, prepares a complete personal chart. All programs except the "Super" series require the add-on 16K RAM pack.


Sinclair Research Ltd., 3 Sinclair Plaza, Nashua, NH 03061. Reader Service number 497.

## Programmer's Aid

A programming environment for the MBasic language is offered by Digital Marketing, 2670 Cherry Lane, Walnut Creek, CA 94596. Active Trace consists of three parts: Scope provides real-time information about a program as it runs. When a variable is encountered in program flow, its line number is identified and the current variable value is displayed. Options and features include reserved word list reconfiguration, choice of variables and program sections for analysis, and command files and output to console or list device.

Circle 133 on Reader Service card.

## "THE BETTER BOARD" SB-80 Single Board Computer



**Z-80-A  
64K RAM**  
Fully Assembled and Tested

Size: 16" x 13"  
Same as 2 8" floppy drives. Requires  
+5V 1.5 Amp  
-5V 1.0 Amp  
+12V 1.5 Amp

**\$695.00\*\***

### CONSTRUCTION

- Sockets for all integrated circuits.
- 50 pin connector allows access to system for future expansion.

### PROCESSOR

- Z80A with 4 MHz system clock with no wait states.

### MEMORY

- 64K of 200ns dynamic RAM is standard. 4116 IC's
- Parity protection is standard.


### ROM

- 256 bytes bootstrap ROM


### 2 PARALLEL I/O's 2 SERIAL I/O's COUNTER TIMERS FLOPPY DISK CONTROLLER

#### OPTIONS:

- Character video board 80 x 24 for use with black and white monitor using a stand alone keyboard ..... \$215.00
- Winchester Host Adapter board for Shugart SA-1000 or Corvus Hard Disk. Includes cables ..... \$315.00
- Stand alone keyboard and cable plugs into computer board for 80x24 video option ..... \$190.00



18" W x 19" L x 8" H



### CPU — DISK DRIVE CABINET ACCOMMODATES:

- SB-80
- BRI 2000
- DIGITAL RESEARCH "The Big Board"
- OTHER SINGLE BOARDS

Metal cabinet with proportionately balanced air flow-convection cooling. AC power cord connector; lighted power switch; Fuse assembly; 0L65 Dual drive power supply (Will also power single board CPU). All hardware included to mount 2, 8" disk drives. Includes space area to mount any single board computer. Fully assembled and tested.

SB — ..... Cabinet Kit \$645.00  
SB — ..... Bare Cabinet \$135.00

### SS/DD DISK DRIVE SYSTEM

SB Assembled tested with 2, 8" drives ..... \$1425.00

### DD/DD DISK DRIVE SYSTEM

SB Assembled tested with 2, 8" drives ..... \$1850.00

### 8" FLOPPY DISK DRIVES

Single Sided/Double Density Double Sided/  
Double Density  
Shugart 800/801R ..... \$390.00, 2/\$770.00  
Shugart 850/851R ..... \$560.00, 2/\$1100.00

CP/M\* 2.2 & BIOS

CP/M\* 2.2 & BIOS modified by S & M systems to run on single board is available for ..... \$200.00

**HOW TO ORDER** Phone orders using American Express, Visa, MasterCard, Bank wire transfer, Cashier's or Certified check, Money Order, or Personal check (allow 10 days to clear). Please add 5% for shipping, handling and insurance minimum \$500.00. Conn. residents add 7.5% sales tax. All equipment is subject to price changes and availability without notice. All equipment is new and comes complete with manufacturers warranty. Showroom prices may differ from mail-order advertisement.

\* CP/M is a trademark of Digital Research Corp.

\*\* 1 to 4 piece domestic U.S. price.



**Colonial Data Services Corp.**

105 Sanford Street Hamden, Conn. 06514

(203) 288-2524 • Telex: 956014



VREF/GOREF provides complete cross-reference facilities, and includes all the professional options and qualities associated with mapping. The documentation includes a user's manual and Primer, which emphasize programming techniques to minimize errors. Active Trace costs \$125. Reader Service number 498.


### Heath/Zenith Communications

MORTTY is a general-purpose communications program adaptable to almost any set of conventions in current use. It includes ASCII and Baudot code capabilities at any baud rate, and sets 17 parameters for adaptation to the various conventions. The program runs on the Heath/Zenith-89 with 32K of memory and H88-3 serial interface or an H8 with 32K, H19 terminal, H-17 disk system and H8-4 serial interface. HDOS version 2.0 is required. MORTTY costs \$100.

Phillip L. Emerson, 3707 Blanche, Cleveland Heights, OH 44118. Reader Service number 499.

### Management Analysis

A versatile package for the Apple II is being introduced by Addison-Wesley Publishing Company, Inc., Jacob Way, Reading, MA 01867. Micro-DSS/Analysis enables



Micro-DSS/Analysis from Addison-Wesley.

managers, analysts and policy administrators to handle information for planning, evaluating and reporting. The program requires a Pascal language card, two floppy drives and a printer. It is priced at \$495. Reader Service Number 495.

### Link CP/M with UCSD p-System

Xenofile, a software package that allows users of the UCSD p-System to access CP/M files and disks, has been introduced by SofTech Microsystems, Inc., 9494 Black Mountain Road, San Diego, CA 92126. Using XenoFile, a user can translate CP/M files to and from p-System files, as well as use CP/M program output as p-System program input and vice versa. The package has no capabilities to permit CP/M programs to be executed under the p-System.

XenoFile supports nearly all file operations provided by BDOS. CP/M's disk I/O unit, by providing one-to-one correspondence between BDOS

and XenoFile operations. Cost is \$50. Reader Service Number 462.

### Apple Touch-typing

Keyboard is an interactive, animated, high-resolution graphics program designed to teach the location of the keys and the correct finger motion for each keystroke. This program draws an image of the Apple keyboard on the screen; as each key is pressed, the appropriate letter is animated while the words appear below in ticker-tape fashion. This immediate reinforcement helps the user retain eye contact with the screen while learning the key locations. An optional typewriter sound is provided. Suggested drill activities for both adults and children are included in the manual, and a reproducible worksheet is provided for classroom use. Price is \$19.95.

SoftArt Software, 86 Green St., PO Box 417, Carver, MA 02330. Reader Service number 463.

Circle 10 on Reader Service card

## Software at Affordable Prices!

We'll match any advertised price on the items that we carry. If you find a lower price within 30 days of purchase, show us the ad and we'll refund the difference.

### \*BUSINESS\*

#### APPLE II \* II +

<b>Continental*</b>	
Home Accountant	\$ 55
<b>Howard Software*</b>	
82 Tax Preparer	\$115
State CA/ILL/NY/NJ	\$ 60
Others 20% Off	
<b>On-Line Systems*</b>	
The Gen. Mgr.	\$120
Screenwriter II	\$ 99
The Dictionary	\$ 70
Expediter II +	\$ 94
Others 25% Off	
<b>Software Publishing*</b>	
PFS II	\$ 95
Reports II	\$ 69
*Graph	\$ 95
PFS III	\$145
Reports III	\$ 99
<b>Stoneware*</b>	
DB Master	\$160
Pak #1, #2, Stat ea.	\$ 80

### IBM \* APPLE \* CP/M

<b>Accounting Plus*</b>		
Gen. Ledger	Acc. Payable	
Acc. Receivable	Inventory	
	<b>Apple</b>	<b>CP/M</b>
*2 modules	\$550	
*3 modules	\$650	\$1130
*4 modules	\$699	\$1375
*Additional ea.		\$ 349

	IBM	Apple	CP/M
<b>Ashton-Tate*</b>			
*dBase II		\$455	\$460
<b>Datamost*</b>			
Tax Beater		\$ 99	
R.E.A.P.		\$ 99	
Write-On			
II, III, IBM PC	\$ 99	\$ 99	
<b>Micropro*</b>			
*Wordstar	\$229	\$197	\$229
*Mailmerge	\$ 79	\$ 69	\$ 79
*Both	\$299	\$259	\$299
Datatar		\$168	\$195
Spellstar		\$118	\$129
Calcstar		\$118	\$159
Supersort I		\$115	\$145
Wordmaster		\$ 95	
Others 33% Off			
<b>Sorcim*</b>			
Supercalc	\$194	\$194	\$194
Superwriter	\$277	\$277	\$277
Others 20% Off			
<b>VisiCorp*</b>			
*Visicalc 3.3 I (II,			
IBM, 256 IBM)	\$158	\$158	
*Visifile 2		\$185	
*Visitrend/Plot 3		\$215	
*Visipack 1, 2, & 3		\$525	
Visischedule II, III		\$235	
Others 25% Off			


### \*RECREATIONAL\*

#### APPLE \* ATARI

Apple Panic	\$ 20
David's Mid. Magic	\$ 26
Star Blazer	\$ 25
Track Attack	\$ 23
Castle Wolfenstein	\$ 23
Snack Attack	\$ 22
Thief	\$ 25
Casino	\$ 34
*Jawbreaker	\$ 20
Mouskattack	\$ 26
Crossfire	\$ 24
Threshold	\$ 31
Galactic Attack	\$ 24
Wizardry P.G.	\$ 40
Wizardry K. of D.	\$ 28
<b>Sirius Software*</b>	
Snake Byte	\$ 24
Twerps	\$ 24
Gorgon	\$ 32
Sneakers	\$ 24
Others 20% Off	
<b>Arcade Plus*</b>	
Ghost Hunter	cassette \$ 26 disk \$ 30
Pro Football	\$ 26 \$ 30

**34% OFF**  
\*Special Items Discount

VISA-MASTERCHARGE  
ORDERS ONLY  
CALL COLLECT (313) 642-1454  
ALL OTHER  
INFORMATION (313) 644-8921



**THE  
HAPPY COMPUTER**

DEPARTMENT # M 102  
460 N. WOODWARD AVENUE  
BIRMINGHAM, MI 48011  
(313) 644-8921

\*Sale prices are through October only!

**FOR FAST DELIVERY**  
For fast delivery, send certified check or money order. Specify hardware manufacturer, operating system, cartridge/cassette/disk system and format. Personal or company checks require one to three weeks to clear. Outside continental U.S. - add \$10 plus air parcel post. Add \$3.50 postage and handling per each item. Blue label \$3.00 additional per item. Michigan residents add 4% sales tax. Mastercharge - Visa add 3% and include expiration date. Prices subject to change without notice. All items subject to availability.  
\* Mfrs. Trademark.



# The ideal accounting package for my business would...



- 1) ☐ adapt to my method of working, not force me to adapt to its method of working.
- 2) ☐ have an alphanumeric account code that could accomodate my current structure of accounts with ease.
- 3) ☐ process accounts for [ 12 13 ] financial periods per annum.  
(circle one)
- 4) ☐ be limited in the number of accounts I could put on file only by the physical storage capacity of the computer.
- 5) ☐ have a period activity volume of up to [ \$1M \$10M \$100M ].  
(circle one)
- 6) ☐ have a year-to-date volume of up to [ \$10M \$100M \$1BILLION ].  
(circle one)
- 7) ☐ let me custom design up to [ 33 66 99 ] reports, and not force me to make-do with just the preprogrammed reports.  
(circle one)
- 8) ☐ allow me to enter next period data while in the current period without forcing an early close-out of the current period.
- 9) ☐ be expandable to include Accounts Payable, Accounts Receivable, Order Processing, Payroll, and Financial Modeling packages.
- 10) ☐ be fully guaranteed and serviced by the distributor.

OTHER \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(Use another sheet if necessary.)

The accounting package you've been searching for is here. Instant Software is proud to present the best accounting package on the market—  
**THE GENERAL LEDGER PACKAGE.**

Created by The MicroComputer Business of Surry, England, The General Ledger Package is an highly comprehensive, extremely flexible, easy-to-use package designed to run on the TRS-80\* Model II 64K microcomputer.

Just how good is The General Ledger Package? We're going to let you decide. Take a minute or two to decide what your electronic accounting needs are by filling out the list above, checking the appropriate boxes and circling the correct amounts. Or make your own list. Then compare your list to The General Ledger Package's list of features on the next page.

That's all. No hype. No slogans. Just the facts.

## Instant Software™

Peterborough, N.H. 03458 USA

A subsidiary of Wayne Green Inc.



## FEATURES OF THE GENERAL LEDGER PACKAGE:

 **1-10**

### OTHER:

- ☒ does not require any previous computer experience to operate.
- ☒ allows you to create, amend, and delete any account record at any time.
- ☒ allows you to create, amend, and delete any report on file at any time.
- ☒ gives you instantaneous access to the files.
- ☒ automatically updates data on the Master File that is affected by transaction entry.
- ☒ automatically reverses accrual entries made in previous period.
- ☒ has built-in batch and run controls.
- ☒ prints hard copy log after every entry that can affect a file.
- ☒ has an automatic peripheral device check which tells you if a problem exists and where it lies.
- ☒ comes complete with Master Disk for your files, ready-to-run disk, and blank disk.
- ☒ screen layouts are clean, attractive and informative.
- ☒ accompanies all transactions with an audit trail.
- ☒ Transaction File has assigned-by-you reference #s.
- ☒ Transaction Listings can be listed sequentially or under variety of criteria selected by you.
- ☒ 64 combinations of inquiry options to Transaction File.
- ☒ can print reports at any one of nine levels of detail that you select.
- ☒ ignores invalid data, making unwanted or accidental entry impossible.
- ☒ can run on floppy disk or a hard drive disk.
- ☒ has extraordinary documentation that includes screen photos for every program.
- ☒ has utility programs which simplify computer housekeeping tasks.
- ☒ file recovery system normally repairs scrambled files and recovers data.
- ☒ will not let you duplicate account numbers.
- ☒ maintains details of activities period by period so that comparisons are easily obtained.
- ☒ does not permit access or entry while the program is operating.

Now, if you have something on your list that you don't see on ours, chances are The General Ledger Package has it or can do it. We just don't have enough space to list every feature the package offers. At a list price of \$897, you won't find a better bookkeeper who'll work for less.

To order your General Ledger Package, simply fill in the coupon below and send it to Instant Software, Attn: John Gancarz, 80 Pine Street, Peterborough, NH 03458. If you'd like to know more about The General Ledger Package, call toll free 1-800-258-5473 and ask for our free brochure. Or write to Sandra Merchant, Technical Service Advisor at the above address.



\*TRS-80 is a trademark of Tandy Corp.

**YES, I want THE GENERAL LEDGER PACKAGE for my business.**

Please send me \_\_\_\_\_ packages @ \$897.00 for a total of \$\_\_\_\_\_  
 \_\_\_\_\_MC \_\_\_\_\_VISA \_\_\_\_\_AMEX \_\_\_\_\_MO \_\_\_\_\_Certified check

Interbank # \_\_\_\_\_ Exp. date \_\_\_\_\_  
 Signature \_\_\_\_\_  
 NAME \_\_\_\_\_  
 POSITION \_\_\_\_\_  
 COMPANY NAME \_\_\_\_\_  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_  
 TELEPHONE \_\_\_\_\_

**Instant Software™**

Peterborough, N.H. 03458 USA A subsidiary of Wayne Green Inc.



# SOFTWARE REVIEWS

(from page 178)

you would be getting a lot for only \$80. There's more.

The copy command is not a library command, but a separate utility that comes with Multidos. It allows single drive copying of files and also permits copying of files from any alien operating system diskette to any other alien operating system diskette.

An interesting and very useful utility is the GR/CMD program. It integrates with the keyboard driver and lets you enter graphics characters directly from the keyboard. You must enter this as a DOS command "GR" and then you may enter Basic, for example, and easily create graphics packed strings. To enter the graphics mode, you press <SHIFT> <CLEAR> and enter all of the graphics characters with a single stroke.

RS/CMD is a utility that searches RAM for an eight- or 16-bit word specified by the user. For 16-bit searches, you may enter a Z-80 mnemonic as an auxiliary, and look for associated JPs, Calls, etc. It is nice, but I wonder how useful it will ultimately be.

SPOOL/CMD—aside from the obvious defect that it doesn't always work—has some good ideas. It does ask for the number of 256-byte blocks to be used for buffer space and asks if you would like to paginate. It asks for the FORMS parameters, but, as I mentioned above, incorrectly sets their values.

The spooler asks if you would like the spooler to work; if not then it will not spool the output, but will control the output page parameters. I discussed the problems with the spooler with the author and he said that they would be corrected soon.

VFU/CMD is the best utility to accompany Multidos. It allows you to <C>opy, <E>xecute, <P>urge or <H>ard copy disk files. The copy option allows for selective file or total file copying. VFU will now ask if invisible or systems files are to be included. If the selective option was chosen you will be confronted with a screen with the names of all the files on your disk displayed. You simply press Y if you want that file copied, or N if not. The cursor position will automatically jump to the next name. When you are done, you are given the options of proceeding, restarting or aborting. To prematurely terminate the copying function, hold down the shift key; the file currently being copied will be finished, and then the program will abort. The purge option works exactly the same way the copy option does, except, of course, the result is different.

The print command will also ask if invisible or systems files are to be included in the hard copy output. This is an extremely handy program.

Now for the best of all, SuperBasic! The first interesting point is that with this Basic, you get 40K bytes of program memory. That is more than any other Basic. The best part of that is that nothing is sacrificed to give you this space. Since the Basic uses overlays, SuperBasic is actually a very powerful Basic, the most powerful one of which I am aware. You also get a second Basic, called BBasic, that has BOSS already within it!

In this expanded Basic, the letter commands must all be followed by <ENTER>. You may also use hex or octal constants. There are a number of CMD commands that enhance this Basic.

You have three options when entering SuperBasic. You may, as I've already mentioned, recover a Basic program left in memory by an alien operating system, recover Basic from a Multidos reboot or recover a Level II program, provided that you got to Level II via the CMD "X" command. The ability to recover is enhanced by the continue option. After a reboot, if you re-enter Basic with a "\*", for example, you will be asked if you wish to continue the program's execution. If you answer "Y," the program will resume execution where it left off. If not, then control is transferred to Basic command mode.

The other CMD options that improve the normal Basic are the space compression, the zero array, the delete array and the move/duplicate program lines. The delete array option should have been there in the interpretive Basic.

The CMD "O" (open additional file buffer) command is particularly useful when recovering an alien operating system's Basic program. Initially, when entered in this fashion, no file buffers are open. This gives you a way to open file buffers and then continue program execution.

The CMD "Q" (sort string array) command is a string sort of considerable speed and versatility. It will sort either vector (one subscript) or matrix (two subscript) arrays.

SuperBasic has even more enhancements. These are the overlay utilities. The Fnnnn command finds the ASCII characters in your Basic program specified by "nnnn." A much more powerful utility is the GE or Global Editing utility. In it, you may:

- change all or part of variable names
- change all or part of constants, data list items, or strings
- change graphics codes written as CHR\$(xxx) into packed strings
- change space compression codes into

packed strings

- merge adjacent lines into a single line
- break up a line into separate ones
- change reserved words in your program

The GE utility allows you to globally change reserved words. Thus, you can change every print to an Lprint.

Another useful option is to take your string definitions, defined by "BS = CHR\$(xxx) + CHR\$(xxx) + CHR\$(xxx) + ...", as you would normally enter them if they contained graphics characters, and make them into a packed string "BS = ...", where "." represents some graphics character.

The GE utility also supports the merging and dismembering of lines. You may specify the source line number and the object line number. The line will be dismembered at the first ":". If you are joining lines, they must appear consecutively in your Basic program.

Besides all this, you may renumber your Basic program. If lines cannot be found, then the renumbering will not take place, and a list of bad line references is given. You may renumber all or part of your Basic program. You may also get a cross-reference list of your variables or specific integers.

I did discover one rather strange error in this Basic. After editing a program line, the next Basic command entered from command mode generated a syntax error, regardless of whether the line contained a syntax error or not. If you re-entered the command, it then executed correctly. This was somewhat irregular, so it was difficult to narrow down. It appears to be a function of parsing the edited lines when you have leading spaces within the lines. The edited line is correct, and the only error that I have found is a bad syntax error on the first (and only the first) Basic command from command mode.

File handling is improved in SuperBasic as well. You have five "OPEN" modes:

- D random to existing file
- E sequential output to end of existing file
- I sequential input from existing file
- O sequential output to file
- R random I/O to file (variable length records)

BBasic is meant to be a development environment for the writing and debugging of programs. It has BOSS (Basic Operated Single Stepper) built right into it, and allows you to creatively trace and monitor execution of your program and keep track of the current values of specific variables. You may also single step your Basic programs, and at variable speeds! You may trace the program execution to the video (and the trace is designed to keep within a small block of the video and not screw up the entire screen), or you may trace to the printer.

This is all done by using the @ key as a control key. By pressing @ and another key, you tell BOSS what option to select.

Multidos, taken as a whole, is outstanding. The Basic is the best available in a



DOS package, and Multidos supports many options not found or poorly implemented in more expensive operating systems. The author deserves praise for this DOS. If you're in the market for a DOS, but don't want to spend next year's lunch money, try Multidos. (*Cosmopolitan Electronics Corporation, PO Box 234, Plymouth, MI 48170. \$79.95*).

**Bruce Powell Douglass**  
Vermillion, SD

## Ag Disk: Financial Management Series One

Five programs containing  
A variety of tools for  
Agricultural management

AgDisk consists of five programs for the Apple II Plus computer which are intended to aid in farm- or ranch-related money management. These programs include Farm Profit Analysis, Depreciation Schedules, Land Purchase Analysis, Loan Cost Calculator, and Interest Income Calculator. The programs are written in run-time Pascal which requires a 16K RAM card, but the Apple Pascal Operating System is not necessary for their execution.

AgDisk is supplied on a DOS 3.3 disk and is accompanied by an easy-to-use manual. The programs are menu driven, requiring only simple responses to select a program and to enter the necessary data. Several of the programs include a demonstration option to illustrate the operation of the program, and some of the programs provide an option which produces a printed worksheet for the collection and organization of information to be input to the programs.

Each of the five programs in this package runs independently; the programs do not interact with one another. AgDisk does not provide for the storage of data, and thus is not a data base management system. Rather, the programs in this package perform computations on financial information collected and summarized by the user.

The "Farm Profit Analysis" program, for example, requires the entry of income totals in five categories, expense totals in five categories, information about equipment depreciation and information about the value of farm property owned. All of this information must be re-entered each time the program is run. The reports output by this program include statements of profit-loss, management return, gross profits, intensity of capital use and overall performance.

Also included in the AgDisk package is a "Land Purchase Analysis" program which provides a comparison of the cost of purchasing land to the expected cash flow from that land and its projected market value.

The Depreciation Schedules program

allows the comparison of straight-line, declining-balance, and sum-of-the-year's digits methods for depreciating assets. The remaining two programs in the AgDisk package, Loan Cost Calculator and Interest Income Calculator, allow the user to evaluate the cost of borrowing money or the income to be derived from secure investments under various interest rates.

Most of the programs in the AgDisk package are well done and are quite easy to use. The printed worksheets ease the preparation of data for entry into the system, and the output reports are generally well constructed.

The major shortcomings of this package are the lack of provisions for the maintenance of financial records and the need to summarize financial information before entry into the system. However, the package provides a variety of tools which may be useful in the financial management of agricultural property. (*Harris Technical Systems, 624 Peach St., PO Box 80837, Lincoln, NE 68501. \$140*)

**Larry P. Gonzalez**  
Chicago, IL

## dBase-II

A relational data base  
Running under CP/M and  
Written in assembly language

Today there are scores of business programs available for microcomputers that are designed to organize and maintain information. Programs are available to keep track of mailing lists, checkbooks, inventories, library catalogs, personnel files, etc.

A lot of effort and expense can be incurred in researching which programs you need, purchasing them, and learning how to use them. One alternative to programs of this nature is a data base program that can be configured to perform any of the above tasks.

Data base programs are divided into three classifications: networking, hierarchical (a subset of the networking type), or relational. Networking and hierarchical data bases require that the data be organized into "owners" and "members." The programs then use pointers to relate the various groups of data. This type of data base structure can be complex to use, and may require considerable effort to set up or modify before any data can be entered. A relational data base is structured very similar to everyday tables. As a result, the relational data base is easier for the non-computer person to understand and use.

dBase-II is one such relational data base. Running under the CP/M operating system, dBase was written entirely in assembly language; thus it is very fast.

The program is well documented with over 350 pages split between a tutorial

and a reference manual.

dBase is written in the style of a command-line interpreter so you don't have to wade through a series of menus to get to the desired operation. This feature also allows you to write programs in the dBase data manipulation language so custom applications can easily be set up or a frequently used sequence of commands can be automated.

dBase has been used as the base for programs in such applications as small business accounting, job tracking, maintaining checkbooks and mailing lists, and even one to generate a flight plan. These programs, or command files, as they are called, are interpreted by dBase in much the same way as the Basic interpreter executes a program. The difference is that dBase makes the manipulation of files and records within those data files very easy.

dBase can work with up to 65,535 records in one file. Each record can contain up to 32 fields and up to 1000 characters. However, by employing a Link option, two files can be treated as one for a total of 64 fields and 2000 characters per record. This translates into a 130 megabyte file that dBase can manipulate. Obviously, you are not software limited with dBase, but hardware limited with most microcomputers. Any given field of a record can have a maximum of 254 characters.

dBase can use two data files simultaneously, and by entering Use filename, a new file can be substituted for one of the current files. A given file must be contained completely on one disk, but one file can be on one disk drive and another on another drive, or several files could be on one disk if desired. In addition, there are several commands that will involve a third file in their operation providing even more capability and convenience.

Over 50 major commands are available to the user in dBase, most of which allow several options. The majority of these commands can be used interactively, and all of the commands can be used in the command files to form a structured programming language. However, the casual user can effectively use dBase interactively with a basic knowledge of only 11 commands, create, use, append, locate, display, delete, recall, edit, sort, report, and quit.

Data may be entered into dBase from the keyboard or from other data files with the append command. These files can be either dBase formatted files or in a general delimiter-type format. Similarly, data can be written out in dBase format or a delimiter-type format with the copy command. This ability, in combination with chaining capability, permits dBase command files to be conveniently interfaced to other programs.

A general report command is available for generating quick table-type reports.

There are also cursor positioning commands for special printing needs such as checks or for making custom displays.



## STOP PLAYING GAMES

PET/CBM  
APPLE  
TRS-80 (Model I & III)  
COLOR-80  
VIC-20

- Calculate odds on HORSE RACES with ANY COMPUTER using **BASIC**.
- **SCIENTIFICALLY DERIVED SYSTEM** really works. TV Station WLKY of Louisville, Kentucky used this system to predict the odds of the 1980 Kentucky Derby. See the Wall Street Journal (June 6, 1980) article on Horse-Handicapping. This system was written and used by computer experts and is now being made available to home computer owners. This method is based on storing data from a large number of races on a high speed, large scale computer. 23 factors taken from the "Daily Racing Form" were then analyzed by the computer to see how they influenced race results. From these 23 factors, ten were found to be the most vital in determining winners. NUMERICAL PROBABILITIES of each of these 10 factors were then computed and this forms the basis of this **REVOLUTIONARY NEW PROGRAM**.
- **SIMPLE TO USE:** Obtain "Daily Racing Form" the day before the races and answer the 10 questions about each horse. Run the program and your computer will print out the odds for all horses in each race. **COMPUTER POWER** gives you the advantage!
- **YOU GET:**
  - 1) TRS-80 (Level II), Color-80, Apple or PET/CBM or VIC-20 Cassette.
  - 2) Listing of BASIC program for use with any computer.
  - 3) Instructions on how to get the needed data from the "Daily Racing Form"
  - 4) Tips on using the odds generated by the program.
  - 5) Sample form to simplify entering data for each race.



—MAIL COUPON OR CALL TODAY—

**3G COMPANY, INC. DEPT. KB** (503) 357-9889  
RT. 3, BOX 28A, GASTON, OR 97119

Yes, I want to use my computer for FUN and PROFIT. Please send me \_\_\_\_\_ programs at \$24.95 each.

I need a ☐ TRS-80 ☐ Color-80 ☐ Apple ☐ PET/CBM ☐ VIC-20 Cassette.


Enclosed is: ☐ check or money order ☐ Master Charge ☐ Visa

Card No. \_\_\_\_\_ Exp. date \_\_\_\_\_  
NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**START USING YOUR COMPUTER FOR  
FUN and PROFIT!**

## EPROM PROGRAMMER

Shown assembled. EPROM not included.



For single supply 2516, 2716 & 2758 EPROMs. Connects through a user supplied interface to any computer system. Interfacing requires two 8-bit ports plus hand-shake lines. One of the ports must be software controllable for input or output. Timing is done via hardware, thus is independent of MPU clock rate. Verify erased. Program — entire or partial. Auto verify after programming. Transfer contents to RAM for modifying or duplicating.

### Select Documentation for:

6502	Interface to:
6800	6820 PIA or 6522 VIA
6809	6820 PIA
8080/8085/Z80	6820 PIA
	8255 PPI

Comprehensive documentation booklet contains schematic, instructions for construction, check-out and use, and a well commented assembly listing for the specified MPU.

Complete kit of parts (includes ZIF socket) ..... \$ 45.00

Bare PC board and Documentation ..... \$ 25.00

Software listings for additional MPUs  
(with purchase of Kit or PC board) ..... \$ 5.00

Ordering: Specify MPU. Add 5% for P&H. Overseas add 10%. Ariz. residents add 5% tax.



**Micro Technical Products, Inc.**

814 W. Keating Ave., Dept. K  
Mesa, Arizona 85202 • 602-839-8902



## Send Your Business To Europe Via Wayne Green International

You can introduce your products to the European market without leaving your office. All you need is a phone and the best advertising liaison between here and Europe—Wayne Green International. We represent four of the largest microcomputing magazines in Europe that will help you introduce and make your product known in the European market.

### MICRO DIGEST

MICRO DIGEST is the newest resource for American businessmen to rely on for the best exposure overseas. The first publication of its kind, MICRO DIGEST caters to dealers, reps, OEMs and importers of micro and mini products. MD is the organ of the European Microcomputer Publishers Association (EMPA), publishers of the four largest computing magazines on the continent. MICRO DIGEST is published in English, French, German and Italian, and reaches a market of 312 million people. Make MICRO DIGEST your best ally in the European micro market.

### CHIP

The German-speaking market has an exceptional sales potential. CHIP, the leading German magazine for desktop computers, will help you to make this market your own. Over 65% of the CHIP readership deals with computers in their business or profession. With its reputation for excellence and a paid circulation of 62,913\*, CHIP is your direct line to the German microcomputer market.

\*IVW Auditing (ABC Equivalent), 2nd quarter, 1981

### MICRO & PERSONAL COMPUTER

MICRO & PERSONAL COMPUTER, the most sophisticated microcomputer magazine in the world, is the ideal media for introducing and marketing computer products in the Italian market today.

**WAYNE GREEN  
INTERNATIONAL**

The European Micro-Media Specialists  
Peterborough, N.H. 03458 (603) 924-7138

To receive further information on these magazines, write or call:

Piergiorgio Saluti  
Wayne Green International  
Peterborough, New Hampshire 03458  
(603) 924-7138





Data files can be used to update other files, either adding to or replacing data in certain fields if certain conditions (which may be specified by the user) are met.

Other available calculational commands will total a given data base to another data file or sum designated fields to in-memory variables. In both cases, conditional instructions can also be embedded in the commands to limit their effect.

dBase also contains a full-screen editor that can be used to edit records and to build command files.

There are two different methods available for organizing a data base. Sorting a data base will actually rearrange the records on the file according to specified field, and can take some time on a large file. Successive sorts can be employed if different levels of organization are required. If this method is to be used regularly on a given file, a simple command file can be set up to perform the successive sorts automatically.

As an alternative, any given data file can be indexed on any combination of fields totaling less than 100 characters. Indexing a file is considerably faster than sorting it. In addition, an index only needs to be done once since subsequent data appends, edits, replaces or deletes will all update the Index file automatically if it is in use. Furthermore, up to seven indexes can be simultaneously maintained on one file automatically!

Once a file is indexed, a find command can be used to find a specific record. Typical find times on a floppy disk system are less than two seconds. A locate command is also available to search out data whether or not a data file is indexed, although it is not as fast as a find command on an indexed data base.

If the user has two data files with different structures but with at least one common field to serve as a key, then the join command can be used to form a new data file from a combination of the two.

dBase-II is well supported and is continually being improved. There are several other programs available which further support dBase, including program generators for quickly building command files, and other programs that interface dBase to other established software packages. All in all, dBase-II is an exciting alternative and a program worthy of serious consideration. (Ashton-Tate, 9929 Jefferson, Los Angeles, CA 90230. \$700).

**Clyde Lightfoot**  
San Jose, CA

## Introduction to Basic Programming

An introductory  
Basic course for  
The H-89

When I received the *Introduction to*

*Basic Programming* I first tried it out on my Heathkit H-89 (the course is designed to run under HDOS). After a few adjustment errors, I became proficient at answering the different types of questions thrown at me by a little computer with a smile.

Then I decided to try the course on different folks—especially some with no computer experience.

My wonderful wife was the first candidate, as she has had very little to do with computers. I got her started and left the room.

Once loaded the program rewards and chides the new student with the "beep" of the H-89 horn. If the answer to a question is wrong, you are chided with a "beep." If the answer is right you get three "beeps."

I listened intently from the other room. "Beep... silence, beep... silence, beep... silence!!!" This went on for an unexpectedly long time, but finally there were a few human expletives and I heard footfalls going down the stairs. I followed to offer support.

The newness of the computer and its relentless beeping had done her in. My wife, a usually patient person, had lost it with the computer. She said it was rude and too impersonal in its interaction. I tried to tell her that she would grow to like the thing and its calculating ways. She shrugged and walked off, returning only to play a few games and use the word processor from time to time.

There are several young people who live in our neighborhood and they visit from time to time. These youngsters served as the second round of candidates. On several occasions, I have started one of them with the Basic course, only to come back several hours later and have to physically drag all of them from the computer.

They eagerly returned the first night the computer was available and continued. Usually I had to usher them to the door, sending them home so that I could finally go to bed. This may sound a little preposterous, but there has been a great interest in the Basic course among the neighborhood youngsters.

Using this course has been an interesting experience with computer assisted instruction. I have found the different reactions of my wife and the neighborhood youngsters very interesting in regard to who might benefit the most from this type of instruction. We now have several young friends who can write simple Basic programs, and have an abiding interest in computers.

I think my wife's reaction has to do with the fact that she is not inclined toward mechanical things, especially smart mechanical things. I doubt that she will ever be interested in the inner workings of a computer program.

*Introduction to Basic Programming* is a computer assisted instruction program

which will enable an interested person to learn the rudiments of Basic programming in several hours of self-paced study. The course has a very snappy format, and makes excellent use of the graphics available on the H-89. The smiling computer terminal actually appears to move his pointers as various topics are emphasized on the screen.

The course material is easy to read and displayed nicely on the screen, but believe me, the "teacher" does not allow progress until the material is understood.

The questions interspersed in each section pertain to the material being covered. They come in three flavors: true and false, fill-in the blanks, and multiple choice.

A correct answer is rewarded with several "beeps!" and more material to study, but an incorrect answer brings a single "beep!" and review of past material.

I found the course to be fun because I was waiting to see what the next graphics display would bring. I knew that it would be exciting for any young person to experience the computer and the almost personal interaction with the images on the screen.

The course material is just what the title says: "Introductory Basic." The Basic taught is Benton Harbor Basic; although there is mention of Microsoft Basic in the workbook, there is no attempt to tie the two together.

The course covers the following list of subjects and Benton Harbor Basic commands: elementary programming, new, old, scratch, list, print, a section on variables and let, input, line input, alphanumeric and numeric data, goto, if... then, for... next, step, and a final section on subroutines. With a thorough knowledge of these commands, the new student has a good start on learning how to program in Basic.

After the student studies several sections, "It's time for a Unit Test." The smiling computer points to a clock on the wall, and the student is given a test which is corrected, reviewed and graded by the computer. This can be embarrassing for an old hand when a question or two is missed. The computer-aided review of missed questions is very thorough; there is no doubt why the answer was incorrect when the "teacher" is through.

At certain times when several commands have been studied and reviewed, the student is taken to the Basic Workshop. Here, Benton Harbor Basic is loaded into the computer and the student does actual programming with the computer. This is accomplished by using the workbook exercises supplied with the course. The student follows the exercises in the workbook and actually writes a program with the commands learned earlier.

The student is then encouraged to experiment with the Basic language us-



ing his own ideas. When finished in the Basic Workshop, the student can continue with further lessons. The lessons are menu driven so the student can jump from one lesson to another, or review lessons where more work is needed.

The lesson format is typically several statements about the topic of discussion, followed by examples of an actual program using those ideas. The programs are displayed on the screen and questions are asked about the program. What will happen now? How many times will this occur? What will the output of the terminal be? This method of learning how to program in a new language by actually working with that language is very effective.

The screen of the H-89 is divided with graphics, so parts of the screen appear to change and other parts remain the same. This excellent use of the H-89 graphics does make the course fast-paced and fun. The questions are thrown at you from the bottom of the screen, and the smiling computer keeps the top of the screen active. It's an interactive program.

A typical lesson will run approximately five minutes allowing time for the information to be read and absorbed. The reviews take about the same amount of time. The unit tests also take about five minutes, but the Basic Workshop and the workbook exercises can take as much

time as the student wants to spend.

The course contains 29 sections including the tests and workshop sections. This is a lot of material, and the student would be better off to spread this course over several evenings. If the course is followed, the student can be writing elementary programs within a few evenings.

The interactive instruction and the content of the course are very well done, but there are several technical aspects which could be better. Because of the amount of material that is presented, the course is distributed on two 5¼-inch floppy disks. A problem arises because the two disks are interdependent. If the student has only one disk drive, there is a problem of swapping the disks in the one drive. With a double drive system, the course moves very well and there is no problem of having to change disks.

Another item of note is that a real novice might have problems setting up the course, because Benton Harbor Basic and the HDOS Error Message file must be moved from an HDOS disk to the first course disk. There are excellent instructions for doing all of this, but the real novice will be better off to have the course set up prior to starting.

Another problem with the full disks is that the first disk which is loaded into SYO: is so full that SYO: must be booted

and reset from an HDOS disk prior to starting the course. I found this slightly disconcerting, as it would be nice for the novice to have the course self-start. Once the course is set up, however, it is very simple to run using the menu.

The workbook, which is really nine pages of photocopied material, could be more detailed. The workbook just covers the material presented. So much fine work was put into the computer program, a substantial workbook would make this course really first rate.

The final test, which I awaited with great fear as I worked through the course, turns out to be nothing more than another unit test with only a few questions about material from the course. It would not have been too difficult to make this test a composite of all the others and make the final test somewhat of a challenge. I would have felt better about all the work of getting through the course.

This program is well done and an interesting adventure in computer assisted instruction. It is a great buy for anyone who wants to start out in Basic. With some study and lots of fun, you or some of your friends can be doing great things with Basic. (Walt Bilofsky's Software Toolworks, 14478 Glorietta Drive, Sherman Oaks, CA 91432. \$199)

**Lee Syer**  
**Blacksburg, VA**

# MICROCOMPUTING • BOOKS

## ALL NEW FOR 80 OWNERS ENCYCLOPEDIA FOR THE TRS-80\*

**ENCYCLOPEDIA FOR THE TRS-80\*\*** is the newest peripheral for your microcomputer. This ten-volume reference series contains programs and articles especially selected to extend the documentation that comes with the TRS-80. Volumes of the **Encyclopedia** are being issued one-at-a-time, approximately six weeks apart. This means that each new volume will reflect the latest developments in TRS-80 microcomputing. **Encyclopedia for the TRS-80** is available in two editions. The deluxe **COLLECTOR'S EDITION** has a handsome green and black hard cover with a dust jacket. A soft cover edition is also available.

To order single hard cover volumes of the **Encyclopedia** please specify:

Volume 1	EN8101	\$19.95*
Volume 2	EN8102	\$19.95*
Volume 3	EN8103	\$19.95*
Volume 4	EN8104	\$19.95*
Volume 5	EN8105	\$19.95*
Volume 6	EN8106	\$19.95*
Volume 7	EN8107	\$19.95*
Volume 8	EN8108	\$19.95*
Volume 9	EN8109	\$19.95*
Volume 10	EN8110	\$19.95*

To order single softcover volumes of the **Encyclopedia** please specify:

Volume 1	EN8081	\$10.95*
Volume 2	EN8082	\$10.95*
Volume 3	EN8083	\$10.95*
Volume 4	EN8084	\$10.95*
Volume 5	EN8085	\$10.95*
Volume 6	EN8086	\$10.95*
Volume 7	EN8087	\$10.95*
Volume 8	EN8088	\$10.95*
Volume 9	EN8089	\$10.95*
Volume 10	EN8090	\$10.95*

### ENCYCLOPEDIA FOR THE TRS-80\*

A library of useful information  
for your TRS-80

### ENCYCLOPEDIA FOR THE TRS-80\*

**ENCYCLOPEDIA LOADER** is the software companion to the **Encyclopedia** for the TRS-80. This special series of cassettes will allow you to load selected programs from the **Encyclopedia** instantly. Hours of keyboarding time and the aggravating search for typos is eliminated by using the **Encyclopedia Loader**.

**Encyclopedia Loader** for Volume 1 of the **Encyclopedia** of the TRS-80 is available at a **Special Introductory Price** of \$12.95 (a \$14.95 value). To take advantage of this offer specify:

EL800111 \$12.95\*

Additional **Encyclopedia Loaders** will be available as each volume of the **Encyclopedia** for the TRS-80 is issued. To order specify **Encyclopedia Loader**:

Volume 2	EL8002	\$14.95*
Volume 3	EL8003	\$14.95*
Volume 4	EL8004	\$14.95*
Volume 5	EL8005	\$14.95*
Volume 6	EL8006	\$14.95*
Volume 7	EL8007	\$14.95*
Volume 8	EL8008	\$14.95*
Volume 9	EL8009	\$14.95*
Volume 10	EL8010	\$14.95*

### SPECIAL INTRODUCTORY OFFER

Order the entire set of the **Encyclopedia** for the TRS-80 and receive the tenth volume FREE!

10 Volume deluxe hard cover **COLLECTOR'S EDITION**, a \$199.50 value \$164.00 postpaid Order EN8100

10 Volume soft cover edition, a \$109.50 value \$83.00 postpaid Order EN8080

### SPECIAL OFFER

All 10 Volumes of **ENCYCLOPEDIA LOADER™**

A \$149.50 value for only \$119.97

EL8000 \$119.97

(shipping included)

\*Use the order card in this magazine or itemize your order on a separate piece of paper and mail to **Microcomputing Book Department • Peterborough NH 03458**. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign airmail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at this address.

\*TRS-80 and TRSDOS are trademarks of the Radio Shack Division of Tandy Corporation.

**FOR TOLL FREE ORDERING CALL 1-800-258-5473**



# Most Compatible DOS Around Apple Visits the Farm CP/M Data Base Learning Basic on the Heath

## Multidos

A powerful, low priced,  
Multi-optioned DOS  
For the TRS-80

Multidos (formerly Ultra II) gets its name from the fact that this is probably the most compatible DOS around. It will read disks written by virtually any other DOS. It even gives you the ability to load Basic and a Basic program while in another DOS, reboot with Multidos and recover the Basic program still in memory.

It comes with the best Basic I have ever had the pleasure of using and several utilities. Its low price should not fool you into thinking that this is a cheap product. It has a couple of minor problems, but overall it is an excellent DOS.

The manual is rather short, but readable, and contains all the necessary information. One point left out is that the password for the Multidos disk, should you feel inclined to selectively kill one of the system files, is "F36."

The DOS itself is small—taking up only 16 grams of disk space—but powerful. It extensively uses overlays to allow maximum space in RAM for programs. Even so, it is a fast DOS. For example, it only tries a disk I/O operation four times before returning an error. This is great if you have very reliable drives, but I still have the old gas-powered drives and they are a bit flaky. I personally prefer the default 10 tries used by TRSDOS and NEWDOS80.

You get a mini-DOS called Mighty Multi, activated by pressing the ";;" keys simultaneously. This will operate anytime you are in a program that has enabled interrupts. From this mini-DOS, you may copy, kill or list a file, or get a directory. Another nice option is that pressing the JLK keys together routes the current video contents to the printer, with graphics changed to "...". Pressing the HJK keys does the same but sends the graphics characters as well, if you have a

printer that knows what to do with them.

Unlike some operating systems, if your printer is not ready, you don't get hung up. Also, anytime Multidos needs to access a SYS file and cannot find it because you removed the systems disk, Multidos will not hang up.

Multidos boots up with its own keyboard driver that provides a flashing block cursor with repeat key function. Any or all of these can be defeated either by setting KEYBRD parameters (a single command line writes the new parameters to disk) or by holding down specific keys during the boot. It supports multiple DOS commands on a DOS command line; thus, you may enter Basic, set memory size, allow for I/O buffers, and load a Basic program, all with a single command line.

Multidos supports a limited JCL (job control language) via the do command, which substitutes a disk file for keyboard input. The do command acts on a disk file constructed with the build command. From "DOS Ready" you may execute the build command and construct a do file with lines keyed in. These are then stored in the file specified and may be executed whenever the "Do filespec" is entered. You may specify a break in the execution of the do command, turn off video output or display multi-line text.

If, for example, you have a rather long initiation process to a program, and would rather do something else during this process, a Do file will substitute in its commands whenever keyboard input is expected. You can even nest your DOS as deep as you like.

Multidos supports single drive copy. The Backup and Format procedures are the fastest that I have seen. One particularly nice feature of backup is that you may specify the number of tracks to be formatted.

During format, if there are tracks that need to be locked out, only the bad granule is locked out, not the entire track. These backup and format features are not supported by NEWDOS80, LDOS, DOSPLUS, TRSDOS, or any other DOS to

the best of my knowledge.

The directory is displayed in alphabetical order. It also has the option "K," e.g., "DIR 1 K" to display the Killed files. The "P" option will route the output of the DIR command to the printer. Incidentally the computer does not hang up if the printer isn't ready, and this is true for all the printer commands. Multidos will compute hash codes for you, if you happen to have a need. The forms command displays (and allows you to change) the line printer parameters of page width, page length and number of text lines per page. Multidos does have a spooler, which allows you to keep on doing your thing on the keyboard and execute programs while your printer outputs are being sent to the printer. You must be careful to set Forms after you initiate the spooler, since the spooler incorrectly changes the forms parameters.

Multidos has three types of resets. There is always the button at the back of the keyboard, and there is the boot command as well. Multidos also supports a dead command which sets all memory from 4000H upwards to 00H and then resets the computer. The CONFIG command allows you to adjust the stepping speed or density of the drive.

The KEYBRD command allows you to set:

- lowercase
- graphics driver
- repeating keyboard
- "CLEAR" key
- cursor character


The break command allows you to toggle the <BREAK> key operation. The link command permits you to send everything that goes to the printer to the display or vice versa. The route command enables you to change printer output to display output or vice versa. The last library command that sets Multidos apart is TOPMEM, which gives you direct control over the top-of-memory pointer.

If this was all there was to Multidos,

(continued on page 173)



# The Apple Polisher



**Now Available!**  
**The new Apple™—**  
**compatible disk drive**  
**from A. M. Electronics**

The wait is over.

Now you can get an affordable, high-performance, 5¼-inch disk drive that is fully compatible with your Apple computer.

Our drive comes complete with an Apple-beige case and connecting cables. This drive has been fully tested with Apple's

disk operating system and software. Just plug it in — it's ready to run.

You get a 90-day limited warranty and a 10-day money back guarantee.

This Apple-compatible drive is available now from A.M. Electronics for just \$395.00 (40-track) or \$495 (80-track).

Today, upgrade your Apple computer with an A.M. Electronics disk drive — and go to the head of your class!



**A.M. ELECTRONICS, INC.**

3446 Washtenaw Avenue • Ann Arbor, MI 48104 • 313/973-2312

™ Apple Computer Corp.


Circle 55 on Reader Service card.





# REMEMBER:

Circle 355 on Reader Service card.



## MORE THAN JUST ANOTHER PRETTY FACE.

Says who? Says ANSI.

Specifically, subcommittee X3B8 of the American National Standards Institute (ANSI) says so. The fact is all Elephant™ floppies meet or exceed the specs required to meet or exceed all their standards.

But just who is "subcommittee X3B8" to issue such pronouncements?

They're a group of people representing a large, well-balanced cross section of disciplines—from academia, government agencies, and the computer industry. People from places like IBM, Hewlett-Packard, 3M, Lawrence Livermore Labs, The U.S. Department of Defense, Honeywell and The Association of Computer Programmers and Analysts. In short, it's a bunch of high-caliber nitpickers whose mission, it seems, in order to make better disks for consumers, is also to

make life miserable for everyone in the disk-making business.

How? By gathering together periodically (often, one suspects, under the full moon) to concoct more and more rules to increase the quality of flexible disks. Their most recent rule book runs over 20 single-spaced pages—listing, and insisting upon—hundreds upon hundreds of standards a disk must meet in order to be blessed by ANSI. (And thereby be taken seriously by people who take disks seriously.)

In fact, if you'd like a copy of this formidable document, for free, just let us know and we'll send you one. Because once you know what it takes to make an Elephant for ANSI...

We think you'll want us to make some Elephants for you.

## ELEPHANT.™ HEAVY DUTY DISKS.

For a free poster-size portrait of our powerful pachyderm, please write us.

Distributed Exclusively by Leading Edge Products, Inc., 225 Turnpike Street, Canton, Massachusetts 02021

Call: toll-free 1-800-343-6833; or in Massachusetts call collect (617) 828-8150. Telex 951-624.